

Time	Vehicle Speed (m/s)	RPM (RPM)	Inj. Duty Cycle (%)	LTFT (%)	STFT (%)	Knock Retard (CA)	Learned Knk. Ret. (%)	MAF (g/s) (g/s)	Throttle Position (%)	Boost Pressure (P/kPa)	Load Boost/Fuel (%)
0	0	676	0.87	-1.56	-14.43	0	100	2.84	11.35	-8.85	21.25
0.08	0	673	1.01	-1.56	-14.43	0	100	2.84	11.35	-8.85	21.25
0.18	0	675	0.86	-1.56	-14.04	0	100	2.86	11.35	-8.85	21.25
0.28	0	678	0.87	-1.56	-14.04	0	100	2.86	11.35	-8.85	21.25
0.36	0	687	0.88	-1.56	-14.04	0	100	2.9	11.35	-9.06	20.94
0.46	0	695	0.89	-1.56	-14.04	0	100	2.9	11.35	-9.06	20.94
0.54	0	693	0.89	-1.56	-13.65	0	100	2.88	11.35	-9.06	20.94
0.64	0	691	0.89	-1.56	-13.65	0	100	2.88	11.35	-8.85	20.94
0.72	0	695	0.89	-1.56	-13.65	0	100	2.9	11.35	-8.85	20.94
0.82	0	686	0.88	-1.56	-13.65	0	100	2.86	11.35	-8.85	21.25
0.9	0	684	1.02	-1.56	-13.26	0	100	2.88	11.35	-8.63	21.25
1	0	690	0.88	-1.56	-13.26	0	100	2.92	11.35	-8.63	21.25
1.08	0	701	0.9	-1.56	-13.26	0	100	2.98	11.35	-8.85	20.94
1.18	0	708	1.06	-1.56	-12.87	0	100	2.94	11.35	-8.85	20.94
1.26	0	708	0.91	-1.56	-12.87	0	100	2.96	11.35	-9.06	20.94
1.36	0	710	0.91	-1.56	-12.87	0	100	2.94	11.35	-9.06	20.94
1.44	0	707	0.91	-1.56	-12.48	0	100	2.96	11.35	-9.06	20.94
1.54	0	718	0.92	-1.56	-12.48	0	100	2.98	11.35	-8.85	20.62
1.62	0	718	0.92	-1.56	-12.48	0	100	2.98	11.35	-8.85	20.62
1.72	0	711	0.91	-1.56	-12.48	0	100	2.94	11.35	-8.85	20.94
1.8	0	709	0.91	-1.56	-12.09	0	100	2.96	11.35	-8.85	20.94
1.9	0	707	0.91	-1.56	-12.09	0	100	2.96	11.35	-9.06	20.94
2	0	711	1.06	-1.56	-12.09	0	100	2.98	11.35	-9.06	20.94
2.1	0	710	0.91	-1.56	-11.7	0	100	2.96	11.35	-8.85	20.94
2.18	0	710	1.06	-1.56	-11.7	0	100	2.94	11.35	-8.85	20.94
2.28	0	708	1.06	-1.56	-11.7	0	100	2.96	11.35	-9.06	20.94
2.36	0	713	0.91	-1.56	-11.31	0	100	3	11.35	-9.06	20.94
2.46	0	720	1.08	-1.56	-11.31	0	100	3	11.35	-9.06	20.62
2.54	0	724	0.93	-1.56	-11.7	0	100	2.98	11.35	-9.06	20.62
2.64	0	712	0.91	-1.56	-11.7	0	100	2.92	11.35	-8.85	20.62
2.72	0	704	0.9	-1.56	-12.09	0	100	2.92	11.35	-8.85	20.94
2.82	0	706	0.9	-1.56	-12.09	0	100	2.96	11.35	-8.85	20.94
2.9	0	704	0.9	-1.56	-12.48	0	100	2.94	11.35	-8.85	20.94
3	0	691	0.88	-1.56	-12.48	0	100	2.92	11.35	-8.85	20.94
3.08	0	695	0.89	-1.56	-1.56	0	100	2.96	11.35	-9.06	20.94
3.18	0	703	0.9	-1.56	-1.56	0	100	2.96	11.35	-9.06	20.94
3.26	0	707	0.91	-1.56	-1.95	0	100	2.94	11.35	-9.06	20.94
3.36	0	709	1.06	-1.56	-1.95	0	100	2.94	11.35	-9.06	20.62

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
3.44	0	709	0.91	-1.56	-1.95	0	100	2.92	11.35	-8.85	20.94
3.56	0	704	0.9	-1.56	-2.34	0	100	2.92	11.35	-9.06	20.94
3.64	0	703	0.9	-1.56	-2.73	0	100	2.94	11.35	-9.06	20.94
3.74	0	709	0.91	-1.56	-2.73	0	100	2.94	11.35	-9.06	20.94
3.82	0	709	0.91	-1.56	-2.73	0	100	2.94	11.35	-9.06	20.62
3.92	0	713	0.91	-1.56	-2.34	0	100	2.96	11.35	-8.85	20.62
4	0	714	0.91	-1.56	-2.34	0	100	2.96	11.35	-8.85	20.62
4.1	0	717	0.92	-1.56	-2.34	0	100	2.94	11.35	-9.06	20.62
4.18	0	711	0.91	-1.56	-1.95	0	100	2.92	11.35	-9.06	20.62
4.28	0	711	0.91	-1.56	-1.95	0	100	2.94	11.35	-9.06	20.62
4.36	0	713	0.91	-1.56	-1.95	0	100	3.36	16.43	-7.69	25
4.46	0	735	1.57	-1.56	-1.56	0	100	4.08	16.82	-5.37	31.88
4.54	0	821	2.45	-1.56	-1.17	0	100	7.64	18.39	-3.99	45.62
4.64	0	1030	3.3	-1.56	-0.78	0	100	11.28	18.78	-3.55	50.31
4.72	0	1363	3.78	-1.17	-0.39	0	100	14.52	19.17	-3.99	49.06
4.82	0	1724	4.41	-1.17	-0.39	0	100	17.62	19.56	-4.71	46.56
4.9	0	2061	4.84	-1.17	-1.17	0	100	19.26	19.95	-5.37	44.38
5	0	2316	4.94	-1.17	-1.56	0	100	20.68	19.95	-5.95	42.19
5.08	0	2538	5.41	-1.17	-2.34	0	100	21.08	20.35	-6.53	40.62
5.18	0	2641	5.64	-1.17	-3.12	0	100	20.84	20.35	-6.67	39.06
5.28	0	2647	5.65	-1.17	-2.34	0	100	20.38	20.35	-6.67	38.75
5.36	0	2615	5.58	-1.17	-1.17	0	100	20.74	22.3	-5.73	43.44
5.46	0	2568	6.57	-1.17	-0.39	0	100	23.74	23.08	-4.71	49.06
5.54	0	2504	6.95	-1.17	0.78	0	100	25.06	23.48	-3.99	53.44
5.64	0	2390	7.14	-1.17	1.56	0	100	25.98	24.26	-3.19	58.44
5.74	0	2251	7.2	-1.17	2.34	0	100	25.92	25.04	-2.39	61.56
5.82	0	2098	7.16	-1.17	3.51	0	100	26.22	26.21	-1.6	65.94
5.94	0	1957	7.1	-1.17	3.9	0	100	26.42	26.61	-0.87	69.69
6.02	0	1867	7.17	-1.17	3.12	0	100	25.82	27.78	-0.29	73.44
6.12	0	1759	7.13	-1.17	2.73	0	100	25.8	29.34	0.15	76.25
6.2	0	1697	7.24	-1.17	2.34	0	100	25.88	30.13	0.29	77.81
6.3	4.97	1669	7.12	-1.17	1.56	0	100	26.06	34.82	0.73	80.31
6.38	4.97	1680	7.53	-1.17	1.17	0	100	27.48	37.17	0.94	82.5
6.48	4.97	1704	7.64	-1.17	0	0	100	28.6	39.91	1.09	85.31
6.56	4.97	1674	7.86	-1.17	0	0	100	27.46	42.65	1.52	87.19
6.66	4.97	1432	6.72	-1.17	0	0	100	23.78	44.21	1.52	85
6.74	4.97	1434	6.42	-1.17	0	0.7	100	26.06	37.17	1.52	85.94
6.84	4.97	1723	9.19	-1.17	0	0.7	100	31.14	43.82	1.67	90
6.92	4.97	1810	9.66	-1.17	0	0.7	100	33.4	43.82	2.1	92.5

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
7.02	9.94	1836	9.8	-1.17	0	0.7	100	34.66	52.82	2.1	95.31
7.1	9.94	1916	10.63	-1.17	0	0.35	100	38.4	55.17	2.25	99.06
7.2	9.94	2058	12.74	-1.17	0	0	100	43.2	55.17	2.68	104.38
7.28	9.94	2191	14.03	-1.17	0	0	100	47.3	55.17	2.83	108.12
7.38	9.94	2272	15.03	-1.17	0	0	100	50.7	55.17	3.26	110.94
7.46	9.94	2404	15.9	-1.17	0	0	100	55.3	54.78	3.84	114.06
7.56	9.94	2565	17.52	-1.17	0	0	100	60	50.47	4.21	113.75
7.64	9.94	2696	18.41	-1.17	0	0	100	62.08	47.34	4.79	115.31
7.74	14.91	2819	19.25	-1.17	0	0	100	68.02	46.95	5.37	119.69
7.82	14.91	3007	21.81	0	0	0	100	75.3	46.95	6.38	125.94
7.92	14.91	3163	25.64	0	0	0	100	82.92	46.17	7.54	132.19
8	14.91	3312	28.27	0	0	0	100	91.82	43.43	8.34	139.69
8.1	14.91	3491	32.78	0	0	0	100	102.62	43.82	9.72	148.44
8.18	14.91	3688	36.2	0	0	0	100	114.74	44.21	11.24	158.44
8.28	14.91	3836	40.92	0	0	0	100	130.2	44.21	12.98	174.06
8.36	14.91	4047	48.35	0	0	0	100	148.72	44.21	14.21	184.06
8.46	22.37	4290	53.09	0	0	0	100	163.48	43.82	14.79	191.25
8.56	22.37	4451	56.03	0	0	0	100	171.82	43.43	15.16	189.06
8.64	22.37	4638	56.4	0	0	0	100	172.88	43.04	14.58	182.5
8.74	22.37	4898	56.44	0	0	0	100	175.94	42.65	13.78	174.38
8.82	22.37	5091	55.4	0	0	0	100	172.18	41.08	12.62	162.19
8.92	22.37	5233	49.13	0	0	1.41	100	157.88	37.56	10.08	139.69
9	22.37	5407	41.53	0	0	1.05	100	123.06	25.04	0.94	83.44
9.1	22.37	5229	20.08	-1.17	0	0	100	59.1	17.61	-5.51	46.56
9.18	31.07	5070	10.82	-1.17	0	0	100	29.78	14.09	-9.64	21.88
9.28	31.07	4921	5.25	-1.17	0	0	100	15.8	12.91	-11.02	13.44
9.36	31.07	4755	6.09	-1.17	0	0	100	10.22	12.52	-11.6	10.31
9.46	31.07	4601	4.91	-1.56	0	0	100	9.34	11.74	-11.75	10.31
9.54	31.07	4435	4.73	-1.56	0	0	100	9.22	11.35	-12.18	10.62
9.64	31.07	4261	4.55	-1.56	0	0	100	9.12	13.3	-12.18	10.62
9.72	31.07	4078	0	-1.56	0	0	100	8.92	15.26	-11.6	10.62
9.82	31.07	3916	0	-1.56	0	0	100	7.58	14.87	-11.39	9.38
9.9	29.83	3731	0	-1.56	0	0	100	6.78	14.48	-11.39	9.06
10	29.83	3605	0	-1.56	0	0	100	6.48	14.48	-11.39	9.06
10.08	29.83	3633	0	-1.56	0	0	100	6.4	14.48	-11.6	8.75
10.18	29.83	3703	0	-1.56	0	0	100	6.7	14.48	-11.6	9.38
10.26	29.83	3658	0	-1.56	0	0	100	6.88	14.48	-11.39	9.69
10.36	29.83	3631	0	-1.56	0	0	100	6.98	14.48	-11.46	9.69
10.44	29.83	3662	0	-1.56	0	0	100	6.94	14.48	-11.6	9.69

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
10.54	29.83	3618	0	-1.56	0	0	100	6.88	14.48	-11.6	9.69
10.62	29.83	3588	0	-1.56	0	0	100	6.86	14.48	-11.6	9.69
10.72	29.83	3573	0	-1.56	0	0	100	6.86	14.09	-11.6	9.69
10.8	29.83	3541	0	-1.56	0	0	100	6.72	14.09	-11.6	9.69
10.9	29.83	3539	0	-1.56	0	0	100	6.78	14.09	-11.6	9.69
10.98	29.83	3525	0	-1.56	0	0	100	6.72	14.09	-11.6	9.69
11.08	29.83	3499	0	-1.56	0	0	100	6.72	14.09	-11.6	9.69
11.16	29.83	3486	0	-1.56	0	0	100	6.66	14.09	-11.6	9.69
11.26	28.58	3464	0	-1.56	0	0	100	6.72	14.09	-11.6	9.69
11.34	28.58	3445	0	-1.56	0	0	100	6.76	14.09	-11.39	10
11.44	28.58	3435	0	-1.56	0	0	100	6.72	14.09	-11.6	9.69
11.52	28.58	3416	0	-1.56	0	0	100	6.7	14.09	-11.6	9.69
11.62	28.58	3396	0	-1.56	0	0	100	6.68	14.09	-11.6	10
11.7	28.58	3372	0	-1.56	0	0	100	6.64	14.09	-11.39	10
11.8	28.58	3361	0	-1.56	0	0	100	6.68	14.09	-11.6	10
11.88	28.58	3345	0	-1.56	0	0	100	6.52	14.09	-11.39	10
11.98	27.34	3327	0	-1.56	0	0	100	6.56	14.09	-11.6	10
12.06	27.34	3308	0	-1.56	0	0	100	6.54	15.26	-11.39	11.25
12.16	27.34	3291	0	-1.56	0	0	100	8.34	15.26	-11.02	13.44
12.24	27.34	3273	4.89	-1.56	0	0	100	8.84	15.26	-11.02	14.06
12.34	27.34	3260	4.17	-1.56	0	0	100	9.08	15.26	-11.02	13.75
12.42	27.34	3270	4.19	-1.56	0	0	100	8.92	15.26	-11.02	13.75
12.52	27.34	3250	4.16	-1.56	0	0	100	8.76	15.26	-11.02	13.44
12.6	27.34	3216	4.12	-1.56	0	0	100	8.62	15.65	-11.02	13.44
12.7	26.1	3209	4.11	-1.56	0	0	100	9.08	16.04	-10.8	15
12.78	26.1	3223	4.81	-1.56	0	0	100	10.24	16.43	-10.59	16.88
12.88	26.1	3224	4.82	-1.56	0	0	100	10.88	16.43	-10.37	17.19
12.96	26.1	3223	4.81	-1.56	0	0	100	10.84	16.43	-10.37	17.19
13.06	26.1	3211	4.8	-1.56	0	0	100	11.86	18	-9.79	20
13.14	26.1	3206	5.47	-1.17	0	0	100	14.16	18	-9.43	22.5
13.24	26.1	3223	5.5	-1.17	0	0	100	14.92	18	-9.21	23.44
13.32	26.1	3191	6.13	-1.17	0	0	100	15.86	19.17	-8.85	26.25
13.42	26.1	3187	6.12	-1.17	0	0	100	16.98	18.78	-8.63	26.88
13.52	26.1	3217	6.18	-1.17	0	0	100	17.2	19.17	-8.63	27.19
13.6	26.1	3189	6.12	-1.17	0	0	100	17.28	19.17	-8.63	27.19
13.7	26.1	3205	5.47	-1.17	0	0	100	17.58	19.17	-8.63	27.19
13.78	26.1	3224	5.5	-1.17	0	0	100	17.5	18.78	-8.63	27.19
13.88	26.1	3214	5.49	-1.17	0	0	100	17.36	18.78	-8.63	27.19
13.96	26.1	3227	5.51	-1.17	0	0	100	17.44	19.17	-8.63	27.19

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
14.06	26.1	3217	5.49	-1.17	0	0	100	17.2	18.39	-8.85	26.56
14.14	26.1	3216	5.49	-1.17	0	0	100	16.48	18.39	-9.06	25.31
14.24	26.1	3228	5.51	-1.17	0	0	100	15.88	17.61	-9.43	23.44
14.32	26.1	3228	5.51	-1.17	0	0	100	14.36	16.04	-9.79	20.94
14.42	26.1	3203	4.78	-1.17	0	0	100	11.98	15.65	-10.59	17.81
14.5	26.1	3184	4.76	-1.56	0	0	100	10.8	16.43	-10.59	17.19
14.6	26.1	3172	4.74	-1.56	0	0	100	10.92	16.82	-10.37	17.5
14.68	26.1	3198	4.09	-1.56	-0.39	0	100	11.28	16.43	-10.37	17.81
14.78	26.1	3232	4.14	-1.56	-1.17	0	100	11.48	16.82	-10.22	17.81
14.86	26.1	3224	4.13	-1.56	-1.95	0	100	11.9	17.61	-10.01	20
14.96	26.1	3199	4.78	-1.17	-2.34	0	100	14.02	18.39	-9.43	23.12
15.04	26.1	3213	4.8	-1.17	-3.12	0	100	15.22	18.39	-9.21	23.75
15.14	26.1	3232	4.83	-1.17	-3.9	0	100	15.24	18	-9.21	23.75
15.22	26.1	3176	4.74	-1.17	-3.9	0	100	14.84	18	-9.21	23.75
15.32	26.1	3179	5.43	-1.17	-2.73	0	100	14.94	18	-9.21	23.44
15.4	26.1	3201	4.78	-1.17	-1.56	0	100	14.92	18	-9.21	23.44
15.5	26.1	3198	5.46	-1.17	-0.78	0	100	14.18	16.82	-9.64	21.88
15.6	26.1	3175	4.74	-1.17	0.39	0	100	13.28	17.22	-9.79	20.94
15.68	26.1	3179	4.75	-1.17	0	0	100	14.36	18	-9.43	23.12
15.78	26.1	3143	4.69	-1.17	-0.39	0	100	14.36	17.61	-9.43	22.5
15.86	26.1	3195	4.77	-1.17	-1.17	0	100	14.08	17.61	-9.64	21.88
15.96	26.1	3201	4.78	-1.17	-1.95	0	100	14.46	19.17	-9.06	24.69
16.06	26.1	3169	5.41	-1.17	-2.73	0	100	16.9	19.17	-8.63	27.19
16.14	26.1	3180	5.43	-1.17	-3.51	0	100	17.78	19.56	-8.48	28.75
16.24	26.1	3176	6.1	-1.17	-3.9	0	100	19.32	21.13	-7.32	33.44
16.32	26.1	3139	7.37	-1.17	-4.68	0	100	27.28	25.82	-4.71	50.31
16.42	26.1	3253	10.41	-1.17	0	0	100	35.96	27	-3.55	58.44
16.5	26.1	3205	10.94	-1.17	0	0	100	38.46	27	-3.19	62.5
16.6	26.1	3213	11.65	-1.17	0	0	100	42.24	28.17	-2.39	67.19
16.7	26.1	3263	13.92	-1.17	0	0	100	52.08	39.13	0.29	84.38
16.78	26.1	3276	15.38	-1.17	0	0	100	58.74	39.91	1.09	92.5
16.88	26.1	3330	17.05	-1.17	0	0	100	64.94	41.86	1.89	98.44
16.96	26.1	3434	21.25	-1.17	0	0	100	70.7	62.99	3.48	109.69
17.06	26.1	3413	24.76	0	0	0	100	77.36	67.69	4.79	118.12
17.16	26.1	3467	27.37	0	0	0	100	87	80.99	6.16	130
17.26	26.1	3552	31.83	0	0	0	100	98.98	84.51	7.9	142.5
17.36	26.1	3607	35.4	0	0	0	100	111.24	84.51	10.3	159.06
17.48	26.1	3740	40.7	0	0	0	100	128.92	83.73	12.98	178.44
17.58	26.1	3795	46.96	0	0	0	100	145.84	81.77	16.1	201.56

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
17.66	31.07	3922	54.39	0	0	0	100	169.08	80.6	18.85	222.19
17.76	31.07	4012	60.78	0	0	0	100	188.8	79.43	21.61	244.06
17.86	31.07	4125	67.77	0	0	0	100	211.6	79.43	23.57	260
17.94	31.07	4275	73.89	0	0	0	100	231.86	78.64	24.87	271.88
18.04	31.07	4393	77.8	0	0	0	100	242.3	76.3	25.53	270.31
18.12	31.07	4548	78.6	0	0	0	100	243.1	71.6	25.09	261.88
18.22	31.07	4678	76.86	0	0	0	100	238.3	71.21	24.15	245.62
18.32	31.07	4832	74.23	0	0	0	100	230.3	71.99	22.99	234.69
18.42	39.77	4940	72.73	0	0	0	100	230.42	74.34	21.61	225
18.52	39.77	5115	73.12	0	0	0	100	227.08	74.73	20.45	220
18.6	39.77	5222	72.42	0	0	0	100	228.88	74.73	19.87	213.75
18.7	39.77	5403	72.62	0	0	0	100	228.76	73.95	19.07	210
18.8	39.77	5458	72.2	0	0	0	100	225.72	73.17	18.64	204.06
18.9	39.77	5634	73.33	0	0	0.35	100	230.18	73.56	18.49	203.44
19.02	39.77	5725	74.5	0	0	0.35	100	236.68	73.56	18.64	205
19.12	47.22	5915	76.97	0	0	0	100	245.24	48.91	17.11	198.44
19.24	47.22	5877	60.19	0	0	0	100	160.44	27.39	5.22	112.5
19.34	47.22	5690	30.35	0	0	0	100	73.02	19.95	-4.71	49.69
19.46	47.22	5426	12.73	-1.17	0	0	100	38.42	19.56	-7.69	31.56
19.56	47.22	5387	8.05	-1.17	0	0	100	27.42	26.61	-5.15	38.12
19.68	47.22	4702	13.04	-1.17	0	0	100	50.68	27	-2.83	65
19.78	49.71	4430	19.85	0	0	0	100	93.06	59.86	4.21	115
19.9	49.71	4528	36.71	0	0	2.46	100	111.02	59.86	7.18	130.31
20	49.71	4723	46.35	0	0	2.11	100	141.72	74.34	10.88	165.94
20.12	49.71	4515	54.9	0	0	2.11	100	175.4	74.73	15.16	198.75
20.22	49.71	4737	66.71	0	0	2.11	100	208.84	76.69	20.01	237.19
20.34	49.71	4807	78.97	0	0	1.76	100	248.44	83.73	24.15	269.38
20.44	49.71	4807	86.15	0	0	1.76	100	270.04	84.9	26.11	274.06
20.56	53.44	4943	86.48	0	0	1.41	100	266.8	84.9	26.47	266.56
20.66	53.44	5020	83.53	0	0	1.41	100	261.72	85.29	26.11	259.38
20.78	53.44	5102	83.81	0	0	1.05	100	259.68	85.29	25.53	251.88
20.88	53.44	5208	82.22	0	0	0.7	100	256.84	85.69	24.51	243.75
21	53.44	5263	80.84	0	0	0.7	100	252.72	85.69	23.57	234.69
21.1	53.44	5368	79.03	0	0	0.35	100	247.32	84.9	22.77	229.38
21.22	59.65	5458	78.02	0	0	0	100	244.86	65.34	21.75	222.19
21.32	59.65	5510	74.06	0	0	0	100	182.02	25.04	6.02	120.31
21.42	59.65	5454	26.76	0	0	0	100	71.12	19.56	-4.57	54.69
21.52	59.65	5244	12.31	-1.17	0	0	100	40.08	19.17	-7.11	34.69
21.62	59.65	5074	8.66	-1.17	0	0	100	29.22	18.78	-8.63	25.94

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
21.7	59.65	4943	7.38	-1.17	0	0	100	21.96	18.39	-9.21	23.12
21.8	59.65	4355	6.5	-1.17	0	0	100	16.44	16.43	-10.22	19.06
21.92	60.89	4064	5.2	-1.17	0	0	100	13.72	16.82	-10.59	15.31
22.02	60.89	4139	5.3	-1.17	0	0	100	11.4	16.43	-10.8	13.44
22.12	60.89	4025	5.15	-1.56	0	0	100	10.32	16.43	-10.8	12.81
22.22	60.89	4021	5.15	-1.56	0	0	100	11.1	16.43	-10.8	14.06
22.32	60.89	3985	5.1	-1.56	0	0	100	10.96	16.43	-10.8	13.75
22.4	60.89	3966	5.08	-1.56	0	0	100	10.8	16.43	-11.02	13.75
22.5	60.89	3940	5.04	-1.56	0	0	100	10.78	16.43	-11.02	13.75
22.6	57.17	3910	5	-1.56	0	0	100	10.68	16.43	-11.02	13.75
22.7	57.17	3846	4.92	-1.56	0	0	100	10.38	16.04	-11.02	13.44
22.78	57.17	3805	4.87	-1.56	0	0	100	10.04	16.04	-11.02	13.12
22.88	57.17	3770	4.83	-1.56	0	0	100	9.76	16.04	-11.17	13.12
22.98	57.17	3714	4.75	-1.56	0	0	100	9.7	16.04	-11.02	13.44
23.08	57.17	3670	4.7	-1.56	0	0	100	9.72	15.65	-11.02	13.44
23.18	57.17	3635	4.65	-1.56	0	0	100	9.48	15.65	-11.17	13.12
23.28	57.17	3581	4.58	-1.56	0	0	100	9.3	15.65	-11.17	13.12
23.36	52.2	3527	4.52	-1.56	0	0	100	9.28	15.65	-11.02	13.44
23.46	52.2	3485	4.46	-1.56	0	0	100	9.14	15.65	-11.02	13.12
23.56	52.2	3441	4.41	-1.56	0	0	100	8.96	15.26	-11.02	13.12
23.66	52.2	3393	4.34	-1.56	0	0	100	8.78	15.26	-11.02	13.12
23.74	52.2	3343	4.28	-1.56	0	0	100	8.94	15.65	-11.02	13.44
23.84	52.2	3296	4.22	-1.56	0	0	100	8.86	15.26	-11.02	13.44
23.94	52.2	3210	0	-1.56	0	0	100	7.58	14.09	-11.39	11.56
24.04	47.22	3128	0	-1.56	0	0	100	7.12	14.09	-11.39	11.25
24.12	47.22	3138	0	-1.56	0	0	100	6.86	14.09	-11.39	11.25
24.22	47.22	3046	0	-1.56	0	0	100	6.64	14.09	-11.39	10.94
24.32	47.22	3007	0	-1.56	0	0	100	6.5	14.09	-11.39	10.94
24.42	47.22	2949	0	-1.56	0	0	100	6.48	13.69	-11.39	10.94
24.52	47.22	2902	0	-1.56	0	0	100	6.3	13.69	-11.39	10.94
24.64	47.22	2838	0	-1.56	0	0	100	6.18	13.69	-11.39	10.94
24.74	41.01	2785	0	-1.56	0	0	100	6.06	13.69	-11.6	10.94
24.86	41.01	2716	0	-1.56	0	0	100	5.74	13.3	-11.6	10.62
24.96	41.01	2658	0	-1.56	0	0	100	5.62	13.3	-11.6	10.62
25.08	41.01	2595	0	-1.56	0	0	100	5.52	13.3	-11.6	10.62
25.18	41.01	2560	0	-1.56	0	0	100	5.38	13.3	-11.6	10.62
25.3	41.01	2489	0	-1.56	0	0	100	5.4	12.91	-11.39	10.94
25.4	41.01	2422	0	-1.56	0	0	100	5.18	12.91	-11.39	10.94
25.52	34.8	2362	0	-1.56	0	0	100	5.1	12.91	-11.17	10.94

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
25.62	34.8	2301	0	-1.56	0	0	100	5.02	12.91	-11.39	10.94
25.72	34.8	2247	0	-1.56	0	0	100	4.96	12.91	-11.17	11.25
25.8	34.8	2190	0	-1.56	0	0	100	4.92	12.52	-11.39	11.25
25.9	34.8	2143	0	-1.56	0	0	100	4.76	12.52	-11.39	11.25
26	34.8	2082	0	-1.56	0	0	100	4.6	12.52	-11.39	11.25
26.1	34.8	2030	0	-1.56	0	0	100	4.54	12.52	-11.39	11.25
26.18	29.83	1967	0	-1.56	0	0	100	4.38	12.13	-11.17	11.25
26.28	29.83	1862	0	-1.56	0	0	100	4.04	11.74	-11.39	11.25
26.4	29.83	1728	0	-1.56	0	0	100	3.62	11.74	-11.17	10.94
26.5	29.83	1579	0	-1.56	0	0	100	3.38	11.74	-11.17	11.25
26.58	29.83	1445	0	-1.56	0	0	100	3.1	11.35	-11.17	10.94
26.68	29.83	1330	0	-1.56	0	0	100	2.8	11.35	-11.02	11.25
26.78	29.83	1201	0	-1.56	0	0	100	2.68	12.13	-10.59	11.88
26.88	22.37	1094	0	-1.56	0	0	100	3.12	12.52	-10.01	16.56
26.96	22.37	978	2.09	-1.56	0	0	100	3.48	12.91	-9.06	20.62
27.06	22.37	846	2.17	-1.56	0	0	100	3.8	12.91	-8.85	23.44
27.16	22.37	887	1.89	-1.56	0	0	100	4.24	11.35	-8.85	21.56
27.26	22.37	952	1.63	-1.56	0	0	100	3.84	11.35	-9.43	19.69
27.34	22.37	972	1.45	-1.56	0	0	100	3.64	11.35	-9.64	18.75
27.44	22.37	966	1.44	-1.56	0	0	100	3.4	11.35	-9.79	17.81
27.52	16.16	940	1.41	-1.56	0	0	100	3.24	12.13	-9.79	17.81
27.62	16.16	930	1.59	-1.56	0	0	100	3.26	11.74	-9.64	18.12
27.7	16.16	919	1.57	-1.56	0	0	100	3.32	11.35	-9.64	17.81
27.8	16.16	908	1.36	-1.56	0	0	100	3.1	11.35	-9.79	17.19
27.88	16.16	877	1.31	-1.56	0	0	100	3	11.35	-9.79	17.19
27.98	16.16	872	1.3	-1.56	0	0	100	3.16	11.35	-9.43	18.44
28.08	16.16	867	1.48	-1.56	0	0	100	3.14	11.35	-9.64	18.12
28.16	16.16	847	1.27	-1.56	0	0	100	3	11.35	-9.64	18.12
28.26	9.94	829	1.42	-1.56	0	0	100	3.02	11.35	-9.64	18.44
28.34	9.94	822	1.23	-1.56	0	0	100	3	11.35	-9.43	18.44
28.44	9.94	809	1.21	-1.56	0	0	100	2.92	11.74	-9.43	18.75
28.52	9.94	796	1.36	-1.56	0	0	100	3	11.35	-9.21	19.06
28.62	9.94	791	1.18	-1.56	0	0	100	2.98	11.35	-9.43	18.75
28.7	9.94	791	1.18	-1.56	0	0	100	2.98	11.35	-9.43	18.75
28.8	9.94	789	1.18	-1.56	0	0	100	2.94	11.35	-9.21	18.75
28.88	9.94	777	1.16	-1.56	0	0	100	2.84	11.35	-9.43	18.75
28.98	4.97	757	1.13	-1.56	0	0	100	2.84	11.35	-9.43	19.06
29.06	4.97	753	1.13	-1.56	0	0	100	2.84	11.35	-9.21	19.06
29.16	4.97	755	1.13	-1.56	0	0	100	2.88	11.35	-9.21	19.06

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
29.24	4.97	753	1.13	-1.56	0	0	100	2.88	11.35	-9.21	19.06
29.34	4.97	755	1.13	-1.56	0	0	100	2.88	11.35	-9.43	19.06
29.42	4.97	754	1.13	-1.56	0	0	100	2.88	11.35	-9.06	19.06
29.52	4.97	751	1.12	-1.56	0	0	100	2.88	11.35	-9.06	19.38
29.6	4.97	743	1.11	-1.56	0	0	100	2.86	11.35	-9.21	19.38
29.7	2.49	746	1.11	-1.56	0	0	100	2.86	11.35	-9.21	19.38
29.78	2.49	739	1.1	-1.56	0	0	100	2.88	11.35	-9.06	19.38
29.88	2.49	746	1.11	-1.56	0	0	100	2.88	11.35	-9.06	19.38
29.96	2.49	752	1.28	-1.56	0	0	100	3.62	28.17	-3.19	26.88
30.06	2.49	762	1.95	-1.56	0	0	100	6.46	34.04	-0.07	43.12
30.14	2.49	1002	4.28	-1.56	0	0	100	11.82	34.82	-0.29	56.56
30.24	2.49	1465	6.57	-1.17	0	0	100	21.08	35.21	-0.44	63.75
30.32	2.49	2063	8.81	-1.17	0	0	100	29.72	33.26	-1.02	67.19
30.42	2.49	2592	9.95	-1.17	0	0	100	36.84	25.82	-2.61	63.75
30.5	2.49	3005	9.62	-1.17	0	0	100	35.64	21.13	-5.37	49.69
30.6	2.49	3269	8.37	-1.17	0	0	100	28.22	24.65	-5.51	45.62
30.7	2.49	3266	10.45	-1.17	0	0	100	36.56	30.13	-2.39	64.06
30.78	2.49	3239	12.44	-1.17	0	0	100	45.4	31.3	-1.23	74.38
30.88	2.49	3286	12.62	-1.17	0	0	100	50.64	31.69	-0.87	78.75
30.98	2.49	3308	13.41	-1.17	0	0	100	52.8	23.08	-2.61	69.06
31.06	4.97	3255	10.42	-1.17	0	0	100	32.1	21.91	-5.51	47.5
31.16	4.97	2935	8.14	-1.17	0	0	100	27.74	21.91	-4.71	49.69
31.26	4.97	2622	7.83	-1.17	0	0	100	26.06	22.3	-3.55	54.06
31.34	4.97	2291	7.33	-1.17	0	0	100	24.86	21.91	-2.61	56.88
31.44	4.97	2034	6.51	-1.17	0	0	100	25.56	43.82	1.89	80.31
31.54	4.97	1986	8.9	-1.17	0	0	100	34.2	48.12	2.1	86.56
31.62	4.97	2117	9.94	-1.17	0	0	100	39.02	46.56	2.25	93.12
31.72	4.97	2206	12.24	-1.17	0	0	100	43.74	46.56	2.47	99.38
31.8	9.94	2270	14.53	-1.17	0	0	100	46.8	43.43	2.83	105.31
31.9	9.94	2304	14.26	-1.17	0	0	100	45.48	26.61	1.09	91.88
31.98	9.94	2270	10.17	-1.17	0	0	100	38.98	25.82	0.51	85.62
32.08	9.94	2234	9.53	-1.17	0	0	100	37.36	25.82	0.51	84.38
32.18	9.94	2249	9.12	-1.17	0	0	100	38.04	25.82	0.29	82.19
32.26	9.94	2423	9.82	-1.17	0	0	100	39.98	25.82	-0.07	80.94
32.36	9.94	2525	10.24	-1.17	0	0	100	39.96	20.35	-1.45	72.19
32.44	9.94	2515	8.58	-1.17	0	0	100	29.96	13.69	-6.67	44.38
32.54	13.67	2464	4.73	-1.17	0.39	0	100	15.36	12.91	-9.21	26.25
32.64	13.67	2516	3.76	-1.17	-0.39	0	100	10.18	12.52	-10.59	18.12
32.72	13.67	2557	3.27	-1.56	-0.78	0	100	7.68	12.13	-11.17	13.44

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
32.82	13.67	2614	3.35	-1.56	0	0	100	6.38	12.13	-11.6	11.25
32.9	13.67	2616	3.35	-1.56	0	0	100	5.82	11.74	-11.97	11.25
33	13.67	2567	3.29	-1.56	0	0	100	5.72	11.74	-11.97	11.25
33.1	13.67	2516	3.22	-1.56	0	0	100	5.6	11.74	-11.97	11.25
33.18	13.67	2455	3.14	-1.56	0	0	100	5.54	11.35	-11.97	11.56
33.28	13.67	2402	3.08	-1.56	0	0	100	5.42	11.35	-11.97	11.56
33.38	13.67	2337	2.99	-1.56	0	0	100	5.34	11.35	-11.97	11.56
33.46	13.67	2254	2.89	-1.56	0	0	100	4.78	11.35	-11.97	10
33.56	13.67	2162	2.31	-1.56	0	0	100	3.84	11.35	-11.97	8.44
33.66	13.67	2102	2.24	-1.56	0	0	100	3.22	11.35	-11.97	7.5
33.74	13.67	2035	2.17	-1.56	0	0	100	2.88	11.35	-12.18	7.19
33.84	13.67	1938	2.07	-1.56	0	0	100	2.64	11.35	-11.97	7.19
33.94	9.94	1770	1.89	-1.56	0	0	100	2.48	11.35	-11.75	7.5
34.02	9.94	1621	1.73	-1.56	0	0	100	2.46	11.35	-11.6	7.81
34.12	9.94	1578	1.68	-1.56	0	0	100	2.58	11.35	-11.39	8.12
34.22	9.94	1680	1.79	-1.56	0	0	100	3.48	13.69	-11.02	11.88
34.32	9.94	1780	2.28	-1.56	0	0	100	4.82	13.69	-10.59	14.38
34.4	9.94	1778	2.28	-1.56	0	0	100	5.42	14.09	-10.37	16.56
34.5	9.94	1772	3.02	-1.56	-0.39	0	100	7	19.95	-8.05	24.69
34.58	9.94	1697	4.35	-1.56	-0.78	0	100	12.7	21.13	-4.93	43.75
34.68	8.7	1840	5.5	-1.17	-1.17	0	100	17.82	21.52	-3.99	50.62
34.76	8.7	1878	6.01	-1.17	-1.95	0	100	19.48	21.91	-3.41	55
34.86	8.7	1797	6.13	-1.17	-2.34	0	100	20.36	22.69	-2.61	58.12
34.94	8.7	1892	6.46	-1.17	-3.12	0	100	24.28	29.74	-1.02	68.75
35.04	8.7	2025	7.78	-1.17	0	0	100	28.74	28.95	-0.65	72.19
35.12	8.7	2011	8.15	-1.17	0	0	100	28.96	30.91	-0.29	75.62
35.22	8.7	1989	8.49	-1.17	0	0	100	31.3	30.13	-0.29	76.25
35.3	8.7	2174	8.81	-1.17	0	0	100	33.6	47.34	0.73	83.75
35.4	11.18	2276	10.68	-1.17	0	0	100	39.86	49.69	1.09	89.38
35.48	11.18	2323	11.4	-1.17	0	0	100	42.86	50.86	1.52	94.38
35.58	11.18	2405	13.34	-1.17	0	0	100	47.16	42.26	1.67	94.69
35.66	11.18	2573	13.18	-1.17	0	0	100	50.24	52.82	2.25	102.5
35.76	11.18	2667	17.07	-1.17	0	0	100	56.12	53.6	2.83	106.88
35.84	11.18	2785	18.42	-1.17	0	0	100	61.3	53.21	3.63	111.25
35.94	11.18	2927	19.98	-1.17	0	0	100	67.22	49.69	4.42	114.38
36.02	16.16	3049	20.82	-1.17	0	0	100	69.4	42.65	4.79	114.38
36.12	16.16	3182	22.4	0	0	0	100	75.16	40.3	5.37	118.75
36.2	16.16	3334	24.9	0	0	0	100	82.72	39.91	6.38	125.62
36.3	16.16	3498	29.1	0	0	0	100	90.82	36.39	6.6	129.69

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
36.38	16.16	3623	30.14	0	0	0	100	92.1	28.95	5	118.75
36.48	16.16	3705	22.93	0	0	0	100	74	22.69	0.51	81.56
36.56	16.16	3774	12.88	-1.17	0	0	100	46.58	16.04	-6.09	44.69
36.66	16.16	3784	7.27	-1.17	0	0	100	23.88	14.48	-9.43	25
36.74	21.13	3811	4.88	-1.17	0	0	100	14.02	13.69	-11.02	15
36.84	21.13	3789	4.85	-1.56	0	0	100	8.8	13.3	-11.6	11.25
36.92	21.13	3701	3.95	-1.56	0	0	100	8.1	12.91	-11.75	11.25
37.02	21.13	3574	4.58	-1.56	0	0	100	7.8	12.52	-11.97	10.94
37.1	21.13	3441	4.41	-1.56	0	0	100	7.42	14.48	-11.75	10.94
37.2	21.13	3301	4.23	-1.56	0	0	100	7.9	15.65	-10.8	12.19
37.28	21.13	3235	4.14	-1.56	0	0	100	8.86	17.22	-10.37	15
37.38	21.13	3207	4.11	-1.56	-0.39	0	100	10.62	18	-9.64	19.06
37.46	21.13	3144	5.37	-1.17	-0.78	0	100	16.04	24.65	-6.53	37.19
37.56	21.13	3069	9.17	-1.17	-1.56	0	100	29.34	25.82	-3.99	55
37.64	21.13	3060	9.79	-1.17	0	0	100	35.34	25.82	-2.97	60.94
37.74	21.13	2937	10.03	-1.17	0	0	100	36.16	26.21	-2.39	65.62
37.82	21.13	2716	10.43	-1.17	0	0	100	37.18	32.87	-0.44	76.25
37.92	21.13	2868	12.24	-1.17	0	0	100	47.28	34.43	0.51	85.31
38	21.13	2909	13.65	-1.17	0	0	100	50.64	35.21	0.94	92.5
38.1	21.13	2876	15.34	-1.17	0	0	100	55.24	35.6	1.52	96.56
38.18	23.61	3029	17.45	-1.17	0	0	100	61.56	47.73	3.05	107.19
38.28	23.61	3008	20.54	-1.17	0	0	100	66.04	48.52	3.84	113.75
38.36	23.61	3108	22.55	0	0	0	100	73.34	51.25	5	120.62
38.46	23.61	3180	25.11	0	0	0.7	100	79.26	51.25	6.16	129.06
38.54	23.61	3227	27.54	0	0	0.35	100	87.72	52.43	7.32	138.44
38.64	23.61	3345	31.4	0	0	0.35	100	97.38	56.73	9.14	148.44
38.72	23.61	3398	34.07	0	0	0	100	105.78	58.3	10.44	160
38.82	23.61	3520	38.31	0	0	0	100	119.5	57.12	12.62	172.5
38.9	28.58	3605	40.77	0	0	0	100	124.22	49.69	14.21	175.62
39	28.58	3714	44.38	0	0	0	100	139.78	48.91	15.52	188.44
39.08	28.58	3822	48.12	0	0	0	100	148.24	48.91	16.53	197.19
39.18	28.58	3938	51.26	0	0	0	100	159.02	49.69	16.68	201.56
39.26	28.58	4064	53.77	0	0	0	100	164.28	49.69	16.9	201.25
39.36	28.58	4143	53.92	0	0	0	100	166.3	46.56	16.32	196.56
39.44	28.58	4280	53.88	0	0	0	100	167.2	44.99	15.74	190.62
39.54	28.58	4416	54.65	0	0	0	100	166.46	44.99	15.16	185.62
39.62	36.04	4499	54.71	0	0	0	100	166.68	44.21	14.79	183.75
39.72	36.04	4618	55.17	0	0	0	100	170.94	43.82	14.36	184.38
39.8	36.04	4707	55.24	0	0	0	100	167.66	41.86	13.42	172.81

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
39.9	36.04	4826	51.48	0	0	0	100	159.28	38.73	11.82	155.94
39.98	36.04	4898	42.85	0	0	0.35	100	136.14	27.39	4.79	112.19
40.08	36.04	4789	26.56	0	0	0	100	68.44	19.56	-3.55	59.38
40.16	36.04	4702	11.03	-1.17	0	0	100	37.02	14.87	-8.63	30
40.26	36.04	4559	5.84	-1.17	0	0	100	18.76	13.3	-10.59	17.5
40.34	41.01	4419	5.66	-1.17	0	0	100	12.16	13.3	-11.39	12.19
40.44	41.01	4268	4.55	-1.56	0	0	100	9.14	12.52	-11.75	10.94
40.52	41.01	4107	5.26	-1.56	0	0	100	9.08	12.13	-11.97	11.56
40.62	41.01	3953	4.22	-1.56	0	0	100	8.74	11.74	-12.18	11.25
40.7	41.01	3805	4.87	-1.56	0	0	100	8.36	11.35	-12.33	9.38
40.8	41.01	3653	0	-1.56	0	0	100	6.32	14.09	-11.97	10.31
40.9	41.01	3536	0	-1.56	0	0	100	6.86	14.09	-11.6	9.38
41	39.77	3445	0	-1.56	0	0	100	6.2	14.09	-11.39	9.38
41.1	39.77	3441	0	-1.56	0	0	100	6.58	15.65	-11.17	11.25
41.18	39.77	3600	4.61	-1.56	0	0	100	9.08	16.04	-11.17	13.12
41.28	39.77	3653	4.68	-1.56	0	0	100	9.58	16.04	-11.02	13.12
41.36	39.77	3597	4.6	-1.56	0	0	100	9.54	15.65	-11.02	13.44
41.46	39.77	3542	4.53	-1.56	0	0	100	9.78	16.43	-10.8	14.38
41.54	39.77	3578	4.58	-1.56	0	0	100	11.74	18	-10.22	18.44
41.64	39.77	3624	5.41	-1.17	-0.78	0	100	15.24	18.39	-9.64	21.88
41.72	39.77	3626	5.42	-1.17	0	0	100	15.94	18	-9.64	22.19
41.82	39.77	3531	5.27	-1.17	0	0	100	14.66	16.43	-10.22	19.69
41.9	39.77	3532	5.28	-1.17	0	0	100	12.62	16.04	-10.59	16.88
42	39.77	3525	4.51	-1.17	-0.78	0	100	10.88	15.65	-11.02	15
42.08	39.77	3561	4.56	-1.56	-1.56	0	100	10.32	15.65	-11.02	14.38
42.18	39.77	3547	4.54	-1.56	-2.34	0	100	9.88	15.65	-11.02	14.06
42.26	39.77	3537	4.53	-1.56	-3.12	0	100	9.84	15.65	-11.02	14.06
42.36	39.77	3549	4.54	-1.56	-3.9	0	100	9.76	15.65	-11.17	13.75
42.44	38.52	3534	4.52	-1.56	-4.68	0	100	9.7	15.65	-11.02	13.75
42.54	38.52	3512	4.5	-1.56	-4.68	0	100	9.62	15.65	-11.17	13.75
42.62	38.52	3511	4.49	-1.56	-3.51	0	100	9.66	15.65	-11.02	13.75
42.72	38.52	3511	4.49	-1.56	-2.73	0	100	9.66	15.65	-11.17	13.75
42.8	38.52	3501	4.48	-1.56	-1.56	0	100	9.56	15.65	-11.02	13.75
42.9	38.52	3486	4.46	-1.56	-0.39	0	100	9.56	15.65	-11.17	13.75
42.98	38.52	3490	4.47	-1.56	0.78	0	100	9.52	15.65	-11.17	13.75
43.08	38.52	3488	4.46	-1.56	1.56	0	100	9.54	13.3	-11.39	12.19
43.16	38.52	3469	4.44	-1.56	0	0	100	7.58	12.52	-12.18	10.94
43.26	38.52	3449	4.42	-1.56	0	0	100	7.58	12.13	-12.18	10.94
43.34	38.52	3462	4.43	-1.56	0	0	100	7.56	12.13	-12.18	10.94

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
43.44	38.52	3434	4.4	-1.56	0	0	100	7.5	11.74	-12.18	10.94
43.52	38.52	3437	4.4	-1.56	0	0	100	7.5	11.74	-12.18	10.94
43.62	38.52	3413	4.37	-1.56	0	0	100	7.48	11.35	-12.33	10.94
43.7	38.52	3415	4.37	-1.56	0	0	100	7.48	11.35	-12.33	10.94
43.8	38.52	3395	0	-1.56	0	0	100	6.84	13.3	-12.18	10
43.88	37.28	3396	0	-1.56	0	0	100	7	14.09	-11.75	10.31
43.98	37.28	3376	0	-1.56	0	0	100	7.1	14.09	-11.6	10.62
44.08	37.28	3376	0	-1.56	0	0	100	7.06	14.09	-11.6	10.31
44.18	37.28	3361	0	-1.56	0	0	100	6.88	14.09	-11.6	10.31
44.28	37.28	3349	0	-1.56	0	0	100	6.84	14.09	-11.6	10.31
44.38	37.28	3340	0	-1.56	0	0	100	6.74	14.09	-11.6	10.31
44.5	37.28	3329	0	-1.56	0	0	100	6.72	14.09	-11.39	10.31
44.6	36.04	3315	0	-1.56	0	0	100	6.74	14.09	-11.39	10.31
44.72	36.04	3304	0	-1.56	0	0	100	6.68	14.09	-11.39	10.31
44.82	36.04	3293	0	-1.56	0	0	100	6.76	14.09	-11.39	10.31
44.94	36.04	3288	0	-1.56	0	0	100	6.8	14.09	-11.39	10.31
45.04	36.04	3277	0	-1.56	0	0	100	6.84	14.09	-11.39	10.31
45.16	36.04	3265	0	-1.56	0	0	100	6.78	14.09	-11.39	10.62
45.26	36.04	3249	0	-1.56	0	0	100	6.82	14.09	-11.39	10.31
45.38	36.04	3241	0	-1.56	0	0	100	6.74	14.09	-11.39	10.62
45.48	36.04	3223	0	-1.56	0	0	100	6.72	14.09	-11.39	10.62
45.6	36.04	3194	0	-1.56	0	0	100	7.16	14.09	-11.39	11.25
45.7	36.04	3162	0	-1.56	0	0	100	6.96	14.09	-11.39	10.94
45.82	36.04	3136	0	-1.56	0	0	100	6.8	14.09	-11.39	10.94
45.92	36.04	3105	0	-1.56	0	0	100	6.72	14.09	-11.39	10.94
46.04	33.55	3071	0	-1.56	0	0	100	6.64	14.09	-11.39	10.94
46.14	33.55	3032	0	-1.56	0	0	100	6.54	14.09	-11.6	10.94
46.26	33.55	2984	0	-1.56	0	0	100	6.48	14.09	-11.39	10.94
46.36	33.55	2952	0	-1.56	0	0	100	6.4	13.69	-11.6	10.94
46.48	33.55	2920	0	-1.56	0	0	100	6.22	13.69	-11.6	10.94
46.58	33.55	2863	0	-1.56	0	0	100	6.2	13.69	-11.6	10.94
46.7	31.07	2819	0	-1.56	0	0	100	6.04	13.69	-11.6	10.94
46.8	31.07	2771	0	-1.56	0	0	100	5.92	13.69	-11.6	10.94
46.92	31.07	2717	0	-1.56	0	0	100	5.76	13.3	-11.6	10.94
47.02	31.07	2649	0	-1.56	0	0	100	5.66	13.3	-11.6	10.94
47.14	31.07	2590	0	-1.56	0	0	100	5.56	13.3	-11.6	10.94
47.24	31.07	2529	0	-1.56	0	0	100	5.4	13.3	-11.6	10.94
47.36	31.07	2470	0	-1.56	0	0	100	5.28	12.91	-11.39	10.94
47.46	27.34	2412	0	-1.56	0	0	100	5.22	12.91	-11.39	10.94

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
47.58	27.34	2363	0	-1.56	0	0	100	5.1	12.91	-11.39	10.94
47.68	27.34	2302	0	-1.56	0	0	100	5	12.91	-11.39	11.25
47.8	27.34	2244	0	-1.56	0	0	100	4.98	12.91	-11.39	11.25
47.9	27.34	2190	0	-1.56	0	0	100	4.9	12.52	-11.39	11.25
48.02	27.34	2123	0	-1.56	0	0	100	4.66	12.52	-11.17	11.56
48.12	22.37	1993	0	-1.56	0	0	100	4.48	12.13	-11.17	11.56
48.22	22.37	1854	0	-1.56	0	0	100	4.12	11.74	-11.17	11.25
48.34	22.37	1725	0	-1.56	0	0	100	3.62	11.35	-11.17	10.94
48.44	22.37	1584	0	-1.56	0	0	100	3.3	11.35	-11.39	10.62
48.54	22.37	1455	0	-1.56	0	0	100	2.92	11.35	-11.17	10.62
48.64	22.37	1309	0	-1.56	0	0	100	2.78	11.35	-11.17	11.25
48.74	22.37	1179	0	-1.56	0	0	100	2.68	12.52	-10.59	13.12
48.84	17.4	1072	0	-1.56	0	0	100	3.2	12.52	-9.79	18.12
48.92	17.4	954	2.04	-1.56	0	0	100	3.5	12.52	-9.06	20.94
49.02	17.4	821	2.1	-1.56	0	0	100	3.8	12.91	-8.63	24.38
49.12	17.4	872	1.68	-1.56	0	0	100	4.18	11.35	-9.06	22.19
49.22	17.4	950	1.82	-1.56	0	0	100	3.98	11.35	-9.43	20.31
49.3	17.4	941	1.61	-1.56	0	0	100	3.74	11.35	-9.64	19.06
49.4	17.4	935	1.4	-1.56	0	0	100	3.48	11.35	-9.79	18.44
49.5	13.67	920	1.57	-1.56	0	0	100	3.44	11.35	-9.64	18.44
49.6	13.67	900	1.35	-1.56	0	0	100	3.32	11.35	-9.64	18.12
49.68	13.67	892	1.33	-1.56	0	0	100	3.2	11.35	-9.64	17.81
49.78	13.67	896	1.34	-1.56	0	0	100	3.14	11.35	-9.79	17.5
49.88	13.67	886	1.32	-1.56	0	0	100	3.04	11.35	-9.79	17.5
49.98	13.67	864	1.29	-1.56	0	0	100	3	11.35	-9.79	17.81
50.06	13.67	859	1.47	-1.56	0	0	100	3.08	11.35	-9.64	18.12
50.16	13.67	849	1.27	-1.56	0	0	100	3.02	11.35	-9.79	18.12
50.28	8.7	834	1.25	-1.56	0	0	100	2.98	11.35	-9.64	18.44
50.38	8.7	825	1.23	-1.56	0	0	100	3.1	11.35	-9.64	18.75
50.48	8.7	829	1.24	-1.56	0	0	100	3.04	11.35	-9.64	18.44
50.58	8.7	821	1.23	-1.56	0	0	100	3.02	11.35	-9.43	18.44
50.68	8.7	817	1.22	-1.56	0	0	100	3	11.35	-9.64	18.44
50.78	8.7	809	1.21	-1.56	0	0	100	2.98	11.35	-9.64	18.44
50.86	8.7	801	1.2	-1.56	0	0	100	2.98	11.35	-9.64	18.44
50.96	3.73	800	1.2	-1.56	0	0	100	2.96	11.35	-9.43	18.75
51.06	3.73	794	1.19	-1.56	0	0	100	2.96	11.35	-9.64	18.75
51.16	3.73	786	1.17	-1.56	0	0	100	2.96	11.35	-9.43	18.75
51.26	3.73	791	1.18	-1.56	0	0	100	3.04	12.13	-9.06	20.31
51.38	3.73	790	1.52	-1.56	0	0	100	3.42	12.13	-8.85	22.19

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
51.48	3.73	791	1.52	-1.56	0	0	100	3.64	12.13	-8.48	23.44
51.6	3.73	780	1.5	-1.56	0	0	100	3.96	28.17	-0.65	31.25
51.7	2.49	720	2.31	-1.56	0	0	100	5.54	28.95	-0.07	49.38
51.8	2.49	765	3.27	-1.56	0	0	100	8.62	31.69	0.15	55.31
51.88	2.49	888	3.79	-1.56	0	0.35	100	11.16	30.13	-0.07	60.31
51.98	2.49	1020	4.14	-1.17	0	0.35	100	13.24	23.87	-0.44	61.56
52.08	2.49	1080	4.38	-1.17	0	0.35	100	13.72	24.65	-0.65	63.12
52.18	2.49	1130	4.82	-1.17	0	0.35	100	14.68	36	-0.07	69.38
52.26	2.49	1123	5.75	-1.17	0	0.35	100	15.18	39.13	0.15	70
52.36	6.21	1100	4.7	-1.17	0	0.35	100	16.3	42.26	0.15	70
52.46	6.21	1294	5.52	-1.17	0	0.35	100	19.08	44.6	0.15	72.19
52.56	6.21	1348	5.75	-1.17	0	0.35	100	19.76	43.82	0.29	74.06
52.64	6.21	1387	5.62	-1.17	0	2.46	100	21.4	48.52	0.29	76.56
52.74	6.21	1482	6.32	-1.17	0	2.46	100	24.06	46.56	0.29	79.69
52.84	6.21	1574	7.72	-1.17	0	2.46	100	26.18	52.43	0.73	82.5
52.94	6.21	1660	8.85	-1.17	0	2.46	100	28.3	55.17	0.94	84.69
53.02	9.94	1734	8.88	-1.17	0	2.46	100	30.18	61.04	1.09	86.56
53.12	9.94	1853	9.49	-1.17	0	2.46	100	33.4	61.04	1.09	89.38
53.22	9.94	1944	9.95	-1.17	0	2.46	99.61	36.08	60.25	1.52	92.5
53.34	9.94	2034	10.85	-1.17	0	2.46	99.61	39.42	48.52	1.67	95
53.44	9.94	2135	10.93	-1.17	0	2.11	99.61	41.3	39.91	1.67	94.38
53.54	9.94	2263	11.59	-1.17	0	2.11	99.61	43.64	37.95	1.89	95
53.62	9.94	2369	12.64	-1.17	0	2.11	99.61	45.88	34.43	1.89	95.94
53.72	13.67	2482	12.71	-1.17	0	2.11	99.61	47.14	31.69	1.67	93.75
53.82	13.67	2569	12.61	-1.17	0	2.11	99.22	48.96	32.08	1.89	95.31
53.9	13.67	2681	14.3	-1.17	0	2.11	99.22	52.24	32.08	2.25	97.19
54	13.67	2815	15.62	-1.17	0	2.11	99.22	56	31.3	2.25	98.44
54.08	13.67	2906	16.74	-1.17	0	2.11	99.22	56.66	28.56	1.67	95.31
54.18	13.67	3008	14.76	-1.17	0	1.76	99.22	57.14	28.17	1.52	92.81
54.26	13.67	3140	15.41	-1.17	0	1.76	99.22	58.56	28.17	1.67	92.81
54.36	13.67	3229	15.85	-1.17	0	0.7	99.22	60.46	27.78	1.52	92.81
54.44	17.4	3311	16.25	-1.17	0	0.7	99.22	61.64	27.39	1.31	92.19
54.54	17.4	3445	16.17	-1.17	0	0	99.22	63.54	27.39	1.31	91.25
54.62	17.4	3536	16.6	-1.17	0	0	99.22	64.48	27.39	1.09	90.31
54.72	17.4	3633	16.28	-1.17	0	0	99.22	63.42	25.82	0.15	82.5
54.8	17.4	3710	14.25	-1.17	0	0	99.22	48.88	17.61	-4.71	53.12
54.9	17.4	3678	8.63	-1.17	0	0	99.22	24.2	16.04	-8.48	28.12
54.98	17.4	3682	5.5	-1.17	0	0	99.22	17.24	16.04	-9.79	20.31
55.08	17.4	3725	4.77	-1.17	0	0	99.22	12.92	15.65	-10.37	16.56

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
55.16	21.13	3733	4.78	-1.17	0	0	99.22	11.54	15.65	-10.59	15
55.26	21.13	3725	4.77	-1.17	0	0	99.22	10.74	15.65	-10.8	14.69
55.34	21.13	3708	4.75	-1.56	0	0	99.22	10.36	15.65	-10.8	14.06
55.44	21.13	3685	4.72	-1.56	-0.39	0	99.22	10.02	15.65	-11.02	13.44
55.52	21.13	3644	4.66	-1.56	-1.17	0	99.22	9.76	16.43	-10.8	14.06
55.62	21.13	3586	4.59	-1.56	-1.95	0	99.22	10.32	16.43	-10.59	15
55.7	21.13	3504	4.49	-1.56	-2.73	0	99.22	10.5	18.39	-10.22	17.19
55.8	21.13	3367	5.75	-1.17	-3.51	0	99.22	15.96	19.95	-8.63	27.5
55.88	21.13	3242	6.23	-1.17	-3.51	0	99.22	19.22	19.95	-7.9	31.56
55.98	21.13	3042	6.49	-1.17	-3.9	0	99.22	19.8	20.35	-7.25	35.31
56.06	21.13	2802	5.98	-1.17	-4.68	0	99.22	19.64	20.35	-6.67	38.75
56.16	21.13	2580	6.05	-1.17	-5.46	0	99.22	21.24	20.74	-6.09	41.56
56.24	21.13	2772	6.51	-1.17	-6.24	0	99.22	24.46	22.3	-5.51	45.31
56.34	21.13	2726	7.56	-1.17	-5.85	0	99.22	25.22	21.91	-5.15	47.5
56.42	21.13	2708	7.51	-1.17	-5.07	0	99.22	26.72	23.48	-4.71	50.94
56.52	21.13	2827	9.05	-1.17	-3.9	0	99.22	34.02	27.39	-2.18	65.62
56.6	22.37	2798	10.75	-1.17	0	0	99.22	38.5	27.78	-1.81	71.25
56.7	22.37	2835	10.89	-1.17	0	0	99.61	41.1	27.78	-1.45	72.81
56.78	22.37	2891	11.1	-1.17	0	0	99.61	42.7	27.78	-1.23	75
56.88	22.37	2894	11.11	-1.17	0	0	99.61	44.5	28.17	-1.02	76.88
56.96	22.37	2973	12.05	-1.17	0	0	99.61	47.24	28.95	-0.65	80.62
57.06	22.37	2996	12.79	-1.17	0	0	99.61	49.2	28.95	-0.29	83.44
57.14	22.37	3035	12.95	-1.17	0	0	99.61	51.56	28.95	-0.07	85.31
57.24	24.85	3090	13.84	-1.17	0	0	99.61	53.06	27.78	-0.07	85.31
57.34	24.85	3115	12.63	-1.17	0	0	99.61	48.8	24.26	-1.45	72.5
57.42	24.85	3151	11.43	-1.17	0	0	99.61	41.7	20.35	-3.77	58.12
57.52	24.85	3177	8.13	-1.17	0	0	99.61	28.6	16.43	-6.89	37.81
57.62	24.85	3176	6.1	-1.17	-0.39	0	99.61	17.4	15.65	-9.06	25
57.7	24.85	3221	4.81	-1.17	-1.17	0	99.61	13.7	15.26	-10.01	18.44
57.8	24.85	3259	4.17	-1.17	-1.95	0	99.61	10.8	15.26	-10.37	16.25
57.88	24.85	3260	4.17	-1.56	-2.73	0	99.61	9.86	15.26	-10.59	14.69
57.98	26.1	3220	4.12	-1.56	-3.51	0	99.61	9.24	15.26	-10.8	14.38
58.06	26.1	3173	4.06	-1.56	-3.9	0	99.61	8.78	12.13	-11.17	12.81
58.16	26.1	3115	3.99	-1.56	0	0	99.61	6.7	11.74	-11.97	10.94
58.26	26.1	3013	3.21	-1.56	0	0	99.61	5.92	14.87	-11.39	10.94
58.34	26.1	2880	3.69	-1.56	0	0	99.61	7.04	15.26	-11.02	13.12
58.44	26.1	2860	3.66	-1.56	0	0	99.61	8.5	16.04	-10.59	15.94
58.54	26.1	2853	4.26	-1.56	-0.39	0	99.61	10.14	18.39	-9.64	22.5
58.64	26.1	2821	5.42	-1.17	-1.17	0	99.61	14.82	19.56	-8.27	30

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
58.72	26.1	2717	5.8	-1.17	-1.56	0	99.61	17.18	19.56	-7.47	35
58.82	26.1	2436	5.72	-1.17	-2.34	0	99.61	17.48	19.95	-6.31	39.69
58.92	26.1	2378	5.58	-1.17	-3.12	0	99.61	20.28	21.13	-5.51	44.06
59.02	26.1	2431	6.22	-1.17	-3.9	0	99.61	21.48	21.13	-4.93	46.25
59.1	26.1	2387	6.11	-1.17	-4.29	0	99.61	22.92	23.08	-4.57	49.69
59.2	26.1	2440	7.29	-1.17	-5.07	0	99.61	25.68	24.65	-3.41	55.94
59.3	26.1	2425	8.28	-1.17	-5.85	0	99.61	32.18	27.78	-1.6	69.06
59.38	26.1	2461	8.93	-1.17	0	0	100	35.24	28.56	-1.02	73.75
59.48	26.1	2477	9.51	-1.17	0	0	100	37.62	28.56	-0.87	75.62
59.58	26.1	2504	10.15	-1.17	0	0	100	38.24	30.13	-0.29	79.38
59.66	26.1	2517	10.74	-1.17	0	0	100	41.24	30.91	-0.07	83.12
59.76	26.1	2554	11.44	-1.17	0	0	100	43.54	33.65	0.73	88.12
59.84	26.1	2571	12.07	-1.17	0	0	100	48.18	36	1.52	95.62
59.94	26.1	2606	14.46	-1.17	0	0	100	50.68	37.17	1.89	99.69
60.02	26.1	2637	16.32	-1.17	0	0	100	54	59.08	3.26	108.12
60.12	28.58	2673	18.25	-1.17	0	0	100	60.02	66.12	4.06	115.31
60.2	28.58	2714	19.11	-1.17	0	0	100	64.2	67.69	5	120.62
60.3	28.58	2744	20.49	-1.17	0	0	100	68.46	67.3	5.8	126.56
60.38	28.58	2804	22.14	0	0	0	100	72.86	82.16	6.74	133.12
60.48	28.58	2843	23.66	0	0	0	100	78	84.9	7.76	138.75
60.56	28.58	2889	25.89	0	0	0	100	82.92	85.29	9.14	146.25
60.66	28.58	2950	28.32	0	0	0	100	89.26	85.29	10.3	155
60.74	28.58	2992	30.64	0	0	0	100	95.8	85.29	11.68	163.75
60.84	33.55	3048	33.17	0	0	0	100	103.96	85.69	12.98	173.44
60.92	33.55	3105	35.77	0	0	0	100	110.44	85.69	14.36	183.44
61.02	33.55	3176	38.63	0	0	0	100	120.6	85.29	15.95	192.5
61.12	33.55	3224	41.27	0	0	0	100	127.88	85.69	17.48	202.81
61.2	33.55	3333	44.8	0	0	0	100	141.24	85.69	19.07	214.06
61.3	33.55	3355	47.24	0	0	0	100	147	85.29	20.45	222.81
61.38	33.55	3480	50.49	0	0	0	100	159.32	85.69	21.03	230.62
61.48	33.55	3480	51.97	0	0	0.35	100	165.44	85.69	21.75	236.25
61.56	38.52	3605	54.62	0	0	0.35	100	170.6	85.69	21.97	237.19
61.66	38.52	3669	56.36	0	0	0.35	100	176.58	85.69	21.97	239.38
61.74	38.52	3748	56.77	0	0	0.35	100	176.82	85.69	21.75	234.69
61.84	38.52	3820	57.06	0	0	0	100	179.6	85.29	21.61	235.31
61.92	38.52	3912	58.43	0	0	0	100	183.02	85.69	21.61	233.75
62.02	38.52	3947	59.79	0	0	0	100	186.12	85.29	21.17	232.5
62.1	38.52	4060	61.5	0	0	0	100	190.58	85.29	21.17	235.94
62.2	38.52	4104	62.18	0	0	0	100	195.52	85.69	21.17	237.19

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
62.28	45.98	4199	64.5	0	0	0	100	201.4	85.29	21.17	242.81
62.38	45.98	4270	67.42	0	0	0	100	211.02	85.29	21.61	248.75
62.46	45.98	4327	70.17	0	0	0	100	215.38	85.29	21.97	250
62.56	45.98	4427	70.84	0	0	0	100	218.58	85.29	21.97	248.12
62.64	45.98	4507	71.16	0	0	0	100	220.38	85.29	22.19	245.31
62.74	45.98	4553	71.89	0	0	0	100	222.6	84.9	21.97	240
62.82	45.98	4626	71.07	0	0	0	100	221.4	85.29	21.61	235.62
62.92	52.2	4719	71.49	0	0	0	100	220.72	85.29	21.61	235.31
63	52.2	4780	71.39	0	0	0	100	223.48	85.29	21.17	231.56
63.1	52.2	4854	71.46	0	0	0	100	222.88	85.29	21.03	231.56
63.18	52.2	4931	72.59	0	0	0	100	229.56	85.29	21.03	230.62
63.28	52.2	4953	72.92	0	0	0	100	230.54	85.29	21.03	230.62
63.36	52.2	5088	74.9	0	0	0	100	235.3	85.29	21.03	230
63.46	52.2	5119	75.36	0	0	0	100	239.34	85.29	21.17	233.44
63.54	52.2	5222	76.88	0	0	0.35	100	239.72	85.29	21.03	230.94
63.64	58.41	5248	77.26	0	0	0.35	100	245.86	85.29	21.17	231.88
63.74	58.41	5522	81.3	0	0	0.35	100	255.96	64.56	21.17	229.38
63.82	58.41	5407	76.13	0	0	0.35	100	227.48	80.99	21.17	218.44
63.92	58.41	5498	76.25	0	0	0.35	100	239.06	85.29	20.59	216.56
64	58.41	5466	75.8	0	0	0	100	238.54	85.29	20.45	215
64.1	58.41	5609	76.59	0	0	0	100	239.54	85.29	20.45	214.38
64.18	58.41	5592	76.36	0	0	0	100	241.06	85.69	20.45	214.06
64.28	58.41	5716	78.05	0	0	0	100	247.06	85.69	20.59	217.19
64.36	63.38	5733	79.51	0	0	0	100	253.66	85.69	20.81	220.31
64.46	63.38	5827	83.3	0	0	0	100	259.28	85.69	21.17	224.38
64.54	63.38	5877	85.27	0	0	0	100	266.38	85.69	21.39	225.94
64.64	63.38	5924	85.94	0	0	0	100	270.7	85.69	21.75	229.69
64.72	63.38	5995	88.25	0	0	0	100	276.86	85.69	21.75	231.88
64.82	63.38	6043	90.25	0	0	0	100	280.64	85.69	21.97	230.94
64.9	63.38	6112	89.97	0	0	0.7	100	281.4	85.69	21.61	230.94
65	63.38	6167	90.79	0	0	0.35	100	284.6	85.69	21.75	231.56
65.08	68.35	6239	91.85	0	0	0.35	100	285.28	85.69	21.39	229.38
65.18	68.35	6276	92.39	0	0	0.35	100	288.22	85.69	21.17	229.69
65.26	68.35	6361	93.64	0	0	0.35	100	289.66	85.69	21.03	229.69
65.36	68.35	6421	93.15	0	0	0.35	100	291.66	85.69	20.81	228.12
65.44	68.35	6476	93.95	0	0	0.35	100	290.36	85.69	20.45	225.62
65.54	68.35	6521	93.22	0	0	0.35	100	294.62	86.08	20.45	225.94
65.62	68.35	6573	95.36	0	0	0.35	100	296.36	85.29	20.01	225.31
65.72	68.35	6643	94.95	0	0	0.35	100	298.24	41.86	15.74	196.56

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
65.8	73.32	6382	69.44	0	0	0	100	186.68	28.56	5.37	117.81
65.9	73.32	6372	35.34	0	0	0	100	96.88	21.52	-3.77	57.5
65.98	73.32	6152	17.06	-1.17	0	0	100	52.4	20.74	-6.53	39.06
66.08	73.32	5957	12.71	-1.17	0	0	100	38.8	20.74	-8.27	28.75
66.16	73.32	5850	9.98	-1.17	0	0	100	29.72	20.35	-8.85	24.38
66.26	73.32	5773	9.85	-1.17	0	0	100	26.46	20.35	-9.21	22.19
66.34	73.32	5681	8.48	-1.17	0	0	100	22.72	19.95	-9.21	19.69
66.44	73.32	5330	7.96	-1.17	0	0	100	18.62	18.78	-9.43	18.12
66.52	70.84	4681	6.99	-1.17	0	0	100	15.54	17.61	-10.01	15.94
66.62	70.84	4696	6.01	-1.17	0	0	100	13.98	18	-9.79	15
66.7	70.84	4678	6.99	-1.17	0	0	100	16.12	17.61	-10.01	17.5
66.8	70.84	4584	6.85	-1.17	0	0	100	15.14	17.61	-10.37	16.25
66.88	70.84	4523	5.79	-1.17	0	0	100	14.04	17.22	-10.59	15
66.98	70.84	4456	5.7	-1.17	0	0	100	12.76	17.22	-10.59	14.38
67.06	70.84	4373	5.6	-1.17	0	0	100	12.14	17.22	-10.8	14.06
67.16	63.38	4315	5.52	-1.17	0	0	100	11.82	16.82	-11.02	13.75
67.24	63.38	4244	5.43	-1.17	0	0	100	11.62	16.43	-11.02	13.75
67.34	63.38	4192	5.37	-1.17	0	0	100	11.24	16.43	-11.02	13.75
67.42	63.38	4100	5.25	-1.17	0	0	100	11.06	16.43	-11.02	13.75
67.52	63.38	4038	5.17	-1.17	0	0	100	10.9	16.43	-11.02	13.75
67.6	63.38	3991	5.11	-1.56	0	0	100	10.86	16.04	-11.02	13.44
67.7	63.38	3949	5.05	-1.56	0	0	100	10.44	16.04	-11.02	13.12
67.78	63.38	3945	5.05	-1.56	0	0	100	10.22	16.04	-11.17	13.12
67.88	57.17	3881	4.97	-1.56	0	0	100	9.88	16.04	-11.17	13.12
67.96	57.17	3822	4.89	-1.56	0	0	100	9.92	15.65	-11.17	13.12
68.06	57.17	3836	4.91	-1.56	0	0	100	9.78	16.04	-11.17	12.81
68.14	57.17	3782	4.84	-1.56	0	0	100	9.96	16.04	-11.17	13.44
68.24	57.17	3731	4.78	-1.56	0	0	100	10.06	16.04	-11.17	13.75
68.32	57.17	3701	4.74	-1.56	0	0	100	10.04	15.65	-11.17	13.75
68.42	57.17	3680	4.71	-1.56	0	0	100	9.88	15.65	-11.17	13.75
68.5	57.17	3639	4.66	-1.56	0	0	100	9.84	15.65	-11.02	13.75
68.6	53.44	3640	4.66	-1.56	0	0	100	9.74	15.65	-11.17	13.44
68.68	53.44	3603	4.61	-1.56	0	0	100	9.56	15.65	-11.17	13.44
68.78	53.44	3578	4.58	-1.56	0	0	100	9.46	15.65	-11.17	13.44
68.88	53.44	3578	4.58	-1.56	0	0	100	9.4	15.65	-11.17	13.44
68.96	53.44	3556	4.55	-1.56	0	0	100	9.4	15.65	-11.17	13.12
69.06	53.44	3551	4.55	-1.56	0	0	100	9.36	15.65	-11.02	13.44
69.16	53.44	3527	4.52	-1.56	0	0	100	9.46	15.65	-11.02	13.44
69.24	53.44	3522	4.51	-1.56	0	0	100	9.58	15.65	-11.02	13.75

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
69.34	50.95	3490	4.47	-1.56	0	0	100	9.54	15.65	-11.02	13.75
69.42	50.95	3495	4.47	-1.56	0	0	100	9.5	15.65	-11.02	13.75
69.52	50.95	3469	4.44	-1.56	0	0	100	9.5	15.65	-11.02	13.75
69.6	50.95	3460	4.43	-1.56	0	0	100	9.24	15.26	-11.02	13.44
69.7	50.95	3424	4.38	-1.56	0	0	100	9.16	15.26	-11.02	13.44
69.8	50.95	3410	4.37	-1.56	0	0	100	9.1	15.26	-11.02	13.44
69.88	50.95	3357	4.3	-1.56	0	0	100	8.98	15.26	-11.02	13.44
69.98	50.95	3321	4.25	-1.56	0	0	100	8.76	15.26	-11.02	13.44
70.08	48.47	3286	4.21	-1.56	0	0	100	8.74	14.87	-11.02	13.44
70.18	48.47	3223	0	-1.56	0	0	100	7.18	14.09	-11.39	11.25
70.26	48.47	3090	0	-1.56	0	0	100	6.82	14.09	-11.39	11.25
70.36	48.47	2970	0	-1.56	0	0	100	6.5	13.69	-11.39	11.25
70.46	48.47	2846	0	-1.56	0	0	100	6.16	13.69	-11.39	11.25
70.56	48.47	2720	0	-1.56	0	0	100	5.9	13.3	-11.39	11.25
70.66	48.47	2588	0	-1.56	0	0	100	5.7	13.3	-11.39	11.25
70.74	44.74	2470	0	-1.56	0	0	100	5.5	12.91	-11.39	11.88
70.84	44.74	2363	0	-1.56	0	0	100	5.58	12.91	-11.39	12.19
70.96	44.74	2236	0	-1.56	0	0	100	5.46	12.52	-11.17	12.81
71.06	44.74	2103	0	-1.56	0	0	100	5.24	12.52	-11.17	12.5
71.18	44.74	1982	0	-1.56	0	0	100	4.7	12.13	-11.17	11.88
71.28	44.74	1854	0	-1.56	0	0	100	4.16	11.74	-11.17	11.56
71.4	44.74	1719	0	-1.56	0	0	100	3.72	11.35	-11.17	10.94
71.5	41.01	1593	0	-1.56	0	0	100	3.26	11.35	-11.39	10.31
71.62	41.01	1482	0	-1.56	0	0	100	2.96	11.35	-11.17	10.62
71.72	41.01	1361	0	-1.56	0	0	100	2.8	11.35	-11.02	11.25
71.84	41.01	1228	0	-1.56	0	0	100	2.68	12.52	-10.59	12.5
71.94	41.01	1111	0	-1.56	0	0	100	3.48	12.91	-9.79	18.12
72.06	41.01	979	2.09	-1.56	0	0	100	3.68	12.91	-9.06	20.94
72.16	37.28	871	2.05	-1.56	0	0	100	3.92	12.52	-8.63	23.44
72.28	37.28	922	1.77	-1.56	0	0	100	4.28	11.35	-9.06	20.62
72.38	37.28	1004	1.71	-1.56	0	0	100	3.94	11.35	-9.64	18.75
72.5	37.28	994	1.49	-1.56	0	0	100	3.56	11.35	-9.64	18.12
72.6	37.28	975	1.46	-1.56	0	0	100	3.48	11.35	-9.79	17.81
72.72	37.28	952	1.42	-1.56	0	0	100	3.48	11.35	-9.64	18.12
72.8	37.28	941	1.41	-1.56	0	0	100	3.32	11.35	-9.64	17.5
72.9	33.55	930	1.39	-1.56	0	0	100	3.18	11.74	-9.64	17.81
73	33.55	924	1.38	-1.56	0	0	100	3.22	11.35	-9.64	17.5
73.1	33.55	913	1.36	-1.56	0	0	100	3.14	11.35	-9.79	17.5
73.2	33.55	893	1.33	-1.56	0	0	100	3.08	11.35	-9.79	17.19

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
73.3	33.55	888	1.33	-1.56	0	0	100	3.04	11.35	-9.64	17.19
73.4	33.55	875	1.31	-1.56	0	0	100	3	11.35	-9.79	17.5
73.5	33.55	862	1.29	-1.56	0	0	100	3	11.35	-9.64	17.5
73.6	28.58	858	1.28	-1.56	0	0	100	2.98	11.35	-9.79	17.5
73.7	28.58	850	1.27	-1.56	0	0	100	2.94	11.35	-9.64	17.81
73.8	28.58	832	1.24	-1.56	0	0	100	3.04	11.35	-9.43	18.44
73.92	28.58	826	1.23	-1.56	0	0	100	3.04	11.35	-9.43	18.44
74.02	28.58	824	1.23	-1.56	0	0	100	3	11.35	-9.43	18.44
74.14	28.58	804	1.2	-1.56	0	0	100	2.98	11.35	-9.43	18.75
74.24	22.37	801	1.2	-1.56	0	0	100	3	11.35	-9.21	18.75
74.34	22.37	790	1.18	-1.56	0	0	100	2.94	11.35	-9.43	19.06
74.46	22.37	772	1.15	-1.56	0	0	100	2.94	11.35	-9.21	19.06
74.56	22.37	770	1.15	-1.56	0	0	100	2.96	11.35	-9.21	19.38
74.68	22.37	768	1.15	-1.56	0	0	100	2.98	11.35	-9.21	19.38
74.78	22.37	761	1.14	-1.56	0	0	100	2.98	11.35	-9.21	19.69
74.9	22.37	759	1.13	-1.56	0	0	100	3	11.35	-9.21	19.69
75	16.16	758	1.13	-1.56	0	0	100	2.98	11.35	-9.06	19.69
75.12	16.16	752	1.12	-1.56	-0.39	0	100	2.96	11.35	-9.06	20
75.2	16.16	746	1.11	-1.56	-0.39	0	100	2.98	11.35	-9.21	20
75.3	16.16	741	1.11	-1.56	-0.78	0	100	2.96	11.35	-9.06	20.31
75.4	16.16	735	1.1	-1.56	-0.78	0	100	2.96	11.35	-9.06	20.31
75.48	16.16	742	1.11	-1.56	-0.78	0	100	3	11.35	-9.06	20.31
75.58	16.16	747	1.12	-1.56	-1.17	0	100	3.02	11.35	-9.21	20.31
75.68	9.94	754	1.13	-1.56	-1.17	0	100	3.04	11.35	-8.85	20.31
75.78	9.94	749	1.12	-1.56	-1.17	0	100	3	11.35	-9.06	20.31
75.86	9.94	749	1.12	-1.56	-1.56	0	100	3	11.35	-9.06	20.31
75.96	9.94	746	1.11	-1.56	-1.95	0	100	3	11.35	-8.85	20.31
76.06	9.94	750	1.12	-1.56	-1.95	0	100	3.02	11.35	-9.21	20.31
76.16	9.94	750	1.12	-1.56	-2.34	0	100	3.02	11.35	-9.06	20
76.24	9.94	748	1.12	-1.56	-2.34	0	100	3	11.35	-9.06	20.31
76.34	9.94	751	1.12	-1.56	-2.73	0	100	3	11.35	-9.06	20.31
76.44	3.73	748	1.12	-1.56	-2.73	0	100	3	11.35	-9.06	20
76.54	3.73	742	1.11	-1.56	-3.12	0	100	2.98	11.35	-9.06	20.31
76.62	3.73	740	1.11	-1.56	-3.12	0	100	3	11.35	-9.06	20.31
76.72	3.73	735	1.1	-1.56	-3.51	0	100	3	11.35	-9.06	20.31
76.82	3.73	731	1.09	-1.56	-3.51	0	100	2.98	11.35	-9.06	20.62
76.92	3.73	728	1.09	-1.56	-3.9	0	100	3	11.35	-9.06	20.62
77	3.73	732	1.09	-1.56	-3.9	0	100	3	10.96	-8.85	20.62
77.1	0	741	1.11	-1.56	-4.29	0	100	3.02	10.96	-9.06	20.31

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
77.2	0	739	1.1	-1.56	-4.29	0	100	2.98	16.43	-8.05	24.38
77.3	0	735	1.41	-1.56	-4.68	0	100	3.74	20.74	-3.41	30
77.38	0	771	2.63	-1.56	-4.68	0	100	8.32	22.3	-1.02	53.75
77.48	0	931	3.38	-1.56	-4.68	0	100	12.38	22.3	-1.23	57.81
77.58	0	1371	4.39	-1.17	-5.07	0	100	17.82	22.3	-2.18	56.56
77.68	0	1748	5.22	-1.17	-5.85	0	100	21.12	22.3	-2.97	55.31
77.78	0	2039	6.09	-1.17	-6.24	0	100	22.84	22.69	-3.41	54.38
77.88	0	2165	6	-1.17	-7.02	0	100	24	23.48	-3.41	55
77.96	0	2259	6.75	-1.17	-7.8	0	100	25.48	24.26	-2.97	57.5
78.06	0	2276	6.8	-1.17	-8.19	0	100	26.48	24.65	-2.61	59.69
78.16	0	2222	7.11	-1.17	-8.19	0	100	26.58	24.65	-2.18	61.88
78.26	0	2153	7.35	-1.17	-7.02	0	100	26.92	25.04	-1.6	65
78.34	0	2049	7	-1.17	-6.24	0	100	26.44	25.82	-1.23	67.5
78.44	0	1937	7.03	-1.17	-5.46	0	100	25.88	26.21	-0.87	70
78.54	3.73	1839	7.06	-1.17	-5.85	0	100	25.84	27.39	-0.29	74.38
78.62	3.73	1750	6.72	-1.17	-6.63	0	100	25.74	27.78	-0.07	75.31
78.72	3.73	1700	6.53	-1.17	-7.02	0	100	25.18	27.78	0.15	76.88
78.82	3.73	1627	6.25	-1.17	-7.41	0	100	24.4	28.17	0.51	77.5
78.9	3.73	1502	6.09	-1.17	-7.02	0	100	22.52	27.78	0.73	78.12
79	3.73	1401	5.68	-1.17	-6.24	0	100	22.24	27.78	0.51	76.88
79.1	3.73	1581	6.07	-1.17	-5.85	0	100	25.26	28.17	0.29	77.5
79.2	8.7	1708	6.56	-1.17	-5.07	0	100	27.08	27.78	0.51	77.81
79.28	8.7	1788	7.25	-1.17	0	0	100	28.04	28.17	0.51	78.44
79.38	8.7	1848	7.49	-1.17	0	0	100	29.76	28.17	0.29	78.75
79.46	8.7	1969	7.98	-1.17	0	0	100	31.98	28.17	0.29	79.69
79.56	8.7	2078	8.43	-1.17	0	0	100	33.78	28.17	0.29	80.31
79.66	8.7	2160	8.76	-1.17	0	0	100	34.42	25.43	-0.44	77.19
79.76	8.7	2252	8.65	-1.17	0	0	100	33.76	23.08	-1.45	71.25
79.86	8.7	2351	8.53	-1.17	0	0	100	31.58	19.56	-3.41	61.56
79.96	12.43	2414	7.21	-1.17	-0.39	0	100	23.98	15.65	-6.67	41.88
80.04	12.43	2514	5.36	-1.17	-1.17	0	100	16.3	13.3	-9.21	27.19
80.14	12.43	2463	3.68	-1.17	-1.56	0	100	10.52	12.52	-10.59	18.12
80.22	12.43	2378	3.04	-1.56	-2.34	0	100	7.26	12.13	-11.02	14.06
80.32	12.43	2283	2.44	-1.56	0	0	100	5.56	11.74	-11.39	12.19
80.42	12.43	2166	2.31	-1.56	0	0	100	5.04	11.35	-11.6	12.19
80.5	12.43	2064	2.2	-1.56	0	0	100	4.88	11.35	-11.75	12.19
80.6	13.67	1961	2.09	-1.56	0	0	100	4.52	12.91	-11.39	11.88
80.68	13.67	1875	2	-1.56	0	0	100	4.5	13.3	-10.8	12.5
80.78	13.67	1826	1.95	-1.56	0	0	100	4.52	13.3	-10.8	12.81

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
80.88	13.67	1791	2.29	-1.56	0	0	100	4.76	15.26	-10.37	14.06
80.96	13.67	1747	3.35	-1.56	0	0	100	7.16	17.61	-8.48	26.88
81.06	13.67	1764	4.14	-1.56	-0.39	0	100	11.78	19.17	-6.31	36.25
81.14	13.67	1855	5.15	-1.17	-1.17	0	100	16	20.35	-5.15	44.38
81.24	13.67	1961	5.86	-1.17	-1.56	0	100	19.26	21.52	-4.13	50.31
81.32	13.67	2032	6.5	-1.17	-2.34	0	100	22.26	22.69	-3.41	56.25
81.42	13.67	2050	7	-1.17	-2.73	0	100	23.88	24.26	-2.18	62.81
81.5	13.67	1882	6.83	-1.17	-3.51	0	100	23.6	24.65	-1.45	65.94
81.6	13.67	1884	6.83	-1.17	-3.9	0	100	26.2	25.82	-1.23	68.12
81.68	13.67	2010	7.29	-1.17	-4.68	0	100	27.48	25.82	-1.02	70.31
81.78	13.67	1962	7.54	-1.17	-5.07	0	100	28.18	26.21	-0.87	71.25
81.86	13.67	2070	7.95	-1.17	0	0	100	30.58	31.3	0.15	78.75
81.96	13.67	2112	9.01	-1.17	0	0	100	33.78	31.69	0.29	81.56
82.06	17.4	2134	9.11	-1.17	0	0	100	36.48	35.21	0.73	86.25
82.14	17.4	2238	10.51	-1.17	0	0	100	39.38	36	1.09	90
82.24	17.4	2252	11.05	-1.17	0	0	100	41.64	36	1.31	93.44
82.32	17.4	2324	12.4	-1.17	0	0	100	45.04	37.17	1.67	96.56
82.42	17.4	2396	13.81	-1.17	0	0	100	47.64	38.73	2.1	101.25
82.52	17.4	2444	15.13	-1.17	0	0	100	50.86	38.34	2.47	104.06
82.6	17.4	2540	16.26	-1.17	0	0	100	53.54	35.6	2.68	104.38
82.7	17.4	2576	15.94	-1.17	0	0	100	52.46	34.82	2.83	101.56
82.78	21.13	2660	16.46	-1.17	0	0	100	55.62	34.43	3.26	104.06
82.88	21.13	2736	16.93	-1.17	0	0	100	57.88	34.43	3.63	107.19
82.96	21.13	2798	17.91	-1.17	0	0	100	61.4	34.43	4.06	110
83.06	21.13	2895	19.15	-1.17	0	0	100	64.7	32.47	4.06	111.25
83.14	21.13	2942	18.83	-1.17	0	0	100	61.84	22.69	0.94	88.75
83.24	21.13	2971	10.78	-1.17	0	0	100	36.8	16.04	-4.93	47.81
83.32	21.13	2971	6.34	-1.17	-0.39	0	100	22.3	14.48	-8.05	30.62
83.42	21.13	3073	4.59	-1.17	-1.17	0	100	15.32	13.69	-9.79	20.94
83.5	24.85	3136	4.01	-1.17	-1.95	0	100	10.46	13.3	-10.8	14.38
83.6	24.85	3135	3.34	-1.56	0	0	100	7.46	12.52	-11.39	10.94
83.7	24.85	3083	3.29	-1.56	0	0	100	6.68	12.13	-11.75	10.94
83.8	24.85	2972	3.8	-1.56	0	0	100	6.38	12.13	-11.75	10.94
83.88	24.85	2859	3.66	-1.56	0	0	100	6.24	11.74	-11.97	10.94
83.98	24.85	2790	3.57	-1.56	0	0	100	5.98	14.09	-11.75	11.25
84.06	24.85	2687	3.44	-1.56	0	0	100	6.22	14.48	-11.17	12.19
84.16	24.85	2658	3.4	-1.56	0	0	100	6.54	14.48	-11.02	12.5
84.24	24.85	2644	3.38	-1.56	0	0	100	7.14	17.22	-10.22	17.5
84.34	24.85	2598	4.43	-1.56	-0.39	0	100	11.68	18.78	-8.63	28.12

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
84.42	24.85	2550	5.44	-1.17	-0.78	0	100	16	19.17	-7.69	33.75
84.52	24.85	2542	5.42	-1.17	-1.17	0	100	17.56	19.56	-7.11	35.62
84.6	24.85	2492	5.32	-1.17	-1.95	0	100	18.96	21.52	-5.73	42.5
84.7	24.85	2378	6.09	-1.17	-2.73	0	100	21.74	22.69	-4.57	49.06
84.8	24.85	2355	7.03	-1.17	-3.51	0	100	25.86	24.26	-3.19	56.88
84.88	26.1	2419	7.74	-1.17	-3.9	0	100	28.88	25.43	-2.39	62.81
84.98	26.1	2410	8.23	-1.17	-4.68	0	100	31.16	26.61	-1.81	66.88
85.08	26.1	2448	8.36	-1.17	-5.46	0	100	33.66	27.78	-1.02	71.25
85.16	26.1	2461	9.45	-1.17	0	0	100	36.72	30.91	-0.29	77.81
85.26	26.1	2504	10.69	-1.17	0	0	100	40.06	32.08	0.15	82.81
85.36	26.1	2545	11.41	-1.17	0	0	100	43.66	33.26	0.73	87.19
85.46	26.1	2562	12.03	-1.17	0	0	100	46.12	41.08	1.67	95.31
85.54	26.1	2616	15.07	-1.17	0	0	100	51.72	43.82	2.47	103.12
85.64	28.58	2640	16.9	-1.17	0	0	100	55.82	44.99	3.05	107.19
85.74	28.58	2699	17.85	-1.17	0	0	100	59.64	46.17	3.84	113.44
85.82	28.58	2726	19.19	-1.17	0	0	100	63.7	52.82	4.79	119.69
85.92	28.58	2790	20.83	-1.17	0	0	100	68.86	56.34	5.58	125.31
86.02	28.58	2835	22.38	0	0	0	100	73.32	53.21	6.6	131.88
86.12	28.58	2873	23.91	0	0	0	100	77.92	59.86	7.76	139.38
86.2	28.58	2942	26.36	0	0	0	100	84.72	59.86	8.7	146.56
86.3	32.31	2997	28.78	0	0	0	100	91.36	59.86	10.3	155.62
86.38	32.31	3058	31.32	0	0	0	100	98.68	60.64	11.68	164.69
86.48	32.31	3104	33.78	0	0	0	100	105.9	60.64	13.2	173.75
86.56	32.31	3202	36.89	0	0	0	100	114.76	60.64	14.58	184.06
86.66	32.31	3229	39.28	0	0	0	100	123.48	60.64	15.74	193.44
86.74	32.31	3327	42.59	0	0	0	100	132	60.25	17.33	203.44
86.84	32.31	3358	45.14	0	0	0	100	141.18	58.69	18.27	211.25
86.92	32.31	3496	48.49	0	0	0.35	100	146.1	55.95	18.64	206.25
87.02	38.52	3499	46.29	0	0	0.35	100	146.92	55.56	18.64	205.94
87.1	38.52	3626	48.74	0	0	0.35	100	147.42	55.56	18.27	205.31
87.2	38.52	3662	47.66	0	0	0.35	100	152.14	57.12	17.91	204.06
87.28	38.52	3784	50.05	0	0	0.35	100	152.66	57.91	17.91	206.88
87.38	38.52	3816	50.48	0	0	0.35	100	161.84	58.3	17.69	208.75
87.46	38.52	3908	52.53	0	0	0	100	162.68	57.91	17.69	209.06
87.56	38.52	3998	53.73	0	0	0	100	168.42	57.91	17.69	210.31
87.64	38.52	4032	55.05	0	0	0	100	169.88	57.91	17.69	211.56
87.74	44.74	4141	56.55	0	0	0	100	178.16	61.04	18.06	216.25
87.82	44.74	4171	58.73	0	0	0	100	183.9	61.04	18.49	221.25
87.92	44.74	4308	61.58	0	0	0	100	190.96	60.64	18.85	224.06

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
88	44.74	4322	62.71	0	0	0	100	195.14	61.04	19.22	224.06
88.1	44.74	4453	64.61	0	0	0	100	196.02	62.21	19.22	220.31
88.18	44.74	4469	63.89	0	0	0	100	196.72	62.21	18.64	217.5
88.28	44.74	4573	64.39	0	0	0	100	198.48	63.77	18.85	217.81
88.36	44.74	4635	65.26	0	0	0	100	201.64	65.73	18.64	216.56
88.46	50.95	4713	66.37	0	0	0	100	206.1	65.73	18.85	218.12
88.54	50.95	4780	67.31	0	0	0	100	209.98	66.12	19.07	218.75
88.64	50.95	4873	68.62	0	0	0	100	213.34	66.12	19.07	220.62
88.72	50.95	4915	69.2	0	0	0	100	219.96	67.3	19.43	222.81
88.82	50.95	5013	71.65	0	0	0	100	221.76	66.9	19.43	223.44
88.9	50.95	5091	72.78	0	0	0	100	228.24	66.9	19.65	223.75
89	50.95	5133	73.37	0	0	0.35	100	231	66.51	19.87	223.75
89.08	50.95	5233	74.81	0	0	0.35	100	235.24	66.9	20.01	223.75
89.18	57.17	5274	75.39	0	0	0.35	100	235.48	66.9	20.23	222.81
89.28	57.17	5384	75.81	0	0	0.35	100	237.16	66.9	20.23	218.44
89.36	57.17	5415	75.09	0	0	0.35	100	240.18	67.3	20.23	219.06
89.46	57.17	5506	76.36	0	0	0.35	100	240.76	67.69	19.87	215.94
89.54	57.17	5572	76.08	0	0	0.35	100	237.62	67.69	19.65	211.25
89.64	57.17	5639	75.79	0	0	0	100	237.2	67.69	19.43	209.69
89.72	57.17	5690	75.27	0	0	0	100	238.04	67.69	19.22	209.06
89.82	63.38	5773	77.59	0	0	0	100	242.58	67.69	19.22	207.81
89.9	63.38	5822	77.02	0	0	0	100	243.18	67.69	19.07	208.12
90	63.38	5895	79.24	0	0	0	100	245.82	68.08	19.07	209.69
90.08	63.38	5947	79.94	0	0	0	100	251.36	70.82	19.22	212.19
91.39	63.38	6023	83.53	0	0	0	100	263.38	75.51	19.65	218.44
91.39	63.38	6097	85.85	0	0	0.35	100	267	81.38	19.87	221.25
91.39	69.59	6286	92.54	0	0	0.35	100	289.84	84.9	20.81	230
91.4	69.59	6415	94.44	0	0	0.35	100	293.32	85.29	20.59	228.75
91.43	69.59	6437	93.39	0	0	0.35	100	295.54	85.29	20.59	229.06
91.43	69.59	6533	94.77	0	0	0.35	100	298.56	85.29	20.45	228.12
91.48	69.59	6590	95.6	0	0	0.35	100	299.24	85.29	19.07	224.69
91.56	74.56	6899	98.62	0	0	0	100	307.64	82.56	18.85	221.25
91.66	74.56	6996	98.5	0	0	0.7	100	305.48	65.34	18.49	220
91.74	74.56	7035	99.06	0	0	0.7	100	308.42	62.6	18.06	216.56
91.84	74.56	7068	96.51	0	0	0.7	100	301.28	63.38	17.69	211.56
91.94	78.29	7129	95.82	0	0	0.7	100	298.38	63.38	17.11	206.88
92.04	78.29	7177	94.93	0	0	0.35	100	278.84	25.43	4.06	120.31
92.14	78.29	6762	33.18	0	0	0	100	90.24	22.3	-4.71	52.19
92.24	78.29	7367	20.43	-1.17	0	0	100	62.9	22.69	-6.89	40.31

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
92.32	78.29	7002	16.43	-1.17	0	0	100	47.24	22.69	-8.27	31.25
92.42	78.29	6830	13.11	-1.17	0	0	100	39	22.3	-8.85	26.56
92.5	78.29	6708	11.45	-1.17	0	0	100	31.76	22.3	-9.06	22.5
92.6	78.29	6596	11.26	-1.17	0	0	100	27.9	21.91	-9.06	20.94
92.68	78.29	5942	10.14	-1.17	0	0	100	28.28	23.08	-7.47	30
92.78	78.29	5197	9.98	-1.17	0	0	100	31.98	22.69	-7.47	29.69
92.86	78.29	5567	10.69	-1.17	0	0	100	32.56	22.69	-7.69	29.69
92.96	78.29	5255	10.09	-1.17	0	0	100	30.8	22.69	-7.69	29.38
93.04	78.29	5426	10.42	-1.17	0	0	100	31.74	22.3	-7.9	29.06
93.14	78.29	5450	10.47	-1.17	0	0	100	30.14	20.74	-8.48	27.19
93.22	78.29	5315	9.07	-1.17	0	0	100	25.4	19.56	-9.43	21.88
93.32	78.29	5384	8.04	-1.17	0	0	100	21.96	19.56	-9.64	19.69
93.4	78.29	5387	8.05	-1.17	0	0	100	23	28.56	-7.11	36.25
93.5	78.29	5387	20.69	-1.17	0	0	100	76.44	51.25	0.29	85.31
93.58	78.29	5360	33.17	0	0	0	100	98.98	66.51	2.68	101.88
93.68	78.29	5450	39.54	0	0	0	100	119.62	76.3	5.22	120.31
93.76	78.29	5368	46.96	0	0	0	100	144.42	76.69	8.12	145
93.86	78.29	5450	55.81	0	0	0	100	172.66	76.69	11.82	172.19
93.94	78.29	5478	63.11	0	0	0	100	195.04	68.08	15.95	191.56
94.04	78.29	5474	72.41	0	0	0	100	225.38	59.86	19.65	220
94.12	79.54	5494	80.88	0	0	0	100	246.2	39.52	18.27	196.56
94.22	79.54	5498	55.13	0	0	0	100	151.08	19.56	1.09	88.12
94.3	79.54	5380	19.51	0	0	0	100	66.12	19.95	-5.37	45.94
94.4	79.54	5530	11.8	-1.17	0	0	100	41.5	19.56	-7.25	34.06
94.48	79.54	5345	9.12	-1.17	0	0	100	30.86	19.56	-8.48	25.31
94.58	79.54	5494	8.21	-1.17	0	0	100	26.6	19.56	-8.63	24.06
94.66	79.54	5395	9.21	-1.17	0	0	100	24.7	19.56	-9.06	21.88
94.76	79.54	5430	8.11	-1.17	0	0	100	21.08	19.56	-9.21	19.06
94.86	79.54	5319	7.94	-1.17	0	0	100	19.46	19.56	-9.43	18.12
94.94	79.54	5281	7.89	-1.17	0	0	100	18.62	19.17	-9.64	17.5
95.04	79.54	5222	7.8	-1.17	0	0	100	17.78	19.17	-9.64	17.19
95.12	79.54	5183	7.74	-1.17	0	0	100	17.32	18.78	-9.79	17.19
95.22	79.54	5150	7.69	-1.17	0	0	100	17.38	18.78	-9.79	16.88
95.3	79.54	5102	7.62	-1.17	0	0	100	17.18	18.78	-9.79	16.88
95.4	79.54	5046	7.54	-1.17	0	0	100	16.96	18.78	-10.01	16.88
95.48	73.32	5013	7.49	-1.17	0	0	100	16.92	18.39	-10.01	16.88
95.58	73.32	4993	6.39	-1.17	0	0	100	16.56	18.39	-10.01	16.56
95.66	73.32	4993	6.39	-1.17	0	0	100	16.36	18.39	-10.01	16.56
95.76	73.32	4957	6.34	-1.17	0	0	100	16.36	18.39	-10.22	16.56

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
95.84	73.32	4934	6.32	-1.17	0	0	100	16.24	18.39	-10.22	16.56
95.94	73.32	4911	6.29	-1.17	0	0	100	15.92	18.39	-10.22	16.56
96.02	73.32	4876	6.24	-1.17	0	0	100	15.62	18	-10.37	15.94
96.12	73.32	4854	6.21	-1.17	0	0	100	15.2	18	-10.37	15.94
96.2	70.84	4860	6.22	-1.17	0	0	100	15.3	18	-10.37	15.62
96.3	70.84	4851	6.21	-1.17	0	0	100	15.28	18	-10.37	15.94
96.38	70.84	4851	6.21	-1.17	0	0	100	15.28	18	-10.37	15.94
96.48	70.84	4838	6.19	-1.17	0	0	100	15.04	18	-10.37	15.94
96.56	70.84	4826	6.18	-1.17	0	0	100	15.4	18	-10.37	15.62
96.66	70.84	4829	6.18	-1.17	0	0	100	15.46	18	-10.37	16.25
96.74	70.84	4813	6.16	-1.17	0	0	100	15.24	18	-10.37	16.25
96.84	70.84	4801	6.15	-1.17	0	0	100	15.22	18	-10.37	15.94
96.94	69.59	4804	6.15	-1.17	0	0	100	15.12	18	-10.37	15.62
97.03	69.59	4804	6.15	-1.17	0	0	100	14.88	17.61	-10.37	15.62
97.13	69.59	4780	6.12	-1.17	0	0	100	14.56	17.61	-10.59	15.31
97.21	69.59	4734	6.06	-1.17	0	0	100	14.36	17.61	-10.59	15.31
97.31	69.59	4699	6.01	-1.17	0	0	100	14.28	17.61	-10.59	15
97.39	69.59	4690	6	-1.17	0	0	100	14.16	17.61	-10.59	15.31
97.49	69.59	4652	5.96	-1.17	0	0	100	13.9	17.22	-10.8	15
97.61	67.11	4573	5.85	-1.17	0	0	100	13.18	17.22	-10.8	14.69
97.69	67.11	4540	5.81	-1.17	0	0	100	13.06	16.82	-11.02	14.38
97.79	67.11	4507	5.77	-1.17	0	0	100	12.76	16.82	-11.02	14.38
97.89	67.11	4430	5.67	-1.17	0	0	100	12.28	16.82	-11.02	14.06
97.99	67.11	4332	5.55	-1.17	0	0	100	11.94	16.82	-11.02	14.06
98.07	67.11	4297	5.5	-1.17	0	0	100	11.98	16.43	-11.02	13.75
98.17	67.11	4288	5.49	-1.17	0	0	100	11.84	16.43	-11.02	14.06
98.29	67.11	4266	5.46	-1.17	0	0	100	11.54	16.43	-11.02	13.75
98.39	62.14	4227	5.41	-1.17	0	0	100	11.48	16.43	-11.02	13.75
98.49	62.14	4187	5.36	-1.17	0	0	100	11.3	16.43	-11.02	14.06
98.59	62.14	4157	5.32	-1.17	0	0	100	11.64	16.43	-11.02	14.06
98.67	62.14	4136	5.29	-1.17	0	0	100	11.54	16.43	-11.02	14.06
98.77	62.14	4129	5.29	-1.17	0	0	100	11.6	16.43	-11.17	14.06
98.87	62.14	4114	5.27	-1.17	0	0	100	11.46	16.43	-11.17	14.06
98.98	62.14	4098	5.25	-1.17	0	0	100	11.4	16.43	-11.02	14.06
99.08	59.65	4080	5.22	-1.17	0	0	100	11.26	16.04	-11.17	13.75
99.2	59.65	4054	5.19	-1.17	0	0	100	10.84	16.04	-11.17	13.44
99.3	59.65	4034	5.16	-1.56	0	0	100	10.7	16.04	-11.17	13.44
99.42	59.65	4008	5.13	-1.56	0	0	100	10.56	16.04	-11.17	13.44
99.52	59.65	3985	5.1	-1.56	0	0	100	10.62	16.04	-11.17	13.75

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
99.64	59.65	3949	5.05	-1.56	0	0	100	10.8	16.04	-11.17	13.75
99.74	57.17	3920	5.02	-1.56	0	0	100	10.76	16.04	-11.17	13.75
99.86	57.17	3902	4.99	-1.56	0	0	100	10.84	16.04	-11.17	13.75
99.96	57.17	3872	4.96	-1.56	0	0	100	10.68	16.04	-11.17	13.75
100.08	57.17	3852	4.93	-1.56	0	0	100	10.36	16.04	-11.17	13.44
100.18	57.17	3834	4.91	-1.56	0	0	100	10.18	15.65	-11.17	13.12
100.3	57.17	3814	4.88	-1.56	0	0	100	10.04	16.04	-11.17	13.44
100.4	57.17	3797	4.86	-1.56	0	0	100	10.16	15.65	-11.17	13.44
100.52	55.92	3786	4.85	-1.56	0	0	100	10	16.04	-11.17	13.44
100.62	55.92	3776	4.83	-1.56	0	0	100	10.22	15.65	-11.17	13.75
100.74	55.92	3774	4.83	-1.56	0	0	100	10.34	16.04	-11.17	13.75
100.84	55.92	3738	4.79	-1.56	0	0	100	10.2	15.65	-11.17	13.44
100.92	55.92	3742	4.79	-1.56	0	0	100	10.1	15.65	-11.17	13.75
101.02	55.92	3716	4.76	-1.56	0	0	100	9.98	15.65	-11.17	13.44
101.12	55.92	3703	4.74	-1.56	0	0	100	9.78	15.65	-11.17	13.12
101.22	53.44	3685	4.72	-1.56	0	0	100	9.64	15.65	-11.17	13.44
101.3	53.44	3664	4.69	-1.56	0	0	100	9.74	15.65	-11.17	13.44
101.4	53.44	3644	4.66	-1.56	0	0	100	9.64	15.65	-11.17	13.12
101.5	53.44	3653	4.68	-1.56	0	0	100	9.58	15.65	-11.17	13.44
101.6	53.44	3656	4.68	-1.56	0	0	100	9.78	15.65	-11.17	13.44
101.68	53.44	3651	4.67	-1.56	0	0	100	9.86	15.65	-11.17	13.75
101.78	53.44	3647	4.67	-1.56	0	0	100	10.88	17.22	-10.8	15.94
101.88	53.44	3654	5.46	-1.17	-0.39	0	100	14.62	21.13	-9.21	24.06
101.98	53.44	3669	7.83	-1.17	0	0	100	25.58	25.43	-5.95	43.75
102.06	53.44	3705	11.07	-1.17	0	0	100	37.66	27.39	-3.99	57.19
102.16	53.44	3682	11.78	-1.17	0	0	100	44.6	28.95	-2.97	63.75
102.26	53.44	3664	13.29	-1.17	0	0	100	48.5	28.17	-2.83	66.88
102.36	53.44	3700	13.42	-1.17	0	0	100	49.62	28.56	-2.39	69.38
102.44	53.44	3694	13.4	-1.17	0	0	100	52.76	30.13	-1.6	74.38
102.54	53.44	3703	15.8	-1.17	0	0	100	61.12	37.17	0.94	89.38
102.64	53.44	3740	20.75	-1.17	0	0	100	73.08	45.78	2.83	103.75
102.74	53.44	3759	26.47	0	0	1.05	100	83.06	46.95	4.21	115.62
102.82	53.44	3780	29.03	0	0	1.05	100	92.18	47.34	5.8	127.81
102.92	53.44	3807	33.3	0	0	1.05	100	104.12	50.08	7.9	143.12
103.02	53.44	3836	37.65	0	0	1.05	100	116.82	53.99	10.08	158.44
103.12	53.44	3872	42.13	0	0	1.05	100	130.52	62.21	13.2	180.62
103.22	53.44	3912	49.25	0	0	1.05	100	152.84	64.56	16.1	205.31
103.32	57.17	3966	55.85	0	0	1.05	100	171.44	67.3	18.85	215.94
103.42	57.17	3999	58.88	0	0	0.7	100	182.68	81.38	20.23	230.94

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
103.52	57.17	4034	61.11	0	0	0.7	100	188.04	85.29	20.81	234.06
103.62	57.17	4089	62.81	0	0	0.7	100	194.42	85.69	21.39	238.75
103.74	57.17	4164	64.86	0	0	0.7	100	201.32	86.08	21.97	246.25
103.84	57.17	4208	67.34	0	0	0.7	100	210.2	86.47	22.77	251.25
103.96	57.17	4249	68.9	0	0	0.7	100	216.7	86.47	22.77	255
104.06	62.14	4297	70.6	0	0	1.05	100	218.88	86.08	22.77	252.5
104.18	62.14	4355	69.69	0	0	0.7	100	217.64	86.08	22.19	244.69
104.28	62.14	4393	68.42	0	0	0.7	100	210.58	85.69	21.61	235.94
104.4	62.14	4466	67.66	0	0	0.7	100	208.68	85.69	21.17	230.62
104.5	62.14	4526	67.59	0	0	0.7	100	206.52	85.29	20.81	231.88
104.58	62.14	4589	68.54	0	0	0.7	100	212.58	85.29	21.03	232.5
104.68	67.11	4612	68.88	0	0	0.7	100	215.02	85.29	20.81	231.25
104.78	67.11	4649	68.45	0	0	0.7	100	216.5	85.29	21.03	231.88
104.88	67.11	4710	69.34	0	0	0.7	100	217.54	85.29	21.17	231.56
104.96	67.11	4743	70.84	0	0	0.35	100	222	85.29	21.17	233.75
105.06	67.11	4786	72.49	0	0	0.35	100	224.38	85.29	21.39	234.38
105.16	67.11	4857	72.54	0	0	0.35	100	227.5	85.29	21.61	236.56
105.26	67.11	4867	73.72	0	0	0.35	100	229.08	85.29	21.75	235.94
105.36	67.11	4927	74.64	0	0	0.35	100	233.52	85.29	22.19	235.94
105.48	72.08	4976	74.32	0	0	0.35	100	234.86	84.9	21.97	237.81
105.58	72.08	5037	76.3	0	0	0.35	100	236.52	84.9	22.19	235
105.68	72.08	5060	75.57	0	0	0.35	100	237.5	84.12	21.97	233.75
105.78	72.08	5115	76.39	0	0	0	100	239.44	81.38	21.97	233.44
105.88	72.08	5165	77.14	0	0	0	100	238.88	81.38	21.61	230
105.96	72.08	5190	76.4	0	0	0	100	240.72	81.38	21.75	231.56
106.06	72.08	5237	77.09	0	0	0	100	244.4	80.6	21.61	230.94
106.16	77.05	5277	77.69	0	0	0	100	243.28	80.6	21.61	229.06
106.26	77.05	5330	77.33	0	0	0	100	242.98	79.82	21.61	229.06
106.34	77.05	5368	77.88	0	0	0	100	242.84	79.82	21.61	226.25
106.44	77.05	5422	77.51	0	0	0	100	243.48	79.03	21.61	225.94
106.52	77.05	5426	77.57	0	0	0	100	245.32	74.34	21.39	225
106.62	77.05	5486	77.25	0	0	0	100	243.58	73.95	21.39	221.88
106.72	77.05	5514	77.65	0	0	0	100	241.4	73.17	21.03	218.44
106.82	80.78	5543	76.87	0	0	0	100	242.66	71.99	20.59	215
106.9	80.78	5588	76.31	0	0	0	100	239.14	61.82	20.45	212.81
107	80.78	5626	73.22	0	0	0	100	192.38	31.3	9.72	141.25
107.1	80.78	5576	36.88	0	0	0	100	104.16	21.52	-0.44	77.19
107.18	80.78	5349	18.26	-1.17	0	0	100	54.96	18.78	-6.09	41.25
107.28	80.78	5144	9.88	-1.17	0	0	100	33.46	20.74	-7.47	29.06

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
107.36	80.78	5133	12.05	-1.17	0	0	100	67.74	53.6	3.48	104.69
107.46	80.78	4761	38.6	0	0	0.35	100	101.72	72.38	6.96	133.44
107.54	83.26	3744	35.14	0	0	0.35	100	117	84.9	8.92	150.62
107.64	83.26	3830	40.04	0	0	0.35	100	127.96	85.69	11.46	170.94
107.72	83.26	4004	47.84	0	0	0.35	100	136.76	85.29	14.21	191.25
107.82	83.26	4060	53.71	0	0	0.35	100	158.24	85.29	17.33	209.69
107.9	83.26	4058	58.88	0	0	0.35	100	177.88	85.29	19.65	229.06
108	83.26	4030	61.9	0	0	0.35	100	189.6	85.29	21.03	238.12
108.08	83.26	4012	62.49	0	0	0.35	100	189.56	85.29	21.17	233.44
108.18	83.26	4023	59.22	0	0	0.35	100	182.38	84.51	20.81	223.44
108.28	84.51	4060	58.04	0	0	0	100	179.18	82.95	20.45	219.06
108.36	84.51	4078	57.42	0	0	0	100	178.4	79.03	20.01	219.69
108.46	84.51	4089	57.58	0	0	0	100	182.12	72.38	20.01	224.69
108.56	84.51	4114	59.68	0	0	0	100	185.9	55.17	20.01	226.88
108.64	84.51	4125	58.97	0	0	0	100	173.04	34.43	15.74	182.81
108.74	84.51	4123	32.54	0	0	0	100	102.64	20.35	1.52	94.38
108.84	84.51	4025	14.6	-1.17	0	0	100	51.06	16.43	-6.31	45.31
108.92	86.99	4116	7.9	-1.17	0	0	100	26.52	16.43	-8.63	27.81
109.02	86.99	4125	6.16	-1.17	0	0	100	19	16.43	-9.64	21.56
109.1	86.99	4080	5.22	-1.17	0	0	100	15.08	16.43	-10.37	17.19
109.2	86.99	4096	5.24	-1.17	0	0	100	12.56	16.43	-10.8	15
109.28	86.99	4080	5.22	-1.17	0	0	100	12.1	16.43	-10.8	14.38
109.38	86.99	4082	5.23	-1.17	0	0	100	11.38	16.43	-10.8	13.75
109.46	86.99	4060	5.2	-1.56	0	0	100	10.42	16.43	-11.02	12.5
109.56	86.99	4060	5.2	-1.56	0	0	100	10.06	16.43	-11.02	12.5
109.64	84.51	4042	5.17	-1.56	0	0	100	10.14	16.43	-11.02	12.81
109.74	84.51	4049	5.18	-1.56	0	0	100	10.36	16.43	-11.17	12.81
109.82	84.51	4042	5.17	-1.56	0	0	100	10.54	16.43	-11.02	13.12
109.92	84.51	4045	5.18	-1.56	0	0	100	10.8	16.43	-11.02	13.44
110.02	84.51	4030	5.16	-1.56	0	0	100	10.98	16.43	-11.02	13.75
110.1	84.51	4023	5.15	-1.56	0	0	100	11.16	16.43	-11.02	13.75
110.2	84.51	4023	5.15	-1.56	0	0	100	11.08	16.43	-11.17	13.75
110.3	84.51	3998	5.12	-1.56	0	0	100	11.06	16.04	-11.17	13.75
110.38	84.51	4001	5.12	-1.56	0	0	100	10.92	16.04	-11.17	13.75
110.48	84.51	3991	5.11	-1.56	0	0	100	10.68	16.04	-11.17	13.44
110.58	84.51	3974	5.09	-1.56	0	0	100	10.72	16.04	-11.17	13.44
110.66	84.51	3995	5.11	-1.56	0	0	100	10.68	16.43	-11.17	13.75
110.76	84.51	3982	5.1	-1.56	0	0	100	11.04	16.04	-11.17	14.06
110.86	84.51	3957	5.07	-1.56	0	0	100	11.08	16.04	-11.17	14.06

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
110.94	84.51	3953	5.06	-1.56	0	0	100	11.12	16.04	-11.17	14.06
111.04	83.26	3955	5.06	-1.56	0	0	100	11.04	16.04	-11.17	14.06
111.14	83.26	3949	5.05	-1.56	0	0	100	13.96	31.3	-6.67	31.25
111.24	83.26	3993	15.34	-1.17	0	0	100	55	44.99	-0.65	78.75
111.32	83.26	3886	19.07	-1.17	0	0	100	67.48	45.39	0.29	88.44
111.42	83.26	3957	20.26	-1.17	0	0	100	72.46	48.52	1.67	97.5
111.5	83.26	3982	25.49	0	0	0	100	81	51.25	3.05	107.19
111.58	83.26	3980	28.88	0	0	0	100	90.36	54.78	4.79	120
111.68	83.26	3970	33.03	0	0	0	100	103.16	57.12	7.18	136.88
111.78	83.26	3980	38.22	0	0	0	100	115.94	57.51	9.5	153.12
111.86	83.26	4001	42.69	0	0	0	100	130.36	57.12	12.04	173.12
111.96	83.26	4023	48.92	0	0	0	100	149.62	58.69	14.94	197.81
112.06	83.26	4036	55.11	0	0	0	100	168.56	62.99	17.48	215
112.14	83.26	4041	58.62	0	0	0	100	179.78	68.86	19.22	227.81
112.24	83.26	4038	61.17	0	0	0	100	186.78	69.25	20.45	232.5
112.34	83.26	4056	61.44	0	0	0	100	186.6	70.04	20.45	230
112.42	83.26	4076	60	0	0	0	100	185.6	70.82	20.59	228.75
112.52	85.75	4104	60.43	0	0	0	100	185.86	67.69	20.45	228.12
112.62	85.75	4123	59.81	0	0	0	100	187.12	75.12	20.45	226.88
112.7	85.75	4134	60.86	0	0	0	100	190.8	74.34	20.81	233.75
112.8	85.75	4141	62.73	0	0	0	100	193.68	65.34	21.03	232.5
112.9	85.75	4152	62.02	0	0	0	100	191.66	52.04	20.45	226.25
112.98	85.75	4162	58.6	0	0	0	100	180.12	46.56	18.85	205.31
113.08	85.75	4187	51.81	0	0	0	100	150.36	27.39	9.72	147.19
113.16	88.23	4116	32.49	0	0	0	100	73.74	16.43	-3.99	63.75
113.26	88.23	4268	10.02	-1.17	0	0	100	36.48	16.82	-7.69	33.75
113.34	88.23	4121	6.15	-1.17	0	0	100	22.66	16.43	-9.21	24.38
113.44	88.23	4196	5.37	-1.17	0	0	100	17.08	16.82	-10.01	19.38
113.52	88.23	4089	5.23	-1.17	0	0	100	14.14	16.43	-10.59	16.25
113.62	88.23	4141	5.3	-1.17	0	0	100	12.76	16.43	-10.59	15.31
113.7	88.23	4100	5.25	-1.17	0	0	100	12.28	20.74	-9.43	19.69
113.8	88.23	4078	10.44	-1.17	0	0	100	36.28	31.3	-2.61	63.12
113.88	85.75	4166	17.78	-1.17	0	0	100	65.84	39.13	0.73	89.38
113.98	85.75	4125	23.76	0	0	0	100	78.08	41.08	2.1	101.25
114.06	85.75	4096	27.96	0	0	0	100	86.76	41.08	3.26	110.31
114.16	85.75	4082	30.48	0	0	0	100	94.98	40.69	4.79	120.62
114.24	85.75	4076	33.04	0	0	0	100	103.16	40.69	6.38	133.44
114.34	85.75	4087	37.5	0	0	0	100	113.54	40.69	8.34	146.56
114.42	85.75	4093	41.92	0	0	0	100	125.96	40.69	10.3	161.25

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
114.52	85.75	4098	45.46	0	0	0	100	139.02	40.69	12.26	176.56
114.6	85.75	4104	49.92	0	0	0	100	150.18	41.08	13.56	186.88
114.7	85.75	4107	51.7	0	0	0	100	152.32	40.3	14.21	185.31
114.78	85.75	4100	48.99	0	0	0	100	145.5	38.73	13.42	170
114.88	85.75	4103	44.64	0	0	0	100	135.9	38.73	12.62	164.69
114.96	85.75	4107	42.94	0	0	0	100	133.24	38.34	12.26	160.94
115.06	85.75	4114	42.13	0	0	0	100	132.36	38.73	12.26	163.75
115.14	85.75	4125	43.12	0	0	0	100	136.18	38.73	12.26	165.94
115.24	85.75	4141	45.06	0	0	0	100	139.16	41.08	13.2	175.31
115.32	86.99	4141	48.59	0	0	0	100	151.62	46.95	14.94	190.31
115.42	86.99	4157	53.21	0	0	0	100	162.02	50.86	16.1	202.19
115.5	86.99	4155	55.85	0	0	0	100	170.26	52.04	17.11	208.44
115.6	86.99	4164	56.86	0	0	0	100	173.24	53.21	17.69	210.31
115.68	86.99	4159	55.91	0	0	0	100	173.86	53.21	17.91	209.69
115.78	86.99	4173	56.99	0	0	0	100	175.54	52.82	17.91	210.62
115.86	86.99	4175	57.01	0	0	0	100	173.2	52.43	17.91	209.06
115.96	86.99	4189	56.31	0	0	0	100	175.16	51.65	17.91	207.19
116.04	88.23	4178	55.26	0	0	0	100	173.08	51.65	17.48	205
116.14	88.23	4210	55.7	0	0	0	100	171.6	48.52	17.11	202.19
116.22	88.23	4213	54.83	0	0	0	100	167.64	47.73	16.68	198.12
116.32	88.23	4227	54.11	0	0	0	100	165.08	48.12	16.53	196.88
116.4	88.23	4237	53.33	0	0	0	100	167.6	50.86	16.68	199.69
116.5	88.23	4232	55.08	0	0	0	100	170.44	53.99	16.9	204.06
116.58	88.23	4239	56.08	0	0	0	100	175.98	54.38	17.11	209.38
116.68	88.23	4242	57.92	0	0	0	100	178.66	53.99	17.69	212.81
116.76	89.48	4244	57.95	0	0	0	100	179.16	50.86	17.48	208.75
116.86	89.48	4261	57.27	0	0	0	100	170.34	42.26	15.74	190.94
116.94	89.48	4258	49.97	0	0	0	100	140.42	31.3	9.72	144.38
117.04	89.48	4244	26.26	0	0	0	100	94.68	24.65	1.89	93.75
117.12	89.48	4234	18.07	-1.17	0	0	100	61.54	21.13	-3.41	60
117.22	89.48	4215	9.89	-1.17	0	0	100	36.2	16.43	-8.05	31.88
117.3	89.48	4183	7.14	-1.17	0	0	100	21.08	16.82	-9.43	22.19
117.4	88.23	4234	5.42	-1.17	0	0	100	16.76	16.82	-10.01	18.44
117.48	88.23	4164	5.33	-1.17	0	0	100	14.5	16.82	-10.37	16.88
117.58	88.23	4180	5.35	-1.17	0	0	100	13.14	16.82	-10.59	15.62
117.66	88.23	4192	5.37	-1.17	0	0	100	12.76	16.82	-10.8	15
117.76	88.23	4162	5.33	-1.17	0	0	100	12.18	16.82	-10.8	14.38
117.84	88.23	4145	5.31	-1.17	0	0	100	11.32	16.43	-10.8	13.44
117.94	88.23	4141	5.3	-1.17	0	0	100	10.86	16.43	-10.8	13.44

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
118.02	88.23	4127	5.28	-1.56	0	0	100	11.32	16.82	-10.8	13.75
118.12	85.75	4104	5.25	-1.56	0	0	100	11.48	16.82	-10.8	14.06
118.2	85.75	4093	5.24	-1.56	0	0	100	11.44	16.82	-11.02	14.06
118.3	85.75	4091	5.24	-1.56	0	0	100	11.64	16.82	-11.02	14.06
118.38	85.75	4080	5.22	-1.56	0	0	100	11.78	16.82	-11.02	14.69
118.48	85.75	4082	5.23	-1.56	0	0	100	11.92	16.43	-11.02	14.38
118.56	85.75	4073	5.21	-1.56	0	0	100	11.56	16.43	-11.02	14.06
118.66	85.75	4056	5.19	-1.56	0	0	100	11.32	16.43	-11.02	14.06
118.76	85.75	4045	5.18	-1.56	0	0	100	11.24	16.43	-11.02	14.06
118.86	84.51	4010	5.13	-1.56	0	0	100	11.16	16.43	-11.02	14.38
118.94	84.51	4012	5.14	-1.56	0	0	100	11.44	16.43	-11.02	14.06
119.04	84.51	4017	5.14	-1.56	0	0	100	11.18	16.43	-11.17	14.06
119.12	84.51	4004	5.13	-1.56	0	0	100	11	16.04	-11.17	13.75
119.22	84.51	3993	5.11	-1.56	0	0	100	10.84	16.04	-11.17	13.44
119.3	84.51	3982	5.1	-1.56	0	0	100	10.84	16.04	-11.17	13.75
119.4	84.51	3974	5.09	-1.56	0	0	100	10.8	16.04	-11.17	13.75
119.48	84.51	3957	5.07	-1.56	0	0	100	10.82	16.04	-11.17	13.44
119.58	83.26	3937	5.04	-1.56	0	0	100	10.42	15.65	-11.39	13.12
119.66	83.26	3916	5.01	-1.56	0	0	100	10.2	15.65	-11.17	13.12
119.76	83.26	3930	5.03	-1.56	0	0	100	10.22	15.65	-11.39	13.12
119.84	83.26	3945	5.05	-1.56	0	0	100	10.2	16.04	-11.39	13.12
119.94	83.26	3937	5.04	-1.56	0	0	100	10.36	16.04	-11.39	13.12
120.02	83.26	3900	4.99	-1.56	0	0	100	10.24	16.04	-11.17	13.44
120.12	83.26	3879	4.97	-1.56	0	0	100	10.42	16.04	-11.17	13.44
120.2	83.26	3872	4.96	-1.56	0	0	100	10.44	16.04	-11.17	13.75
120.3	82.02	3874	4.96	-1.56	0	0	100	10.46	16.04	-11.17	13.44
120.38	82.02	3866	4.95	-1.56	0	0	100	10.3	16.04	-11.17	13.44
120.48	82.02	3868	4.95	-1.56	0	0	100	10.46	16.04	-11.17	13.75
120.56	82.02	3857	4.94	-1.56	0	0	100	10.58	16.04	-11.17	13.75
120.66	82.02	3840	4.92	-1.56	0	0	100	10.72	16.04	-11.17	14.06
120.74	82.02	3844	4.92	-1.56	0	0	100	10.62	16.04	-11.17	14.06
120.84	82.02	3826	4.9	-1.56	0	0	100	10.62	16.04	-11.17	14.06
120.94	80.78	3820	4.89	-1.56	0	0	100	10.54	16.04	-11.17	14.06
121.02	80.78	3816	4.89	-1.56	0	0	100	10.52	16.04	-11.17	13.75
121.12	80.78	3807	4.87	-1.56	0	0	100	10.28	16.04	-11.17	13.75
121.2	80.78	3801	4.87	-1.56	0	0	100	10.32	16.04	-11.17	13.44
121.3	80.78	3782	4.84	-1.56	0	0	100	10.3	15.65	-11.17	13.44
121.38	80.78	3770	4.83	-1.56	0	0	100	10.18	15.65	-11.17	13.44
121.48	80.78	3778	4.84	-1.56	0	0	100	10.16	16.04	-11.17	13.75

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
121.56	80.78	3767	4.82	-1.56	0	0	100	10.36	16.04	-11.17	14.06
121.66	79.54	3767	4.82	-1.56	0	0	100	10.42	16.04	-11.17	14.06
121.74	79.54	3759	4.81	-1.56	0	0	100	10.6	16.04	-11.17	14.06
121.84	79.54	3749	4.8	-1.56	0	0	100	10.36	16.04	-11.17	14.06
121.94	79.54	3740	4.79	-1.56	0	0	100	10.26	16.04	-11.17	13.75
122.02	79.54	3742	4.79	-1.56	0	0	100	10.12	15.65	-11.17	13.44
122.12	79.54	3734	4.78	-1.56	0	0	100	9.92	15.65	-11.17	13.44
122.2	79.54	3714	4.75	-1.56	0	0	100	10	15.65	-11.17	13.44
122.3	79.54	3725	4.77	-1.56	0	0	100	9.98	15.65	-11.17	13.44
122.38	78.29	3714	4.75	-1.56	0	0	100	9.94	15.65	-11.17	13.44
122.48	78.29	3701	4.74	-1.56	0	0	100	9.9	15.65	-11.17	13.44
122.59	78.29	3694	4.73	-1.56	0	0	100	9.7	15.65	-11.39	13.12
122.69	78.29	3685	4.72	-1.56	0	0	100	9.68	15.65	-11.17	13.12
122.79	78.29	3682	4.71	-1.56	0	0	100	10.96	19.56	-10.22	17.5
122.89	78.29	3651	7.01	-1.17	0	0	100	24.72	25.82	-5.95	43.75
122.97	78.29	3727	11.93	-1.17	0	0	100	40.86	30.52	-2.83	64.38
123.07	77.05	3694	13.4	-1.17	0	0	100	49.44	30.13	-2.39	70.62
123.15	77.05	3654	14.03	-1.17	0	0	100	53.24	30.13	-2.03	73.75
123.25	77.05	3640	14.76	-1.17	0	0	100	55	29.74	-1.6	75.94
123.33	77.05	3654	14.81	-1.17	0	0	100	56.26	29.74	-1.23	78.75
123.43	77.05	3660	14.84	-1.17	0	0	100	58.08	29.74	-0.65	81.88
123.51	77.05	3658	15.61	-1.17	0	0	100	60.8	30.13	-0.07	85.62
123.61	77.05	3653	16.37	-1.17	0	0	100	64.12	31.3	0.94	90.31
123.69	77.05	3656	19.5	-1.17	0	0	100	73.1	36.39	3.05	105.94
123.79	77.05	3660	25.77	0	0	0	100	80.54	36.39	4.06	113.44
123.89	77.05	3662	27.34	0	0	0	100	85.08	36	5	120.94
124	77.05	3660	28.89	0	0	0	100	92.18	32.87	5.37	123.12
124.1	77.05	3654	27.29	0	0	0	100	85.5	30.91	5.22	117.81
124.2	77.05	3674	27.44	0	0	0	100	86.62	29.34	4.79	114.06
124.3	77.05	3662	21.09	0	0	0	100	61.02	17.61	-2.97	63.12
124.42	77.05	3649	8.56	-1.17	0	0	100	27.32	16.04	-8.05	30.94
124.52	77.05	3631	5.42	-1.17	0	0	100	16.88	15.65	-9.79	20.31
124.64	77.05	3630	4.65	-1.17	0	0	100	12.3	15.65	-10.37	16.25
124.74	77.05	3633	4.65	-1.17	-0.39	0	100	10.8	15.65	-10.8	14.69
124.86	77.05	3607	3.85	-1.56	-1.56	0	100	10.04	15.26	-11.02	13.75
124.96	77.05	3602	3.84	-1.56	-2.34	0	100	9.48	15.26	-11.02	12.81
125.08	77.05	3602	4.61	-1.56	0	0	100	8.66	15.65	-11.02	11.88
125.18	77.05	3583	4.59	-1.56	0	0	100	8.36	15.65	-11.02	12.19
125.3	75.81	3580	4.58	-1.56	0	0	100	9	15.65	-11.02	12.81

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
125.4	75.81	3559	4.56	-1.56	0	0	100	9.04	15.65	-11.02	12.81
125.52	75.81	3562	4.56	-1.56	0	0	100	9.2	15.65	-11.02	12.81
125.62	75.81	3549	4.54	-1.56	0	0	100	9.24	15.65	-11.02	13.12
125.74	75.81	3544	4.54	-1.56	0	0	100	9.36	15.65	-11.02	13.44
125.84	75.81	3525	4.51	-1.56	0	0	100	9.62	15.65	-11.02	13.44
125.96	74.56	3520	4.51	-1.56	0	0	100	9.5	15.65	-11.02	13.44
126.06	74.56	3520	4.51	-1.56	0	0	100	9.44	15.65	-11.02	13.44
126.18	74.56	3509	4.49	-1.56	0	0	100	9.56	15.65	-11.02	13.75
126.28	74.56	3498	4.48	-1.56	0	0	100	9.44	15.26	-11.17	13.44
126.4	74.56	3493	4.47	-1.56	0	0	100	9.4	15.65	-11.02	13.44
126.5	74.56	3486	4.46	-1.56	0	0	100	9.44	15.65	-11.02	13.75
126.62	73.32	3483	4.46	-1.56	0	0	100	9.42	15.65	-11.02	13.44
126.72	73.32	3464	4.43	-1.56	0	0	100	9.28	15.26	-11.17	13.44
126.84	73.32	3453	4.42	-1.56	0	0	100	9.24	15.26	-11.17	13.44
126.94	73.32	3449	4.42	-1.56	0	0	100	9.24	15.26	-11.17	13.44
127.06	73.32	3446	4.41	-1.56	0	0	100	9.18	15.26	-11.02	13.44
127.16	73.32	3435	4.4	-1.56	0	0	100	9.24	15.26	-11.17	13.44
127.28	73.32	3419	4.38	-1.56	0	0	100	8.98	15.26	-11.17	13.12
127.38	72.08	3416	4.37	-1.56	0	0	100	8.88	15.26	-11.17	13.12
127.48	72.08	3410	4.37	-1.56	0	0	100	8.86	15.26	-11.17	13.12
127.58	72.08	3396	4.35	-1.56	0	0	100	8.88	15.26	-11.17	13.12
127.68	72.08	3393	4.34	-1.56	0	0	100	8.92	15.26	-11.17	13.12
127.76	72.08	3381	4.33	-1.56	0	0	100	8.98	15.26	-11.17	13.44
127.86	72.08	3378	4.32	-1.56	0	0	100	8.98	15.26	-11.17	13.44
127.96	72.08	3366	4.31	-1.56	0	0	100	8.92	15.26	-11.17	13.44
128.06	70.84	3361	4.3	-1.56	0	0	100	8.94	15.26	-11.17	13.44
128.14	70.84	3355	4.29	-1.56	0	0	100	8.92	15.26	-11.17	13.44
128.24	70.84	3345	4.28	-1.56	0	0	100	8.82	15.26	-11.17	13.12
128.34	70.84	3342	4.28	-1.56	0	0	100	8.72	14.87	-11.17	13.12
128.44	70.84	3332	4.26	-1.56	0	0	100	8.72	14.87	-11.17	13.12
128.52	70.84	3329	4.26	-1.56	0	0	100	8.64	14.87	-11.17	13.12
128.62	70.84	3324	4.26	-1.56	0	0	100	8.6	14.87	-11.17	13.12
128.72	70.84	3311	4.24	-1.56	0	0	100	8.64	15.26	-11.17	13.12
128.82	69.59	3308	4.23	-1.56	0	0	100	8.86	15.26	-11.17	13.44
128.92	69.59	3298	4.22	-1.56	0	0	100	8.86	14.87	-11.02	13.44
129.02	69.59	3279	4.2	-1.56	0	0	100	8.76	15.26	-11.02	13.44
129.12	69.59	3227	0	-1.56	0	0	100	7.74	14.09	-11.39	11.88
129.2	69.59	3223	0	-1.56	0	0	100	7.32	14.09	-11.17	11.25
129.3	69.59	3189	0	-1.56	0	0	100	7.1	14.09	-11.39	11.25

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
129.4	69.59	3160	0	-1.56	0	0	100	7	14.09	-11.39	11.25
129.5	65.87	3123	0	-1.56	0	0	100	7	14.09	-11.39	11.25
129.58	65.87	3097	0	-1.56	0	0	100	6.84	14.09	-11.39	10.94
129.68	65.87	3069	0	-1.56	0	0	100	6.72	14.09	-11.39	10.94
129.78	65.87	3025	0	-1.56	0	0	100	6.66	14.09	-11.39	10.94
129.88	65.87	2997	0	-1.56	0	0	100	6.54	14.09	-11.39	11.25
129.98	65.87	2915	0	-1.56	0	0	100	6.36	13.69	-11.39	11.25
130.1	65.87	2769	0	-1.56	0	0	100	6.04	13.3	-11.39	11.25
130.2	60.89	2620	0	-1.56	0	0	100	5.68	13.3	-11.39	10.94
130.3	60.89	2485	0	-1.56	0	0	100	5.4	12.91	-11.39	11.25
130.38	60.89	2394	0	-1.56	0	0	100	5.34	12.91	-11.39	10.94
130.48	60.89	2477	0	-1.56	0	0	100	5.7	13.3	-11.39	10.94
130.58	60.89	2778	0	-1.56	0	0	100	6.34	13.69	-11.39	10.94
130.68	60.89	3203	0	-1.56	0	0	100	7.36	14.09	-11.39	10.62
130.76	60.89	3834	0	-1.56	0	0	100	8.34	15.26	-11.6	10.94
130.86	57.17	3982	0	-1.56	0	0	100	8.82	14.87	-11.39	11.56
130.96	57.17	3776	0	-1.56	0	0	100	8.58	14.48	-11.6	11.25
131.06	57.17	3945	0	-1.56	0	0	100	8.54	14.87	-11.6	11.25
131.14	57.17	3801	0	-1.56	0	0	100	8.36	14.48	-11.39	10.94
131.24	57.17	3838	0	-1.56	0	0	100	8.28	14.87	-11.6	10.94
131.34	57.17	3759	0	-1.56	0	0	100	8.2	14.87	-11.6	10.94
131.42	57.17	3795	0	-1.56	0	0	100	8.1	14.87	-11.6	10.94
131.52	57.17	3734	0	-1.56	0	0	100	8.12	14.48	-11.6	10.94
131.62	54.68	3725	0	-1.56	0	0	100	8.02	14.48	-11.6	10.94
131.7	54.68	3678	0	-1.56	0	0	100	7.9	14.48	-11.6	10.62
131.8	54.68	3653	0	-1.56	0	0	100	7.72	14.48	-11.6	10.62
131.88	54.68	3614	0	-1.56	0	0	100	7.64	14.48	-11.6	10.62
131.98	54.68	3586	0	-1.56	0	0	100	7.48	14.48	-11.6	10.31
132.08	54.68	3559	0	-1.56	0	0	100	7.24	14.09	-11.6	10.31
132.16	54.68	3529	0	-1.56	0	0	100	7.16	14.09	-11.6	10.31
132.26	50.95	3499	0	-1.56	0	0	100	7.02	14.09	-11.6	10.31
132.36	50.95	3464	0	-1.56	0	0	100	6.98	14.09	-11.39	10
132.44	50.95	3431	0	-1.56	0	0	100	7	14.09	-11.39	10.31
132.54	50.95	3399	0	-1.56	0	0	100	7.02	14.09	-11.39	10.31
132.64	50.95	3355	0	-1.56	0	0	100	6.88	14.09	-11.39	10.31
132.72	50.95	3311	0	-1.56	0	0	100	6.88	14.09	-11.39	10.62
132.82	50.95	3277	0	-1.56	0	0	100	6.8	14.09	-11.39	10.31
132.9	50.95	3236	0	-1.56	0	0	100	6.74	14.09	-11.39	10.62
133	47.22	3196	0	-1.56	0	0	100	6.68	14.09	-11.39	10.62

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
133.08	47.22	3145	0	-1.56	0	0	100	6.72	14.09	-11.39	10.94
133.18	47.22	3109	0	-1.56	0	0	100	6.74	14.09	-11.39	10.94
133.28	47.22	3032	0	-1.56	0	0	100	6.48	14.09	-11.39	11.25
133.36	47.22	2890	0	-1.56	0	0	100	6.22	13.69	-11.39	10.94
133.46	47.22	2773	0	-1.56	0	0	100	5.9	13.3	-11.39	10.94
133.56	47.22	2637	0	-1.56	0	0	100	5.58	13.3	-11.39	11.25
133.66	47.22	2516	4.29	-1.56	0	0	100	10.12	28.95	-4.71	39.38
133.76	43.5	2616	12.28	-1.17	0	0	100	36.44	48.91	-0.44	75.31
133.84	43.5	3177	16.27	-1.17	0	0	100	56.1	54.38	0.29	85.94
133.94	43.5	3904	20.82	-1.17	0	0	100	70.8	38.73	-0.29	83.75
134.02	43.5	4353	21.36	-1.17	0	0	100	67.64	28.17	-2.18	70.31
134.12	43.5	4477	16.24	-1.17	0	0	100	54.3	21.13	-5.95	49.06
134.2	43.5	4401	10.33	-1.17	0	0	100	27.54	16.43	-9.43	25.31
134.3	43.5	3940	5.89	-1.17	0	0	100	14.52	16.43	-10.22	17.81
134.38	43.5	3722	4.76	-1.17	0	0	100	12.96	15.26	-10.8	15.62
134.48	43.5	3937	5.04	-1.56	0	0	100	9.26	12.91	-11.6	11.25
134.56	43.5	3838	4.91	-1.56	0	0	100	8.46	12.52	-11.97	11.25
134.66	43.5	3820	4.89	-1.56	0	0	100	8.68	11.74	-12.18	11.25
134.74	43.5	3846	4.92	-1.56	0	0	100	8.48	11.35	-12.33	11.25
134.84	43.5	3780	4.84	-1.56	0	0	100	8.5	13.69	-12.18	10
134.92	43.5	3803	0	-1.56	0	0	100	7.6	14.87	-11.6	10
135.02	43.5	3734	0	-1.56	0	0	100	7.4	14.48	-11.6	10
135.1	41.01	3731	0	-1.56	0	0	100	7.48	14.48	-11.6	10
135.2	41.01	3687	0	-1.56	0	0	100	7.28	14.48	-11.6	10
135.28	41.01	3656	0	-1.56	0	0	100	7.16	14.48	-11.6	10
135.38	41.01	3624	0	-1.56	0	0	100	7.18	14.48	-11.39	10.31
135.46	41.01	3607	0	-1.56	0	0	100	7.16	14.48	-11.39	10
135.56	41.01	3597	0	-1.56	0	0	100	7.16	14.48	-11.39	10.31
135.64	41.01	3574	0	-1.56	0	0	100	7.16	14.09	-11.39	10
135.74	41.01	3564	0	-1.56	0	0	100	7.06	14.09	-11.6	10
135.82	39.77	3551	0	-1.56	0	0	100	7.04	14.09	-11.6	10
135.92	39.77	3537	0	-1.56	0	0	100	7.08	14.09	-11.39	10
136	39.77	3520	0	-1.56	0	0	100	7.04	14.09	-11.6	10
136.1	39.77	3506	0	-1.56	0	0	100	7.06	14.09	-11.6	10
136.2	39.77	3493	0	-1.56	0	0	100	6.98	14.09	-11.39	10.31
136.28	39.77	3477	0	-1.56	0	0	100	7.48	15.26	-11.17	12.19
136.38	39.77	3462	0	-1.56	0	0	100	9.12	15.26	-10.8	13.44
136.48	39.77	3454	5.16	-1.56	0	0	100	9.38	15.26	-11.02	13.44
136.56	38.52	3382	4.33	-1.56	0	0	100	8.98	17.22	-10.8	14.69

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
136.66	38.52	3318	7.08	-1.17	0	0	100	20.3	27	-5.51	42.81
136.76	38.52	3424	13.88	-1.17	0	0	100	40.88	29.34	-3.19	61.88
136.84	38.52	3828	15.52	-1.17	0	0	100	52.42	30.13	-2.83	67.5
136.94	38.52	4365	17.7	-1.17	0	0	100	62.4	27.78	-3.55	61.56
137.04	38.52	4789	15.32	-1.17	0	0	100	55.08	26.61	-4.35	54.69
137.12	38.52	4898	13.59	-1.17	0	0	100	43.96	18	-8.48	30.94
137.22	37.28	4621	6.9	-1.17	0	0	100	19.78	17.22	-10.22	19.69
137.32	37.28	4477	5.73	-1.17	0	0	100	14.22	16.82	-10.59	15
137.4	37.28	4562	5.84	-1.17	0	0	100	13.18	17.61	-10.59	14.38
137.5	37.28	4592	5.88	-1.17	0	0	100	14.38	16.82	-10.37	16.56
137.6	37.28	4499	5.76	-1.17	0	0	100	14.2	17.22	-10.59	15.62
137.68	37.28	4562	5.84	-1.17	0	0	100	13.66	17.22	-10.8	14.69
137.78	37.28	4496	5.76	-1.17	0	0	100	12.82	17.22	-11.02	14.06
137.88	37.28	4469	5.72	-1.17	0	0	100	12.3	17.22	-11.02	13.75
137.96	36.04	4496	5.76	-1.17	0	0	100	12.28	16.82	-11.02	13.75
138.06	36.04	4453	5.7	-1.17	0	0	100	12.22	17.22	-11.02	13.75
138.16	36.04	4430	5.67	-1.17	0	0	100	12.18	17.22	-11.02	14.06
138.24	36.04	4437	5.68	-1.17	0	0	100	12.3	16.82	-11.02	14.06
138.34	36.04	4424	5.66	-1.17	0	0	100	12.22	16.82	-11.02	14.06
138.42	36.04	4403	5.64	-1.17	0	0	100	12.3	16.82	-11.02	14.06
138.52	36.04	4391	5.62	-1.17	0	0	100	12.44	17.22	-11.02	14.38
138.62	36.04	4383	5.61	-1.17	0	0	100	12.56	16.82	-11.02	14.38
138.7	36.04	4368	5.59	-1.17	0	0	100	12.64	16.82	-11.02	14.38
138.8	36.04	4357	5.58	-1.17	0	0	100	12.34	16.82	-11.02	14.38
138.88	36.04	4347	5.56	-1.17	0	0	100	12.4	16.82	-11.02	14.69
138.98	36.04	4340	5.56	-1.17	0	0	100	12.48	16.82	-11.02	14.69
139.08	36.04	4325	5.54	-1.17	0	0	100	12.52	16.82	-11.02	14.38
139.16	36.04	4312	5.52	-1.17	0	0	100	12.4	16.82	-11.02	14.69
139.26	36.04	4302	5.51	-1.17	0	0	100	12.46	16.82	-11.17	14.69
139.34	34.8	4295	5.5	-1.17	0	0	100	12.42	16.82	-11.02	14.69
139.44	34.8	4285	5.49	-1.17	0	0	100	12.38	16.82	-11.02	14.38
139.52	34.8	4275	5.47	-1.17	0	0	100	12.08	16.82	-11.02	14.38
139.62	34.8	4263	5.46	-1.17	0	0	100	11.98	16.82	-11.17	14.06
139.7	34.8	4247	5.44	-1.17	0	0	100	12.04	17.22	-11.02	15.31
139.8	34.8	4239	6.33	-1.17	0	0	100	13.98	18	-10.59	17.81
139.88	34.8	4242	6.33	-1.17	0	0	100	15.4	18.39	-10.37	19.06
139.98	34.8	4239	6.33	-1.17	0	0	100	17.06	19.17	-10.01	20.94
140.06	34.8	4244	6.34	-1.17	0	0	100	18.48	19.17	-9.79	22.19
140.16	34.8	4247	6.34	-1.17	0	0	100	19.66	19.56	-9.64	23.75

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
140.24	34.8	4225	7.21	-1.17	0	0	100	20.46	19.95	-9.43	25
140.34	34.8	4189	7.15	-1.17	0	0	100	21.84	21.13	-9.06	27.5
140.42	34.8	4220	8.1	-1.17	0	0	100	23.9	21.13	-8.85	28.44
140.52	34.8	4225	8.11	-1.17	0	0	100	23.96	20.74	-8.63	28.75
140.6	34.8	4183	8.03	-1.17	0	0	100	23.92	20.74	-8.85	28.44
140.7	34.8	4215	7.19	-1.17	0	0	100	23.82	20.74	-8.85	28.44
140.78	34.8	4213	7.19	-1.17	0	0	100	23.6	20.74	-8.85	28.44
140.88	34.8	4196	8.06	-1.17	0	0	100	24	21.13	-8.63	29.38
140.96	34.8	4227	8.12	-1.17	0	0	100	27.6	23.08	-7.69	35.94
141.06	34.8	4234	9.94	-1.17	0	0	100	32.26	23.48	-7.11	39.38
141.14	34.8	4220	10.8	-1.17	0	0	100	35.6	24.65	-6.09	45.31
141.24	34.8	4251	11.79	-1.17	0	0	100	42.56	26.21	-5.15	52.5
141.32	34.8	4270	12.76	-1.17	0	0	100	46.96	27	-4.57	56.88
141.42	34.8	4266	14.56	-1.17	0	0	100	50.74	27	-3.99	60.94
141.5	34.8	4310	14.71	-1.17	0	0	100	52.96	27	-3.77	62.19
141.6	34.8	4320	14.75	-1.17	0	0	100	54.38	27	-3.55	64.06
141.68	34.8	4355	14.87	-1.17	0	0	100	56.24	27	-3.41	65.31
141.78	34.8	4380	15.89	-1.17	0	0	100	57.18	23.48	-4.13	60.62
141.86	34.8	4385	12.16	-1.17	0	0	100	40.9	19.17	-7.69	36.88
141.96	34.8	4347	7.42	-1.17	0	0	100	25.7	19.17	-8.85	25.62
142.04	34.8	4406	7.52	-1.17	0	0	100	21.08	18.78	-9.21	23.12
142.14	34.8	4416	6.6	-1.17	0	0	100	19.48	18.78	-9.43	21.25
142.22	36.04	4378	6.54	-1.17	0	0	100	18.48	18.39	-9.79	20.31
142.32	36.04	4375	6.53	-1.17	0	0	100	16.7	18.39	-10.01	18.75
142.4	36.04	4373	6.53	-1.17	0	0	100	15.82	18.39	-10.22	17.81
142.5	36.04	4370	6.53	-1.17	0	0	100	15.4	18	-10.22	17.81
142.58	36.04	4375	6.53	-1.17	0	0	100	15.72	18	-10.22	17.81
142.68	36.04	4380	6.54	-1.17	0	0	100	15.56	18.39	-10.22	17.81
142.76	36.04	4383	6.55	-1.17	0	0	100	15.58	18.39	-10.22	18.12
142.86	36.04	4380	6.54	-1.17	0	0	100	15.96	18.39	-10.22	18.44
142.94	36.04	4337	6.48	-1.17	0	0	100	16.26	18.39	-10.22	19.06
143.04	36.04	4332	6.47	-1.17	0	0	100	17.26	19.56	-9.79	21.56
143.12	36.04	4345	6.49	-1.17	0	0	100	19.82	19.56	-9.64	23.12
143.22	36.04	4380	7.48	-1.17	0	0	100	20.4	19.56	-9.43	23.44
143.3	36.04	4375	7.47	-1.17	0	0	100	20.14	19.56	-9.64	23.44
143.4	36.04	4322	6.46	-1.17	0	0	100	20.06	19.56	-9.43	23.44
143.48	36.04	4327	7.39	-1.17	0	0	100	20.3	19.56	-9.43	23.44
143.58	34.8	4342	7.41	-1.17	0	0	100	20.1	19.56	-9.43	23.12
143.66	34.8	4335	6.47	-1.17	0	0	100	19.94	19.56	-9.64	23.12

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
143.76	34.8	4327	6.46	-1.17	0	0	100	19.48	19.17	-9.64	22.5
143.84	34.8	4322	6.46	-1.17	0	0	100	19.06	18.78	-9.79	21.56
143.94	34.8	4315	6.44	-1.17	0	0	100	17.96	18.39	-10.01	20.31
144.02	34.8	4305	6.43	-1.17	0	0	100	16.76	18	-10.22	19.38
144.12	34.8	4297	6.42	-1.17	0	0	100	16.14	18	-10.37	18.75
144.2	34.8	4302	6.43	-1.17	0	0	100	15.9	18	-10.37	18.44
144.3	34.8	4305	6.43	-1.17	0	0	100	15.78	18	-10.37	18.44
144.38	34.8	4300	6.42	-1.17	0	0	100	15.74	18.39	-10.37	18.44
144.48	34.8	4292	6.41	-1.17	0	0	100	15.86	18.39	-10.22	19.06
144.56	34.8	4292	6.41	-1.17	0	0	100	16.52	18.78	-10.22	20
144.66	34.8	4297	6.42	-1.17	0	0	100	17.38	18.78	-10.01	20.62
144.74	34.8	4295	6.41	-1.17	0	0	100	18.72	19.56	-9.64	22.81
144.84	34.8	4280	7.31	-1.17	0	0	100	20.44	20.74	-9.21	25.62
144.92	34.8	4283	7.31	-1.17	0	0	100	23	21.52	-8.85	28.75
145.02	34.8	4305	9.18	-1.17	0	0	100	28.22	25.43	-7.11	38.44
145.1	34.8	4297	11.92	-1.17	0	0	100	39.8	27	-5.37	50.94
145.2	34.8	4327	12.93	-1.17	0	0	100	47.04	27	-4.71	55.94
145.28	34.8	4320	13.82	-1.17	0	0	100	51.4	34.04	-2.03	72.19
145.38	34.8	4388	19.66	-1.17	0	0	100	69.2	34.82	-0.87	81.25
145.46	34.8	4419	21.68	0	0	0	100	73.82	34.82	-0.07	87.5
145.56	34.8	4414	23.54	0	0	0	100	81.78	37.95	1.67	98.75
145.64	34.8	4534	30.96	0	0	0	100	95.8	39.13	3.48	110.94
145.74	37.28	4537	33.88	0	0	0	100	105.46	39.13	5.22	122.5
145.82	37.28	4624	39.46	0	0	0	100	120.38	40.69	7.32	138.44
145.92	37.28	4702	46.14	0	0	0	100	135.98	37.56	8.7	143.75
146	37.28	4749	45.6	0	0	0	100	141.46	37.56	9.72	152.19
146.1	37.28	4867	48.8	0	0	1.76	100	148.44	37.56	10.08	151.88
146.18	37.28	4908	48.17	0	0	1.76	100	146.24	37.17	9.72	145.94
146.28	37.28	4999	42.67	0	0	1.76	100	134.68	28.17	5	111.88
146.36	37.28	4973	28.65	0	0	1.05	100	76.76	19.56	-3.41	61.25
146.46	41.01	4844	12.4	-1.17	0	0	100	41.6	16.04	-8.27	31.25
146.54	41.01	5023	7.5	-1.17	0	0	100	23.46	14.48	-10.22	18.12
146.64	41.01	5043	6.46	-1.17	0	0	100	14.86	13.69	-11.02	12.81
146.72	41.01	4889	6.26	-1.56	0	0	100	10.68	12.91	-11.39	10.31
146.82	41.01	4743	5.06	-1.56	0	0	100	9.68	12.52	-11.75	10.31
146.9	41.01	4589	4.9	-1.56	0	0	100	9.34	12.13	-11.97	10.31
147	41.01	4424	5.66	-1.56	0	0	100	9.2	11.74	-12.18	9.06
147.08	41.01	4249	4.53	-1.56	0	0	100	6.4	11.35	-12.33	7.19
147.18	41.01	4067	0	-1.56	0	0	100	4.98	14.09	-12.33	8.44

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
147.26	41.01	3855	0	-1.56	0	0	100	8.04	14.87	-11.6	10.31
147.36	41.01	3600	0	-1.56	0	0	100	6.94	14.09	-11.6	9.69
147.44	41.01	3564	0	-1.56	0	0	100	6.74	14.48	-11.6	9.38
147.54	41.01	3683	0	-1.56	0	0	100	7.12	14.48	-11.39	10
147.62	41.01	3612	0	-1.56	0	0	100	7.12	14.48	-11.39	9.69
147.72	41.01	3645	0	-1.56	0	0	100	8.28	15.65	-11.02	12.5
147.8	41.01	3612	0	-1.56	0	0	100	9.44	15.65	-11.02	13.44
147.9	39.77	3603	4.61	-1.56	0	0	100	9.88	15.65	-11.17	13.75
147.98	39.77	3603	4.61	-1.56	0	0	100	9.64	15.65	-11.17	13.44
148.08	39.77	3593	4.6	-1.56	0	0	100	9.36	15.65	-11.17	13.12
148.16	39.77	3578	4.58	-1.56	0	0	100	9.48	15.65	-11.17	13.44
148.26	39.77	3583	4.59	-1.56	0	0	100	9.44	15.65	-11.17	13.44
148.34	39.77	3564	4.56	-1.56	0	0	100	9.44	15.65	-11.17	13.44
148.44	39.77	3562	4.56	-1.56	0	0	100	9.46	15.65	-11.17	13.44
148.52	39.77	3549	4.54	-1.56	0	0	100	9.56	16.04	-11.02	14.38
148.62	38.52	3558	4.55	-1.56	0	0	100	10.5	16.04	-11.02	15
148.7	38.52	3549	4.54	-1.56	0	0	100	10.9	17.22	-10.59	16.56
148.8	38.52	3547	4.54	-1.17	-0.78	0	100	13.06	17.61	-10.22	19.38
148.9	38.52	3554	5.31	-1.17	-1.56	0	100	14.52	18	-9.79	20.94
148.98	38.52	3556	5.31	-1.17	-2.34	0	100	14.88	18	-9.79	21.56
149.08	38.52	3520	5.26	-1.17	-3.12	0	100	15.66	18.39	-9.64	23.12
149.18	38.52	3518	6	-1.17	-3.9	0	100	17.48	19.17	-9.06	25.62
149.27	38.52	3556	6.07	-1.17	0	0	100	18.56	19.17	-8.85	26.56
149.37	38.52	3504	5.98	-1.17	0	0	100	18.9	19.95	-8.63	28.44
149.48	38.52	3524	6.77	-1.17	0	0	100	22.36	21.52	-7.9	34.38
149.6	38.52	3541	7.55	-1.17	0	0	100	27.38	23.87	-6.09	43.44
149.7	38.52	3551	9.85	-1.17	0	0	100	34.5	25.04	-4.93	51.25
149.82	38.52	3536	10.56	-1.17	0	0	100	37.82	25.43	-4.57	54.69
149.92	38.52	3574	11.44	-1.17	0	0	100	43.76	27	-3.41	63.44
150.04	39.77	3574	12.2	-1.17	0	0	100	47.6	28.95	-2.39	69.38
150.14	39.77	3602	13.83	-1.17	0	0	100	53.14	29.34	-1.45	75.94
150.26	39.77	3624	14.69	-1.17	0	0	100	56.72	29.34	-1.02	79.38
150.36	39.77	3645	14.78	-1.17	0	0	100	58.68	28.95	-0.87	81.25
150.48	39.77	3674	15.68	-1.17	0	0	100	61.08	29.34	-0.07	85.31
150.58	39.77	3700	17.37	-1.17	0	0	100	67.46	32.87	1.67	96.25
150.7	41.01	3744	24.76	0	0	0	100	79.68	34.43	3.26	108.75
150.8	41.01	3765	26.51	0	0	0	100	85.86	34.82	4.21	116.56
150.92	41.01	3812	30.1	0	0	0	100	94.58	35.21	5.58	127.19
151.02	41.01	3861	32.95	0	0	0	100	103.02	35.21	6.74	136.56

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
151.14	41.01	3918	35.95	0	0	0	100	111.04	34.43	7.76	142.19
151.24	41.01	3949	33.7	0	0	0	100	92.56	27	3.26	99.69
151.36	41.01	3985	19.55	-1.17	0	0	100	64.72	23.48	-1.02	72.19
151.46	43.5	4006	12.82	-1.17	0	0	100	44.72	21.13	-4.71	50.31
151.58	43.5	4032	9.46	-1.17	0	0	100	34.88	21.13	-6.31	40.62
151.68	43.5	4036	8.61	-1.17	0	0	100	30.42	21.13	-6.89	36.25
151.8	43.5	4062	8.67	-1.17	0	0	100	27.94	20.74	-7.47	33.44
151.9	43.5	4056	7.79	-1.17	0	0	100	25.56	20.35	-8.05	30.31
152.02	43.5	4062	7.8	-1.17	0	0	100	22.98	19.17	-8.63	26.25
152.12	44.74	4051	6.05	-1.17	0	0	100	16.42	16.82	-10.22	17.81
152.24	44.74	4036	5.17	-1.17	0	0	100	11.82	16.43	-10.8	14.06
152.34	44.74	4019	5.14	-1.56	0	0	100	10.56	16.43	-11.02	13.12
152.46	44.74	4032	5.16	-1.56	0	0	100	10.38	16.43	-11.02	12.81
152.56	44.74	4045	5.18	-1.56	0	0	100	10.46	16.43	-11.17	13.12
152.68	44.74	4023	5.15	-1.56	0	0	100	10.46	16.43	-11.17	13.44
152.78	44.74	4017	5.14	-1.56	0	0	100	10.64	16.43	-11.17	13.44
152.86	44.74	4015	5.14	-1.56	0	0	100	11.02	16.43	-11.02	13.75
152.96	44.74	4008	5.13	-1.56	0	0	100	11.2	16.82	-11.02	14.38
153.06	44.74	3999	5.12	-1.56	0	0	100	12.34	17.22	-10.8	16.25
153.16	44.74	4001	5.12	-1.17	0	0	100	13.84	18.39	-10.37	19.06
153.26	44.74	4006	5.98	-1.17	0	0	100	15.58	18.39	-10.22	19.69
153.36	44.74	3993	5.96	-1.17	0	0	100	16.14	18.39	-10.01	20.94
153.46	44.74	3968	5.93	-1.17	0	0	100	16.84	19.17	-9.79	22.19
153.54	43.5	3991	5.96	-1.17	0	0	100	18.36	19.56	-9.43	24.38
153.64	43.5	3980	5.94	-1.17	0	0	100	19.14	19.56	-9.43	24.38
153.74	43.5	3976	6.79	-1.17	0	0	100	19.38	19.17	-9.43	24.69
153.84	43.5	3974	6.78	-1.17	0	0	100	19.42	19.56	-9.43	24.69
153.92	43.5	3966	6.77	-1.17	0	0	100	19.42	19.56	-9.43	24.69
154.02	43.5	3968	6.77	-1.17	0	0	100	19.26	19.17	-9.43	24.38
154.12	43.5	3966	6.77	-1.17	0	0	100	19.22	19.17	-9.43	24.38
154.22	43.5	3966	5.92	-1.17	0	0	100	19	19.17	-9.43	24.38
154.3	43.5	3961	6.76	-1.17	0	0	100	19.1	19.17	-9.43	24.06
154.4	43.5	3963	5.92	-1.17	0	0	100	19	19.17	-9.64	23.75
154.5	43.5	3959	5.91	-1.17	0	0	100	18.48	19.17	-9.64	23.44
154.6	43.5	3951	5.9	-1.17	0	0	100	17.98	18.39	-9.79	22.5
154.68	43.5	3951	5.9	-1.17	0	0	100	17.38	18.78	-9.79	22.19
154.78	43.5	3945	5.89	-1.17	0	0	100	17.34	18.78	-9.79	22.19
154.88	43.5	3951	5.9	-1.17	0	0	100	17.56	18.78	-9.79	22.19
154.98	43.5	3945	5.89	-1.17	0	0	100	17.78	19.56	-9.64	23.44

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
155.08	43.5	3945	6.73	-1.17	0	0	100	20.76	20.74	-8.85	28.12
155.16	43.5	3966	7.62	-1.17	0	0	100	23.18	21.13	-8.48	29.69
155.26	43.5	3970	7.62	-1.17	0	0	100	24.56	21.13	-8.27	32.19
155.36	43.5	3943	7.57	-1.17	0	0	100	25.48	21.52	-8.05	32.5
155.44	43.5	3966	7.62	-1.17	0	0	100	25.72	21.91	-7.9	33.75
155.54	43.5	3955	8.44	-1.17	0	0	100	27.52	21.91	-7.69	35.62
155.64	43.5	3976	8.48	-1.17	0	0	100	27.92	21.91	-7.69	35.31
155.74	43.5	3957	8.44	-1.17	0	0	100	27.98	21.91	-7.47	35.62
155.82	43.5	3980	8.49	-1.17	0	0	100	27.98	21.91	-7.69	35.31
155.92	43.5	3959	8.45	-1.17	0	0	100	28.42	22.3	-7.47	36.88
156.04	43.5	3982	9.35	-1.17	0	0	100	34	25.04	-5.95	46.56
156.14	43.5	3999	11.09	-1.17	0	0	100	40.08	25.04	-5.15	52.19
156.26	43.5	3998	11.09	-1.17	0	0	100	42.96	25.82	-4.71	55.31
156.36	43.5	4017	12	-1.17	0	0	100	45.16	23.87	-5.15	53.44
156.48	43.5	4017	11.14	-1.17	0	0	100	37.9	23.08	-5.95	46.25
156.58	43.5	4034	10.33	-1.17	0	0	100	36.82	23.48	-5.95	46.25
156.7	43.5	4041	10.34	-1.17	0	0	100	37.64	23.87	-5.51	47.19
156.8	43.5	4058	10.39	-1.17	0	0	100	38.42	23.87	-5.51	47.81
156.92	43.5	4064	10.41	-1.17	0	0	100	38.3	23.48	-5.73	46.88
157.02	43.5	4076	10.43	-1.17	0	0	100	34.76	21.13	-6.89	39.38
157.14	44.74	4067	8.68	-1.17	0	0	100	26.88	20.35	-8.27	30.94
157.22	44.74	4082	7.84	-1.17	0	0	100	23.74	20.35	-8.48	28.44
157.32	44.74	4084	6.97	-1.17	0	0	100	22.5	20.35	-8.48	27.5
157.42	44.74	4093	6.99	-1.17	0	0	100	22.64	20.74	-8.48	28.12
157.5	44.74	4093	6.99	-1.17	0	0	100	22.66	20.74	-8.48	28.12
157.6	44.74	4082	6.97	-1.17	0	0	100	23.34	21.13	-8.27	29.69
157.7	44.74	4100	8.75	-1.17	0	0	100	26.88	21.91	-7.69	34.06
157.78	44.74	4098	8.74	-1.17	0	0	100	28.1	21.91	-7.47	34.38
157.88	44.74	4100	8.75	-1.17	0	0	100	28.12	21.91	-7.69	35
157.96	44.74	4107	8.76	-1.17	0	0	100	28.1	21.52	-7.9	33.75
158.06	44.74	4100	7.87	-1.17	0	0	100	26.28	20.35	-8.27	30.94
158.16	44.74	4111	7.89	-1.17	0	0	100	24.36	19.95	-8.63	28.44
158.24	44.74	4116	7.02	-1.17	0	0	100	22.4	19.95	-8.85	26.56
158.34	44.74	4111	7.02	-1.17	0	0	100	21.26	19.56	-9.06	25.31
158.44	44.74	4116	7.02	-1.17	0	0	100	20.1	19.17	-9.21	24.38
158.54	45.98	4111	7.02	-1.17	0	0	100	19.54	19.17	-9.43	23.75
158.62	45.98	4111	6.14	-1.17	0	0	100	19.24	19.17	-9.43	23.44
158.72	45.98	4104	6.13	-1.17	0	0	100	19	19.17	-9.43	23.12
158.82	45.98	4109	6.14	-1.17	0	0	100	19.04	19.17	-9.43	23.44

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
158.92	45.98	4111	6.14	-1.17	0	0	100	19.06	19.17	-9.64	23.12
159	45.98	4107	6.13	-1.17	0	0	100	18.84	19.17	-9.64	22.81
159.1	45.98	4100	6.12	-1.17	0	0	100	18.6	19.17	-9.64	22.81
159.2	44.74	4104	6.13	-1.17	0	0	100	18.64	19.17	-9.64	22.81
159.28	44.74	4116	6.15	-1.17	0	0	100	18.52	19.17	-9.64	22.5
159.38	44.74	4103	6.13	-1.17	0	0	100	18.48	19.17	-9.64	22.81
159.46	44.74	4098	6.12	-1.17	0	0	100	18.38	19.17	-9.64	22.5
159.56	44.74	4107	6.13	-1.17	0	0	100	18.56	18.78	-9.64	22.5
159.64	44.74	4103	6.13	-1.17	0	0	100	18.22	18.78	-9.79	22.19
159.74	44.74	4096	6.12	-1.17	0	0	100	18.12	18.78	-9.79	22.19
159.82	44.74	4111	6.14	-1.17	0	0	100	18.12	18.78	-9.79	21.88
159.92	44.74	4093	6.11	-1.17	0	0	100	17.68	18.78	-9.79	21.56
160	44.74	4091	6.11	-1.17	0	0	100	17.92	19.17	-9.79	22.19
160.1	44.74	4103	6.13	-1.17	0	0	100	18.3	19.17	-9.64	22.5
160.18	44.74	4093	6.99	-1.17	0	0	100	19.78	19.95	-9.21	25.31
160.28	44.74	4107	7.01	-1.17	0	0	100	21.8	20.74	-8.85	27.81
160.36	44.74	4118	7.91	-1.17	0	0	100	23.72	21.52	-8.63	29.69
160.46	44.74	4098	7.87	-1.17	0	0	100	24.92	21.13	-8.27	30.94
160.54	44.74	4104	7.88	-1.17	0	0	100	25.38	21.13	-8.27	30.94
160.64	44.74	4098	7.87	-1.17	0	0	100	25.06	21.13	-8.48	30.62
160.72	44.74	4109	7.89	-1.17	0	0	100	24.82	20.74	-8.48	30
160.82	44.74	4109	7.01	-1.17	0	0	100	22.18	18.78	-9.21	25.62
160.9	44.74	4096	6.12	-1.17	0	0	100	18.96	17.61	-10.01	21.25
161	44.74	4091	5.24	-1.17	0	0	100	14.5	16.43	-10.8	16.56
161.08	44.74	4073	5.21	-1.17	0	0	100	12.42	16.43	-11.02	15
161.18	44.74	4069	5.21	-1.17	0	0	100	11.66	16.43	-11.02	14.06
161.26	44.74	4104	5.25	-1.17	0	0	100	11.48	16.43	-11.17	13.75
161.36	44.74	4091	5.24	-1.17	0	0	100	11.24	16.43	-11.17	13.75
161.44	44.74	4071	5.21	-1.17	0	0	100	11.2	16.43	-11.17	13.75
161.54	44.74	4073	5.21	-1.17	0	0	100	11.32	16.43	-11.17	14.06
161.62	44.74	4071	5.21	-1.17	0	0	100	11.28	16.43	-11.17	14.06
161.72	44.74	4062	5.2	-1.17	0	0	100	11.28	16.43	-11.17	14.06
161.8	44.74	4056	5.19	-1.17	0	0	100	11.18	16.04	-11.17	13.75
161.9	44.74	4054	5.19	-1.17	0	0	100	11.02	16.04	-11.17	13.75
162	44.74	4051	5.19	-1.56	0	0	100	10.82	16.04	-11.17	13.44
162.08	44.74	4042	5.17	-1.56	0	0	100	10.7	16.04	-11.17	13.12
162.18	44.74	4036	5.17	-1.56	0	0	100	10.6	16.04	-11.17	13.44
162.26	44.74	4032	5.16	-1.56	0	0	100	10.78	16.04	-11.39	13.44
162.36	44.74	4025	5.15	-1.56	0	0	100	10.88	16.04	-11.17	13.75

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
162.46	44.74	4019	5.14	-1.56	0	0	100	10.92	16.04	-11.17	13.75
162.54	44.74	4017	5.14	-1.56	0	0	100	10.98	16.04	-11.17	13.75
162.64	44.74	4015	5.14	-1.56	0	0	100	10.8	16.04	-11.17	13.44
162.72	44.74	4001	5.12	-1.56	0	0	100	10.82	16.04	-11.17	13.44
162.82	44.74	3993	5.11	-1.56	0	0	100	11	16.43	-11.17	14.06
162.9	44.74	3993	5.11	-1.56	0	0	100	11.12	16.43	-11.17	14.06
163	44.74	3987	5.1	-1.56	0	0	100	11.08	16.43	-11.17	14.06
163.08	44.74	3987	5.1	-1.56	0	0	100	11.28	16.43	-11.17	14.38
163.18	44.74	3978	5.09	-1.56	0	0	100	11.3	16.43	-11.17	14.38
163.28	44.74	3972	5.08	-1.56	0	0	100	11.12	16.43	-11.17	14.38
163.36	44.74	3968	5.08	-1.56	0	0	100	11.1	16.04	-11.17	14.06
163.46	43.5	3957	5.07	-1.56	0	0	100	10.68	16.04	-11.17	13.75
163.56	43.5	3959	5.07	-1.56	0	0	100	10.72	16.04	-11.17	13.75
163.64	43.5	3957	5.07	-1.56	0	0	100	11.12	16.43	-11.17	14.38
163.74	43.5	3949	5.05	-1.56	0	0	100	12.28	17.22	-10.8	16.56
163.84	43.5	3957	5.91	-1.17	0	0	100	16.62	20.74	-9.21	24.69
163.92	43.5	3974	7.63	-1.17	0	0	100	22.3	21.13	-8.63	29.38
164.02	43.5	4030	7.74	-1.17	0	0	100	23.88	21.13	-8.48	31.25
164.12	43.5	3883	7.46	-1.17	0	0	100	24.44	21.52	-8.27	31.88
164.2	43.5	3982	8.5	-1.17	0	0	100	27.16	22.69	-7.69	36.25
164.3	43.5	3995	8.52	-1.17	0	0	100	29.1	22.69	-7.25	38.12
164.38	43.5	3933	9.23	-1.17	0	0	100	30	22.69	-7.25	38.12
164.48	43.5	3991	9.37	-1.17	0	0	100	29.88	22.3	-7.25	38.12
164.58	43.5	3959	9.29	-1.17	0	0	100	30.28	22.3	-7.11	38.12
164.66	43.5	3993	8.52	-1.17	0	0	100	30.02	22.3	-7.11	37.81
164.76	43.5	3976	8.48	-1.17	0	0	100	30.08	22.3	-7.11	37.81
164.84	43.5	4004	8.54	-1.17	0	0	100	30.04	22.69	-7.11	38.12
164.94	43.5	3989	9.36	-1.17	0	0	100	30.68	22.69	-7.11	38.44
165.02	43.5	4010	9.41	-1.17	0	0	100	32.24	25.43	-5.73	47.5
165.12	43.5	4025	12.02	-1.17	0	0	100	44.96	27.39	-3.99	59.38
165.22	43.5	4032	13.76	-1.17	0	0	100	51.06	27.78	-3.19	65.94
165.3	43.5	4045	14.67	-1.17	0	0	100	54.36	30.91	-1.81	73.44
165.4	43.5	4073	17.38	-1.17	0	0	100	64.94	30.52	-0.87	81.56
165.48	43.5	4089	18.32	-1.17	0	0	100	67.16	27	-1.45	76.56
165.58	44.74	4096	14.86	-1.17	0	0	100	53.14	23.48	-4.13	58.44
165.66	44.74	4107	12.27	-1.17	0	0	100	42.7	21.52	-5.95	45.31
165.76	44.74	4129	9.69	-1.17	0	0	100	32.6	21.13	-6.89	36.88
165.84	44.74	4127	8.81	-1.17	0	0	100	28.92	21.52	-7.11	35
165.94	44.74	4143	7.96	-1.17	0	0	100	28.02	21.52	-7.25	33.75

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
166.02	44.74	4141	7.95	-1.17	0	0	100	27.54	21.52	-7.47	33.12
166.12	44.74	4150	7.97	-1.17	0	0	100	27.1	21.52	-7.47	32.5
166.2	44.74	4141	8.84	-1.17	0	0	100	27.76	22.3	-7.25	35
166.3	45.98	4162	8.88	-1.17	0	0	100	31.46	24.26	-6.31	42.81
166.38	45.98	4173	10.68	-1.17	0	0	100	37.44	24.26	-5.95	46.88
166.48	45.98	4168	11.56	-1.17	0	0	100	41.88	25.43	-4.93	53.44
166.56	45.98	4199	12.54	-1.17	0	0	100	46.86	25.82	-4.35	57.19
166.66	45.98	4189	13.41	-1.17	0	0	100	48.82	25.43	-4.13	59.06
166.74	45.98	4206	13.46	-1.17	0	0	100	50.04	25.43	-4.13	59.38
166.84	45.98	4223	13.51	-1.17	0	0	100	49.14	23.08	-4.71	55.62
166.92	45.98	4213	10.79	-1.17	0	0	100	38	20.35	-7.11	38.44
167.02	47.22	4229	9.02	-1.17	0	0	100	28.24	20.35	-7.9	30.62
167.1	47.22	4242	8.14	-1.17	0	0	100	24.88	20.35	-8.27	29.06
167.2	47.22	4234	7.23	-1.17	0	0	100	24.12	20.74	-8.27	28.44
167.28	47.22	4251	8.16	-1.17	0	0	100	24.56	21.52	-7.9	30
167.38	47.22	4244	8.15	-1.17	0	0	100	27.28	22.69	-7.47	34.38
167.46	47.22	4253	9.07	-1.17	0	0	100	32.3	24.65	-6.31	43.12
167.56	47.22	4268	11.84	-1.17	0	0	100	42.34	26.21	-4.93	53.12
167.64	47.22	4270	13.67	-1.17	0	0	100	48.68	27.78	-3.77	61.88
167.74	47.22	4292	15.57	-1.17	0	0	100	57.52	30.13	-2.03	72.5
167.82	47.22	4305	18.37	-1.17	0	0	100	67.6	34.82	0.15	87.19
167.92	47.22	4342	24.09	0	0	0	100	81.48	36.39	1.67	98.75
168	47.22	4350	28.77	0	0	0	100	90.24	37.17	3.05	107.81
168.1	47.22	4403	31.94	0	0	0	100	101.86	55.56	6.74	132.5
168.18	47.22	4456	41.83	0	0	0	100	128.04	58.69	9.86	157.5
168.28	47.22	4469	49.58	0	0	0	100	154.8	60.64	12.98	184.06
168.36	49.71	4548	58.22	0	0	0	100	180.36	69.64	16.68	212.5
168.46	49.71	4595	68.63	0	0	0	100	209.84	71.21	20.23	239.38
168.54	49.71	4678	75.86	0	0	0	100	235.12	73.17	22.77	259.06
168.64	49.71	4719	81.56	0	0	0	100	252.4	72.77	23.93	267.19
168.72	49.71	4826	82.37	0	0	0	100	251.64	72.77	23.93	256.25
168.82	49.71	4889	78.23	0	0	0	100	240.32	71.6	22.77	240.31
168.93	49.71	4957	75.08	0	0	0	100	229.52	68.86	21.03	223.12
169.03	49.71	5057	71.2	0	0	0	100	219.96	69.25	19.87	215
169.11	55.92	5105	69.71	0	0	0	100	213.8	68.08	18.64	206.25
169.21	55.92	5186	67.49	0	0	0	100	211.72	64.17	17.69	201.88
169.29	55.92	5267	66.29	0	0	0	100	207.26	61.43	16.9	197.81
169.39	55.92	5296	66.66	0	0	0	100	207.52	42.26	14.58	182.81
169.47	55.92	5315	43.09	0	0	0	100	146.4	29.74	6.16	116.25

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
169.57	55.92	5186	29.87	0	0	0	100	89.32	19.56	-2.61	62.19
169.65	55.92	5006	12.82	-1.17	0	0	100	43.92	18.39	-6.89	35.94
169.75	55.92	4838	8.26	-1.17	0	0	100	27.34	18	-8.85	24.69
169.83	59.65	4768	7.12	-1.17	0	0	100	21.28	19.17	-9.06	20.31
169.93	59.65	4731	7.07	-1.17	0	0	100	24.48	24.26	-6.53	35.31
170.01	59.65	4496	10.55	-1.17	0	0	100	41.38	29.34	-3.19	62.5
170.11	59.65	4091	16.59	-1.17	0	0	100	61.84	33.65	0.15	85.62
170.19	59.65	4162	22.2	0	0	0	100	80.76	44.99	3.26	108.12
170.29	59.65	4084	30.5	0	0	1.05	100	96.06	53.6	5.22	122.5
170.37	59.65	4150	35.42	0	0	1.05	100	108.48	59.86	7.54	139.38
170.47	60.89	4187	41.09	0	0	1.05	100	124.28	61.43	10.08	159.69
170.55	60.89	4187	47.35	0	0	1.05	100	144.76	61.82	12.98	183.44
170.65	60.89	4237	53.33	0	0	1.05	100	159.64	55.56	16.1	196.56
170.73	60.89	4275	57.47	0	0	1.05	100	177.78	52.04	18.85	215.62
170.83	60.89	4283	63.05	0	0	1.05	100	189.88	46.95	19.07	215.94
170.91	60.89	4337	60.15	0	0	1.05	100	177	46.17	17.69	195.94
171.01	60.89	4388	54.3	0	0	0.7	100	165.02	46.56	16.1	183.12
171.09	60.89	4411	51.76	0	0	0.7	100	156.84	46.56	14.79	175.94
171.19	64.62	4435	51.09	0	0	0.7	100	155.28	45.39	13.78	175.62
171.27	64.62	4482	50.69	0	0	0.7	100	155.06	41.47	12.84	170.62
171.37	64.62	4504	49.01	0	0	0.7	100	149.06	37.56	11.02	156.25
171.45	64.62	4531	39.64	0	0	0.7	100	123.04	27	4.79	112.19
171.55	64.62	4509	24.05	0	0	0.7	100	72.14	20.35	-3.19	60.62
171.63	64.62	4545	11.64	-1.17	0	0	100	43.32	19.95	-6.31	39.06
171.73	64.62	4595	8.82	-1.17	0	0	100	29.82	17.22	-8.63	27.19
171.81	64.62	4493	6.71	-1.17	0	0	100	19.68	17.22	-9.79	20
171.91	65.87	4562	5.84	-1.17	0	0	100	16.98	17.61	-10.01	18.12
171.99	65.87	4573	5.85	-1.17	0	0	100	15.7	17.61	-10.22	17.19
172.09	65.87	4520	5.79	-1.17	0	0	100	14.86	17.22	-10.37	16.25
172.17	65.87	4526	5.79	-1.17	0	0	100	14.16	17.22	-10.37	15.62
172.27	65.87	4542	5.81	-1.17	0	0	100	13.72	17.22	-10.59	15
172.37	65.87	4528	5.8	-1.17	0	0	100	13.08	17.22	-10.59	14.38
172.47	65.87	4518	5.78	-1.17	0	0	100	12.92	17.22	-10.59	14.69
172.55	65.87	4518	5.78	-1.17	0	0	100	13.46	17.61	-10.59	15
172.65	65.87	4512	5.78	-1.17	0	0	100	13.54	17.61	-10.59	15
172.73	65.87	4509	5.77	-1.17	0	0	100	13.68	17.61	-10.59	15.31
172.83	65.87	4504	5.77	-1.17	0	0	100	13.82	17.61	-10.59	15.31
172.91	65.87	4499	5.76	-1.17	0	0	100	13.68	17.61	-10.59	15.31
173.01	65.87	4493	5.75	-1.17	0	0	100	13.76	17.22	-10.8	15

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
173.09	65.87	4491	5.75	-1.17	0	0	100	13.18	17.22	-10.8	14.69
173.19	65.87	4482	5.74	-1.17	0	0	100	13.16	17.22	-10.8	14.69
173.27	65.87	4475	5.73	-1.17	0	0	100	13.24	17.22	-10.8	14.69
173.37	65.87	4472	5.72	-1.17	0	0	100	13.1	17.22	-10.8	15
173.45	65.87	4472	5.72	-1.17	0	0	100	13.18	17.22	-11.02	15
173.55	65.87	4464	5.71	-1.17	0	0	100	13.5	17.61	-10.8	15.31
173.63	65.87	4458	5.71	-1.17	0	0	100	13.78	17.22	-10.8	15.31
173.73	65.87	4456	5.7	-1.17	0	0	100	13.54	17.22	-10.8	15.31
173.81	65.87	4445	5.69	-1.17	0	0	100	13.38	17.22	-10.8	15
173.91	65.87	4440	5.68	-1.17	0	0	100	13.3	17.22	-10.8	15
173.99	65.87	4437	5.68	-1.17	0	0	100	13.28	17.22	-11.02	15
174.09	64.62	4430	5.67	-1.17	0	0	100	12.96	17.22	-11.02	14.69
174.17	64.62	4430	5.67	-1.17	0	0	100	13.08	17.22	-10.8	15
174.27	64.62	4424	5.66	-1.17	0	0	100	13	17.22	-11.02	15
174.35	64.62	4416	5.65	-1.17	0	0	100	13.08	16.82	-11.02	15
174.45	64.62	4409	5.64	-1.17	0	0	100	12.96	16.82	-11.02	14.69
174.53	64.62	4403	5.64	-1.17	0	0	100	12.7	16.82	-11.02	14.38
174.63	64.62	4401	5.63	-1.17	0	0	100	12.64	16.82	-11.02	14.38
174.71	64.62	4401	5.63	-1.17	0	0	100	12.62	16.82	-11.02	14.38
174.81	64.62	4393	5.62	-1.17	0	0	100	12.44	16.82	-11.02	14.38
174.89	64.62	4383	5.61	-1.17	0	0	100	12.44	16.82	-11.02	14.38
174.99	64.62	4378	5.6	-1.17	0	0	100	12.66	17.22	-11.02	14.69
175.07	64.62	4375	5.6	-1.17	0	0	100	12.8	16.82	-11.02	14.69
175.17	64.62	4370	5.59	-1.17	0	0	100	12.8	16.82	-11.02	14.69
175.25	64.62	4365	5.59	-1.17	0	0	100	12.7	16.82	-11.02	14.69
175.35	64.62	4360	5.58	-1.17	0	0	100	12.58	16.82	-11.02	14.38
175.45	63.38	4355	5.57	-1.17	0	0	100	12.62	16.82	-11.02	14.38
175.55	63.38	4347	5.56	-1.17	0	0	100	12.64	17.22	-11.02	14.69
175.66	63.38	4347	5.56	-1.17	0	0	100	12.68	16.82	-11.02	14.69
175.74	63.38	4335	5.55	-1.17	0	0	100	12.76	16.82	-11.02	15
175.84	63.38	4335	5.55	-1.17	0	0	100	12.7	16.82	-11.02	14.69
175.92	63.38	4332	5.55	-1.17	0	0	100	12.78	17.22	-11.02	15
176.02	63.38	4327	5.54	-1.17	0	0	100	12.58	16.82	-11.02	14.38
176.1	63.38	4322	5.53	-1.17	0	0	100	12.44	16.82	-11.02	14.38
176.2	63.38	4315	5.52	-1.17	0	0	100	12.24	16.82	-11.02	14.38
176.3	63.38	4308	5.51	-1.17	0	0	100	12.36	16.82	-11.02	14.38
176.4	63.38	4302	5.51	-1.17	0	0	100	12.38	16.82	-11.02	14.38
176.52	63.38	4297	5.5	-1.17	0	0	100	12.2	16.82	-11.02	14.38
176.6	63.38	4292	5.49	-1.17	0	0	100	12.12	16.82	-11.02	14.06

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
176.7	63.38	4290	5.49	-1.17	0	0	100	12.04	16.82	-11.17	14.06
176.78	63.38	4285	5.49	-1.17	0	0	100	12.08	16.43	-11.17	14.06
176.88	62.14	4273	5.47	-1.17	0	0	100	11.86	16.43	-11.17	14.06
176.96	62.14	4273	5.47	-1.17	0	0	100	11.76	16.82	-11.17	13.75
177.06	62.14	4266	5.46	-1.17	0	0	100	11.92	16.82	-11.02	14.06
177.16	62.14	4268	5.46	-1.17	0	0	100	12.04	16.82	-11.02	14.38
177.26	62.14	4261	5.45	-1.17	0	0	100	12.08	16.82	-11.02	14.38
177.36	62.14	4256	5.45	-1.17	0	0	100	12.12	16.43	-11.02	14.38
177.48	62.14	4249	5.44	-1.17	0	0	100	12.2	16.43	-11.17	14.38
177.58	62.14	4242	5.43	-1.17	0	0	100	11.92	16.43	-11.17	14.06
177.7	62.14	4234	5.42	-1.17	0	0	100	11.7	16.43	-11.17	13.75
177.8	62.14	4232	5.42	-1.17	0	0	100	11.66	16.43	-11.17	13.75
177.92	62.14	4225	5.41	-1.17	0	0	100	11.64	16.43	-11.17	13.75
178.02	62.14	4220	5.4	-1.17	0	0	100	11.8	16.43	-11.17	14.06
178.14	62.14	4213	5.39	-1.17	0	0	100	11.8	16.43	-11.17	14.06
178.24	62.14	4213	5.39	-1.17	0	0	100	11.74	16.43	-11.17	14.06
178.36	60.89	4208	5.39	-1.17	0	0	100	11.86	16.82	-11.17	14.38
178.46	60.89	4196	5.37	-1.17	0	0	100	11.78	16.43	-11.17	14.06
178.58	60.89	4192	5.37	-1.17	0	0	100	11.8	16.82	-11.02	14.38
178.68	60.89	4185	5.36	-1.17	0	0	100	11.9	16.43	-11.02	14.06
178.8	60.89	4178	5.35	-1.17	0	0	100	11.74	16.43	-11.17	14.06
178.9	60.89	4173	5.34	-1.17	0	0	100	11.86	16.43	-11.17	14.38
179.02	60.89	4168	5.34	-1.17	0	0	100	11.72	16.43	-11.17	14.06
179.12	60.89	4164	5.33	-1.17	0	0	100	11.74	16.43	-11.17	14.38
179.24	60.89	4152	5.32	-1.17	0	0	100	11.62	16.43	-11.17	14.06
179.34	60.89	4152	5.32	-1.17	0	0	100	11.72	16.43	-11.17	14.06
179.46	60.89	4148	5.31	-1.17	0	0	100	11.5	16.43	-11.17	13.75
179.56	60.89	4139	5.3	-1.17	0	0	100	11.42	16.43	-11.17	13.75
179.68	60.89	4132	5.29	-1.17	0	0	100	11.16	16.43	-11.17	13.75
179.78	60.89	4129	5.29	-1.17	0	0	100	11.1	16.04	-11.17	13.75
179.9	60.89	4118	5.27	-1.17	0	0	100	11.18	16.04	-11.17	13.44
180	60.89	4118	5.27	-1.17	0	0	100	11.22	16.43	-11.17	13.75
180.1	60.89	4111	5.26	-1.17	0	0	100	11.28	16.43	-11.17	13.75
180.2	60.89	4104	5.25	-1.17	0	0	100	11.22	16.82	-11.17	14.38
180.3	60.89	4100	5.25	-1.17	0	0	100	12.96	18.39	-10.59	17.19
180.38	59.65	4109	6.14	-1.17	0	0	100	16.02	19.95	-9.79	22.81
180.48	59.65	4123	7.04	-1.17	0	0	100	20.76	21.13	-9.06	27.5
180.58	59.65	4109	7.89	-1.17	0	0	100	26.36	23.08	-7.9	35.31
180.68	59.65	4098	9.62	-1.17	0	0	100	30.6	23.87	-7.11	39.69

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
180.76	59.65	4091	10.47	-1.17	0	0	100	34.9	24.26	-6.53	43.75
180.86	59.65	4104	10.51	-1.17	0	0	100	36.76	24.26	-6.09	45.62
180.96	59.65	4100	10.5	-1.17	0	0	100	37.82	24.26	-6.09	46.25
181.06	59.65	4100	10.5	-1.17	0	0	100	37.82	24.26	-5.95	46.56
181.14	59.65	4111	10.53	-1.17	0	0	100	38.38	24.26	-5.95	47.19
181.24	59.65	4109	10.52	-1.17	0	0	100	39.36	24.26	-5.73	48.44
181.34	59.65	4118	11.42	-1.17	0	0	100	42.06	26.61	-4.57	55.94
181.44	59.65	4127	13.21	-1.17	0	0	100	50.6	27.78	-3.41	65
181.54	59.65	4134	14.99	-1.17	0	0	100	56.16	27.39	-2.83	69.06
181.66	59.65	4143	15.03	-1.17	0	0	100	58.14	27	-2.61	70.62
182.11	59.65	4143	15.03	-1.17	0	0	100	51.9	23.48	-5.51	46.25
182.11	60.89	4157	10.64	-1.17	0	0	100	35.34	22.69	-6.31	40
182.19	60.89	4166	9.78	-1.17	0	0	100	31.9	22.3	-6.53	38.12
182.29	60.89	4164	8.88	-1.17	0	0	100	30.36	21.52	-7.11	35.62
182.37	60.89	4166	8.89	-1.17	0	0	100	27.34	19.56	-8.05	29.69
182.47	60.89	4162	7.1	-1.17	0	0	100	19.9	16.82	-9.79	21.56
182.59	60.89	4150	5.31	-1.17	0	0	100	13.52	16.43	-10.8	15.31
182.69	60.89	4127	5.28	-1.17	0	0	100	11.58	16.43	-11.02	13.75
182.81	60.89	4155	5.32	-1.17	0	0	100	11.22	16.43	-11.02	13.44
182.91	60.89	4152	5.32	-1.17	0	0	100	11.02	16.43	-11.02	13.44
183.03	60.89	4143	5.3	-1.56	0	0	100	10.88	16.43	-11.17	13.12
183.13	60.89	4132	5.29	-1.56	0	0	100	10.84	16.43	-11.02	13.12
183.25	59.65	4129	5.29	-1.56	0	0	100	11.06	16.43	-11.17	13.44
183.35	59.65	4125	5.28	-1.56	0	0	100	11.28	16.43	-11.02	13.75
183.45	59.65	4123	5.28	-1.56	0	0	100	11.44	16.43	-11.17	14.06
183.55	59.65	4111	5.26	-1.56	0	0	100	11.38	16.43	-11.02	14.06
183.65	59.65	4100	5.25	-1.56	0	0	100	11.32	16.43	-11.17	13.75
183.73	59.65	4093	5.24	-1.56	0	0	100	11.42	16.43	-11.17	13.75
183.83	59.65	4093	5.24	-1.56	0	0	100	11.18	16.43	-11.17	13.75
183.93	59.65	4087	5.23	-1.56	0	0	100	11.22	16.43	-11.17	13.75
184.03	59.65	4080	5.22	-1.56	0	0	100	11.22	16.43	-11.17	13.75
184.11	59.65	4071	5.21	-1.56	0	0	100	11.2	16.43	-11.17	13.75
184.21	59.65	4069	5.21	-1.56	0	0	100	11.3	16.43	-11.17	14.06
184.33	59.65	4067	5.21	-1.56	0	0	100	11.3	16.43	-11.17	14.06
184.43	59.65	4062	5.2	-1.56	0	0	100	11.28	16.43	-11.17	14.06
184.53	59.65	4058	5.19	-1.56	0	0	100	11.38	16.43	-11.17	14.06
184.63	58.41	4045	5.18	-1.56	0	0	100	11.34	16.43	-11.17	14.06
184.73	58.41	4041	5.17	-1.56	0	0	100	11.38	16.43	-11.17	14.06
184.81	58.41	4032	5.16	-1.56	0	0	100	11.26	16.43	-11.17	14.06

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
184.91	58.41	4025	5.15	-1.56	0	0	100	11.16	16.04	-11.17	13.75
184.99	58.41	4023	5.15	-1.56	0	0	100	11.06	16.04	-11.17	13.75
185.09	58.41	4019	5.14	-1.56	0	0	100	10.74	16.04	-11.39	13.44
185.17	58.41	4021	5.15	-1.56	0	0	100	10.74	16.04	-11.39	13.44
185.27	58.41	4010	5.13	-1.56	0	0	100	10.72	16.04	-11.17	13.44
185.35	58.41	4012	5.14	-1.56	0	0	100	11.12	16.43	-11.17	14.06
185.45	58.41	4008	5.13	-1.56	0	0	100	11.32	16.43	-11.17	14.06
185.55	58.41	3999	5.12	-1.56	0	0	100	11.22	16.43	-11.17	14.06
185.63	58.41	3998	5.12	-1.56	0	0	100	11.2	16.43	-11.17	14.06
185.73	58.41	3991	5.11	-1.56	0	0	100	11.3	16.43	-11.17	14.06
185.81	58.41	3987	5.1	-1.56	0	0	100	11.26	16.04	-11.17	14.06
185.91	58.41	3980	5.1	-1.56	0	0	100	11	16.04	-11.17	14.06
185.99	58.41	3970	5.08	-1.56	0	0	100	10.84	16.04	-11.17	13.44
186.09	58.41	3968	5.08	-1.56	0	0	100	10.7	16.04	-11.17	13.44
186.17	58.41	3963	5.07	-1.56	0	0	100	10.72	16.04	-11.17	13.44
186.27	58.41	3966	5.08	-1.56	0	0	100	10.76	16.04	-11.17	13.75
186.35	58.41	3961	5.07	-1.56	0	0	100	11	16.04	-11.17	14.06
186.45	58.41	3951	5.06	-1.56	0	0	100	10.98	16.04	-11.17	14.06
186.53	58.41	3947	5.05	-1.56	0	0	100	10.98	16.43	-11.17	14.06
186.63	58.41	3945	5.05	-1.56	0	0	100	11.98	19.17	-10.22	19.06
186.71	58.41	3945	6.73	-1.17	0	0	100	20.16	22.69	-8.27	32.19
186.81	57.17	4010	9.41	-1.17	0	0	100	30.2	26.21	-5.95	45.31
186.89	57.17	3894	11.63	-1.17	0	0	100	40.16	29.34	-3.99	56.56
186.99	57.17	4001	14.51	-1.17	0	0	100	53.68	32.87	-1.81	73.44
187.07	57.17	3953	16.87	-1.17	0	0	100	60.7	33.65	-1.23	78.75
187.17	57.17	3970	17.79	-1.17	0	0	100	64.78	32.87	-0.65	83.44
187.25	57.17	4004	17.94	-1.17	0	0	100	67.26	31.3	-0.29	85.62
187.35	57.17	3998	17.91	-1.17	0	0	100	67.96	29.34	-0.44	85
187.45	57.17	4012	17.12	-1.17	0	0	100	65.62	26.61	-1.45	79.06
187.53	58.41	4025	16.32	-1.17	0	0	100	62.08	27	-1.23	77.5
187.63	58.41	4036	16.36	-1.17	0	0	100	62.24	27	-1.23	77.5
187.71	58.41	4049	16.42	-1.17	0	0	100	61.76	27	-1.23	75.94
187.81	58.41	4056	15.58	-1.17	0	0	100	59.04	25.04	-2.18	68.75
187.89	58.41	4058	13.85	-1.17	0	0	100	50.54	23.87	-3.55	58.44
187.99	58.41	4076	11.3	-1.17	0	0	100	43.3	23.48	-4.13	51.25
188.09	58.41	4076	10.43	-1.17	0	0	100	36.52	20.74	-6.31	39.69
188.17	59.65	4078	7.83	-1.17	0	0	100	25.3	17.61	-8.63	25.31
188.27	59.65	4062	5.2	-1.17	0	0	100	15.2	17.22	-9.79	16.25
188.37	59.65	4049	5.18	-1.17	0	0	100	11.26	16.43	-10.37	12.81

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
188.45	59.65	4071	5.21	-1.56	0	0	100	9.54	16.43	-10.8	11.56
188.55	59.65	4071	5.21	-1.56	0	0	100	9.68	16.43	-10.8	12.19
188.65	59.65	4067	5.21	-1.56	0	0	100	10.04	16.43	-10.8	12.5
188.73	59.65	4064	5.2	-1.56	0	0	100	10.32	16.43	-11.02	13.12
188.83	59.65	4058	5.19	-1.56	0	0	100	10.74	16.43	-11.02	13.44
188.91	58.41	4054	5.19	-1.56	0	0	100	10.78	16.43	-11.02	13.44
189.03	58.41	4047	5.18	-1.56	0	0	100	10.92	16.43	-11.02	13.75
189.11	58.41	4042	5.17	-1.56	0	0	100	11.16	16.43	-11.02	13.75
189.21	58.41	4038	5.17	-1.56	0	0	100	11.16	16.43	-11.02	14.06
189.29	58.41	4025	5.15	-1.56	0	0	100	11.1	16.43	-11.17	13.75
189.41	58.41	4030	5.16	-1.56	0	0	100	12.42	18.39	-10.37	18.44
189.49	58.41	4034	6.03	-1.17	0	0	100	16.44	18.78	-9.79	21.56
189.59	58.41	4034	6.03	-1.17	0	0	100	17.96	19.17	-9.64	22.81
189.67	58.41	4006	5.98	-1.17	0	0	100	18.64	19.95	-9.43	24.38
189.77	58.41	4025	6.87	-1.17	0	0	100	20.22	19.95	-9.21	25.62
189.87	58.41	4010	6.84	-1.17	0	0	100	20.58	19.95	-9.21	25.94
189.95	58.41	4008	6.84	-1.17	0	0	100	20.74	19.95	-9.06	25.94
190.05	58.41	4006	6.84	-1.17	0	0	100	20.74	19.95	-9.06	26.25
190.15	58.41	4006	6.84	-1.17	0	0	100	20.84	19.95	-9.06	26.25
190.23	58.41	4001	6.83	-1.17	0	0	100	20.78	19.95	-9.06	25.94
190.33	58.41	4004	6.83	-1.17	0	0	100	20.58	19.95	-9.06	25.94
190.41	58.41	3999	6.83	-1.17	0	0	100	20.6	19.95	-9.06	25.94
190.51	58.41	3995	6.82	-1.17	0	0	100	20.66	19.56	-9.06	25.94
190.61	58.41	3993	6.82	-1.17	0	0	100	20.5	19.56	-9.21	25.62
190.69	58.41	3987	6.8	-1.17	0	0	100	19.94	18.78	-9.43	24.38
190.79	58.41	3987	5.95	-1.17	0	0	100	17.92	16.82	-10.22	20
190.87	58.41	3980	5.94	-1.17	0	0	100	14.52	16.82	-10.59	17.5
190.97	58.41	3970	5.08	-1.17	0	0	100	13.24	17.22	-10.8	16.56
191.07	58.41	3966	5.08	-1.17	0	0	100	13.4	18	-10.37	18.12
191.15	58.41	3985	5.95	-1.17	0	0	100	16.36	19.56	-9.64	23.12
191.25	58.41	3999	6.83	-1.17	0	0	100	19.78	20.35	-9.06	26.88
191.33	58.41	3985	7.65	-1.17	0	0	100	22.52	20.74	-8.63	29.69
191.43	58.41	3963	7.61	-1.17	0	0	100	24.5	21.52	-8.27	32.19
191.51	58.41	3980	8.49	-1.17	0	0	100	27.56	22.3	-7.69	35.62
191.61	58.41	3968	8.47	-1.17	0	0	100	28.5	22.3	-7.47	36.56
191.69	58.41	3974	8.48	-1.17	0	0	100	28.56	22.3	-7.47	36.25
191.79	58.41	3972	8.47	-1.17	0	0	100	28.5	21.91	-7.47	36.25
191.87	58.41	3966	8.46	-1.17	0	0	100	27.98	21.52	-7.69	35.31
191.97	58.41	3974	8.48	-1.17	0	0	100	27.86	21.91	-7.69	35

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
192.05	58.41	3968	8.47	-1.17	0	0	100	28.14	21.91	-7.47	35.62
192.15	58.41	3974	8.48	-1.17	0	0	100	28.76	22.3	-7.25	36.88
192.23	58.41	3976	8.48	-1.17	0	0	100	30.64	22.69	-6.89	39.69
192.33	58.41	3972	9.32	-1.17	0	0	100	31.92	22.69	-6.89	40.31
192.41	58.41	3976	9.33	-1.17	0	0	100	31.96	22.3	-6.89	40.31
192.51	58.41	3978	9.34	-1.17	0	0	100	31.76	22.69	-6.89	40
192.59	58.41	3980	9.34	-1.17	0	0	100	31.3	22.3	-6.89	39.38
192.69	58.41	3980	9.34	-1.17	0	0	100	31.26	22.69	-6.89	39.69
192.77	58.41	3982	9.35	-1.17	0	0	100	31.96	22.69	-6.67	40.62
192.87	58.41	3985	9.35	-1.17	0	0	100	32.74	23.08	-6.53	41.56
192.95	58.41	3987	9.36	-1.17	0	0	100	34.04	23.48	-6.09	44.06
193.05	58.41	3991	10.22	-1.17	0	0	100	35.28	23.48	-6.09	45
193.13	58.41	3991	10.22	-1.17	0	0	100	35.76	23.48	-5.95	45
193.23	58.41	3998	10.23	-1.17	0	0	100	36.24	23.87	-5.73	46.56
193.31	58.41	3995	10.23	-1.17	0	0	100	37.62	23.87	-5.51	48.44
193.41	58.41	4001	10.24	-1.17	0	0	100	39	23.87	-5.37	49.38
193.49	58.41	4004	10.25	-1.17	0	0	100	39.52	24.26	-5.15	50.62
193.59	58.41	4010	11.12	-1.17	0	0	100	43.7	28.56	-2.83	64.69
193.67	58.41	4034	17.21	-1.17	0	0	100	65.62	42.26	1.67	95.94
193.77	58.41	4034	26.68	0	0	0	100	85.9	73.95	3.84	115.31
193.85	58.41	4076	32.17	0	0	0	100	98.52	86.08	6.02	128.75
193.95	58.41	4073	35.63	0	0	0	100	113.74	86.47	8.34	145.94
194.03	58.41	4107	42.06	0	0	0	100	128.76	86.47	11.02	167.19
194.13	58.41	4139	48.57	0	0	0	100	149.4	86.47	14.36	191.88
194.21	58.41	4171	56.06	0	0	0	100	172.1	86.86	17.91	217.19
194.31	58.41	4210	62.88	0	0	0	100	196.08	86.86	21.39	244.69
194.39	58.41	4253	70.78	0	0	0	100	219.64	86.47	23.93	266.56
194.49	58.41	4283	75.84	0	0	0	100	235.1	86.86	24.87	275
194.57	63.38	4332	77.64	0	0	0	100	235.3	86.86	23.93	260
194.67	63.38	4388	72.09	0	0	0	100	214.82	86.47	21.97	236.88
194.75	63.38	4419	66	0	0	0	100	201.72	86.47	20.23	222.81
194.85	63.38	4469	62.93	0	0	0	100	194.34	86.47	18.85	213.44
194.93	63.38	4509	61.57	0	0	0	100	190.36	86.08	18.06	211.88
195.03	63.38	4550	62.13	0	0	0	100	192.92	86.08	17.91	211.88
195.11	63.38	4592	63.69	0	0	0	100	197.58	85.29	18.27	217.81
195.21	63.38	4635	65.26	0	0	0	100	204.7	85.29	18.64	223.12
195.29	67.11	4658	66.58	0	0	0	100	209.72	85.29	19.22	225.94
195.39	67.11	4705	69.26	0	0	0	100	215.64	85.29	19.87	230.94
195.47	67.11	4749	70.93	0	0	0	100	220.48	85.29	20.59	235.31

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
195.57	67.11	4783	72.45	0	0	0	100	228.82	84.9	21.17	238.75
195.65	67.11	4823	74.08	0	0	0	100	231.52	84.9	21.61	240.62
195.75	67.11	4870	74.8	0	0	0	100	232.5	84.9	21.75	240.31
195.83	67.11	4898	74.2	0	0	0	100	234	84.9	21.75	236.88
195.93	67.11	4953	73.97	0	0	0	100	232.28	84.9	21.61	236.56
196.01	72.08	4986	74.47	0	0	0	100	234.84	84.9	21.61	233.12
196.11	72.08	5006	74.77	0	0	0	100	235.14	84.9	21.39	233.12
196.19	72.08	5063	75.62	0	0	0	100	235.8	84.9	21.39	230.94
196.29	72.08	5105	75.15	0	0	0	100	234.1	84.9	21.03	230
196.37	72.08	5140	75.67	0	0	0	100	235.96	84.9	21.17	229.69
196.47	72.08	5179	76.24	0	0	0	100	237.12	84.9	21.17	230.94
196.55	72.08	5226	76.93	0	0	0	100	240.42	84.9	21.61	233.12
196.65	72.08	5263	77.47	0	0	0	100	245.82	84.9	21.61	234.06
196.73	77.05	5285	77.8	0	0	0	100	243.24	84.9	21.61	231.25
196.83	77.05	5326	78.41	0	0	0	100	243.9	84.9	21.61	231.56
196.91	77.05	5353	78.8	0	0	0	100	247.78	84.9	21.61	231.56
197.01	77.05	5403	79.54	0	0	0	100	246.64	84.9	21.75	229.06
197.09	77.05	5450	79.07	0	0	0	100	247.22	84.9	21.75	228.12
197.19	77.05	5462	78.08	0	0	0	100	246.52	84.9	21.61	226.25
197.27	77.05	5502	78.65	0	0	0	100	249.34	84.9	21.75	227.19
197.37	80.78	5539	79.17	0	0	0	100	248.34	84.9	21.39	224.06
197.45	80.78	5580	78.57	0	0	0	100	249.64	84.9	21.39	223.75
197.55	80.78	5605	78.92	0	0	0	100	249.16	84.9	21.61	224.06
197.63	80.78	5639	79.4	0	0	0	100	251.42	84.9	21.61	222.81
197.73	80.78	5668	79.82	0	0	0	100	252.96	84.9	21.39	223.75
197.81	80.78	5720	81.77	0	0	0	100	254.86	84.9	21.39	222.5
197.91	80.78	5738	82.02	0	0	0	100	256.24	84.9	21.61	224.06
197.99	80.78	5787	82.72	0	0	0	100	258.04	84.9	21.61	224.06
198.09	84.51	5822	83.23	0	0	0	100	261.52	84.9	21.39	226.88
198.17	84.51	5832	84.6	0	0	0	100	264.94	84.9	21.61	227.19
198.27	84.51	5891	85.47	0	0	0	100	267.92	84.9	21.61	228.12
198.35	84.51	5938	86.15	0	0	0	100	269.4	84.9	21.75	229.06
198.45	84.51	5947	86.28	0	0	0	100	268.22	84.51	21.61	225.31
198.53	84.51	5990	86.9	0	0	0	100	266	36.78	15.37	183.12
198.63	84.51	5809	42.14	0	0	0	100	158.08	28.17	5.37	113.12
198.71	84.51	5760	30.72	0	0	0	100	87.9	19.95	-3.77	56.88
198.81	86.99	5559	14.23	-1.17	0	0	100	44.28	19.56	-6.67	36.88
198.91	86.99	5391	10.35	-1.17	0	0	100	31.44	19.17	-8.48	26.56
198.99	86.99	5322	9.08	-1.17	0	0	100	25.3	19.17	-9.06	22.81

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
199.09	86.99	5263	7.86	-1.17	0	0	100	22.98	19.17	-9.21	21.25
199.17	86.99	5215	7.79	-1.17	0	0	100	21.28	18.78	-9.43	19.06
199.27	86.99	4996	7.46	-1.17	0	0	100	17.32	18	-9.79	16.88
199.35	86.99	4383	5.61	-1.17	0	0	100	12.92	16.43	-10.37	15
199.45	86.99	4041	5.17	-1.17	0	0	100	11.12	16.43	-10.8	12.81
199.53	86.99	4148	5.31	-1.56	0	0	100	11.6	16.43	-10.8	14.06
199.63	86.99	4148	5.31	-1.56	0	0	100	11.54	16.43	-10.8	13.44
199.71	86.99	4089	5.23	-1.56	0	0	100	11.46	16.43	-11.02	13.75
199.81	86.99	4125	5.28	-1.56	0	0	100	11.42	16.04	-11.17	13.44
199.89	86.99	4109	5.26	-1.56	0	0	100	10.84	16.43	-11.17	13.44
199.99	86.99	4100	5.25	-1.56	0	0	100	10.8	16.43	-11.17	13.12
200.07	86.99	4098	5.25	-1.56	0	0	100	10.78	16.43	-11.17	13.44
200.17	86.99	4093	5.24	-1.56	0	0	100	10.84	16.43	-11.17	13.44
200.25	85.75	4089	5.23	-1.56	0	0	100	10.96	16.43	-11.17	13.44
200.35	85.75	4084	5.23	-1.56	0	0	100	11.02	16.43	-11.17	13.44
200.43	85.75	4076	5.22	-1.56	0	0	100	10.98	16.43	-11.17	13.75
200.53	85.75	4067	5.21	-1.56	0	0	100	11.1	16.43	-11.17	13.75
200.61	85.75	4071	5.21	-1.56	0	0	100	11.32	16.43	-11.17	14.06
200.71	85.75	4060	5.2	-1.56	0	0	100	11.42	16.43	-11.02	14.38
200.81	85.75	4058	5.19	-1.56	0	0	100	11.38	16.43	-11.02	14.06
200.91	85.75	4049	5.18	-1.56	0	0	100	11.46	16.43	-11.17	14.06
201.01	85.75	4049	5.18	-1.56	0	0	100	11.26	16.43	-11.17	14.06
201.09	85.75	4042	5.17	-1.56	0	0	100	11.12	16.04	-11.17	13.75
201.19	85.75	4036	5.17	-1.56	0	0	100	11.02	16.04	-11.17	13.75
201.29	85.75	4036	5.17	-1.56	0	0	100	10.86	16.04	-11.17	13.44
201.39	85.75	4027	5.16	-1.56	0	0	100	10.86	16.04	-11.17	13.75
201.47	85.75	4027	5.16	-1.56	0	0	100	11.16	16.43	-11.17	14.06
201.57	85.75	4021	5.15	-1.56	0	0	100	11.14	16.43	-11.17	14.06
201.67	84.51	4012	5.14	-1.56	0	0	100	11.16	16.04	-11.17	14.06
201.75	84.51	4008	5.13	-1.56	0	0	100	11.14	16.04	-11.17	14.06
201.85	84.51	4004	5.13	-1.56	0	0	100	11.04	16.04	-11.17	14.06
201.93	84.51	4001	5.12	-1.56	0	0	100	11.1	16.04	-11.17	13.75
202.03	84.51	3995	5.11	-1.56	0	0	100	10.94	16.04	-11.17	13.75
202.13	84.51	3993	5.11	-1.56	0	0	100	10.72	16.04	-11.17	13.44
202.24	84.51	3982	5.1	-1.56	0	0	100	10.7	16.04	-11.17	13.44
202.34	83.26	3976	5.09	-1.56	0	0	100	10.72	16.04	-11.17	13.75
202.46	83.26	3976	5.09	-1.56	0	0	100	11	16.04	-11.17	14.06
202.56	83.26	3968	5.08	-1.56	0	0	100	11.08	16.04	-11.17	14.06
202.68	83.26	3968	5.08	-1.56	0	0	100	11	16.04	-11.17	14.06

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
202.78	83.26	3959	5.07	-1.56	0	0	100	10.94	16.04	-11.17	14.06
202.9	83.26	3951	5.06	-1.56	0	0	100	10.88	16.04	-11.17	13.75
203	83.26	3951	5.06	-1.56	0	0	100	10.68	16.04	-11.17	13.44
203.12	83.26	3938	5.04	-1.56	0	0	100	10.54	16.04	-11.17	13.44
203.22	83.26	3938	5.04	-1.56	0	0	100	10.54	16.04	-11.39	13.44
203.34	83.26	3933	5.03	-1.56	0	0	100	10.66	16.04	-11.17	13.44
203.44	83.26	3924	5.02	-1.56	0	0	100	10.52	16.04	-11.17	13.75
203.56	83.26	3922	5.02	-1.56	0	0	100	10.68	16.04	-11.17	14.06
203.66	83.26	3920	5.02	-1.56	0	0	100	10.82	16.04	-11.17	14.06
203.78	82.02	3914	5.01	-1.56	0	0	100	10.9	16.04	-11.17	14.06
203.88	82.02	3912	5.01	-1.56	0	0	100	10.78	16.04	-11.17	13.75
204	82.02	3902	4.99	-1.56	0	0	100	10.48	16.04	-11.17	13.44
204.1	82.02	3897	4.99	-1.56	0	0	100	10.52	16.04	-11.17	13.44
204.18	82.02	3894	4.98	-1.56	0	0	100	10.46	16.04	-11.17	13.44
204.28	82.02	3890	4.98	-1.56	0	0	100	10.52	16.04	-11.17	13.44
204.4	82.02	3888	4.98	-1.56	0	0	100	10.3	16.04	-11.39	13.44
204.5	82.02	3879	4.97	-1.56	0	0	100	10.56	16.04	-11.17	13.75
204.6	82.02	3881	4.97	-1.56	0	0	100	10.58	16.04	-11.17	13.75
204.7	82.02	3874	4.96	-1.56	0	0	100	10.64	16.04	-11.17	13.75
204.82	82.02	3868	4.95	-1.56	0	0	100	10.7	16.04	-11.17	14.06
204.92	82.02	3861	4.94	-1.56	0	0	100	10.56	15.65	-11.17	13.75
205.02	82.02	3848	4.93	-1.56	0	0	100	10.36	16.04	-11.17	13.44
205.12	82.02	3830	4.9	-1.56	0	0	100	10.2	15.65	-11.39	13.44
205.22	80.78	3824	4.9	-1.56	0	0	100	10.04	15.65	-11.17	13.44
205.34	80.78	3803	4.87	-1.56	0	0	100	10.2	15.65	-11.17	13.44
205.44	80.78	3776	4.83	-1.56	0	0	100	10.08	16.04	-11.17	13.44
205.56	80.78	3753	4.8	-1.56	0	0	100	10.26	15.65	-11.17	13.75
205.64	80.78	3727	4.77	-1.56	0	0	100	10.22	15.65	-11.17	14.06
205.74	80.78	3707	4.75	-1.56	0	0	100	10.12	15.65	-11.17	13.75
205.82	80.78	3676	4.71	-1.56	0	0	100	10	15.65	-11.17	13.75
205.92	77.05	3664	4.69	-1.56	0	0	100	9.94	15.65	-11.17	13.75
206.02	77.05	3630	4.65	-1.56	0	0	100	9.7	15.65	-11.17	13.44
206.12	77.05	3614	4.63	-1.56	0	0	100	9.6	15.65	-11.17	13.44
206.22	77.05	3586	4.59	-1.56	0	0	100	9.5	15.65	-11.17	13.44
206.3	77.05	3562	4.56	-1.56	0	0	100	9.56	15.26	-11.17	13.44
206.4	77.05	3541	4.53	-1.56	0	0	100	9.44	15.26	-11.17	13.44
206.5	77.05	3496	4.48	-1.56	0	0	100	9.2	15.26	-11.17	13.12
206.6	73.32	3475	4.45	-1.56	0	0	100	9.34	15.26	-11.17	13.44
206.68	73.32	3460	4.43	-1.56	0	0	100	9.18	15.26	-11.17	13.44

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
206.78	73.32	3431	4.39	-1.56	0	0	100	9.08	15.26	-11.17	13.44
206.88	73.32	3401	4.35	-1.56	0	0	100	8.92	15.26	-11.17	13.44
206.98	73.32	3357	4.3	-1.56	0	0	100	8.64	14.87	-11.17	12.81
207.06	73.32	3315	4.24	-1.56	0	0	100	8.42	14.87	-11.17	12.81
207.16	73.32	3292	4.21	-1.56	0	0	100	8.28	14.87	-11.02	12.81
207.26	73.32	3270	4.19	-1.56	0	0	100	8.26	14.87	-11.02	12.81
207.36	68.35	3273	4.19	-1.56	0	0	100	8.3	14.87	-11.02	12.81
207.44	68.35	3265	4.18	-1.56	0	0	100	8.36	14.87	-11.02	12.81
207.54	68.35	3266	4.18	-1.56	0	0	100	8.52	14.87	-11.02	13.44
207.64	68.35	3248	0	-1.56	0	0	100	7.72	14.09	-11.39	11.88
207.74	68.35	3270	0	-1.56	0	0	100	7.46	14.09	-11.39	11.25
207.82	68.35	3236	0	-1.56	0	0	100	7.26	14.09	-11.39	11.25
207.92	68.35	3248	0	-1.56	0	0	100	7.22	14.09	-11.39	11.25
208.02	68.35	3239	0	-1.56	0	0	100	7.26	14.09	-11.39	11.25
208.12	68.35	3238	0	-1.56	0	0	100	7.18	14.09	-11.39	11.25
208.2	68.35	3235	0	-1.56	0	0	100	7.16	14.09	-11.39	10.94
208.3	68.35	3231	0	-1.56	0	0	100	7.08	14.09	-11.39	10.94
208.42	68.35	3227	0	-1.56	0	0	100	7	14.09	-11.39	10.94
208.52	68.35	3223	0	-1.56	0	0	100	7	14.09	-11.39	10.94
208.64	68.35	3216	0	-1.56	0	0	100	7.04	14.09	-11.39	10.94
208.74	67.11	3213	0	-1.56	0	0	100	7	14.09	-11.39	10.94
208.86	67.11	3207	0	-1.56	0	0	100	7	14.09	-11.39	10.94
208.96	67.11	3202	0	-1.56	0	0	100	7.1	14.09	-11.39	11.25
209.08	67.11	3199	0	-1.56	0	0	100	7	14.09	-11.39	10.94
209.18	67.11	3195	0	-1.56	0	0	100	6.98	14.09	-11.39	10.94
209.28	67.11	3191	0	-1.56	0	0	100	6.96	14.09	-11.39	10.94
209.4	67.11	3183	0	-1.56	0	0	100	6.98	14.09	-11.39	10.94
209.48	67.11	3183	0	-1.56	0	0	100	7.02	14.09	-11.39	10.94
209.58	67.11	3179	0	-1.56	0	0	100	6.92	14.09	-11.39	10.94
209.68	67.11	3175	0	-1.56	0	0	100	7	14.09	-11.39	10.94
209.78	67.11	3172	0	-1.56	0	0	100	6.96	14.09	-11.39	10.94
209.88	67.11	3166	0	-1.56	0	0	100	6.94	14.87	-11.17	12.19
210	67.11	3164	4.73	-1.56	0	0	100	9.06	16.04	-10.8	15.62
210.1	67.11	3179	4.75	-1.56	0	0	100	10.76	16.82	-10.37	18.12
210.18	65.87	3171	5.41	-1.17	0	0	100	12.28	17.22	-9.79	20.31
210.28	65.87	3157	5.39	-1.17	0	0	100	13.64	18	-9.43	22.5
210.38	65.87	3164	6.08	-1.17	0	0	100	16.06	19.56	-8.63	27.19
210.48	65.87	3159	6.74	-1.17	0	0	100	18.56	20.35	-7.9	32.19
210.56	65.87	3171	7.44	-1.17	0	0	100	21.56	21.52	-6.89	36.25

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
210.66	65.87	3160	8.09	-1.17	0	0	100	25.22	22.3	-6.31	40.94
210.74	65.87	3156	8.08	-1.17	0	0	100	26.68	22.69	-5.95	43.44
210.84	65.87	3159	8.09	-1.17	0	0	100	27.76	22.3	-5.73	44.69
210.94	65.87	3157	8.08	-1.17	0	0	100	28.28	22.69	-5.73	45.31
211.02	65.87	3164	8.1	-1.17	0	0	100	28.56	22.3	-5.51	45.31
211.12	65.87	3162	8.09	-1.17	0	0	100	28.6	22.3	-5.51	45.31
211.2	65.87	3166	8.1	-1.17	0	0	100	28.12	20.35	-6.09	42.81
211.3	65.87	3168	7.44	-1.17	0	0	100	24.68	19.56	-7.11	37.81
211.4	65.87	3166	6.76	-1.17	0	0	100	22.88	19.95	-7.25	35.31
211.48	65.87	3168	6.76	-1.17	0	0	100	21.72	19.95	-7.25	34.06
211.58	67.11	3168	6.76	-1.17	0	0	100	21.22	19.95	-7.47	33.44
211.66	67.11	3166	6.76	-1.17	0	0	100	21.12	19.95	-7.25	33.44
211.76	67.11	3169	6.76	-1.17	0	0	100	20.92	19.95	-7.47	33.44
211.84	67.11	3169	6.76	-1.17	-0.39	0	100	21.18	19.95	-7.25	33.44
211.94	67.11	3169	6.76	-1.17	-1.17	0	100	21.08	19.95	-7.25	33.44
212.02	67.11	3171	6.77	-1.17	-1.56	0	100	20.98	19.95	-7.25	33.44
212.12	67.11	3173	6.77	-1.17	-0.78	0	100	21	19.95	-7.25	33.75
212.2	67.11	3171	6.77	-1.17	0.39	0	100	21.14	19.95	-7.25	33.44
212.3	67.11	3172	6.77	-1.17	1.17	0	100	21.04	19.95	-7.25	33.44
212.38	67.11	3172	6.77	-1.17	1.95	0	100	21.2	19.95	-7.25	33.44
212.48	67.11	3172	6.77	-1.17	1.56	0	100	21.3	19.95	-7.25	33.75
212.56	67.11	3176	6.78	-1.17	0.78	0	100	21.58	20.35	-7.25	34.69
212.66	67.11	3176	6.78	-1.17	0	0	100	22.04	20.35	-7.11	35.31
212.74	67.11	3176	6.78	-1.17	0.39	0	100	22.36	20.35	-6.89	35.62
212.84	67.11	3176	6.78	-1.17	1.56	0	100	22.74	20.35	-6.89	35.94
212.92	67.11	3177	7.46	-1.17	3.12	0	100	22.56	20.35	-6.89	35.94
213.02	67.11	3176	6.78	-1.17	2.73	0	100	22.8	20.74	-6.89	36.25
213.1	67.11	3182	6.79	-1.17	1.95	0	100	23	20.74	-6.89	36.25
213.2	67.11	3179	6.78	-1.17	1.17	0	100	23.28	20.74	-6.89	36.56
213.28	67.11	3177	6.78	-1.17	0	0	100	23.48	21.13	-6.53	38.12
213.38	67.11	3182	7.47	-1.17	0	0	100	24.52	21.13	-6.53	38.75
213.46	67.11	3186	7.48	-1.17	1.17	0	100	24.64	21.13	-6.31	39.06
213.56	67.11	3188	7.48	-1.17	2.34	0	100	24.92	21.13	-6.53	39.06
213.64	67.11	3184	7.47	-1.17	2.34	0	100	24.76	21.13	-6.31	39.38
213.74	67.11	3188	7.48	-1.17	1.56	0	100	24.74	21.13	-6.31	38.75
213.84	67.11	3186	7.48	-1.17	0.39	0	100	24.7	21.13	-6.53	39.06
213.94	67.11	3191	7.49	-1.17	-0.39	0	100	24.76	21.13	-6.31	39.06
214.02	67.11	3188	7.48	-1.17	-1.17	0	100	24.8	20.74	-6.53	39.06
214.12	67.11	3196	7.5	-1.17	0	0	100	24.74	21.13	-6.31	39.06

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
214.2	67.11	3198	7.51	-1.17	1.17	0	100	24.9	21.13	-6.53	39.06
214.3	67.11	3195	7.5	-1.17	1.17	0	100	25.08	21.13	-6.31	39.06
214.38	67.11	3198	7.51	-1.17	0.39	0	100	25.1	21.13	-6.31	39.38
214.48	67.11	3198	7.51	-1.17	-0.39	0	100	24.8	21.13	-6.53	39.06
214.56	67.11	3198	7.51	-1.17	-1.17	0	100	24.82	20.74	-6.31	38.75
214.66	67.11	3201	7.51	-1.17	-2.34	0	100	24.68	21.13	-6.53	38.75
214.76	67.11	3206	7.52	-1.17	-0.78	0	100	24.92	21.13	-6.31	38.75
214.84	67.11	3201	7.51	-1.17	0.39	0	100	24.78	20.74	-6.31	39.38
214.94	67.11	3211	7.54	-1.17	1.56	0	100	25.04	21.13	-6.31	39.38
215.04	67.11	3206	7.52	-1.17	0.78	0	100	25	21.13	-6.31	39.38
215.12	67.11	3209	7.53	-1.17	-0.39	0	100	25.08	21.13	-6.31	39.38
215.22	67.11	3210	7.53	-1.17	-1.17	0	100	25.06	21.13	-6.31	39.06
215.32	67.11	3207	7.53	-1.17	-1.95	0	100	25.1	20.74	-6.31	39.06
215.4	67.11	3218	7.55	-1.17	-1.17	0	100	24.92	21.13	-6.31	39.06
215.5	67.11	3214	7.54	-1.17	0	0	100	24.88	21.13	-6.31	39.06
215.58	67.11	3218	7.55	-1.17	0.78	0	100	24.94	20.74	-6.31	38.75
215.7	67.11	3217	7.55	-1.17	-0.39	0	100	24.78	20.74	-6.53	38.12
215.78	67.11	3218	7.55	-1.17	-1.17	0	100	24.6	20.74	-6.53	38.12
215.88	67.11	3220	6.87	-1.17	-1.95	0	100	24.22	20.35	-6.53	37.5
215.96	67.11	3216	6.86	-1.17	-1.56	0	100	23.82	20.35	-6.67	37.19
216.06	67.11	3220	7.56	-1.17	-0.39	0	100	23.48	20.35	-6.67	36.56
216.16	67.11	3223	6.88	-1.17	0.39	0	100	23.48	20.74	-6.67	36.88
216.24	67.11	3223	6.88	-1.17	-0.39	0	100	23.76	20.74	-6.67	36.88
216.34	67.11	3224	6.88	-1.17	-1.17	0	100	23.78	20.74	-6.67	36.88
216.42	67.11	3224	6.88	-1.17	-2.34	0	100	23.78	20.35	-6.67	37.19
216.52	68.35	3224	6.88	-1.17	-3.12	0	100	23.66	20.74	-6.67	36.88
216.62	68.35	3232	6.9	-1.17	-2.34	0	100	23.6	20.74	-6.67	36.88
216.7	68.35	3224	6.88	-1.17	-1.17	0	100	23.54	20.35	-6.67	36.56
216.82	68.35	3232	6.9	-1.17	-0.39	0	100	23.42	20.35	-6.67	36.56
216.9	68.35	3227	6.88	-1.17	-1.17	0	100	23.52	20.74	-6.89	36.88
217	68.35	3232	6.9	-1.17	-1.95	0	100	23.52	20.74	-6.67	36.88
217.08	68.35	3234	6.9	-1.17	-3.12	0	100	23.86	20.74	-6.67	37.19
217.18	68.35	3229	6.89	-1.17	-3.9	0	100	24.1	20.74	-6.67	37.19
217.26	68.35	3235	6.9	-1.17	-3.51	0	100	24	20.74	-6.67	37.19
217.36	68.35	3229	7.58	-1.17	-1.95	0	100	24.34	20.74	-6.67	37.5
217.46	68.35	3234	7.59	-1.17	-0.78	0	100	24.34	20.74	-6.67	37.81
217.54	68.35	3236	6.91	-1.17	-1.56	0	100	24.1	20.74	-6.67	37.5
217.64	68.35	3236	6.91	-1.17	-2.34	0	100	24.14	20.74	-6.67	37.5
217.72	68.35	3238	6.91	-1.17	-3.51	0	100	24.08	20.74	-6.67	37.19

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
217.82	68.35	3236	6.91	-1.17	-4.29	0	100	23.88	20.74	-6.67	37.19
217.9	68.35	3239	6.91	-1.17	-5.07	0	100	24.34	21.13	-6.53	38.12
218	68.35	3241	7.61	-1.17	-4.29	0	100	25.16	21.13	-6.31	39.69
218.08	68.35	3242	7.61	-1.17	-3.12	0	100	26.12	21.13	-6.09	40.94
218.18	68.35	3236	7.6	-1.17	-1.95	0	100	26.36	21.52	-6.09	41.25
218.26	68.35	3242	7.61	-1.17	-1.95	0	100	26.58	21.52	-5.95	41.56
218.36	68.35	3244	7.61	-1.17	-2.73	0	100	26.72	21.52	-6.09	41.56
218.44	68.35	3241	7.61	-1.17	-3.9	0	100	27.02	21.52	-6.09	41.88
218.54	68.35	3245	7.62	-1.17	-4.68	0	100	27.12	21.52	-6.09	41.88
218.62	68.35	3245	7.62	-1.17	-5.46	0	100	26.94	21.52	-5.95	41.56
218.72	68.35	3248	7.62	-1.17	-5.07	0	100	26.98	21.52	-5.95	41.88
218.8	68.35	3252	7.63	-1.17	-3.9	0	100	26.84	21.13	-6.09	41.56
218.9	68.35	3246	7.62	-1.17	-2.73	0	100	26.7	21.13	-5.95	41.25
219	68.35	3248	7.62	-1.17	-3.51	0	100	26.68	21.13	-5.95	40.94
219.08	68.35	3248	7.62	-1.17	-4.68	0	100	26.64	21.13	-6.09	41.25
219.18	68.35	3246	7.62	-1.17	-5.46	0	100	26.58	21.13	-6.09	40.94
219.26	68.35	3250	7.63	-1.17	-5.07	0	100	26.3	21.13	-6.09	40.31
219.36	68.35	3245	7.62	-1.17	-3.9	0	100	25.92	19.95	-6.53	38.44
219.44	68.35	3248	6.93	-1.17	-2.73	0	100	23.76	19.95	-7.11	35.62
219.54	68.35	3250	6.94	-1.17	-2.73	0	100	22.5	19.95	-7.25	34.06
219.62	68.35	3248	6.24	-1.17	-3.51	0	100	21.72	19.95	-7.25	33.44
219.72	68.35	3250	6.24	-1.17	-4.29	0	100	21.28	19.95	-7.25	32.81
219.8	68.35	3245	6.23	-1.17	-5.07	0	100	21.14	19.95	-7.25	32.81
219.9	68.35	3248	6.24	-1.17	-5.85	0	100	21.36	19.95	-7.25	32.81
219.98	68.35	3244	6.23	-1.17	-5.46	0	100	21.28	19.95	-7.25	33.12
220.08	68.35	3246	6.23	-1.17	-4.29	0	100	21.32	19.95	-7.25	32.81
220.16	68.35	3244	6.92	-1.17	-3.51	0	100	21.18	19.95	-7.47	32.5
220.26	68.35	3241	6.91	-1.17	-2.34	0	100	21.04	19.95	-7.47	32.81
220.34	68.35	3239	6.22	-1.17	-2.73	0	100	21.14	19.95	-7.47	32.81
220.44	68.35	3241	6.22	-1.17	-3.51	0	100	20.74	19.95	-7.47	32.81
220.52	68.35	3245	6.23	-1.17	-4.29	0	100	20.96	19.95	-7.47	32.5
220.62	68.35	3234	6.21	-1.17	-5.07	0	100	21.06	19.95	-7.47	32.81
220.7	68.35	3238	6.22	-1.17	-5.07	0	100	20.96	19.95	-7.47	32.81
220.8	68.35	3239	6.22	-1.17	-4.29	0	100	20.94	19.56	-7.47	32.5
220.88	68.35	3232	6.21	-1.17	-3.51	0	100	21.06	19.95	-7.25	32.5
220.98	68.35	3232	6.21	-1.17	-3.9	0	100	21.06	19.95	-7.47	32.81
221.06	68.35	3234	6.21	-1.17	-4.68	0	100	21.04	19.95	-7.47	33.12
221.16	68.35	3232	6.21	-1.17	-5.46	0	100	21.44	19.95	-7.47	33.44
221.24	68.35	3227	6.2	-1.17	-5.85	0	100	21.28	19.95	-7.47	33.12

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
221.34	68.35	3231	6.2	-1.17	-5.07	0	100	21.24	19.95	-7.47	33.44
221.42	68.35	3232	6.9	-1.17	-3.9	0	100	21.32	19.95	-7.25	33.44
221.52	68.35	3232	6.9	-1.17	-3.12	0	100	21.6	19.95	-7.25	33.75
221.6	68.35	3231	6.2	-1.17	-3.9	0	100	21.9	20.35	-7.25	34.69
221.7	68.35	3228	6.2	-1.17	-4.68	0	100	22.24	20.35	-7.11	35
221.78	68.35	3232	6.9	-1.17	-5.46	0	100	22.66	20.35	-7.11	35.31
221.88	68.35	3223	6.88	-1.17	-5.85	0	100	22.52	20.35	-7.11	35.31
221.96	68.35	3225	6.88	-1.17	-4.29	0	100	22.64	20.35	-7.11	35
222.06	68.35	3229	6.89	-1.17	-3.12	0	100	22.52	20.35	-7.11	35.31
222.14	68.35	3225	6.88	-1.17	-2.34	0	100	22.68	20.35	-7.11	35.31
222.24	68.35	3231	6.89	-1.17	-3.12	0	100	22.68	20.35	-7.11	35.31
222.32	68.35	3227	6.88	-1.17	-1.56	0	100	22.54	20.35	-7.11	35.31
222.42	68.35	3228	6.89	-1.17	-2.73	0	100	22.62	20.35	-7.11	35.31
222.5	68.35	3232	6.9	-1.17	-2.34	0	100	22.52	20.35	-7.11	35
222.6	68.35	3228	6.89	-1.17	-1.17	0	100	22.66	20.35	-6.89	35.31
222.68	68.35	3228	6.89	-1.17	0	0	100	22.52	20.35	-7.11	35.31
222.78	68.35	3228	6.89	-1.17	0.78	0	100	22.76	20.35	-7.11	35
222.86	68.35	3227	6.88	-1.17	0	0	100	22.4	19.95	-7.11	34.69
222.96	68.35	3225	6.88	-1.17	-0.78	0	100	22.2	19.95	-7.25	34.69
223.04	68.35	3229	6.2	-1.17	-1.56	0	100	22.28	20.35	-7.11	34.69
223.14	68.35	3227	6.88	-1.17	-2.34	0	100	22.42	20.35	-7.11	35
223.22	68.35	3231	6.2	-1.17	-3.12	0	100	22.52	20.35	-7.11	35
223.32	68.35	3232	6.9	-1.17	-2.34	0	100	22.42	20.35	-7.11	35.31
223.42	68.35	3224	6.88	-1.17	-0.78	0	100	22.66	20.35	-7.11	35
223.5	68.35	3225	6.88	-1.17	0.39	0	100	22.36	19.95	-7.11	34.69
223.6	68.35	3227	6.88	-1.17	0.39	0	100	22.12	19.95	-7.11	34.38
223.68	68.35	3227	6.88	-1.17	-0.39	0	100	21.84	19.95	-7.25	34.06
223.78	68.35	3228	6.2	-1.17	-1.17	0	100	21.74	19.95	-7.25	33.75
223.86	68.35	3224	6.19	-1.17	-1.56	0	100	21.62	19.95	-7.25	33.75
223.96	68.35	3224	6.19	-1.17	-2.34	0	100	21.86	20.35	-7.25	34.06
224.06	68.35	3227	6.2	-1.17	-3.12	0	100	21.84	20.35	-7.25	34.38
224.16	68.35	3223	6.88	-1.17	-1.95	0	100	22.02	20.35	-7.25	34.38
224.26	68.35	3228	6.89	-1.17	-1.17	0	100	22.36	20.35	-7.11	35
224.36	68.35	3221	6.87	-1.17	0.39	0	100	22.54	20.35	-7.11	35
224.46	68.35	3224	6.88	-1.17	0.39	0	100	22.52	20.35	-7.11	35.31
224.56	68.35	3224	6.88	-1.17	-0.39	0	100	23.18	20.74	-6.89	36.25
224.66	68.35	3225	6.88	-1.17	-1.56	0	100	23.26	20.35	-6.89	36.56
224.76	68.35	3223	6.88	-1.17	-1.17	0	100	23.26	20.35	-6.89	36.25
224.87	68.35	3224	6.88	-1.17	0	0	100	23.16	20.35	-6.89	36.25

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
224.97	68.35	3223	6.88	-1.17	1.17	0	100	23	19.95	-7.11	35.31
225.05	68.35	3223	6.88	-1.17	0.39	0	100	21.4	18	-8.05	30
225.15	68.35	3220	5.5	-1.17	-0.39	0	100	17.76	17.61	-8.85	26.56
225.23	68.35	3218	5.49	-1.17	-1.17	0	100	16.14	17.61	-9.06	24.38
225.33	68.35	3217	4.8	-1.17	-1.56	0	100	15.16	17.61	-9.21	23.44
225.41	68.35	3210	4.79	-1.17	-2.34	0	100	14.46	17.61	-9.43	22.5
225.51	68.35	3217	4.8	-1.17	-3.12	0	100	14.08	17.22	-9.21	21.88
225.59	68.35	3203	4.78	-1.17	-3.9	0	100	13.24	16.82	-9.64	20.31
225.69	67.11	3206	4.1	-1.17	-4.68	0	100	12.44	16.43	-9.79	19.06
225.77	67.11	3206	4.1	-1.17	-5.46	0	100	11.8	16.43	-10.01	18.12
225.87	67.11	3195	4.09	-1.17	-5.85	0	100	11.48	16.43	-10.22	17.81
225.95	67.11	3198	4.09	-1.17	-6.63	0	100	11.24	16.43	-10.22	17.5
226.05	67.11	3191	4.08	-1.17	-7.41	0	100	11.14	16.43	-10.22	17.5
226.13	67.11	3188	4.08	-1.17	-8.19	0	100	11.14	16.43	-10.22	17.5
226.23	67.11	3187	4.08	-1.17	-7.41	0	100	11	16.04	-10.22	17.19
226.31	67.11	3186	4.08	-1.17	-6.24	0	100	10.92	16.04	-10.37	17.19
226.41	67.11	3177	4.07	-1.56	-5.46	0	100	10.68	16.04	-10.37	16.88
226.49	67.11	3166	4.05	-1.56	-4.29	0	100	10.38	15.65	-10.37	16.25
226.59	67.11	3168	4.06	-1.56	-3.9	0	100	10.3	16.04	-10.37	16.25
226.67	67.11	3172	4.06	-1.56	-4.29	0	100	10.2	15.65	-10.59	16.25
226.77	67.11	3159	4.04	-1.56	-5.07	0	100	10.32	16.04	-10.59	16.56
226.85	67.11	3162	4.05	-1.56	-5.85	0	100	10.46	16.04	-10.37	16.88
226.95	67.11	3156	4.04	-1.56	-6.63	0	100	10.6	16.04	-10.37	17.19
227.03	67.11	3143	4.02	-1.56	-7.41	0	100	10.78	16.04	-10.37	17.19
227.13	65.87	3148	4.03	-1.56	-7.8	0	100	10.88	16.04	-10.37	17.5
227.21	65.87	3155	4.04	-1.56	-8.58	0	100	10.96	16.04	-10.22	17.5
227.31	65.87	3130	4.01	-1.56	-8.19	0	100	10.96	16.04	-10.37	17.81
227.41	65.87	3131	4.01	-1.56	-6.24	0	100	11.1	16.43	-10.22	17.81
227.49	65.87	3139	4.02	-1.56	-5.07	0	100	11.16	16.43	-10.22	17.81
227.59	65.87	3136	4.01	-1.56	-4.29	0	100	11.16	16.43	-10.22	18.12
227.67	65.87	3131	4.01	-1.56	-3.12	0	100	11.5	16.43	-10.22	18.44
227.77	65.87	3119	3.99	-1.56	-2.34	0	100	11.76	16.82	-10.01	19.38
227.85	65.87	3126	4.67	-1.17	-1.17	0	100	12.62	17.61	-9.64	21.25
227.95	65.87	3128	4.67	-1.17	-0.39	0	100	13.62	18.39	-9.21	23.44
228.03	65.87	3130	5.34	-1.17	0.78	0	100	15.62	19.17	-8.85	27.19
228.13	65.87	3123	6	-1.17	1.56	0	100	17.38	19.17	-8.48	28.44
228.21	65.87	3124	5.33	-1.17	0.78	0	100	17.7	18.78	-8.48	28.44
228.31	65.87	3121	5.33	-1.17	0	0	100	17.64	18.78	-8.48	28.12
228.41	65.87	3109	5.31	-1.17	-0.78	0	100	17.56	18.78	-8.48	28.44

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
228.51	65.87	3118	5.32	-1.17	-1.56	0	100	17.78	18.78	-8.27	28.75
228.63	65.87	3110	5.31	-1.17	-2.34	0	100	17.86	18.78	-8.48	28.75
228.73	65.87	3118	5.32	-1.17	-3.12	0	100	17.88	18.78	-8.27	28.75
228.85	65.87	3113	5.31	-1.17	-3.9	0	100	18.02	18.78	-8.27	29.06
228.95	65.87	3113	5.31	-1.17	-4.68	0	100	18.06	19.17	-8.27	29.06
229.05	65.87	3113	5.31	-1.17	-4.29	0	100	18.14	19.17	-8.05	29.38
229.17	65.87	3113	5.98	-1.17	-3.12	0	100	19.66	19.95	-7.69	32.5
229.27	64.62	3106	5.97	-1.17	-1.56	0	100	20.5	19.95	-7.47	33.12
229.37	64.62	3110	5.97	-1.17	-0.78	0	100	20.46	19.95	-7.47	33.12
229.47	64.62	3110	5.97	-1.17	-1.56	0	100	20.68	19.95	-7.47	33.44
229.55	64.62	3106	5.97	-1.17	-2.34	0	100	20.8	19.95	-7.25	33.75
229.65	64.62	3111	5.97	-1.17	-3.12	0	100	21.08	20.35	-7.25	34.69
229.77	64.62	3113	7.31	-1.17	-2.73	0	100	26	23.48	-5.51	45.31
229.87	64.62	3108	8.62	-1.17	-1.56	0	100	30.18	23.48	-4.57	49.69
229.97	65.87	3115	8.64	-1.17	-2.73	0	100	31.36	23.87	-4.35	52.5
230.07	65.87	3111	9.29	-1.17	0	0	100	32.94	24.26	-4.13	54.06
230.17	65.87	3121	9.32	-1.17	0	0	100	34.34	24.26	-3.77	55.94
230.29	65.87	3123	10	-1.17	0	0	100	34.9	23.87	-3.77	56.25
230.39	65.87	3124	9.33	-1.17	0	0	100	34.88	23.87	-3.77	55.94
230.51	65.87	3124	9.33	-1.17	0	0	100	33.42	22.3	-4.57	52.19
230.61	65.87	3131	8.68	-1.17	0	0	100	31.7	22.3	-4.57	50.31
230.71	65.87	3128	8.68	-1.17	0	0	100	28.94	20.74	-5.73	44.38
230.83	65.87	3128	7.34	-1.17	-0.78	0	100	26.22	20.74	-5.95	41.25
230.93	65.87	3136	7.36	-1.17	-1.56	0	100	24.94	20.35	-6.09	39.38
231.05	65.87	3135	7.36	-1.17	-2.73	0	100	24.2	20.74	-6.31	38.75
231.15	65.87	3130	6.68	-1.17	-3.9	0	100	23.98	20.74	-6.31	38.44
231.27	65.87	3143	7.38	-1.17	-2.34	0	100	24.28	21.13	-5.95	40.31
231.37	65.87	3139	7.37	-1.17	-0.78	0	100	25.68	21.52	-5.73	41.88
231.49	65.87	3140	8.04	-1.17	0.78	0	100	26.42	21.13	-5.73	42.19
231.59	65.87	3142	8.04	-1.17	1.95	0	100	26.2	21.13	-5.73	41.88
231.71	65.87	3142	8.04	-1.17	3.12	0	100	26.12	21.13	-5.95	41.56
231.81	65.87	3140	7.37	-1.17	2.34	0	100	25.44	20.74	-6.09	40.31
231.93	65.87	3144	7.38	-1.17	1.17	0	100	24.7	20.35	-6.31	38.75
232.03	65.87	3143	6.71	-1.17	0.39	0	100	22.68	19.56	-7.11	35.31
232.15	65.87	3143	6.71	-1.17	-0.78	0	100	21.08	19.17	-7.25	33.12
232.23	65.87	3138	6.03	-1.17	-1.56	0	100	19.8	18.78	-7.69	30.94
232.33	65.87	3144	6.04	-1.17	-2.34	0	100	18.9	18.78	-7.9	29.69
232.43	65.87	3135	6.02	-1.17	-3.12	0	100	18.12	18.39	-8.27	28.12
232.51	65.87	3139	5.36	-1.17	-2.34	0	100	17.24	18.39	-8.48	27.19

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
232.61	65.87	3142	5.36	-1.17	-1.56	0	100	16.72	18.39	-8.48	26.56
232.71	65.87	3139	5.36	-1.17	-0.39	0	100	16.6	18.39	-8.48	26.25
232.81	65.87	3132	5.35	-1.17	0.39	0	100	16.42	18.39	-8.48	26.56
232.89	65.87	3136	5.35	-1.17	1.56	0	100	16.42	18.39	-8.48	26.25
232.99	65.87	3136	5.35	-1.17	2.73	0	100	16.86	19.17	-8.48	28.12
233.09	65.87	3136	6.02	-1.17	1.95	0	100	18.38	20.35	-7.69	31.88
233.19	65.87	3145	6.71	-1.17	1.56	0	100	21.32	20.35	-7.25	34.69
233.27	65.87	3128	6.67	-1.17	0.78	0	100	21.88	21.52	-6.67	36.88
233.37	65.87	3139	8.04	-1.17	2.34	0	100	28.28	24.65	-4.93	48.75
233.47	65.87	3145	10.07	-1.17	0	0	100	37.82	27.78	-2.61	64.38
233.57	65.87	3144	11.4	-1.17	0	0	100	42.12	28.17	-1.81	70
233.65	65.87	3155	12.12	-1.17	0	0	100	45.56	27.78	-1.6	73.44
233.75	65.87	3149	12.1	-1.17	0	0	100	46.54	27.78	-1.23	75
233.85	65.87	3166	12.16	-1.17	0	0	100	47.8	27.39	-1.23	76.25
233.93	65.87	3164	12.15	-1.17	0	0	100	47.24	26.21	-1.45	74.69
234.03	65.87	3168	12.17	-1.17	0	0	100	46.82	26.21	-1.45	74.38
234.13	65.87	3176	12.2	-1.17	0	0	100	46.98	25.04	-1.45	73.75
234.21	67.11	3173	11.51	-1.17	0	0	100	43.86	24.26	-2.18	68.44
234.31	67.11	3182	10.86	-1.17	0	0	100	42.42	23.08	-2.61	65.31
234.41	67.11	3183	10.19	-1.17	0	0	100	38.8	22.69	-3.41	59.06
234.51	67.11	3192	10.22	-1.17	0	0	100	36.52	21.13	-3.99	53.75
234.61	67.11	3189	8.85	-1.17	0	0	100	29.98	19.95	-5.37	44.69
234.73	67.11	3195	7.5	-1.17	0	0	100	23.34	16.82	-7.69	32.19
234.83	67.11	3186	5.44	-1.17	-0.78	0	100	15.8	14.48	-9.79	21.25
234.95	67.11	3177	4.07	-1.56	-1.95	0	100	10.34	14.09	-10.8	14.69
235.05	67.11	3189	3.4	-1.56	-2.73	0	100	7.9	13.3	-11.39	11.25
235.17	67.11	3180	4.07	-1.56	0	0	100	7	12.52	-11.75	10.94
235.27	67.11	3172	4.06	-1.56	0	0	100	7	12.13	-11.75	10.94
235.39	67.11	3168	4.06	-1.56	0	0	100	7	11.35	-11.97	10.94
235.49	67.11	3173	4.06	-1.56	0	0	100	6.96	11.35	-12.18	10.94
235.59	67.11	3169	3.38	-1.56	0	0	100	5.64	11.35	-12.18	8.12
235.67	67.11	3168	0	-1.56	0	0	100	5.8	14.09	-11.75	9.38
235.77	67.11	3159	0	-1.56	0	0	100	6.44	14.09	-11.6	10.31
235.87	67.11	3162	0	-1.56	0	0	100	6.7	14.09	-11.39	10.62
235.97	67.11	3149	0	-1.56	0	0	100	6.76	14.09	-11.39	10.94
236.05	67.11	3155	4.04	-1.56	0	0	100	6.9	14.87	-11.17	11.88
236.15	67.11	3147	4.03	-1.56	0	0	100	7.96	15.26	-11.17	13.12
236.25	67.11	3162	4.72	-1.56	0	0	100	9.5	16.43	-10.59	16.25
236.35	65.87	3153	4.71	-1.56	0.78	0	100	10.78	16.43	-10.22	18.12

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
236.43	65.87	3157	4.72	-1.56	1.95	0	100	11.86	16.82	-10.01	19.38
236.53	65.87	3135	4.68	-1.17	1.17	0	100	13.02	17.61	-9.64	21.25
236.63	65.87	3147	4.7	-1.17	0.39	0	100	14.02	18.39	-9.21	24.38
236.71	65.87	3148	5.37	-1.17	-0.39	0	100	17.12	19.56	-8.48	29.38
236.81	65.87	3145	6.04	-1.17	-1.17	0	100	19.08	19.56	-8.05	30.94
236.91	65.87	3149	6.05	-1.17	-1.56	0	100	19.5	19.95	-7.9	31.56
236.99	65.87	3151	6.05	-1.17	-2.73	0	100	20.1	19.95	-7.9	32.19
237.09	65.87	3144	6.04	-1.17	-3.12	0	100	20.42	20.35	-7.47	33.12
237.19	65.87	3143	6.71	-1.17	-3.9	0	100	21.94	20.74	-7.11	35.94
237.27	65.87	3148	6.72	-1.17	-4.68	0	100	22.96	20.74	-6.89	37.19
237.37	65.87	3148	6.72	-1.17	-3.51	0	100	23.12	20.74	-6.89	36.88
237.47	65.87	3143	6.71	-1.17	-2.34	0	100	23.12	20.74	-6.89	36.88
237.57	65.87	3145	6.71	-1.17	-0.78	0	100	23.22	20.74	-6.89	36.88
237.69	65.87	3142	6.7	-1.17	-0.39	0	100	23.14	20.74	-6.89	36.88
237.77	65.87	3156	6.73	-1.17	-1.17	0	100	23.28	20.35	-6.89	36.88
237.87	65.87	3153	6.73	-1.17	-1.95	0	100	23.04	20.74	-6.89	36.88
237.97	65.87	3155	6.73	-1.17	-1.56	0	100	23.26	20.35	-6.89	36.88
238.05	65.87	3151	6.72	-1.17	0	0	100	23	20.74	-6.89	37.19
238.15	65.87	3153	7.4	-1.17	1.17	0	100	23	20.74	-6.89	36.88
238.23	65.87	3162	6.75	-1.17	1.95	0	100	23.16	20.35	-6.89	36.88
238.33	65.87	3157	6.74	-1.17	0.78	0	100	23.28	20.74	-6.89	36.88
238.41	65.87	3164	6.75	-1.17	0	0	100	23.36	20.35	-6.89	36.88
238.51	65.87	3160	6.74	-1.17	-0.78	0	100	23.18	20.35	-6.89	37.19
238.61	65.87	3169	6.76	-1.17	0.39	0	100	23.52	20.35	-6.89	37.19
238.69	65.87	3160	6.74	-1.17	1.56	0	100	23.32	20.35	-6.67	36.88
238.79	65.87	3163	6.75	-1.17	2.73	0	100	23.1	20.74	-6.89	36.88
238.87	65.87	3168	6.76	-1.17	1.56	0	100	23.2	20.35	-6.89	36.25
238.97	65.87	3166	6.76	-1.17	0.78	0	100	22.8	19.95	-7.11	35.94
239.07	65.87	3172	6.77	-1.17	0	0	100	21.44	18	-7.9	30.94
239.15	65.87	3160	5.39	-1.17	-0.78	0	100	17	15.65	-9.43	23.44
239.25	65.87	3153	4.71	-1.17	-1.56	0	100	12.68	14.87	-10.37	18.12
239.33	65.87	3147	4.03	-1.56	-2.34	0	100	10.28	14.87	-10.8	15
239.43	65.87	3166	4.05	-1.56	-2.73	0	100	8.38	12.91	-11.39	11.88
239.51	65.87	3151	4.03	-1.56	0	0	100	6.9	12.13	-11.97	10.94
239.61	65.87	3144	4.02	-1.56	0	0	100	6.96	12.13	-11.97	10.94
239.69	65.87	3156	4.04	-1.56	0	0	100	6.92	11.74	-11.97	10.94
239.79	65.87	3153	4.04	-1.56	0	0	100	6.92	11.74	-12.18	10.94
239.87	65.87	3148	4.03	-1.56	0	0	100	6.9	11.35	-12.18	10.94
239.97	65.87	3143	4.02	-1.56	0	0	100	6.9	11.35	-12.18	10.94

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
240.05	65.87	3136	4.01	-1.56	0	0	100	6.88	13.3	-11.97	10.62
240.15	65.87	3143	0	-1.56	0	0	100	6.74	14.09	-11.75	10.94
240.23	65.87	3127	0	-1.56	0	0	100	6.8	14.09	-11.6	10.94
240.33	65.87	3132	0	-1.56	0	0	100	6.96	14.09	-11.39	11.25
240.41	65.87	3123	0	-1.56	0	0	100	6.84	14.09	-11.39	10.94
240.51	65.87	3122	0	-1.56	0	0	100	6.84	14.09	-11.39	10.94
240.59	65.87	3113	0	-1.56	0	0	100	6.8	14.09	-11.39	10.94
240.69	65.87	3110	0	-1.56	0	0	100	6.76	14.09	-11.39	10.94
240.77	65.87	3106	0	-1.56	0	0	100	6.68	14.09	-11.39	10.94
240.87	65.87	3099	0	-1.56	0	0	100	6.64	14.09	-11.39	10.94
240.95	65.87	3100	0	-1.56	0	0	100	6.72	14.09	-11.39	10.94
241.05	65.87	3086	0	-1.56	0	0	100	6.7	14.09	-11.39	10.94
241.13	65.87	3095	0	-1.56	0	0	100	6.68	14.09	-11.39	10.94
241.23	64.62	3087	0	-1.56	0	0	100	6.74	14.09	-11.39	10.94
241.33	64.62	3086	0	-1.56	0	0	100	6.72	14.09	-11.39	10.94
241.41	64.62	3078	0	-1.56	0	0	100	6.68	14.09	-11.39	10.94
241.51	64.62	3069	0	-1.56	0	0	100	6.76	14.09	-11.39	10.94
241.61	64.62	3072	0	-1.56	0	0	100	6.8	14.09	-11.39	11.25
241.71	64.62	3060	0	-1.56	0	0	100	6.74	14.09	-11.39	10.94
241.79	64.62	3061	0	-1.56	0	0	100	6.68	14.09	-11.39	10.94
241.89	64.62	3047	3.9	-1.56	0	0	100	6.68	14.48	-11.17	11.88
241.99	64.62	3053	3.91	-1.56	0	0	100	7.88	16.43	-11.02	14.06
242.09	64.62	3071	4.59	-1.56	0	0	100	10.52	17.22	-10.22	19.38
242.17	64.62	3037	5.83	-1.17	0	0	100	13.68	19.56	-8.85	26.56
242.27	64.62	3091	7.91	-1.17	0	0	100	19.96	21.13	-7.25	35.31
242.37	64.62	3032	8.41	-1.17	0	0	100	22.48	21.91	-6.53	39.06
242.47	64.62	3036	9.07	-1.17	0	0	100	25.76	22.3	-5.73	44.06
242.57	64.62	3046	8.45	-1.17	0	0	100	27.02	22.3	-5.51	45
242.65	63.38	3057	8.48	-1.17	0	0	100	27.52	22.69	-5.51	45.94
242.73	63.38	3057	8.48	-1.17	0	0	100	27.94	22.3	-5.37	46.25
242.83	63.38	3052	7.81	-1.17	0	0	100	27.66	20.74	-5.73	44.69
242.93	63.38	3052	7.16	-1.17	0	0	100	23.94	16.43	-8.05	33.75
243.01	63.38	3046	5.85	-1.17	0	0	100	16.7	14.87	-9.64	23.75
243.11	63.38	3041	4.54	-1.17	0	0	100	11.82	13.69	-10.8	16.56
243.21	63.38	3031	3.88	-1.56	0	0	100	8.44	13.3	-11.39	12.5
243.29	63.38	3042	3.89	-1.56	0	0	100	6.76	12.52	-11.75	10.94
243.39	63.38	3046	3.9	-1.56	0	0	100	6.66	11.74	-11.97	10.94
243.47	63.38	3035	3.88	-1.56	0	0	100	6.68	11.74	-12.18	10.94
243.57	63.38	3039	3.89	-1.56	0	0	100	6.68	11.74	-12.18	10.94

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
243.65	63.38	3029	3.88	-1.56	0	0	100	6.66	11.35	-12.18	10.94
243.75	63.38	3031	3.88	-1.56	0	0	100	6.76	16.43	-11.17	12.81
243.83	63.38	3027	4.52	-1.56	0	0	100	10.54	18	-9.79	20.94
243.93	63.38	3060	5.22	-1.17	-0.78	0	100	15.86	21.13	-8.05	32.19
244.01	63.38	3010	7.07	-1.17	-1.56	0	100	23.76	25.43	-5.15	47.5
244.11	63.38	3053	9.77	-1.17	-2.34	0	100	34.08	27	-3.19	60
244.21	63.38	3061	11.1	-1.17	0	0	100	39.04	27.39	-2.39	65.94
244.29	63.38	3044	11.04	-1.17	0	0	100	41.4	27.78	-2.18	69.38
244.39	63.38	3044	11.04	-1.17	0	0	100	42.58	25.43	-2.61	68.44
244.49	63.38	3049	10.41	-1.17	0	0	100	33.06	16.43	-6.89	41.88
244.57	63.38	3043	6.49	-1.17	-0.78	0	100	19.62	15.26	-8.85	27.81
244.67	63.38	3049	4.55	-1.17	-1.17	0	100	13.96	14.09	-10.22	19.69
244.75	63.38	3039	3.89	-1.56	-1.95	0	100	9.9	13.69	-11.02	14.38
244.85	63.38	3040	3.24	-1.56	0	0	100	7.42	12.91	-11.6	10.94
244.93	63.38	3043	3.9	-1.56	0	0	100	6.68	12.52	-11.97	10.94
245.03	63.38	3036	3.89	-1.56	0	0	100	6.66	12.13	-11.97	10.94
245.11	63.38	3048	3.9	-1.56	0	0	100	6.66	11.74	-11.97	10.94
245.21	63.38	3030	3.88	-1.56	0	0	100	6.66	11.74	-12.18	10.94
245.29	63.38	3035	3.88	-1.56	0	0	100	6.42	11.35	-12.18	9.38
245.39	63.38	3031	3.23	-1.56	0	0	100	4.92	11.35	-12.18	7.5
245.47	63.38	3017	0	-1.56	0	0	100	4.06	13.3	-12.18	7.81
245.57	63.38	3032	0	-1.56	0	0	100	5.58	14.09	-11.75	10
245.65	63.38	3017	0	-1.56	0	0	100	6.24	14.09	-11.39	10.62
245.75	63.38	3018	0	-1.56	0	0	100	6.52	14.09	-11.39	10.94
245.83	63.38	3012	0	-1.56	0	0	100	6.6	14.09	-11.39	10.94
245.93	63.38	3013	0	-1.56	0	0	100	6.58	14.09	-11.39	10.94
246.01	63.38	3005	0	-1.56	0	0	100	6.6	14.09	-11.39	10.94
246.11	63.38	3003	0	-1.56	0	0	100	6.56	14.09	-11.39	10.94
246.19	63.38	2999	0	-1.56	0	0	100	6.56	14.09	-11.39	11.25
246.29	63.38	2995	0	-1.56	0	0	100	6.66	14.09	-11.39	11.25
246.37	63.38	2994	0	-1.56	0	0	100	6.66	14.09	-11.39	11.25
246.47	63.38	2991	0	-1.56	0	0	100	6.64	14.09	-11.39	11.25
246.55	63.38	2990	0	-1.56	0	0	100	6.68	14.09	-11.39	11.25
246.65	63.38	2989	0	-1.56	0	0	100	6.6	14.09	-11.39	10.94
246.73	63.38	2988	0	-1.56	0	0	100	6.64	14.09	-11.39	11.25
246.83	63.38	2980	0	-1.56	0	0	100	6.66	14.09	-11.39	11.25
246.91	62.14	2981	0	-1.56	0	0	100	6.68	14.09	-11.39	11.25
247.01	62.14	2971	0	-1.56	0	0	100	6.64	14.09	-11.39	11.25
247.09	62.14	2972	0	-1.56	0	0	100	6.68	14.09	-11.39	11.25

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
247.19	62.14	2960	0	-1.56	0	0	100	6.68	13.69	-11.39	11.25
247.27	62.14	2967	0	-1.56	0	0	100	6.56	13.69	-11.39	11.25
247.37	62.14	2961	0	-1.56	0	0	100	6.48	13.69	-11.39	10.94
247.45	62.14	2957	0	-1.56	0	0	100	6.52	13.69	-11.6	10.94
247.55	62.14	2954	0	-1.56	0	0	100	6.52	13.69	-11.6	10.94
247.63	62.14	2951	0	-1.56	0	0	100	6.56	13.69	-11.6	11.25
247.73	62.14	2948	0	-1.56	0	0	100	6.54	13.69	-11.6	11.25
247.81	62.14	2949	0	-1.56	0	0	100	6.52	13.69	-11.39	10.94
247.91	62.14	2944	0	-1.56	0	0	100	6.52	13.69	-11.39	11.25
247.99	62.14	2938	0	-1.56	0	0	100	6.52	13.69	-11.39	11.25
248.09	62.14	2936	0	-1.56	0	0	100	6.52	13.69	-11.6	11.25
248.17	62.14	2935	0	-1.56	0	0	100	6.54	13.69	-11.39	11.25
248.27	62.14	2933	0	-1.56	0	0	100	6.5	13.69	-11.39	11.25
248.35	60.89	2923	0	-1.56	0	0	100	6.56	13.69	-11.39	11.25
248.45	60.89	2925	0	-1.56	0	0	100	6.52	13.69	-11.6	11.25
248.53	60.89	2916	0	-1.56	0	0	100	6.48	13.69	-11.39	11.25
248.63	60.89	2912	0	-1.56	0	0	100	6.52	13.69	-11.39	11.25
248.71	60.89	2904	0	-1.56	0	0	100	6.44	13.69	-11.6	11.25
248.81	60.89	2889	0	-1.56	0	0	100	6.34	13.69	-11.6	10.94
248.89	60.89	2868	0	-1.56	0	0	100	6.26	13.69	-11.6	10.94
248.99	60.89	2843	0	-1.56	0	0	100	6.14	13.69	-11.6	10.94
249.07	59.65	2802	0	-1.56	0	0	100	6.04	13.69	-11.6	10.94
249.17	59.65	2759	0	-1.56	0	0	100	6.02	13.69	-11.6	11.25
249.25	59.65	2728	0	-1.56	0	0	100	6	13.3	-11.6	10.94
249.35	59.65	2688	0	-1.56	0	0	100	5.88	13.3	-11.6	10.94
249.43	59.65	2651	0	-1.56	0	0	100	5.8	13.3	-11.6	10.94
249.53	59.65	2608	0	-1.56	0	0	100	5.72	13.3	-11.39	11.25
249.61	59.65	2565	0	-1.56	0	0	100	5.68	13.3	-11.6	11.25
249.71	59.65	2533	0	-1.56	0	0	100	5.6	13.3	-11.39	11.25
249.79	53.44	2490	0	-1.56	0	0	100	5.56	13.3	-11.39	11.25
249.89	53.44	2463	0	-1.56	0	0	100	5.44	12.91	-11.39	10.94
249.97	53.44	2427	0	-1.56	0	0	100	5.3	12.91	-11.39	11.25
250.07	53.44	2402	0	-1.56	0	0	100	5.3	12.91	-11.39	11.25
250.15	53.44	2372	0	-1.56	0	0	100	5.32	12.91	-11.39	11.25
250.25	53.44	2350	0	-1.56	0	0	100	5.26	12.91	-11.39	11.25
250.33	53.44	2323	0	-1.56	0	0	100	5.24	12.91	-11.17	11.25
250.43	53.44	2307	0	-1.56	0	0	100	5.2	12.91	-11.17	11.25
250.51	48.47	2287	0	-1.56	0	0	100	5.16	12.91	-11.17	11.56
250.61	48.47	2261	0	-1.56	0	0	100	5.18	12.91	-11.17	11.56

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
250.69	48.47	2247	0	-1.56	0	0	100	5.2	12.91	-11.17	11.56
250.79	48.47	2228	0	-1.56	0	0	100	5.12	12.91	-11.17	11.56
250.87	48.47	2199	0	-1.56	0	0	100	5.1	12.91	-11.17	11.56
250.97	48.47	2186	0	-1.56	0	0	100	5.08	12.52	-11.17	11.88
251.05	48.47	2156	0	-1.56	0	0	100	5.02	12.52	-11.17	11.88
251.15	44.74	2138	0	-1.56	0	0	100	4.98	12.52	-11.17	11.88
251.23	44.74	2096	0	-1.56	0	0	100	4.92	12.52	-11.17	11.88
251.33	44.74	2070	0	-1.56	0	0	100	4.88	12.52	-11.39	11.88
251.41	44.74	2042	0	-1.56	0	0	100	4.84	12.52	-11.17	11.88
251.51	44.74	2011	0	-1.56	0	0	100	4.78	12.52	-11.17	11.88
251.59	44.74	1981	0	-1.56	0	0	100	4.66	12.52	-11.17	11.88
251.69	44.74	1948	0	-1.56	0	0	100	4.56	12.13	-11.17	11.88
251.77	44.74	1894	0	-1.56	0	0	100	4.38	12.13	-11.17	11.88
251.87	39.77	1796	0	-1.56	0	0	100	4.02	11.74	-11.17	11.56
251.95	39.77	1688	0	-1.56	0	0	100	3.68	11.35	-11.17	10.94
252.05	39.77	1572	0	-1.56	0	0	100	3.34	11.35	-11.17	10.94
252.13	39.77	1449	0	-1.56	0	0	100	3.06	11.35	-11.02	10.94
252.23	39.77	1342	0	-1.56	0	0	100	2.92	11.35	-11.02	11.56
252.33	39.77	1255	0	-1.56	0	0	100	2.84	11.74	-10.8	13.44
252.41	39.77	1130	0	-1.56	0	0	100	3.22	12.91	-10.01	16.56
252.51	39.77	1026	0	-1.56	0	0	100	3.7	12.91	-9.21	20.31
252.59	36.04	912	2.33	-1.56	0	0	100	3.86	12.52	-9.06	23.44
252.69	36.04	891	2.09	-1.56	0	0	100	4.48	11.74	-8.85	23.12
252.77	36.04	999	1.71	-1.56	0	0	100	4.46	11.35	-9.21	21.25
252.87	36.04	1011	1.73	-1.56	0	0	100	4.12	13.3	-9.21	21.25
252.95	36.04	1018	2.61	-1.56	0	0	100	4.92	16.43	-7.47	27.81
253.05	36.04	1011	3.02	-1.56	0	0	100	6.88	17.61	-5.37	38.75
253.13	36.04	1072	4.12	-1.56	0	0	100	10.14	16.43	-4.71	44.06
253.23	36.04	1305	3.9	-1.56	0	0	100	11.16	14.87	-5.95	38.75
253.33	36.04	1501	3.84	-1.56	0	0	100	11.16	14.09	-7.47	32.19
253.41	36.04	1634	3.49	-1.56	0	0	100	9.54	13.69	-8.48	27.5
253.51	36.04	1732	3.33	-1.56	0	0	100	9.04	14.09	-9.21	24.06
253.59	36.04	1888	3.22	-1.56	0	0	100	8.92	14.87	-9.64	22.5
253.69	36.04	2026	3.46	-1.56	0	0	100	9	14.87	-9.79	21.56
253.77	36.04	2168	3.7	-1.56	0	0	100	9.34	16.04	-9.64	21.25
253.87	36.04	2346	4	-1.56	0	0	100	10.74	16.82	-9.43	23.12
253.95	36.04	2555	4.36	-1.17	0	0	100	13.16	17.61	-9.06	25.31
254.05	34.8	2858	4.88	-1.17	0	0	100	14.94	17.61	-9.21	24.69
254.15	34.8	3132	5.35	-1.17	0	0	100	14.1	15.65	-10.22	19.69

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
254.25	34.8	3228	4.13	-1.17	0	0	100	10.58	14.87	-11.02	15.62
254.35	34.8	3095	3.96	-1.56	0	0	100	9.16	14.87	-11.02	14.69
254.43	34.8	3080	3.94	-1.56	0	0	100	10	17.22	-10.37	18.12
254.53	34.8	3180	4.75	-1.17	0	0	100	13.1	18	-9.64	22.19
254.61	34.8	3217	4.8	-1.17	0	0	100	14.92	19.95	-8.85	26.88
254.71	34.8	3099	5.95	-1.17	0	0	100	18.56	19.56	-8.27	30.31
254.81	34.8	3169	6.09	-1.17	0	0	100	19.36	19.56	-8.05	30.62
254.91	34.8	3113	5.98	-1.17	0	0	100	17.24	16.43	-9.43	25
255.03	34.8	3138	5.36	-1.17	0	0	100	13.78	16.43	-10.01	20.94
255.13	34.8	3143	4.69	-1.17	-0.39	0	100	11.24	14.87	-10.8	16.25
255.23	34.8	3110	3.98	-1.56	-0.78	0	100	9.08	14.87	-11.02	14.38
255.31	34.8	3103	3.97	-1.56	-1.56	0	100	8.64	14.87	-11.02	13.75
255.41	34.8	3130	4.01	-1.56	-2.34	0	100	8.44	14.87	-11.02	13.75
255.49	34.8	3097	3.96	-1.56	-2.73	0	100	8.3	14.87	-11.17	13.44
255.59	34.8	3034	3.88	-1.56	-3.51	0	100	8.02	14.48	-11.17	13.44
255.69	34.8	3013	3.86	-1.56	0	0	100	7.92	14.87	-11.17	13.12
255.79	34.8	2995	3.83	-1.56	0	0	100	7.8	14.48	-11.17	13.12
255.91	34.8	2950	3.78	-1.56	0	0	100	7.6	14.48	-11.17	12.81
255.99	34.8	2867	3.67	-1.56	0	0	100	7.3	14.48	-11.39	12.81
256.09	34.8	2802	3.59	-1.56	0	0	100	6.96	14.09	-11.39	12.5
256.21	31.07	2755	3.53	-1.56	0	0	100	6.82	14.09	-11.39	12.5
256.29	31.07	2680	3.43	-1.56	0	0	100	6.68	13.69	-11.39	12.5
256.39	31.07	2618	3.35	-1.56	0	0	100	6.38	13.69	-11.39	12.19
256.51	31.07	2571	3.29	-1.56	0	0	100	6.14	13.69	-11.39	11.88
256.59	31.07	2533	3.24	-1.56	0	0	100	6	13.69	-11.39	12.19
256.69	31.07	2484	3.18	-1.56	0	0	100	5.98	13.69	-11.39	12.19
256.81	31.07	2449	3.13	-1.56	0	0	100	5.84	13.3	-11.39	12.19
256.89	26.1	2401	3.07	-1.56	0	0	100	5.8	13.3	-11.39	12.19
256.99	26.1	2375	3.04	-1.56	0	0	100	5.74	13.3	-11.39	12.19
257.07	26.1	2343	3	-1.56	0	0	100	5.7	13.3	-11.39	12.19
257.17	26.1	2289	2.93	-1.56	0	0	100	5.56	13.3	-11.39	12.19
257.25	26.1	2256	2.89	-1.56	0	0	100	5.42	12.91	-11.39	12.19
257.35	26.1	2220	2.84	-1.56	0	0	100	5.28	12.91	-11.39	12.19
257.47	26.1	2187	2.8	-1.56	0	0	100	5.28	12.91	-11.39	12.19
257.57	23.61	2155	2.76	-1.56	0	0	100	5.2	12.91	-11.39	12.19
257.69	23.61	2103	2.69	-1.56	0	0	100	5.04	12.52	-11.39	11.88
257.79	23.61	2057	2.63	-1.56	0	0	100	4.82	12.52	-11.6	11.88
257.91	23.61	1999	2.56	-1.56	0	0	100	4.7	12.52	-11.39	11.88
258.01	23.61	1952	2.5	-1.56	0	0	100	4.6	12.52	-11.39	11.88

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
258.11	23.61	1918	2.46	-1.56	0	0	100	4.52	12.13	-11.39	11.88
258.21	23.61	1880	2.41	-1.56	0	0	100	4.32	12.13	-11.39	11.56
258.29	19.88	1839	1.96	-1.56	0	0	100	4.22	12.13	-11.39	11.56
258.39	19.88	1800	1.92	-1.56	0	0	100	4.18	12.13	-11.39	11.88
258.49	19.88	1783	2.28	-1.56	0	0	100	4.14	12.13	-11.39	11.88
258.59	19.88	1746	2.23	-1.56	0	0	100	4.12	12.13	-11.39	11.88
258.69	19.88	1710	1.82	-1.56	0	0	100	4.1	12.13	-11.17	12.19
258.77	19.88	1687	2.16	-1.56	0	0	100	4.14	12.13	-11.17	12.5
258.87	19.88	1662	2.13	-1.56	0	0	100	4.08	12.13	-11.17	12.5
258.97	17.4	1631	2.09	-1.56	0	0	100	4.06	12.13	-11.17	12.5
259.07	17.4	1602	2.05	-1.56	0	0	100	3.98	11.74	-11.17	12.5
259.17	17.4	1583	2.03	-1.56	0	0	100	3.86	11.74	-11.17	12.5
259.27	17.4	1533	1.96	-1.56	0	0	100	3.74	11.74	-11.17	12.5
259.37	17.4	1470	1.88	-1.56	0	0	100	3.64	11.74	-11.02	12.5
259.47	17.4	1435	1.84	-1.56	0	0	100	3.56	11.74	-11.17	12.81
259.55	17.4	1379	1.77	-1.56	0	0	100	3.5	11.74	-11.02	13.12
259.65	16.16	1348	1.73	-1.56	0	0	100	3.48	11.74	-11.02	13.44
259.75	16.16	1293	1.66	-1.56	0	0	100	3.54	11.74	-10.8	14.06
259.83	16.16	1261	1.61	-1.56	0	0	100	3.56	11.74	-10.8	14.69
259.93	16.16	1225	1.57	-1.56	0	0	100	3.6	11.74	-10.59	15
260.03	16.16	1209	1.55	-1.56	0	0	100	3.84	12.91	-10.22	17.19
260.13	16.16	1201	1.79	-1.56	-0.39	0	100	4.5	13.3	-9.79	20
260.21	16.16	1251	2.14	-1.56	-0.39	0	100	5.4	14.09	-9.43	22.5
260.31	16.16	1384	2.36	-1.56	-0.78	0	100	6.8	14.48	-9.06	23.44
260.41	16.16	1574	2.69	-1.56	-1.17	0	100	7.78	14.48	-9.06	23.12
260.51	16.16	1788	2.67	-1.56	-1.56	0	100	8.6	14.87	-9.43	22.19
260.59	16.16	2048	3.06	-1.56	-1.95	0	100	9.1	15.26	-9.64	21.88
260.69	16.16	2097	3.13	-1.56	-2.34	0	100	8.82	15.26	-9.64	21.88
260.81	16.16	1924	2.87	-1.56	-3.12	0	100	8.52	15.26	-9.43	22.5
260.91	16.16	1948	3.32	-1.56	-3.51	0	100	9.76	16.04	-9.06	25.31
261.03	16.16	2022	3.45	-1.56	-3.9	0	100	10.12	16.04	-8.85	26.25
261.13	16.16	1921	3.28	-1.56	-4.29	0	100	10.28	16.04	-8.63	26.56
261.25	16.16	1995	3.4	-1.56	-5.07	0	100	10.56	16.04	-8.63	26.25
261.35	16.16	1979	3.38	-1.56	-5.46	0	100	10.36	16.04	-8.63	27.19
261.47	16.16	1964	3.35	-1.56	-6.24	0	100	10.92	16.43	-8.48	27.81
261.57	16.16	2009	3.43	-1.56	-6.63	0	100	11.44	16.82	-7.9	29.69
261.67	16.16	1970	3.36	-1.56	-7.02	0	100	11.96	16.82	-7.9	30.31
261.77	16.16	2020	3.45	-1.56	-7.41	0	100	12.04	16.82	-7.9	30.31
261.87	16.16	1984	3.81	-1.56	-7.02	0	100	12.04	16.82	-7.9	30.31

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
261.95	16.16	2022	3.88	-1.17	-6.24	0	100	12.26	16.82	-8.05	30.31
262.05	16.16	2020	3.88	-1.17	-5.46	0	100	12.12	16.82	-7.9	30.31
262.15	16.16	2012	3.86	-1.17	-4.68	0	100	12.28	16.82	-7.9	30
262.25	16.16	2053	3.94	-1.17	-3.9	0	100	12.26	16.82	-8.05	29.69
262.33	16.16	2029	3.9	-1.17	-3.12	0	100	11.92	16.43	-8.05	29.38
262.43	16.16	2051	3.94	-1.17	-2.34	0	100	11.92	16.43	-8.27	28.75
262.53	16.16	2068	3.53	-1.17	-2.73	0	100	11.6	16.43	-8.27	28.12
262.63	16.16	2049	3.5	-1.17	-3.12	0	100	11.44	16.04	-8.48	27.19
262.71	16.16	2082	3.55	-1.17	-3.9	0	100	10.96	14.87	-9.06	24.69
262.81	16.16	2074	3.1	-1.56	-4.29	0	100	9.22	13.69	-10.01	21.25
262.89	16.16	2051	2.63	-1.56	-4.68	0	100	8.1	13.69	-10.37	19.06
262.99	16.16	2057	2.63	-1.56	-5.07	0	100	7.42	13.69	-10.59	17.5
263.09	16.16	2062	2.64	-1.56	-5.46	0	100	6.92	13.69	-10.8	16.56
263.19	16.16	2063	2.64	-1.56	-5.85	0	100	6.7	13.69	-10.8	15.94
263.27	16.16	2058	2.63	-1.56	-6.63	0	100	6.5	13.69	-10.8	15.94
263.37	16.16	2044	2.62	-1.56	-7.02	0	100	6.36	13.69	-10.8	15.62
263.49	16.16	2039	2.61	-1.56	-7.41	0	100	6.32	13.69	-10.8	15.62
263.57	16.16	2024	2.59	-1.56	-8.19	0	100	6.24	13.69	-10.8	15.62
263.67	16.16	2020	2.59	-1.56	-8.58	0	100	6.24	13.69	-10.8	15.31
263.77	16.16	2037	2.61	-1.56	-8.97	0	100	6.26	13.69	-10.8	15.31
263.85	16.16	2028	2.6	-1.56	-9.36	0	100	6.18	13.69	-10.8	15.31
263.95	16.16	2007	2.57	-1.56	-9.75	0	100	6	13.3	-11.02	15
264.03	16.16	2000	2.56	-1.56	-10.53	0	100	5.84	13.3	-11.02	14.38
264.13	16.16	2000	2.13	-1.56	-10.53	0	100	5.7	13.3	-11.17	14.06
264.21	16.16	2002	2.14	-1.56	-11.31	0	100	5.56	13.3	-11.02	14.06
264.31	16.16	1958	2.09	-1.56	-10.53	0	100	5.5	13.3	-11.17	14.06
264.41	16.16	1962	2.09	-1.56	-9.75	0	100	5.5	13.3	-11.02	14.38
264.49	16.16	1978	2.53	-1.56	-8.97	0	100	5.72	13.69	-11.02	14.69
264.59	16.16	1978	2.53	-1.56	-8.19	0	100	5.96	14.09	-10.8	15.94
264.69	16.16	1947	2.49	-1.56	-7.41	0	100	6.84	15.26	-10.01	19.69
264.77	16.16	1966	2.94	-1.56	-6.63	0	100	8.38	16.04	-9.64	22.5
264.87	16.16	2020	3.45	-1.56	-5.85	0	100	9.76	16.43	-9.06	25
264.95	16.16	1976	3.37	-1.56	-5.07	0	100	10.16	16.43	-8.63	27.5
265.05	16.16	1912	3.67	-1.56	-4.29	0	100	10.92	16.43	-8.27	28.44
265.13	16.16	2010	3.86	-1.56	-5.07	0	100	11.94	17.61	-7.69	31.25
265.23	16.16	1992	3.83	-1.17	-5.46	0	100	12.82	17.61	-7.25	33.44
265.31	16.16	1951	3.75	-1.17	-5.85	0	100	13.24	17.61	-7.11	33.75
265.41	16.16	2019	3.88	-1.17	-6.24	0	100	13.52	17.22	-7.25	33.75
265.49	16.16	2001	3.84	-1.17	-6.63	0	100	13.24	16.82	-7.25	33.12

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
265.59	16.16	2005	3.85	-1.17	-7.02	0	100	13.02	16.43	-7.69	31.56
265.67	16.16	2041	3.48	-1.17	-7.41	0	100	12.22	14.48	-8.63	27.81
265.77	16.16	2018	3.01	-1.56	-6.63	0	100	9.76	13.69	-9.79	22.5
265.87	16.16	2025	2.59	-1.56	-5.85	0	100	8.26	13.69	-10.22	19.69
265.95	16.16	2034	2.6	-1.56	-5.07	0	100	7.56	13.69	-10.59	18.12
266.05	16.16	2032	2.6	-1.56	-5.07	0	100	7	13.69	-10.59	17.19
266.13	16.16	2026	2.59	-1.56	-5.85	0	100	6.72	13.69	-10.8	16.56
266.23	16.16	2020	2.59	-1.56	-6.24	0	100	6.52	13.69	-10.8	15.94
266.31	16.16	2020	2.59	-1.56	-6.63	0	100	6.38	13.69	-10.8	15.62
266.41	16.16	2020	2.59	-1.56	-7.02	0	100	6.26	13.69	-10.8	15.62
266.49	16.16	2019	2.58	-1.56	-7.41	0	100	6.2	13.69	-10.8	15.31
266.59	16.16	2007	2.57	-1.56	-7.8	0	100	6.14	13.69	-10.8	15.31
266.69	16.16	1994	2.55	-1.56	-8.19	0	100	6.04	13.69	-10.8	15.31
266.77	16.16	1963	2.51	-1.56	-8.97	0	100	6.06	13.69	-10.8	15.31
266.87	16.16	1985	2.54	-1.56	-9.36	0	100	6.12	13.69	-10.8	15.31
266.95	16.16	2000	2.56	-1.56	-9.75	0	100	6.04	13.3	-10.8	15
267.05	16.16	1987	2.54	-1.56	-10.14	0	100	5.88	12.91	-11.02	14.69
267.15	16.16	1983	2.12	-1.56	-10.53	0	100	5.72	13.3	-11.17	14.38
267.23	16.16	1970	2.1	-1.56	-10.92	0	100	5.52	12.13	-11.17	13.44
267.33	16.16	1958	2.09	-1.56	0	0	100	5.08	12.13	-11.39	12.81
267.41	16.16	1952	2.5	-1.56	0	0	100	4.88	12.13	-11.39	12.19
267.51	16.16	1946	2.49	-1.56	0	0	100	4.66	12.13	-11.39	11.88
267.59	16.16	1938	2.48	-1.56	0	0	100	4.6	12.13	-11.39	11.88
267.69	16.16	1934	2.06	-1.56	0	0	100	4.54	12.13	-11.39	11.88
267.79	16.16	1918	2.46	-1.56	0	0	100	4.54	12.13	-11.39	11.88
267.87	16.16	1917	2.45	-1.56	0	0	100	4.54	12.13	-11.39	11.88
267.97	16.16	1909	2.04	-1.56	0	0	100	4.56	12.13	-11.39	11.88
268.07	16.16	1899	2.43	-1.56	0	0	100	4.48	12.13	-11.6	11.88
268.15	14.91	1881	2.41	-1.56	0	0	100	4.44	12.13	-11.39	11.88
268.25	14.91	1884	2.01	-1.56	0	0	100	4.42	12.13	-11.6	11.88
268.35	14.91	1876	2	-1.56	0	0	100	4.36	12.13	-11.39	11.88
268.43	14.91	1861	2.38	-1.56	0	0	100	4.44	12.52	-11.39	12.19
268.53	14.91	1855	2.37	-1.56	0	0	100	4.58	12.52	-11.39	12.5
268.63	14.91	1843	2.36	-1.56	0	0	100	4.6	12.13	-11.17	12.5
268.73	14.91	1818	2.33	-1.56	0	0	100	4.58	12.13	-11.17	12.81
268.81	14.91	1814	2.32	-1.56	0	0	100	4.56	12.13	-11.39	12.81
268.91	14.91	1788	2.29	-1.56	0	0	100	4.54	12.13	-11.17	12.81
269.01	14.91	1775	2.27	-1.56	0	0	100	4.42	12.13	-11.39	12.5
269.11	14.91	1753	2.24	-1.56	0	0	100	4.28	12.13	-11.17	12.5

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
269.21	14.91	1731	2.22	-1.56	0	0	100	4.28	12.13	-11.17	12.5
269.29	14.91	1718	2.2	-1.56	0	0	100	4.24	12.13	-11.17	12.5
269.37	14.91	1701	2.18	-1.56	0	0	100	4.18	12.13	-11.17	12.5
269.47	14.91	1672	2.14	-1.56	0	0	100	4.1	11.74	-11.39	12.19
269.57	13.67	1645	2.11	-1.56	0	0	100	3.98	11.74	-11.39	12.19
269.65	13.67	1634	2.09	-1.56	0	0	100	3.96	11.74	-11.39	12.19
269.75	13.67	1611	2.06	-1.56	0	0	100	3.86	11.74	-11.39	12.19
269.83	13.67	1575	2.02	-1.56	0	0	100	3.8	11.74	-11.17	12.19
269.93	13.67	1558	1.99	-1.56	0	0	100	3.76	11.74	-11.17	12.19
270.01	13.67	1536	1.97	-1.56	0	0	100	3.78	11.74	-11.17	12.5
270.11	13.67	1525	1.95	-1.56	0	0	100	3.8	11.74	-11.17	12.5
270.19	13.67	1516	1.94	-1.56	0	0	100	3.8	11.74	-11.17	12.5
270.29	12.43	1502	1.92	-1.56	0	0	100	3.76	11.74	-11.17	12.81
270.37	12.43	1483	1.9	-1.56	0	0	100	3.78	11.74	-11.02	12.81
270.47	12.43	1483	1.9	-1.56	0	0	100	3.72	11.74	-11.17	12.5
270.57	12.43	1478	1.89	-1.56	0	0	100	3.7	11.74	-11.17	12.5
270.65	12.43	1476	1.89	-1.56	0	0	100	3.66	11.74	-11.17	12.5
270.75	12.43	1449	1.85	-1.56	0	0	100	3.62	11.74	-11.17	12.5
270.83	12.43	1450	1.86	-1.56	0	0	100	3.66	11.74	-11.02	12.81
270.93	12.43	1440	1.84	-1.56	0	0	100	3.7	11.35	-11.17	12.81
271.01	11.18	1440	1.84	-1.56	0	0	100	3.64	11.35	-11.17	12.81
271.11	11.18	1426	1.52	-1.56	0	0	100	3.52	11.35	-11.17	12.5
271.19	11.18	1418	1.51	-1.56	0	0	100	3.52	11.35	-11.17	12.5
271.29	11.18	1419	1.82	-1.56	0	0	100	3.5	11.35	-11.17	12.5
271.37	11.18	1404	1.8	-1.56	0	0	100	3.48	11.35	-11.17	12.5
271.47	11.18	1382	1.77	-1.56	0	0	100	3.48	11.74	-11.02	12.81
271.55	11.18	1389	1.78	-1.56	0	0	100	3.58	11.74	-11.02	13.12
271.65	11.18	1382	1.77	-1.56	0	0	100	3.56	11.74	-11.02	13.12
271.73	11.18	1350	1.73	-1.56	0	0	100	3.56	11.74	-11.02	13.44
271.83	11.18	1353	1.73	-1.56	0	0	100	3.64	11.74	-11.02	13.44
271.91	11.18	1363	1.74	-1.56	0	0	100	3.64	11.74	-11.02	13.44
272.01	11.18	1335	1.71	-1.56	0	0	100	3.56	11.74	-11.02	13.75
272.09	11.18	1323	1.69	-1.56	0	0	100	3.7	12.13	-10.8	14.69
272.19	11.18	1342	2.01	-1.56	0	0	100	4.12	12.52	-10.59	15.94
272.27	11.18	1333	1.71	-1.56	0	0	100	4.34	12.52	-10.37	16.88
272.37	9.94	1324	1.69	-1.56	-0.39	0	100	4.54	12.52	-10.22	17.5
272.47	9.94	1319	1.69	-1.56	-0.78	0	100	4.74	12.91	-10.01	18.44
272.91	9.94	1320	1.97	-1.56	-1.17	0	100	5.08	13.3	-9.79	20
272.91	9.94	1342	2	-1.56	-1.56	0	100	5.4	13.3	-9.64	20.62

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
272.92	9.94	1273	1.9	-1.56	-1.95	0	100	5.28	12.91	-9.64	20.94
272.98	9.94	1281	1.91	-1.56	-2.34	0	100	5.42	13.3	-9.43	21.56
273.06	9.94	1316	1.97	-1.56	-2.73	0	100	5.76	13.69	-9.21	21.56
273.16	9.94	1349	2.01	-1.56	-2.73	0	100	5.82	13.69	-9.21	21.88
273.24	9.94	1308	1.95	-1.56	-3.12	0	100	5.6	13.3	-9.06	22.5
273.34	9.94	1275	1.91	-1.56	-3.12	0	100	5.8	13.69	-9.06	22.5
273.42	9.94	1313	1.96	-1.56	-3.51	0	100	6.04	13.69	-9.06	22.5
273.52	9.94	1349	2.02	-1.56	-3.9	0	100	5.94	13.69	-9.06	22.5
273.6	9.94	1297	1.94	-1.56	-4.29	0	100	5.72	13.69	-9.06	22.5
273.7	9.94	1289	1.93	-1.56	-4.29	0	100	5.88	13.69	-9.06	22.81
273.78	9.94	1323	1.98	-1.56	-4.68	0	100	6.04	13.69	-9.06	22.81
273.88	9.94	1343	2.01	-1.56	-5.07	0	100	6.04	13.69	-9.06	22.81
273.96	9.94	1310	1.96	-1.56	-5.07	0	100	5.88	13.69	-9.06	22.81
274.06	9.94	1304	1.95	-1.56	-5.46	0	100	5.96	13.69	-9.06	22.81
274.16	9.94	1332	1.99	-1.56	-5.85	0	100	6.04	13.69	-9.06	22.5
274.24	9.94	1346	2.01	-1.56	-6.24	0	100	6.04	13.69	-9.06	22.81
274.34	9.94	1323	1.98	-1.56	-6.24	0	100	6	13.69	-9.06	22.81
274.42	9.94	1327	1.98	-1.56	-6.63	0	100	6.02	13.69	-9.06	22.81
274.52	9.94	1338	2	-1.56	-7.02	0	100	6.04	13.69	-9.06	22.81
274.6	9.94	1339	2	-1.56	-7.41	0	100	6.04	13.69	-9.06	22.5
274.7	9.94	1332	1.99	-1.56	-7.41	0	100	6.02	13.69	-9.06	22.5
274.78	9.94	1337	2	-1.56	-7.8	0	100	6.04	13.69	-9.06	22.81
274.88	9.94	1343	2.01	-1.56	-8.19	0	100	6.08	13.69	-9.06	22.81
274.96	9.94	1339	2	-1.56	-8.58	0	100	6.2	14.09	-8.85	23.44
275.06	9.94	1337	2	-1.56	-8.58	0	100	6.44	14.09	-8.85	24.06
275.14	9.94	1350	2.02	-1.56	-8.97	0	100	6.56	14.09	-8.63	24.38
275.24	9.94	1353	2.02	-1.56	-9.36	0	100	6.46	14.09	-8.63	24.38
275.32	9.94	1330	1.99	-1.56	-9.75	0	100	6.52	14.09	-8.63	24.38
275.42	9.94	1344	2.01	-1.56	-9.75	0	100	6.68	14.48	-8.48	25
275.5	9.94	1360	2.32	-1.56	-9.75	0	100	6.94	14.87	-8.48	26.25
275.6	9.94	1361	2.32	-1.56	-9.36	0	100	7.28	14.48	-8.27	27.5
275.68	9.94	1354	2.31	-1.56	-8.97	0	100	7.52	14.87	-8.05	28.12
275.78	9.94	1370	2.63	-1.56	-8.58	0	100	7.74	14.87	-7.9	28.75
275.86	9.94	1376	2.35	-1.56	-7.8	0	100	7.94	14.87	-7.9	29.38
275.96	11.18	1379	2.35	-1.56	-7.41	0	100	8	14.87	-7.9	29.06
276.04	11.18	1389	2.37	-1.56	-7.02	0	100	8.06	14.87	-7.9	29.06
276.14	11.18	1391	2.37	-1.56	-6.63	0	100	8.04	14.87	-7.69	29.06
276.22	11.18	1399	2.39	-1.56	-5.85	0	100	8.08	14.87	-7.9	28.75
276.32	11.18	1408	2.4	-1.56	-5.46	0	100	8.1	14.87	-7.9	28.75

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
276.4	11.18	1410	2.41	-1.56	-5.07	0	100	8.1	14.87	-7.9	28.75
276.5	11.18	1423	2.43	-1.56	-4.29	0	100	8.12	14.87	-7.9	28.44
276.58	11.18	1428	2.44	-1.56	-3.9	0	100	8.04	14.87	-7.9	28.12
276.68	11.18	1436	2.45	-1.56	-3.12	0	100	8.02	14.87	-8.05	27.81
276.76	11.18	1447	2.47	-1.56	-3.12	0	100	7.96	14.87	-8.05	27.5
276.86	11.18	1453	2.48	-1.56	-3.12	0	100	7.82	14.87	-8.05	27.19
276.94	11.18	1455	2.48	-1.56	-3.51	0	100	7.9	14.87	-8.27	27.19
277.04	11.18	1471	2.51	-1.56	-3.9	0	100	7.9	14.87	-8.05	26.88
277.12	11.18	1472	2.51	-1.56	-4.29	0	100	7.84	14.48	-8.27	26.56
277.22	11.18	1473	2.51	-1.56	-4.68	0	100	7.78	14.87	-8.27	26.25
277.3	11.18	1487	2.54	-1.56	-5.07	0	100	7.74	14.48	-8.27	25.94
277.4	11.18	1481	2.53	-1.56	-5.46	0	100	7.7	14.87	-8.48	25.94
277.48	11.18	1493	2.55	-1.56	-5.46	0	100	7.72	14.48	-8.48	25.62
277.58	11.18	1505	2.57	-1.56	-5.85	0	100	7.64	14.48	-8.48	25.31
277.66	11.18	1495	2.23	-1.56	-6.24	0	100	7.52	14.48	-8.48	25
277.76	11.18	1515	2.59	-1.56	-5.85	0	100	7.56	14.48	-8.63	24.69
277.84	11.18	1531	2.29	-1.56	-5.07	0	100	7.3	13.69	-9.06	23.12
277.94	11.18	1512	2.26	-1.56	-4.68	0	100	6.64	12.13	-9.43	20.62
278.02	12.43	1512	1.94	-1.56	-4.29	0	100	5.56	11.35	-10.22	17.19
278.12	12.43	1507	1.61	-1.56	-3.51	0	100	4.82	11.35	-10.59	15.31
278.2	12.43	1488	1.59	-1.56	-3.12	0	100	4.24	11.35	-11.02	14.06
278.3	12.43	1464	1.56	-1.56	-2.73	0	100	3.98	11.74	-11.02	13.44
278.38	12.43	1484	1.58	-1.56	0	0	100	3.96	11.74	-11.17	12.81
278.48	12.43	1519	1.94	-1.56	0	0	100	3.8	11.35	-11.02	12.5
278.56	12.43	1468	1.88	-1.56	0	0	100	3.68	11.35	-11.02	12.5
278.66	12.43	1525	1.95	-1.56	0	0	100	3.72	11.35	-11.17	12.19
278.74	11.18	1458	1.56	-1.56	0	0	100	3.5	11.35	-11.17	12.19
278.84	11.18	1461	1.56	-1.56	0	0	100	3.6	11.35	-11.17	11.88
278.92	11.18	1483	1.58	-1.56	0	0	100	3.48	11.35	-11.17	11.88
279.02	11.18	1438	1.84	-1.56	0	0	100	3.48	11.35	-11.17	12.19
279.12	11.18	1430	1.53	-1.56	0	0	100	3.5	11.35	-11.17	12.19
279.2	11.18	1460	1.56	-1.56	0	0	100	3.52	11.35	-11.17	12.19
279.3	11.18	1428	1.52	-1.56	0	0	100	3.46	11.35	-11.17	12.19
279.38	11.18	1407	1.5	-1.56	0	0	100	3.48	11.35	-11.17	12.19
279.48	11.18	1427	1.52	-1.56	0	0	100	3.5	11.35	-11.17	12.5
279.56	11.18	1421	1.52	-1.56	0	0	100	3.5	11.74	-11.17	12.5
279.66	11.18	1393	1.78	-1.56	0	0	100	3.54	11.74	-11.17	12.81
279.74	11.18	1404	1.8	-1.56	0	0	100	3.56	11.35	-11.02	12.81
279.84	11.18	1390	1.78	-1.56	0	0	100	3.56	11.74	-11.02	12.81

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
279.95	11.18	1381	1.77	-1.56	0	0	100	3.6	11.74	-11.02	13.12
280.05	11.18	1373	1.76	-1.56	0	0	100	3.64	11.74	-11.02	13.44
280.14	11.18	1363	1.75	-1.56	0	0	100	3.7	11.74	-11.02	13.75
280.24	11.18	1370	1.75	-1.56	0	0	100	3.72	11.74	-10.8	13.75
280.32	11.18	1349	1.73	-1.56	0	0	100	3.68	11.74	-10.8	13.75
280.42	11.18	1348	1.73	-1.56	0	0	100	3.72	11.74	-10.8	13.75
280.5	11.18	1347	1.72	-1.56	0	0	100	3.68	11.74	-10.8	13.75
280.6	11.18	1341	1.72	-1.56	0	0	100	3.64	11.74	-10.8	13.75
280.68	11.18	1329	1.7	-1.56	0	0	100	3.62	11.74	-10.8	13.75
280.78	11.18	1327	1.7	-1.56	0	0	100	3.62	11.74	-10.8	13.75
280.86	9.94	1326	1.7	-1.56	0	0	100	3.62	11.74	-10.8	13.75
280.96	9.94	1317	1.69	-1.56	0	0	100	3.58	11.35	-10.8	13.75
281.08	9.94	1312	1.68	-1.56	0	0	100	3.54	11.35	-11.02	13.44
281.18	9.94	1300	1.66	-1.56	0	0	100	3.48	11.35	-11.02	13.44
281.3	9.94	1300	1.66	-1.56	0	0	100	3.44	11.35	-10.8	13.44
281.4	9.94	1280	1.64	-1.56	0	0	100	3.46	11.35	-10.8	13.44
281.52	9.94	1288	1.65	-1.56	0	0	100	3.48	11.74	-11.02	13.75
281.62	9.94	1269	1.62	-1.56	0	0	100	3.52	11.74	-10.8	14.06
281.74	9.94	1272	1.63	-1.56	0	0	100	3.54	11.74	-10.8	14.06
281.84	9.94	1269	1.62	-1.56	0	0	100	3.54	11.74	-10.8	14.06
281.96	9.94	1255	1.61	-1.56	0	0	100	3.54	11.74	-10.8	14.38
282.06	9.94	1249	1.6	-1.56	0	0	100	3.66	11.74	-10.59	14.69
282.18	9.94	1258	1.61	-1.56	0	0	100	3.68	11.74	-10.59	14.69
282.28	9.94	1239	1.59	-1.56	0	0	100	3.68	11.74	-10.59	15
282.4	9.94	1239	1.59	-1.56	0	0	100	3.7	11.74	-10.59	15
282.5	9.94	1229	1.57	-1.56	0	0	100	3.66	11.74	-10.59	15
282.62	9.94	1228	1.57	-1.56	0	0	100	3.62	11.74	-10.59	14.69
282.72	9.94	1227	1.57	-1.56	0	0	100	3.66	12.13	-10.37	15.31
282.84	9.94	1209	1.81	-1.56	0	0	100	4.06	12.91	-10.22	17.81
282.94	9.94	1226	1.83	-1.56	-0.39	0	100	4.8	13.3	-9.79	20.31
283.06	9.94	1235	2.11	-1.56	-0.78	0	100	5.34	13.69	-9.43	22.19
283.16	9.94	1263	2.16	-1.56	-0.78	0	100	5.84	14.09	-8.85	24.06
283.28	9.94	1209	2.06	-1.56	-1.17	0	100	6.02	14.09	-8.63	25.94
283.38	9.94	1217	2.34	-1.56	-1.17	0	100	6.86	14.48	-8.05	27.81
283.5	9.94	1268	2.44	-1.56	-1.56	0	100	7.18	14.87	-7.9	29.69
283.6	9.94	1210	2.32	-1.56	-1.95	0	100	7.4	14.48	-7.69	30
283.72	9.94	1279	2.46	-1.56	-1.95	0	100	7.76	14.87	-7.69	30.94
283.82	9.94	1252	2.4	-1.56	-2.34	0	100	7.74	14.87	-7.47	31.25
283.94	9.94	1283	2.46	-1.56	-2.73	0	100	8.22	15.26	-7.11	32.19

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
284.04	9.94	1287	2.75	-1.56	-2.73	0	100	8.5	15.26	-7.11	33.44
284.14	9.94	1296	2.77	-1.56	-3.12	0	100	8.82	15.65	-6.89	33.75
284.24	9.94	1323	2.54	-1.56	-3.51	0	100	8.96	15.65	-6.89	34.69
284.34	9.94	1317	2.81	-1.56	-3.9	0	100	9.18	15.65	-6.67	34.69
284.42	9.94	1355	2.6	-1.56	-4.29	0	100	9.32	15.65	-6.67	34.69
284.52	9.94	1344	2.58	-1.56	-4.68	0	100	9.26	15.65	-6.67	34.38
284.62	9.94	1374	2.64	-1.56	-5.07	0	100	9.4	15.65	-6.89	34.06
284.72	9.94	1385	2.66	-1.56	-5.46	0	100	9.34	16.04	-6.67	35
284.8	9.94	1387	2.96	-1.56	-5.85	0	100	10	16.43	-6.31	37.19
284.9	9.94	1418	3.03	-1.56	-6.24	0	100	10.7	16.43	-6.31	38.12
285	9.94	1419	3.03	-1.56	-6.63	0	100	10.98	16.43	-6.09	38.75
285.1	9.94	1445	3.08	-1.56	-7.02	0	100	11.12	16.43	-6.09	38.44
285.18	11.18	1458	3.11	-1.56	-6.24	0	100	11.12	16.43	-6.31	37.81
285.28	11.18	1473	3.14	-1.56	-5.85	0	100	11.06	15.65	-6.31	36.56
285.38	11.18	1492	2.86	-1.56	-5.07	0	100	10.16	14.87	-7.11	33.44
285.48	11.18	1495	2.55	-1.56	-4.29	0	100	9.2	14.09	-8.05	29.06
285.56	11.18	1509	2.58	-1.56	-3.51	0	100	8.12	14.09	-8.63	25.94
285.66	11.18	1520	2.27	-1.56	-3.12	0	100	7.48	14.09	-8.85	24.06
285.76	11.18	1533	2.29	-1.56	-3.12	0	100	7.14	14.09	-8.85	23.12
285.86	12.43	1528	2.28	-1.56	-3.51	0	100	6.9	14.09	-9.06	22.5
285.94	12.43	1544	2.31	-1.56	-3.9	0	100	6.84	14.09	-9.21	22.19
286.04	12.43	1558	2.33	-1.56	-4.29	0	100	6.72	14.09	-9.21	21.88
286.14	12.43	1532	2.29	-1.56	-4.68	0	100	6.8	14.48	-9.21	22.5
286.24	12.43	1553	2.32	-1.56	-5.07	0	100	7	14.48	-9.21	22.5
286.32	12.43	1575	2.35	-1.56	-5.46	0	100	7.02	14.48	-9.21	22.81
286.42	12.43	1546	2.31	-1.56	-5.46	0	100	7.32	15.26	-8.85	25
286.52	12.43	1558	2.99	-1.56	-5.85	0	100	8.6	15.65	-8.27	28.12
286.62	12.43	1606	3.08	-1.56	-6.24	0	100	9.5	16.04	-7.69	30.62
286.7	12.43	1577	3.03	-1.56	-6.63	0	100	9.96	16.04	-7.47	32.19
286.8	12.43	1588	3.05	-1.56	-6.63	0	100	10.4	16.43	-7.25	32.81
286.92	12.43	1624	3.47	-1.56	-6.24	0	100	10.68	16.43	-7.11	33.75
287.02	12.43	1606	3.08	-1.56	-6.24	0	100	11.02	16.43	-6.89	34.06
287.14	12.43	1647	3.16	-1.56	-7.02	0	100	11.02	16.43	-6.89	33.75
287.24	12.43	1643	3.16	-1.56	-7.41	0	100	10.84	15.65	-7.25	32.19
287.36	13.67	1666	3.2	-1.56	-6.63	0	100	10.42	15.65	-7.69	30.62
287.46	13.67	1677	2.86	-1.56	-5.85	0	100	9.84	14.87	-8.05	28.44
287.58	13.67	1693	2.89	-1.56	-5.07	0	100	9.14	14.09	-8.63	25.94
287.68	13.67	1701	2.54	-1.56	-4.68	0	100	7.84	13.3	-9.43	21.25
287.78	13.67	1696	2.17	-1.56	-3.9	0	100	6.48	12.52	-10.22	18.75

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
287.88	13.67	1692	2.17	-1.56	-3.51	0	100	5.78	12.52	-10.37	16.56
287.98	13.67	1690	2.16	-1.56	-3.9	0	100	5.36	12.52	-10.59	15.62
288.06	13.67	1677	2.15	-1.56	-4.68	0	100	5.08	12.52	-10.8	15
288.16	13.67	1675	2.14	-1.56	-4.68	0	100	4.98	12.52	-10.8	14.69
288.26	13.67	1704	1.82	-1.56	-5.07	0	100	4.92	12.52	-11.02	14.38
288.36	13.67	1707	1.82	-1.56	-5.46	0	100	4.8	12.52	-11.02	14.06
288.44	13.67	1682	2.15	-1.56	-5.85	0	100	4.6	12.52	-11.02	13.75
288.54	13.67	1672	1.78	-1.56	-6.24	0	100	4.6	12.52	-11.02	13.75
288.64	13.67	1686	1.8	-1.56	-7.02	0	100	4.62	12.52	-11.02	13.75
288.72	13.67	1669	1.78	-1.56	-7.02	0	100	4.62	12.52	-11.02	14.06
288.82	13.67	1664	1.77	-1.56	-7.41	0	100	4.7	12.52	-10.8	14.06
288.92	13.67	1672	1.78	-1.56	-7.8	0	100	4.66	12.52	-10.8	14.06
289	13.67	1650	1.76	-1.56	-8.19	0	100	4.66	12.52	-11.02	14.06
289.1	13.67	1654	1.76	-1.56	-8.58	0	100	4.64	12.52	-11.02	14.06
289.2	13.67	1657	1.77	-1.56	-8.97	0	100	4.7	13.3	-10.8	14.69
289.3	13.67	1637	2.1	-1.56	-9.36	0	100	5.12	13.69	-10.59	16.25
289.38	12.43	1637	2.1	-1.56	-9.75	0	100	5.74	13.69	-10.22	17.81
289.48	12.43	1658	2.12	-1.56	-10.14	0	100	6.08	13.69	-10.01	18.44
289.56	12.43	1670	2.14	-1.56	-10.53	0	100	6.24	13.69	-10.01	18.75
289.66	12.43	1678	2.15	-1.56	-10.92	0	100	6.24	13.69	-10.01	18.75
289.76	12.43	1631	2.09	-1.56	-10.14	0	100	6.08	13.69	-10.01	19.06
289.84	12.43	1604	2.05	-1.56	-9.75	0	100	6.32	14.48	-9.79	20.31
289.94	12.43	1626	2.43	-1.56	-8.97	0	100	6.84	14.48	-9.64	21.25
290.02	12.43	1663	2.48	-1.56	-8.58	0	100	7.22	14.87	-9.43	22.19
290.12	12.43	1692	2.53	-1.56	-7.8	0	100	7.7	15.26	-9.06	24.06
290.2	12.43	1641	2.8	-1.56	-7.41	0	100	8.22	15.65	-8.63	26.25
290.3	12.43	1644	3.16	-1.56	-6.63	0	100	9.58	16.43	-7.9	29.69
290.38	12.43	1696	3.26	-1.56	-6.24	0	100	10.48	16.82	-7.47	32.19
290.48	12.43	1663	3.55	-1.56	-5.46	0	100	11.26	16.82	-6.89	34.69
290.56	12.43	1696	3.62	-1.56	-5.85	0	100	12.18	17.22	-6.67	36.25
290.66	12.43	1721	3.67	-1.17	-6.24	0	100	12.48	17.22	-6.53	37.19
290.74	12.43	1699	3.63	-1.17	-6.63	0	100	12.8	17.22	-6.53	37.19
290.84	13.67	1747	3.73	-1.17	-7.41	0	100	12.98	17.22	-6.31	36.88
290.92	13.67	1745	3.35	-1.17	-7.8	0	100	12.78	17.22	-6.31	36.88
291.02	13.67	1752	3.37	-1.17	-8.19	0	100	12.96	17.22	-6.53	36.88
291.1	13.67	1788	3.43	-1.17	-8.58	0	100	13.08	17.22	-6.53	36.56
291.2	13.67	1788	3.81	-1.17	-8.19	0	100	13	17.22	-6.53	36.25
291.28	13.67	1807	3.86	-1.17	-7.41	0	100	13.08	17.22	-6.67	35.94
291.38	13.67	1830	3.9	-1.17	-6.63	0	100	13.02	16.82	-6.67	35.31

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
291.46	13.67	1836	3.53	-1.17	-5.85	0	100	12.28	13.69	-7.9	31.25
291.56	14.91	1844	2.75	-1.56	-5.07	0	100	9.94	12.13	-9.43	23.44
291.64	14.91	1833	2.74	-1.56	-4.68	0	100	7.52	11.35	-10.37	19.06
291.74	14.91	1839	2.35	-1.56	-3.9	0	100	6.12	11.35	-11.17	15
291.82	14.91	1837	1.96	-1.56	-3.51	0	100	4.9	11.35	-11.6	12.81
291.92	14.91	1808	1.93	-1.56	0	0	100	4.26	11.35	-11.6	11.88
292	14.91	1821	1.94	-1.56	0	0	100	4.42	11.35	-11.75	11.88
292.1	14.91	1872	2	-1.56	0	0	100	4.44	11.35	-11.75	11.88
292.18	14.91	1824	2.34	-1.56	0	0	100	4.26	11.35	-11.75	11.88
292.28	14.91	1802	2.31	-1.56	0	0	100	4.3	11.35	-11.75	11.88
292.36	14.91	1831	2.34	-1.56	0	0	100	4.32	11.35	-11.75	11.88
292.46	14.91	1802	2.31	-1.56	0	0	100	4.22	11.35	-11.75	11.88
292.54	14.91	1787	1.91	-1.56	0	0	100	4.22	11.35	-11.75	11.88
292.64	14.91	1797	1.92	-1.56	0	0	100	4.22	11.74	-11.75	11.88
292.72	14.91	1765	0	-1.56	0	0	100	4.12	11.74	-11.6	11.88
292.82	14.91	1754	0	-1.56	0	0	100	4.12	11.74	-11.39	11.56
292.9	13.67	1758	0	-1.56	0	0	100	3.96	11.74	-11.39	11.25
293	13.67	1731	0	-1.56	0	0	100	3.84	11.74	-11.39	10.94
293.08	13.67	1722	0	-1.56	0	0	100	3.76	11.74	-11.39	10.94
293.18	13.67	1715	0	-1.56	0	0	100	3.68	11.74	-11.39	10.62
293.28	13.67	1697	0	-1.56	0	0	100	3.62	11.35	-11.39	10.62
293.36	13.67	1692	0	-1.56	0	0	100	3.56	11.35	-11.39	10.62
293.46	13.67	1674	0	-1.56	0	0	100	3.48	11.35	-11.39	10.62
293.56	13.67	1659	0	-1.56	0	0	100	3.46	11.35	-11.39	10.31
293.64	13.67	1654	0	-1.56	0	0	100	3.42	11.35	-11.39	10.31
293.74	13.67	1635	0	-1.56	0	0	100	3.36	11.35	-11.39	10.31
293.84	13.67	1622	0	-1.56	0	0	100	3.3	11.35	-11.39	10
293.92	13.67	1619	0	-1.56	0	0	100	3.26	11.35	-11.39	10
294.02	13.67	1599	0	-1.56	0	0	100	3.2	11.35	-11.39	10
294.12	13.67	1588	0	-1.56	0	0	100	3.16	11.35	-11.39	10
294.2	13.67	1584	0	-1.56	0	0	100	3.14	11.35	-11.39	10
294.3	13.67	1571	0	-1.56	0	0	100	3.1	11.35	-11.39	10
294.38	12.43	1552	0	-1.56	0	0	100	3.08	11.35	-11.39	10
294.48	12.43	1529	0	-1.56	0	0	100	3	11.35	-11.39	10.31
294.58	12.43	1437	0	-1.56	0	0	100	2.9	11.35	-11.17	10.62
294.66	12.43	1331	0	-1.56	0	0	100	2.84	11.35	-11.02	11.25
294.76	12.43	1186	0	-1.56	0	0	100	2.78	12.52	-10.8	13.75
294.86	12.43	1088	0	-1.56	0	0	100	3.28	12.91	-10.22	17.19
294.94	12.43	982	0	-1.56	0	0	100	3.62	12.52	-9.43	20.62

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
295.04	12.43	867	2.22	-1.56	0	0	100	3.74	12.13	-8.85	22.81
295.12	12.43	811	1.73	-1.56	0	0	100	3.92	11.74	-9.06	22.19
295.24	12.43	936	1.8	-1.56	0	0	100	4.3	12.52	-8.85	22.19
295.32	12.43	998	1.92	-1.56	0	0	100	5.28	14.87	-7.9	26.88
295.42	12.43	1041	2.89	-1.56	0	0	100	6.88	15.26	-7.25	32.81
295.5	12.43	1173	3.25	-1.56	0	0	100	8.46	15.65	-6.89	33.75
295.6	12.43	1412	3.61	-1.56	0	0	100	10.56	16.43	-6.89	34.38
295.68	12.43	1717	4.4	-1.17	0	0	100	12.58	17.22	-7.25	33.44
295.78	11.18	2067	4.85	-1.17	0	0	100	14.44	18	-7.47	33.44
295.88	11.18	2293	5.38	-1.17	0	0	100	15.32	18	-7.47	32.81
295.96	11.18	2301	4.91	-1.17	0	0	100	14.92	18.39	-7.47	33.44
296.06	11.18	2233	5.24	-1.17	0	0	100	15.24	18.39	-7.11	35.31
296.14	11.18	2180	4.65	-1.17	0	0	100	15.32	18.78	-6.67	36.25
296.24	11.18	2139	5.02	-1.17	0	0	100	15.86	19.17	-6.53	38.44
296.32	11.18	2208	5.18	-1.17	0	0	100	18.16	20.74	-5.73	42.5
296.42	11.18	2305	6.89	-1.17	0	0	100	23.4	26.61	-2.83	58.44
296.52	12.43	2353	8.54	-1.17	0	0	100	29.88	27	-1.81	65.62
296.6	12.43	2387	8.66	-1.17	0	0	100	32.24	28.17	-1.45	69.06
296.7	12.43	2435	9.35	-1.17	0	0	100	35.48	30.52	-1.02	74.38
296.78	12.43	2559	10.37	-1.17	0	0	100	39.38	30.91	-0.87	77.19
296.88	12.43	2645	10.72	-1.17	0	0	100	42.02	30.52	-0.65	80.62
296.96	12.43	2697	11.51	-1.17	0	0.35	100	44.16	30.52	-0.44	81.56
297.06	12.43	2801	11.95	-1.17	0	0.35	100	46.8	30.91	-0.07	83.75
297.14	16.16	2912	13.05	-1.17	0	0	100	50.2	31.69	0.29	87.5
297.24	16.16	2985	13.38	-1.17	0	0	100	55.06	33.26	0.94	92.19
297.32	16.16	3115	16.62	-1.17	0	0	100	59.7	35.21	1.67	98.44
297.42	16.16	3236	20.03	-1.17	0	0	100	66.26	36	2.47	103.12
297.5	16.16	3332	21.32	-1.17	0	0	100	70.64	35.6	3.26	107.19
297.6	16.16	3435	25.65	0	0	0	100	85.4	54.38	5.58	126.56
297.68	16.16	3658	30.44	0	0	0	100	93.94	45.39	6.6	128.75
297.78	16.16	3759	31.28	0	0	0	100	98.96	38.73	7.18	132.5
297.86	21.13	3863	33.8	0	0	0	100	105.72	35.21	7.32	135
297.96	21.13	4093	34.93	0	0	0	100	106.98	32.08	6.16	126.88
298.04	21.13	4183	31.23	0	0	0	100	98.48	28.95	4.06	106.88
298.14	21.13	4278	25.56	0	0	0	100	78.08	25.43	0.51	82.19
298.22	21.13	4378	16.81	-1.17	0	0	100	59	23.87	-2.83	60.62
298.32	21.13	4456	13.31	-1.17	0	0	100	49.36	23.87	-3.99	53.44
298.4	21.13	4537	12.58	-1.17	0	0	100	47.16	26.21	-3.41	55
298.5	21.13	4601	14.72	-1.17	0	0	100	55.72	27.39	-2.83	62.81

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
298.58	24.85	4684	16.99	-1.17	0	0	100	61.08	27.39	-2.61	66.25
298.68	24.85	4734	17.17	-1.17	0	0	100	62.74	27.39	-2.39	67.19
298.76	24.85	4768	20.34	-1.17	0	0	100	74.36	32.47	0.51	87.19
298.86	24.85	4924	29.41	0	0	0	100	95.08	34.04	2.25	99.38
298.94	24.85	5013	34.22	0	0	0	100	105	34.82	3.63	110
299.04	24.85	5063	38.89	0	0	0	100	120.24	35.6	5.37	124.38
299.14	24.85	5226	44.6	0	0	0	100	141.04	36.39	6.96	134.38
299.22	24.85	5372	41.26	0	0	0	100	112.88	24.65	0.15	78.12
299.32	29.83	5013	18.18	-1.17	0	0	100	57.04	16.82	-6.53	42.81
299.4	29.83	5040	8.6	-1.17	0	0	100	27.38	14.09	-9.79	21.25
299.5	29.83	4873	6.24	-1.17	0	0	100	14.9	12.91	-11.17	12.81
299.58	29.83	4699	5.01	-1.56	0	0	100	9.56	12.52	-11.6	10.31
299.68	29.83	4534	4.84	-1.56	0	0	100	9.22	12.13	-11.97	10.62
299.76	29.83	4342	5.56	-1.56	0	0	100	9.18	11.74	-12.18	10.94
299.86	29.83	4166	5.33	-1.56	0	0	100	9.08	10.96	-12.33	11.25
299.94	29.83	3908	0	-1.56	0	0	100	8.12	14.87	-11.75	10.62
300.04	29.83	3586	4.59	-1.56	0	0	100	6.92	15.65	-11.17	11.25
300.12	29.83	3524	4.51	-1.56	0	0	100	8.84	15.65	-11.17	12.5
300.22	29.83	3782	4.84	-1.56	0	0	100	9.38	15.65	-11.17	12.5
300.3	29.83	3759	4.81	-1.56	0	0	100	9.5	16.04	-11.02	13.12
300.4	29.83	3609	4.62	-1.56	0	0	100	10.16	16.43	-10.8	15
300.48	29.83	3580	4.58	-1.56	-0.39	0	100	11.02	16.82	-10.59	15.94
300.58	29.83	3670	4.7	-1.56	-0.78	0	100	11.98	17.22	-10.59	16.88
300.66	29.83	3712	4.75	-1.17	0	0	100	14.86	19.17	-9.64	22.19
300.76	29.83	3729	6.36	-1.17	0	0	100	18.4	19.56	-9.06	25.94
300.84	29.83	3653	6.23	-1.17	0	0	100	19.82	20.35	-8.63	28.44
300.94	29.83	3647	7.78	-1.17	0	0	100	25.94	25.43	-6.09	43.75
301.02	29.83	3755	11.22	-1.17	0	0	100	38.18	26.61	-4.35	55.62
301.12	29.83	3682	11.78	-1.17	0	0	100	42.38	26.21	-3.99	59.06
301.2	29.83	3746	11.99	-1.17	0	0	100	45.72	28.95	-2.97	65.31
301.3	29.83	3814	13.84	-1.17	0	0	100	52.8	29.34	-2.18	71.56
301.38	31.07	3774	14.49	-1.17	0	0	100	55.68	29.34	-1.6	75.31
301.48	31.07	3857	15.64	-1.17	0	0	100	58.92	25.04	-2.18	71.88
301.56	31.07	3872	12.39	-1.17	0	0	100	41.14	16.43	-7.47	39.38
301.66	31.07	3793	6.47	-1.17	0	0	100	21.3	16.04	-9.79	21.88
301.74	31.07	3844	4.92	-1.17	0	0	100	12.92	14.87	-11.02	14.38
301.84	31.07	3853	4.93	-1.56	0	0	100	9.08	14.09	-11.6	11.25
301.92	31.07	3855	4.11	-1.56	0	0	100	8.68	13.3	-11.97	11.25
302.02	31.07	3855	4.94	-1.56	0	0	100	8.64	12.91	-11.97	11.25

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
302.1	31.07	3850	4.93	-1.56	0	0	100	8.62	12.13	-12.18	11.25
302.2	31.07	3834	4.91	-1.56	0	0	100	8.6	12.13	-12.18	10.31
302.28	31.07	3820	4.08	-1.56	0	0	100	6.04	12.13	-12.33	6.88
302.38	31.07	3807	4.06	-1.56	0	0	100	4.3	11.74	-12.33	5.31
302.46	31.07	3805	4.06	-1.56	0	0	100	3.64	11.35	-12.55	4.38
302.56	31.07	3778	4.03	-1.56	0	0	100	3.32	11.35	-12.55	4.06
302.64	31.07	3772	4.02	-1.56	0	0	100	3	11.35	-12.55	4.06
302.74	31.07	3749	0	-1.56	0	0	100	4.38	14.48	-11.97	8.12
302.82	29.83	3729	0	-1.56	0	0	100	7.16	14.48	-11.6	10
302.92	29.83	3729	0	-1.56	0	0	100	7.8	14.48	-11.6	10.62
303	29.83	3707	0	-1.56	0	0	100	7.72	14.48	-11.39	10.62
303.1	29.83	3678	0	-1.56	0	0	100	7.76	14.48	-11.6	10.62
303.18	29.83	3662	0	-1.56	0	0	100	7.54	14.48	-11.6	10.31
303.28	29.83	3644	0	-1.56	0	0	100	7.62	14.48	-11.6	10.31
303.36	29.83	3614	0	-1.56	0	0	100	7.48	14.48	-11.39	10.31
303.46	29.83	3593	0	-1.56	0	0	100	7.46	14.48	-11.39	10.31
303.54	28.58	3580	0	-1.56	0	0	100	7.46	14.48	-11.6	10.31
303.64	28.58	3567	0	-1.56	0	0	100	7.28	14.09	-11.6	10.31
303.72	28.58	3542	0	-1.56	0	0	100	7.18	14.09	-11.39	10.62
303.82	28.58	3522	0	-1.56	0	0	100	7.38	14.09	-11.6	10.31
303.9	28.58	3518	0	-1.56	0	0	100	7.14	14.09	-11.6	10.31
304	28.58	3502	0	-1.56	0	0	100	7.06	14.09	-11.6	10.31
304.08	28.58	3483	0	-1.56	0	0	100	7.06	15.26	-11.39	10.94
304.18	28.58	3460	0	-1.56	0	0	100	8.8	15.26	-11.02	13.12
304.26	28.58	3449	0	-1.56	0	0	100	9.38	15.65	-10.8	14.38
304.36	28.58	3456	5.16	-1.56	0	0	100	10.78	16.82	-10.59	16.25
304.44	28.58	3467	5.18	-1.56	0	0	100	12.14	17.61	-10.22	18.75
304.54	28.58	3467	5.92	-1.17	0	0	100	13.88	17.61	-10.01	20.31
304.62	28.58	3485	5.95	-1.17	0	0	100	14.36	17.61	-9.79	20.94
304.72	28.58	3427	5.85	-1.17	0	0	100	14.22	17.61	-9.79	21.25
304.8	28.58	3392	5.79	-1.17	0	0	100	14.36	17.61	-9.79	21.25
304.9	28.58	3432	5.86	-1.17	0	0	100	14.48	17.61	-9.79	20.94
305	27.34	3460	5.17	-1.17	0	0	100	14.36	17.61	-9.79	20.94
305.1	27.34	3445	5.14	-1.17	0	0	100	14.24	17.61	-9.79	20.94
305.2	27.34	3419	5.11	-1.17	0	0	100	14.2	17.61	-9.79	20.94
305.3	27.34	3427	5.12	-1.17	0	0	100	14.26	17.61	-9.79	20.94
305.4	27.34	3429	5.12	-1.17	0	0	100	14.32	17.61	-9.79	20.94
305.51	27.34	3434	5.13	-1.17	0	0	100	14.46	17.61	-9.79	20.94
305.59	27.34	3435	5.13	-1.17	0	0	100	14.48	17.61	-9.79	20.94

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
305.69	27.34	3434	5.13	-1.17	0	0	100	14.46	18	-9.64	21.25
305.77	27.34	3427	5.85	-1.17	0	0	100	16.28	19.95	-8.85	26.88
305.87	27.34	3443	6.61	-1.17	0	0	100	21.88	21.91	-7.69	34.06
305.97	27.34	3475	7.41	-1.17	0	0	100	24.82	21.91	-7.11	37.5
306.07	27.34	3446	8.09	-1.17	0	0	100	31.06	27.39	-4.35	52.81
306.17	27.34	3524	12.03	-1.17	0	0	100	45.3	30.13	-2.39	68.44
306.29	27.34	3532	13.57	-1.17	0	0	100	51	30.13	-1.81	74.06
306.39	28.58	3569	13.71	-1.17	0	0	100	55	33.26	-0.65	80.62
306.51	28.58	3635	16.29	-1.17	0	0	100	61.8	31.69	-0.07	84.38
306.61	28.58	3665	15.64	-1.17	0	0	100	55.38	23.08	-2.97	66.56
306.73	28.58	3678	10.99	-1.17	0	0	100	33.72	18.78	-7.11	38.44
306.83	28.58	3692	7.88	-1.17	0	0	100	23.08	19.56	-7.9	29.69
306.95	28.58	3767	7.23	-1.17	0	0	100	23.32	21.52	-7.11	33.12
307.05	28.58	3755	8.01	-1.17	0	0	100	26.12	21.52	-6.89	35.31
307.17	31.07	3776	8.06	-1.17	0	0	100	26.84	23.08	-6.53	38.75
307.27	31.07	3774	8.86	-1.17	0	0	100	32.08	23.08	-5.95	42.81
307.39	31.07	3828	9.8	-1.17	0	0	100	32.48	21.91	-6.31	41.25
307.49	31.07	3816	8.96	-1.17	0	0	100	29.2	21.52	-6.89	37.81
307.61	31.07	3855	8.23	-1.17	0	0	100	30	23.48	-6.31	42.19
307.71	31.07	3857	9.88	-1.17	0	0	100	39.6	27	-3.99	57.81
307.83	31.07	3904	13.33	-1.17	0	0	100	50.6	27.78	-2.83	67.5
307.93	31.07	3928	14.25	-1.17	0	0	100	46	19.95	-6.31	45.62
308.05	31.07	3900	9.15	-1.17	0	0	100	27.86	19.95	-7.9	32.5
308.15	31.07	3970	7.62	-1.17	0	0	100	22.34	17.22	-9.21	24.38
308.27	31.07	3949	5.9	-1.17	0	0	100	13.66	14.09	-11.17	13.44
308.37	31.07	3904	4.16	-1.56	0	0	100	8.62	12.52	-12.18	11.25
308.49	32.31	3861	4.94	-1.56	0	0	100	8.98	12.91	-12.18	9.69
308.59	32.31	3998	0	-1.56	0	0	100	7.72	15.26	-11.39	10
308.71	32.31	3855	0	-1.56	0	0	100	7.76	14.87	-11.39	10
308.81	32.31	3916	5.01	-1.56	0	0	100	8.74	16.04	-11.17	12.5
308.93	32.31	3861	4.94	-1.56	0	0	100	9.9	15.65	-11.17	12.81
309.03	32.31	3886	4.97	-1.56	0	0	100	9.8	15.65	-11.17	12.81
309.15	32.31	3842	4.92	-1.56	0	0	100	10.46	16.82	-11.02	14.38
309.25	31.07	3852	5.75	-1.56	0	0	100	13.42	18.39	-10.01	20
309.35	31.07	3870	5.78	-1.17	0	0	100	16.6	18.78	-9.79	21.56
309.45	31.07	3895	5.82	-1.17	0	0	100	16.94	18.78	-9.79	22.19
309.55	31.07	3818	5.7	-1.17	0	0	100	17.18	18.78	-9.64	23.44
309.65	31.07	3812	5.69	-1.17	0	0	100	17.84	18.78	-9.64	23.44
309.75	31.07	3855	5.76	-1.17	0	0	100	17.7	18.39	-9.79	22.19

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
309.85	31.07	3874	5.79	-1.17	0	0	100	13.5	15.26	-11.02	15.62
309.97	31.07	3788	4.85	-1.56	0	0	100	8.74	13.3	-11.75	11.25
310.07	31.07	3700	4.74	-1.56	0	0	100	8.34	12.52	-12.18	11.25
310.17	31.07	3850	4.93	-1.56	0	0	100	8.66	13.3	-12.33	10
310.27	31.07	3772	0	-1.56	0	0	100	7.76	14.87	-11.6	10.94
310.35	31.07	3635	0	-1.56	0	0	100	7.64	14.48	-11.6	10.62
310.45	31.07	3588	0	-1.56	0	0	100	7.54	14.48	-11.6	10.31
310.55	31.07	3552	0	-1.56	0	0	100	7.3	14.09	-11.39	10.62
310.65	28.58	3399	0	-1.56	0	0	100	6.92	14.09	-11.39	10.31
310.73	28.58	3270	0	-1.56	0	0	100	6.68	14.09	-11.39	10.62
310.83	28.58	3155	0	-1.56	0	0	100	6.76	14.09	-11.39	10.94
310.93	28.58	3058	0	-1.56	0	0	100	6.6	14.09	-11.39	10.94
311.03	28.58	2960	0	-1.56	0	0	100	6.44	13.69	-11.39	11.25
311.11	28.58	2871	0	-1.56	0	0	100	6.24	13.69	-11.39	10.94
311.21	28.58	2764	0	-1.56	0	0	100	5.96	13.69	-11.39	10.94
311.31	22.37	2680	0	-1.56	0	0	100	5.72	13.3	-11.39	10.94
311.41	22.37	2594	0	-1.56	0	0	100	5.64	13.3	-11.39	11.25
311.49	22.37	2544	0	-1.56	0	0	100	5.56	13.3	-11.39	10.94
311.59	22.37	2477	0	-1.56	0	0	100	5.36	12.91	-11.39	11.25
311.69	22.37	2416	0	-1.56	0	0	100	5.22	12.91	-11.17	11.25
311.79	22.37	2297	0	-1.56	0	0	100	5.04	12.91	-11.17	11.25
311.87	22.37	2196	0	-1.56	0	0	100	4.84	12.52	-11.17	11.56
311.97	22.37	2072	0	-1.56	0	0	100	4.66	12.52	-11.17	11.88
312.07	18.64	1958	0	-1.56	0	0	100	4.44	12.13	-11.17	11.88
312.17	18.64	1819	0	-1.56	0	0	100	4.12	11.74	-11.17	11.25
312.27	18.64	1712	0	-1.56	0	0	100	3.64	11.35	-11.17	10.94
312.37	18.64	1575	0	-1.56	0	0	100	3.24	11.35	-11.17	10.62
312.45	18.64	1455	0	-1.56	0	0	100	3	11.35	-11.17	10.62
312.55	18.64	1348	0	-1.56	0	0	100	2.84	11.35	-11.17	11.25
312.67	18.64	1233	0	-1.56	0	0	100	2.74	11.35	-10.8	12.19
312.77	14.91	1105	0	-1.56	0	0	100	3.32	12.91	-10.01	17.81
312.89	14.91	962	2.26	-1.56	0	0	100	3.74	12.52	-9.06	21.88
312.99	14.91	842	2.16	-1.56	0	0	100	4.06	12.52	-8.48	24.38
313.11	14.91	905	1.74	-1.56	0	0	100	4.36	11.35	-9.21	21.25
313.21	14.91	1006	1.72	-1.56	0	0	100	4.16	11.74	-9.43	20
313.31	14.91	1020	1.74	-1.56	0	0	100	3.96	11.35	-9.64	19.06
313.41	14.91	1018	1.74	-1.56	0	0	100	3.8	11.35	-9.64	18.75
313.51	9.94	1008	1.72	-1.56	0	0	100	3.7	11.74	-9.64	18.12
313.59	9.94	1009	1.51	-1.56	0	0	100	3.64	11.74	-9.79	18.12

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
313.69	9.94	1004	1.5	-1.56	0	0	100	3.58	11.35	-9.79	17.81
313.79	9.94	1003	1.5	-1.56	0	0	100	3.58	11.74	-9.79	17.81
313.91	9.94	1003	1.5	-1.56	0	0	100	3.58	11.74	-10.01	17.81
314.01	9.94	1003	1.5	-1.56	0	0	100	3.58	11.74	-9.79	18.12
314.11	9.94	1004	1.5	-1.56	0	0	100	3.88	12.91	-9.43	21.25
314.19	9.94	1021	1.96	-1.56	0	0	100	4.52	13.3	-9.06	23.44
314.29	9.94	1051	2.02	-1.56	0	0	100	5.58	23.08	-4.71	27.81
314.41	9.94	1106	5.67	-1.56	0	0	100	13.14	33.65	-0.07	63.44
314.51	9.94	1396	6.56	-1.17	0	0	100	21.6	26.21	-0.87	65.94
314.63	9.94	1828	7.8	-1.17	0	0	100	26.32	28.95	-1.45	65.94
314.73	9.94	2229	9.04	-1.17	0	0	100	28.56	15.65	-5.95	48.44
314.83	8.7	2436	5.72	-1.17	0	0	100	16.08	13.69	-8.63	30
314.91	8.7	2345	3.5	-1.17	0	0	100	11.08	13.3	-10.01	21.25
315.01	8.7	2263	2.9	-1.56	0	0	100	7.84	12.91	-10.8	16.56
315.13	8.7	2165	2.77	-1.56	0	0	100	6.24	12.52	-11.17	14.06
315.23	8.7	2054	2.19	-1.56	0	0	100	5.4	12.13	-11.17	13.12
315.31	8.7	1927	2.06	-1.56	0	0	100	4.86	12.13	-11.17	13.12
315.41	8.7	1810	1.93	-1.56	0	0	100	4.56	11.74	-11.17	12.81
315.49	8.7	1722	1.84	-1.56	0	0	100	4.32	11.74	-11.17	12.5
315.59	7.46	1621	1.73	-1.56	0	0	100	3.92	11.74	-11.02	12.5
315.67	7.46	1526	1.63	-1.56	0	0	100	3.76	11.74	-11.17	12.5
315.77	7.46	1445	1.85	-1.56	0	0	100	3.56	11.74	-11.02	12.5
315.87	7.46	1406	1.8	-1.56	0	0	100	3.48	11.74	-11.02	12.81
315.97	7.46	1357	1.74	-1.56	0	0	100	3.44	11.74	-10.8	13.12
316.05	7.46	1306	1.67	-1.56	0	0	100	3.38	11.74	-10.8	13.44
316.15	7.46	1253	1.6	-1.56	0	0	100	3.32	11.74	-10.8	13.75
316.25	2.49	1210	1.55	-1.56	0	0	100	3.32	11.74	-10.59	14.06
316.35	2.49	1181	1.51	-1.56	0	0	100	3.32	11.74	-10.37	14.69
316.43	2.49	1156	1.48	-1.56	0	0	100	3.5	11.74	-10.37	15.94
316.53	2.49	1140	1.46	-1.56	0	0	100	3.58	11.74	-10.22	15.94
316.63	2.49	1133	1.45	-1.56	-0.39	0	100	3.6	11.74	-10.22	15.94
316.71	2.49	1133	1.45	-1.56	-0.39	0	100	3.62	11.74	-10.22	16.25
316.81	2.49	1121	1.44	-1.56	-0.78	0	100	3.6	11.74	-10.22	16.25
316.89	2.49	1116	1.43	-1.56	-0.78	0	100	3.62	11.74	-10.22	16.25
316.99	1.24	1113	1.42	-1.56	-1.17	0	100	3.62	11.74	-10.22	16.56
317.07	1.24	1088	1.39	-1.56	-1.17	0	100	3.6	11.74	-10.22	16.88
317.17	1.24	1093	1.4	-1.56	-1.56	0	100	3.68	11.74	-10.22	16.88
317.25	1.24	1087	1.39	-1.56	-1.56	0	100	3.66	11.74	-10.01	17.19
317.35	1.24	1083	1.39	-1.56	-1.56	0	100	3.66	11.74	-10.01	17.19

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
317.43	1.24	1062	1.36	-1.56	-1.95	0	100	3.66	11.74	-10.01	17.5
317.53	1.24	1065	1.36	-1.56	-1.95	0	100	3.72	11.74	-10.01	17.5
317.61	1.24	1060	1.36	-1.56	-2.34	0	100	3.7	11.74	-10.01	17.81
317.71	1.24	1054	1.35	-1.56	-2.34	0	100	3.68	11.74	-10.01	17.5
317.79	1.24	1052	1.35	-1.56	-2.73	0	100	3.66	11.74	-9.79	17.5
317.89	1.24	1047	1.34	-1.56	-2.73	0	100	3.64	11.74	-9.79	17.5
317.97	1.24	1031	1.32	-1.56	-3.12	0	100	3.62	11.74	-9.79	17.81
318.07	1.24	1023	1.31	-1.56	-3.12	0	100	3.62	11.74	-9.79	17.81
318.15	1.24	1023	1.31	-1.56	-3.12	0	100	3.64	11.74	-9.79	17.81
318.25	1.24	1020	1.31	-1.56	-3.51	0	100	3.6	11.35	-9.79	17.81
318.33	1.24	1010	1.29	-1.56	-3.51	0	100	3.54	11.74	-9.79	18.12
318.43	0	989	1.27	-1.56	-3.9	0	100	3.5	11.74	-9.64	18.44
318.51	0	954	1.22	-1.56	-3.9	0	100	3.48	11.74	-9.43	19.06
318.61	0	927	1.39	-1.56	-4.29	0	100	3.52	11.74	-9.43	19.38
318.69	0	899	1.34	-1.56	-4.29	0	100	3.5	11.74	-9.43	19.69
318.79	0	881	1.32	-1.56	-4.29	0	100	3.46	11.74	-9.43	20
318.87	0	856	1.28	-1.56	-4.68	0	100	3.4	11.74	-9.43	20.31
318.97	0	840	1.25	-1.56	-4.68	0	100	3.4	11.35	-9.21	20.31
319.05	0	829	1.24	-1.56	-4.68	0	100	3.32	11.35	-9.43	20.31
319.15	0	809	1.21	-1.56	-5.07	0	100	3.3	11.35	-9.21	20.31
319.25	0	801	1.2	-1.56	-5.07	0	100	3.24	11.35	-9.21	20.62
319.33	0	791	1.18	-1.56	-5.07	0	100	3.22	11.35	-9.21	20.62
319.43	0	778	1.16	-1.56	-5.46	0	100	3.14	11.35	-9.21	20.62
319.51	0	764	1.14	-1.56	-5.46	0	100	3.14	11.35	-9.21	20.94
319.61	0	750	1.12	-1.56	-5.46	0	100	3.12	11.35	-9.06	20.94
319.71	0	746	1.11	-1.56	-5.85	0	100	3.1	11.35	-9.21	20.62
319.79	0	749	1.12	-1.56	-5.85	0	100	3.08	10.96	-9.21	20.62
319.89	0	748	1.12	-1.56	-6.24	0	100	3.04	11.35	-9.06	20.31
319.99	0	739	1.1	-1.56	-6.24	0	100	3	11.35	-9.06	20.31
320.07	0	736	1.1	-1.56	-6.63	0	100	3.02	11.35	-9.21	20.62
320.17	0	739	1.1	-1.56	-6.63	0	100	3	11.35	-9.21	20.31
320.25	0	741	1.11	-1.56	-7.02	0	100	3.18	12.91	-8.63	22.81
320.35	0	770	1.32	-1.56	-7.02	0	100	3.76	12.91	-8.27	25.31
320.43	0	798	1.36	-1.56	-7.02	0	100	4.48	13.3	-7.9	27.19
320.53	0	894	1.53	-1.56	-7.41	0	100	5.24	13.3	-8.05	28.12
320.61	0	993	1.69	-1.56	-7.41	0	100	5.88	14.09	-7.9	28.75
320.71	0	1085	2.08	-1.56	-7.41	0	100	6.58	14.48	-7.47	29.69
320.79	0	1171	2.25	-1.56	-7.8	0	100	7.68	14.87	-7.47	30.94
320.89	0	1299	2.5	-1.56	-8.19	0	100	8.56	15.26	-7.25	31.56

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
320.97	0	1412	2.71	-1.56	-8.19	0	100	9.42	16.04	-7.25	32.5
321.07	0	1528	2.94	-1.56	-8.58	0	100	10.2	16.43	-7.11	33.44
321.15	0	1593	3.06	-1.56	-8.97	0	100	10.76	16.43	-7.11	33.75
321.25	0	1609	3.09	-1.56	-9.36	0	100	10.66	16.43	-6.89	34.06
321.33	0	1570	3.35	-1.56	-9.75	0	100	11.28	18.39	-6.09	38.75
321.43	0	1544	3.63	-1.17	-10.14	0	100	12.92	19.17	-4.93	44.38
321.53	0	1568	4.02	-1.17	-10.53	0	100	15.16	19.95	-4.13	49.06
321.61	0	1645	4.56	-1.17	-11.31	0	100	17.2	20.74	-3.55	52.5
321.71	0	1715	4.76	-1.17	-11.7	0	100	18.52	21.52	-3.41	54.38
321.81	0	1758	4.88	-1.17	-12.09	0	100	19.58	22.3	-2.97	56.56
321.89	0	1772	5.3	-1.17	-11.31	0	100	20.36	22.3	-2.61	59.06
321.99	1.24	1755	5.62	-1.17	-10.53	0	100	20.86	23.08	-2.39	61.25
322.07	1.24	1729	5.9	-1.17	-9.75	0	100	21.2	23.48	-2.03	63.44
322.17	1.24	1695	5.79	-1.17	-9.36	0	100	21.64	24.26	-1.6	66.25
322.25	1.24	1633	5.58	-1.17	-9.36	0	100	21.58	24.26	-1.23	67.81
322.35	1.24	1575	5.38	-1.17	-9.75	0.35	100	21.26	24.26	-0.87	69.06
322.43	1.24	1514	5.17	-1.17	-10.53	0.35	100	20.86	24.26	-0.87	69.38
322.53	1.24	1481	5.06	-1.17	-10.92	0.35	100	20.5	24.26	-0.65	70.62
322.61	6.21	1420	4.85	-1.17	-11.31	0	100	19.94	24.26	-0.44	71.88
322.71	6.21	1345	4.88	-1.17	-11.31	0	100	18.94	24.26	-0.07	73.12
322.79	6.21	1297	4.71	-1.17	-10.92	0	100	19.46	24.65	-0.29	72.5
322.89	6.21	1463	5.31	-1.17	-10.14	0	100	21.74	25.04	-0.44	72.81
322.97	6.21	1551	5.63	-1.17	-9.75	0	100	22.88	24.65	-0.44	72.5
323.07	6.21	1616	5.86	-1.17	-9.36	0	100	23.42	23.48	-0.65	71.25
323.15	6.21	1672	5.71	-1.17	-8.58	0	100	23.28	19.95	-2.18	63.75
323.25	6.21	1765	5.27	-1.17	-7.8	0	100	20.62	18	-3.77	55
323.33	9.94	1814	4.64	-1.17	-7.02	0	100	18.2	17.22	-4.71	46.88
323.43	9.94	1855	3.96	-1.17	-7.41	0	100	16.58	17.61	-5.73	42.5
323.51	9.94	1937	4.13	-1.17	-8.19	0	100	16.06	17.61	-6.09	40.31
323.61	9.94	1984	4.23	-1.17	-8.58	0	100	15.6	18	-6.31	38.75
323.69	9.94	2000	4.27	-1.17	-9.36	0	100	15.6	18.78	-5.95	40.31
323.79	9.94	2043	4.36	-1.17	-9.75	0	100	16.8	18.78	-5.95	40.94
323.87	9.94	2101	4.48	-1.17	-9.75	0	100	17.18	18.78	-5.95	40.62
323.97	9.94	2131	5	-1.17	-8.97	0	100	17.24	18.78	-5.95	40.31
324.05	11.18	2157	5.06	-1.17	-7.8	0	100	17.3	18.78	-5.95	39.69
324.15	11.18	2201	5.17	-1.17	-7.02	0	100	17.44	18.78	-6.09	39.06
324.23	11.18	2249	4.8	-1.17	-6.24	0	100	17.46	18.78	-6.09	38.75
324.33	11.18	2281	4.87	-1.17	-5.07	0	100	17.48	18.78	-6.09	38.12
324.41	11.18	2319	4.95	-1.17	-5.46	0	100	17.4	18	-6.53	36.56

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
324.51	11.18	2355	4.52	-1.17	-6.24	0	100	16.5	17.22	-7.25	33.75
324.59	11.18	2366	4.54	-1.17	-6.63	0	100	15.5	17.61	-7.69	32.19
324.69	11.18	2397	4.6	-1.17	-7.41	0	100	15.1	17.61	-7.9	30.94
324.77	12.43	2445	4.17	-1.17	-7.8	0	100	14.88	17.61	-8.05	30
324.87	12.43	2460	4.2	-1.17	-8.58	0	100	14.58	17.61	-8.05	29.69
324.95	12.43	2472	4.22	-1.17	-8.97	0	100	14.62	17.61	-8.05	29.69
325.05	12.43	2516	4.29	-1.17	-8.97	0	100	14.82	18	-8.05	29.38
325.13	12.43	2543	4.88	-1.17	-8.19	0	100	15.04	18.39	-8.05	30.94
325.23	12.43	2544	4.89	-1.17	-7.41	0	100	16.74	19.56	-7.25	34.69
325.31	12.43	2585	5.52	-1.17	-6.63	0	100	19.12	19.95	-6.67	37.5
325.41	12.43	2639	6.19	-1.17	-5.85	0	100	20.92	21.13	-6.09	40.94
325.49	13.67	2655	6.8	-1.17	-4.68	0	100	23.36	22.3	-5.37	45.94
325.59	13.67	2691	7.47	-1.17	-3.9	0	100	27.8	29.34	-2.39	60.62
325.67	13.67	2803	10.17	-1.17	0	0	100	39.84	30.52	-1.23	73.44
325.77	13.67	2895	11.74	-1.17	0	0	100	44.22	30.91	-0.87	79.06
325.85	13.67	2888	12.32	-1.17	0	0	100	46.76	30.91	-0.44	81.88
325.95	13.67	2999	12.8	-1.17	0	0	100	50.5	37.95	0.73	89.38
326.03	13.67	3148	15.45	-1.17	0	0	100	60.12	38.34	1.52	96.25
326.13	13.67	3235	19.33	-1.17	0	0	100	63.7	38.34	2.1	101.25
326.21	17.4	3301	21.13	-1.17	0	0	100	69.46	39.91	3.05	106.88
326.31	17.4	3459	24.35	0	0	0	100	77.3	40.3	3.84	112.19
326.39	17.4	3607	26.17	0	0	0	100	84.92	40.69	5	120.94
326.49	17.4	3710	30.08	0	0	0	100	94.68	36	5.37	122.5
326.57	17.4	3838	28.66	0	0	0	100	89.56	28.56	3.48	109.38
326.67	17.4	3748	21.59	0	0	0	100	60.42	18.39	-2.83	63.75
326.75	17.4	3667	9.39	-1.17	0	0	100	32.5	16.43	-7.47	34.38
326.85	17.4	3665	5.47	-1.17	0	0	100	19.64	16.04	-9.21	23.12
326.93	22.37	3619	4.63	-1.17	0	0	100	14.22	15.65	-10.01	17.81
327.03	22.37	3531	4.52	-1.17	-0.39	0	100	11.64	15.26	-10.37	15.94
327.11	22.37	3446	4.41	-1.56	-1.17	0	100	10.52	15.26	-10.59	15.31
327.21	22.37	3351	4.29	-1.56	-1.95	0	100	9.88	15.26	-10.59	15
327.29	22.37	3249	4.16	-1.56	-2.73	0	100	9.46	15.26	-10.59	14.38
327.39	22.37	3156	4.04	-1.56	-3.12	0	100	9.02	14.87	-10.8	14.38
327.47	22.37	3062	0	-1.56	0	0	100	7.6	13.69	-11.17	12.5
327.57	22.37	2920	0	-1.56	0	0	100	7.16	13.69	-11.17	12.5
327.65	22.37	2779	0	-1.56	0	0	100	6.54	13.3	-11.17	12.19
327.75	22.37	2636	0	-1.56	0	0	100	6.2	13.3	-11.17	11.88
327.83	22.37	2582	0	-1.56	0	0	100	6.14	13.3	-11.39	11.56
327.93	22.37	2647	0	-1.56	0	0	100	6.08	13.69	-11.39	11.25

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
328.01	22.37	2688	0	-1.56	0	0	100	5.94	13.3	-11.39	11.25
328.11	22.37	2635	0	-1.56	0	0	100	5.86	13.3	-11.39	11.25
328.19	22.37	2638	0	-1.56	0	0	100	5.9	13.3	-11.39	11.25
328.29	21.13	2651	0	-1.56	0	0	100	5.88	13.3	-11.39	11.25
328.37	21.13	2614	0	-1.56	0	0	100	5.76	13.3	-11.39	10.94
328.47	21.13	2606	0	-1.56	0	0	100	5.7	13.3	-11.39	10.94
328.55	21.13	2601	0	-1.56	0	0	100	5.68	13.3	-11.39	10.94
328.65	21.13	2574	0	-1.56	0	0	100	5.56	13.3	-11.39	10.94
328.73	21.13	2579	0	-1.56	0	0	100	5.56	13.3	-11.39	10.94
328.83	21.13	2564	0	-1.56	0	0	100	5.6	13.3	-11.39	10.94
328.91	21.13	2553	0	-1.56	0	0	100	5.56	13.3	-11.39	10.94
329.01	19.88	2535	3.25	-1.56	0	0	100	5.54	13.69	-11.39	11.25
329.09	19.88	2542	3.25	-1.56	0	0	100	6.16	14.09	-11.39	12.5
329.21	19.88	2526	3.23	-1.56	0	0	100	6.4	14.09	-11.39	12.81
329.29	19.88	2533	3.24	-1.56	0	0	100	6.38	13.69	-11.39	12.5
329.39	19.88	2506	3.21	-1.56	0	0	100	6.28	14.09	-11.17	12.81
329.47	19.88	2504	3.21	-1.56	0	0	100	6.42	14.09	-11.39	12.81
329.57	19.88	2520	3.23	-1.56	0	0	100	6.46	13.69	-11.39	12.81
329.65	19.88	2518	3.22	-1.56	0	0	100	6.36	13.69	-11.39	12.81
329.75	19.88	2504	3.21	-1.56	0	0	100	6.36	14.09	-11.17	12.81
329.83	19.88	2509	3.21	-1.56	0	0	100	6.64	14.48	-11.17	14.06
329.93	19.88	2512	3.22	-1.56	0	0	100	7.7	16.04	-10.59	16.88
330.01	19.88	2516	4.29	-1.56	0	0	100	9.62	16.82	-10.01	21.25
330.11	19.88	2550	4.9	-1.56	0	0	100	11.6	17.22	-9.43	23.75
330.19	19.88	2571	4.94	-1.17	0	0	100	12.34	17.22	-9.06	25.94
330.29	19.88	2479	5.82	-1.17	0	0	100	15.8	20.74	-7.11	35.94
330.39	19.88	2550	7.07	-1.17	0	0	100	20.78	21.52	-6.09	41.56
330.47	19.88	2625	7.84	-1.17	0	0	100	22.68	21.91	-5.37	46.25
330.57	19.88	2508	7.49	-1.17	0	0	100	24.88	23.87	-4.35	50.94
330.65	19.88	2666	8.53	-1.17	0	0	100	30.12	25.43	-3.41	58.75
330.75	19.88	2636	9	-1.17	0	0	100	31.54	25.43	-2.97	61.88
330.83	19.88	2651	9.05	-1.17	0	0	100	33.54	30.13	-2.03	66.25
330.93	19.88	2760	11.19	-1.17	0	0	100	41.48	31.3	-0.87	77.81
331.03	19.88	2728	11.64	-1.17	0	0	100	44.26	32.47	-0.07	82.81
331.11	22.37	2815	12.61	-1.17	0	0	100	48.96	34.43	0.29	87.81
331.21	22.37	2864	13.45	-1.17	0	0	100	51.1	34.43	0.94	91.25
331.31	22.37	2892	14.19	-1.17	0	0	100	54.52	34.04	1.09	94.38
331.41	22.37	2988	15.94	-1.17	0	0	100	57.88	35.6	1.89	99.38
331.49	22.37	3027	18.73	-1.17	0	0	100	62.84	35.6	2.68	104.69

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
331.61	22.37	3105	19.87	-1.17	0	0	100	67.34	35.6	3.26	109.06
331.71	22.37	3177	21.69	-1.17	0	0	100	71.86	36.39	4.06	114.06
331.81	22.37	3266	23.69	0	0	0	100	77.6	36.39	4.79	120
331.91	26.1	3332	25.59	0	0	0	100	83.52	35.21	5.37	125.94
332.03	26.1	3440	27.89	0	0	0	100	85.14	30.52	5	118.12
332.13	26.1	3501	23.9	0	0	0	100	67.54	25.43	1.31	86.25
332.25	26.1	3549	13.63	-1.17	0	0	100	56.02	25.04	-0.07	75
332.35	26.1	3635	13.18	-1.17	0	0	100	50.32	21.52	-2.83	62.19
332.47	26.1	3664	10.16	-1.17	0	0	100	33.62	16.82	-6.89	37.81
332.57	29.83	3662	6.25	-1.17	0	0	100	19.5	15.26	-9.64	22.19
332.69	29.83	3683	4.71	-1.17	0	0	100	10.88	13.3	-11.17	12.19
332.79	29.83	3623	3.86	-1.56	0	0	100	8.28	12.91	-11.75	11.25
332.91	29.83	3676	4.71	-1.56	0	0	100	7.44	14.09	-11.75	8.75
333.01	29.83	3700	0	-1.56	0	0	100	6.56	14.48	-11.39	9.06
333.13	29.83	3588	0	-1.56	0	0	100	6.18	14.48	-11.39	8.75
333.23	29.83	3590	0	-1.56	0	0	100	6.36	14.09	-11.39	9.06
333.35	28.58	3483	0	-1.56	0	0	100	6.18	14.09	-11.39	9.06
333.45	28.58	3460	0	-1.56	0	0	100	6.32	14.09	-11.39	9.38
333.57	28.58	3389	0	-1.56	0	0	100	6.4	14.09	-11.17	9.69
333.67	28.58	3312	0	-1.56	0	0	100	6.42	14.09	-11.39	10
333.79	28.58	3253	0	-1.56	0	0	100	6.46	14.09	-11.39	10
333.89	28.58	3138	0	-1.56	0	0	100	6.42	14.09	-11.39	10.31
334.01	24.85	3026	0	-1.56	0	0	100	6.32	14.09	-11.17	10.62
334.11	24.85	2939	0	-1.56	0	0	100	6.22	13.69	-11.39	10.62
334.23	24.85	2856	0	-1.56	0	0	100	6.1	13.69	-11.39	10.94
334.33	24.85	2769	0	-1.56	0	0	100	6	13.69	-11.39	10.94
334.45	24.85	2675	0	-1.56	0	0	100	5.78	13.3	-11.39	10.94
334.55	24.85	2610	0	-1.56	0	0	100	5.58	13.3	-11.39	10.94
334.67	19.88	2532	0	-1.56	0	0	100	5.48	13.3	-11.39	10.94
334.77	19.88	2462	0	-1.56	0	0	100	5.38	12.91	-11.39	11.25
334.89	19.88	2374	0	-1.56	0	0	100	5.24	12.91	-11.39	11.25
334.99	19.88	2313	0	-1.56	0	0	100	5.08	12.91	-11.17	11.25
335.11	19.88	2232	0	-1.56	0	0	100	4.94	12.91	-11.17	11.25
335.21	19.88	2164	0	-1.56	0	0	100	4.88	12.52	-11.17	11.56
335.31	19.88	2115	0	-1.56	0	0	100	4.78	12.52	-11.17	11.56
335.41	16.16	2061	0	-1.56	0	0	100	4.68	12.52	-11.17	11.56
335.51	16.16	2030	0	-1.56	0	0	100	4.66	12.52	-11.17	11.56
335.59	16.16	1996	0	-1.56	0	0	100	4.6	12.52	-11.17	11.88
335.69	16.16	1956	0	-1.56	0	0	100	4.56	12.13	-11.17	11.56

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
335.79	16.16	1940	0	-1.56	0	0	100	4.44	12.13	-11.17	11.56
335.91	16.16	1907	0	-1.56	0	0	100	4.36	12.13	-11.17	11.56
336.03	16.16	1875	0	-1.56	0	0	100	4.28	12.13	-11.17	11.56
336.13	14.91	1866	0	-1.56	0	0	100	4.24	12.13	-11.17	11.56
336.25	14.91	1840	0	-1.56	0	0	100	4.12	12.13	-11.17	11.25
336.35	14.91	1826	0	-1.56	0	0	100	4.06	11.74	-11.39	10.94
336.43	14.91	1819	0	-1.56	0	0	100	3.96	11.74	-11.39	10.94
336.53	14.91	1798	0	-1.56	0	0	100	3.9	11.74	-11.17	10.94
336.63	14.91	1782	0	-1.56	0	0	100	3.88	11.74	-11.17	10.94
336.73	14.91	1767	0	-1.56	0	0	100	3.82	11.74	-11.17	10.94
336.81	13.67	1752	0	-1.56	0	0	100	3.74	11.74	-11.17	10.62
336.91	13.67	1739	0	-1.56	0	0	100	3.7	11.74	-11.17	10.62
337.01	13.67	1727	0	-1.56	0	0	100	3.66	11.74	-11.17	10.62
337.11	13.67	1712	0	-1.56	0	0	100	3.62	11.74	-11.17	10.62
337.19	13.67	1699	0	-1.56	0	0	100	3.56	11.35	-11.39	10.31
337.29	13.67	1684	0	-1.56	0	0	100	3.48	11.35	-11.39	10.31
337.39	13.67	1666	0	-1.56	0	0	100	3.44	11.35	-11.39	10.31
337.49	13.67	1646	0	-1.56	0	0	100	3.38	11.35	-11.39	10.31
337.57	13.67	1638	0	-1.56	0	0	100	3.34	11.35	-11.39	10.31
337.67	13.67	1631	0	-1.56	0	0	100	3.26	11.35	-11.39	10
337.77	13.67	1606	0	-1.56	0	0	100	3.2	11.35	-11.39	10
337.87	13.67	1597	0	-1.56	0	0	100	3.16	11.35	-11.39	10
337.95	13.67	1588	0	-1.56	0	0	100	3.1	11.35	-11.39	10
338.05	13.67	1567	0	-1.56	0	0	100	3.08	11.35	-11.39	10
338.15	13.67	1554	0	-1.56	0	0	100	3.06	11.35	-11.39	10
338.25	12.43	1542	0	-1.56	0	0	100	3.06	11.35	-11.39	10
338.35	12.43	1535	0	-1.56	0	0	100	3.08	11.35	-11.39	10
338.47	12.43	1523	0	-1.56	0	0	100	3.1	11.35	-11.39	10.31
338.57	12.43	1503	0	-1.56	0	0	100	3.1	11.35	-11.17	10.31
338.69	12.43	1500	0	-1.56	0	0	100	3.12	11.35	-11.39	10.31
338.79	12.43	1492	0	-1.56	0	0	100	3.1	11.35	-11.17	10.62
338.91	11.18	1467	0	-1.56	0	0	100	3.1	11.35	-11.17	10.62
339.01	11.18	1457	0	-1.56	0	0	100	3.58	12.52	-10.8	13.44
339.13	11.18	1449	2.47	-1.56	0	0	100	4.32	13.3	-10.22	15.94
339.23	11.18	1488	2.86	-1.56	0	0	100	5.38	13.69	-9.79	18.75
339.35	11.18	1451	2.79	-1.56	0	0	100	5.58	13.69	-9.64	20
339.45	11.18	1428	2.74	-1.56	0	0	100	5.84	13.69	-9.64	20.31
339.57	11.18	1459	2.49	-1.56	0	0	100	5.98	13.69	-9.43	20.31
339.67	11.18	1486	2.54	-1.56	0	0	100	6	14.09	-9.43	21.25

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
339.77	11.18	1426	2.74	-1.56	0	0	100	6.18	14.09	-9.21	22.19
339.85	11.18	1437	2.76	-1.56	0	0	100	6.42	14.09	-9.21	22.19
339.95	11.18	1475	2.52	-1.56	0	0	100	6.48	13.69	-9.21	21.88
340.05	11.18	1464	2.5	-1.56	0	0	100	6.24	14.09	-9.21	21.56
340.15	11.18	1437	2.45	-1.56	0	0	100	6.28	14.09	-9.06	21.56
340.23	11.18	1481	2.53	-1.56	0	0	100	6.48	14.09	-9.21	21.88
340.33	11.18	1490	2.54	-1.56	0	0	100	6.76	15.26	-8.85	24.38
340.43	11.18	1466	3.13	-1.56	0	0	100	7.8	15.65	-8.27	27.81
340.53	11.18	1511	3.55	-1.56	0	0	100	8.8	15.65	-7.69	30
340.63	11.18	1506	3.54	-1.56	0	0	100	9.18	16.82	-7.25	32.19
340.73	11.18	1518	4.53	-1.56	0	0	100	11.48	19.17	-5.73	41.25
340.81	11.18	1564	5.34	-1.17	0	0	100	14.24	19.17	-4.71	47.5
340.91	11.18	1549	5.29	-1.17	0	0	100	15	19.17	-4.13	49.69
340.99	11.18	1587	5.42	-1.17	0	0	100	15.88	19.17	-4.13	50
341.09	12.43	1622	5.54	-1.17	0	0	100	16.06	19.17	-4.35	50
341.17	12.43	1618	5.18	-1.17	0	0	100	16.24	19.17	-4.35	49.69
341.27	12.43	1674	5	-1.17	0	0	100	16.6	19.17	-4.35	49.38
341.37	12.43	1689	4.69	-1.17	0	0	100	16.54	19.17	-4.57	49.06
341.45	12.43	1707	4.73	-1.17	0	0	100	16.8	19.17	-4.57	48.75
341.55	12.43	1749	4.85	-1.17	0	0	100	16.9	19.17	-4.57	47.81
341.63	12.43	1760	4.88	-1.17	0	0	100	16.74	18.78	-4.71	46.56
341.73	13.67	1801	4.61	-1.17	0	0	100	16.52	17.61	-5.51	44.69
341.81	13.67	1811	4.25	-1.17	0	0	100	15.16	16.82	-6.31	40
341.91	13.67	1829	3.9	-1.17	0	0	100	14.02	16.82	-6.89	37.19
341.99	13.67	1864	3.98	-1.17	0	0	100	13.44	16.82	-7.11	35.31
342.09	13.67	1868	3.99	-1.17	0	0	100	12.82	16.82	-7.25	34.06
342.17	13.67	1870	3.99	-1.17	0	0	100	12.64	16.82	-7.25	33.44
342.27	13.67	1916	3.68	-1.17	0	0	100	12.6	16.43	-7.47	32.19
342.35	13.67	1917	3.68	-1.17	0	0	100	11.72	14.87	-8.27	28.75
342.45	14.91	1915	3.27	-1.56	-0.39	0	100	9.92	13.3	-9.43	23.75
342.53	14.91	1941	2.9	-1.56	-0.78	0	100	8.2	12.91	-10.22	20
342.63	14.91	1936	2.48	-1.56	-1.17	0	100	7.14	12.91	-10.59	17.5
342.71	14.91	1929	2.47	-1.56	-1.56	0	100	6.32	12.91	-10.8	15.94
342.81	14.91	1917	2.45	-1.56	-1.95	0	100	5.78	12.91	-11.02	15
342.89	14.91	1889	2.42	-1.56	-2.34	0	100	5.42	12.91	-11.02	14.38
342.99	14.91	1906	2.03	-1.56	-2.73	0	100	5.42	12.91	-11.17	13.75
343.07	14.91	1992	2.13	-1.56	-3.12	0	100	5.36	12.13	-11.17	13.12
343.17	14.91	1952	2.5	-1.56	0	0	100	4.74	11.74	-11.6	12.19
343.25	14.91	1899	2.43	-1.56	0	0	100	4.5	11.35	-11.75	11.88

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
343.35	14.91	1875	2.4	-1.56	0	0	100	4.54	11.35	-11.75	12.19
343.43	14.91	1940	2.48	-1.56	0	0	100	4.7	11.35	-11.97	12.19
343.53	14.91	1893	2.42	-1.56	0	0	100	4.46	11.35	-11.97	11.88
343.61	14.91	1868	0	-1.56	0	0	100	4.4	11.74	-11.75	11.25
343.71	14.91	1902	0	-1.56	0	0	100	4.32	12.13	-11.6	11.56
343.79	14.91	1869	0	-1.56	0	0	100	4.28	12.13	-11.39	11.56
343.89	14.91	1854	2.37	-1.56	0	0	100	4.22	12.91	-11.17	12.19
343.97	14.91	1889	2.42	-1.56	0	0	100	5.08	13.69	-11.02	14.06
344.07	14.91	1841	2.36	-1.56	0	0	100	5.46	13.69	-10.8	15.62
344.17	14.91	1844	2.36	-1.56	0.39	0	100	6.04	14.09	-10.59	16.56
344.25	14.91	1869	3.19	-1.56	1.17	0	100	8.02	19.17	-8.05	26.88
344.35	14.91	1886	5.23	-1.17	1.95	0	100	14.04	19.95	-6.09	40
344.43	14.91	2001	5.55	-1.17	1.95	0	100	16.62	19.95	-5.15	45.94
344.53	14.91	1793	5.36	-1.17	1.56	0	100	17.18	19.95	-4.57	47.81
344.63	14.91	1957	5.85	-1.17	0.78	0	100	20.96	26.61	-2.18	60.31
344.71	14.91	1989	7.64	-1.17	0.39	0	100	25.22	27	-1.45	67.19
344.81	14.91	1943	7.46	-1.17	-0.39	0	100	27.4	27	-1.23	68.44
344.91	14.91	2073	7.96	-1.17	-0.78	0	100	28.56	28.17	-1.02	71.88
344.99	14.91	2042	8.28	-1.17	0	0	100	30	27.78	-0.87	73.44
345.09	14.91	2131	8.64	-1.17	0	0	100	31.88	28.17	-0.65	74.69
345.19	14.91	2175	8.82	-1.17	0	0	100	32.44	28.17	-0.65	75.94
345.29	17.4	2186	8.86	-1.17	0	0	100	33.72	28.17	-0.44	76.88
345.37	17.4	2283	9.25	-1.17	0	0	100	34.92	25.04	-1.02	74.69
345.45	17.4	2274	8.74	-1.17	0	0	100	31.9	24.26	-1.6	68.12
345.55	17.4	2353	8.54	-1.17	0	0	100	32.08	24.26	-1.81	67.5
345.65	17.4	2393	8.68	-1.17	0	0	100	32	23.48	-2.03	66.25
345.75	17.4	2411	8.23	-1.17	0	0	100	30.9	21.91	-2.83	61.88
345.83	17.4	2471	7.91	-1.17	-0.78	0	100	28.9	21.13	-3.77	55.94
345.93	17.4	2476	7.4	-1.17	-1.56	0	100	26.94	20.74	-4.13	52.81
346.03	19.88	2532	7.02	-1.17	-1.95	0	100	24.66	18.39	-5.51	46.88
346.11	19.88	2539	5.96	-1.17	-2.73	0	100	20.76	16.43	-7.25	36.25
346.21	19.88	2538	4.87	-1.17	-3.51	0	100	16.2	16.43	-8.48	29.69
346.29	19.88	2588	4.42	-1.17	-4.29	0	100	13.74	16.04	-8.85	25.31
346.39	19.88	2571	3.84	-1.17	-4.68	0	100	12.02	14.87	-9.64	20.94
346.49	19.88	2576	3.3	-1.56	-5.07	0	100	9.68	14.48	-10.37	16.88
346.57	19.88	2584	3.31	-1.56	-5.85	0	100	7.96	14.09	-11.02	14.38
346.67	21.13	2562	2.73	-1.56	-6.63	0	100	6.68	13.69	-11.17	12.5
346.77	21.13	2538	3.25	-1.56	0	0	100	5.96	13.69	-11.39	11.56
346.87	21.13	2558	3.27	-1.56	0	0	100	5.84	13.69	-11.6	11.25

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
346.95	21.13	2613	3.34	-1.56	0	0	100	5.72	13.69	-11.6	11.25
347.03	21.13	2583	3.31	-1.56	0	0	100	5.7	13.69	-11.6	11.25
347.13	21.13	2539	3.25	-1.56	0	0	100	5.62	13.69	-11.6	11.25
347.23	21.13	2528	3.24	-1.56	0	0	100	5.68	13.3	-11.6	11.25
347.31	21.13	2583	3.31	-1.56	0	0	100	5.7	13.69	-11.6	11.25
347.41	19.88	2569	3.29	-1.56	0	0	100	5.74	13.3	-11.6	11.25
347.49	19.88	2531	3.24	-1.56	0	0	100	5.72	13.3	-11.6	11.56
347.59	19.88	2512	3.22	-1.56	0	0	100	5.7	13.3	-11.6	11.25
347.67	19.88	2539	3.25	-1.56	0	0	100	5.72	13.69	-11.6	11.25
347.77	19.88	2536	3.25	-1.56	0	0	100	5.72	13.69	-11.6	11.56
347.87	19.88	2514	3.22	-1.56	0	0	100	5.74	13.3	-11.6	11.56
347.95	19.88	2514	3.22	-1.56	0	0	100	5.78	13.3	-11.6	11.56
348.05	19.88	2515	3.22	-1.56	0	0	100	5.76	13.69	-11.6	11.56
348.15	19.88	2497	3.2	-1.56	0	0	100	5.86	14.09	-11.39	12.19
348.23	19.88	2490	3.19	-1.56	0	0	100	6.5	14.48	-11.17	13.75
348.33	19.88	2501	3.2	-1.56	0	0	100	6.9	14.48	-11.17	13.75
348.41	19.88	2496	3.2	-1.56	0	0	100	7	14.87	-11.02	14.69
348.51	19.88	2487	3.72	-1.56	0	0	100	8.42	15.65	-10.37	18.12
348.59	19.88	2501	3.74	-1.56	-0.39	0	100	9.42	15.65	-10.22	19.38
348.69	19.88	2537	3.79	-1.56	-1.17	0	100	10.06	16.04	-10.01	20
348.77	19.88	2553	3.81	-1.56	-1.56	0	100	10.18	16.04	-10.01	20.62
348.87	19.88	2463	3.68	-1.56	-2.34	0	100	10.26	16.43	-9.64	21.56
348.95	19.88	2476	3.7	-1.56	-2.73	0	100	10.94	16.82	-9.64	23.12
349.05	19.88	2532	4.32	-1.17	-3.51	0	100	12.64	17.61	-9.06	25.62
349.13	19.88	2531	4.32	-1.17	-3.9	0	100	13.24	17.61	-8.85	26.88
349.23	19.88	2490	4.25	-1.17	-4.29	0	100	13.74	18	-8.48	27.81
349.33	19.88	2560	4.37	-1.17	-5.07	0	100	14.36	18	-8.48	28.75
349.43	19.88	2516	4.83	-1.17	-5.85	0	100	14.44	18	-8.27	28.75
349.51	19.88	2530	4.32	-1.17	-6.24	0	100	14.64	18	-8.48	28.44
349.61	19.88	2581	4.4	-1.17	-6.63	0	100	14.56	18	-8.48	28.44
349.69	19.88	2543	4.34	-1.17	-7.41	0	100	14.56	18	-8.48	28.75
349.79	19.88	2582	4.41	-1.17	-7.8	0	100	14.76	18	-8.48	28.44
349.87	19.88	2587	4.42	-1.17	-7.02	0	100	14.64	18	-8.48	28.75
349.97	19.88	2570	4.39	-1.17	-6.24	0	100	14.68	18	-8.48	28.44
350.05	19.88	2617	5.03	-1.17	-5.46	0	100	14.76	18	-8.48	28.44
350.15	19.88	2608	5.01	-1.17	-4.68	0	100	14.68	18	-8.48	28.44
350.23	21.13	2629	5.05	-1.17	-3.9	0	100	14.96	18	-8.48	28.44
350.33	21.13	2640	5.07	-1.17	-3.12	0	100	14.84	18	-8.48	28.44
350.41	21.13	2641	4.51	-1.17	-3.51	0	100	14.9	18	-8.48	28.44

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
350.51	21.13	2658	4.54	-1.17	-3.9	0	100	15.32	19.17	-8.05	30.94
350.59	21.13	2668	5.69	-1.17	-4.68	0	100	18.14	21.91	-6.67	38.75
350.69	21.13	2695	6.9	-1.17	-5.46	0	100	25.16	23.87	-4.71	49.69
350.77	21.13	2723	8.13	-1.17	-4.68	0	100	28.12	31.69	-2.39	60.31
350.87	21.13	2751	11.15	-1.17	0	0	100	40.68	29.34	-1.45	72.81
350.95	22.37	2798	10.15	-1.17	0	0	100	35.66	16.82	-5.37	50.94
351.05	22.37	2720	6.38	-1.17	-0.39	0	100	20.28	15.26	-8.27	31.56
351.13	22.37	2802	4.78	-1.17	-1.17	0	100	14.08	14.48	-9.79	21.88
351.23	22.37	2840	3.64	-1.17	-1.95	0	100	10.14	14.48	-10.8	16.88
351.31	22.37	2817	3.61	-1.56	-2.34	0	100	8.6	14.48	-11.02	14.38
351.41	22.37	2797	3.58	-1.56	-3.12	0	100	7.52	14.48	-11.17	13.44
351.49	22.37	2754	2.94	-1.56	0	0	100	7.12	14.09	-11.39	12.81
351.59	22.37	2821	3.61	-1.56	0	0	100	6.98	14.48	-11.39	12.19
351.67	22.37	2853	3.65	-1.56	0	0	100	7.16	14.48	-11.17	12.81
351.77	22.37	2829	3.62	-1.56	0	0	100	7.18	14.48	-11.17	12.81
351.85	22.37	2802	3.59	-1.56	0	0	100	7.1	14.48	-11.17	12.81
351.95	22.37	2779	3.56	-1.56	0	0	100	6.9	14.48	-11.17	12.5
352.03	22.37	2760	3.53	-1.56	0	0	100	6.86	14.09	-11.17	12.5
352.13	22.37	2746	3.51	-1.56	0	0	100	6.84	14.09	-11.39	12.5
352.21	22.37	2743	3.51	-1.56	0	0	100	6.88	14.48	-11.39	12.5
352.31	22.37	2725	3.49	-1.56	0	0	100	6.84	14.48	-11.39	12.81
352.39	21.13	2704	3.46	-1.56	0	0	100	6.94	14.09	-11.39	12.81
352.49	21.13	2658	3.4	-1.56	0	0	100	6.74	14.09	-11.39	12.81
352.57	21.13	2598	3.33	-1.56	0	0	100	6.5	13.69	-11.39	12.5
352.67	21.13	2555	3.27	-1.56	0	0	100	6.2	13.69	-11.39	12.19
352.75	21.13	2524	3.23	-1.56	0	0	100	6.04	13.3	-11.6	11.88
352.85	21.13	2491	3.19	-1.56	0	0	100	5.88	13.3	-11.39	11.88
352.93	21.13	2463	3.15	-1.56	0	0	100	5.82	13.3	-11.6	11.88
353.03	21.13	2451	3.14	-1.56	0	0	100	5.7	13.3	-11.39	11.56
353.11	19.88	2443	3.13	-1.56	0	0	100	5.6	13.3	-11.39	11.56
353.21	19.88	2419	3.1	-1.56	0	0	100	5.58	13.3	-11.39	11.88
353.29	19.88	2399	3.07	-1.56	0	0	100	5.58	13.3	-11.39	11.88
353.39	19.88	2381	3.05	-1.56	0	0	100	5.56	13.3	-11.39	11.88
353.47	19.88	2353	3.01	-1.56	0	0	100	5.56	13.3	-11.39	11.88
353.57	19.88	2320	2.97	-1.56	0	0	100	5.44	12.91	-11.39	11.88
353.65	19.88	2284	2.92	-1.56	0	0	100	5.36	13.3	-11.39	11.88
353.75	18.64	2245	2.87	-1.56	0	0	100	5.36	13.3	-11.17	12.19
353.83	18.64	2208	2.83	-1.56	0	0	100	5.32	12.91	-11.39	12.19
353.93	18.64	2184	2.8	-1.56	0	0	100	5.26	12.91	-11.39	12.19

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
354.01	18.64	2145	2.75	-1.56	0	0	100	5.16	12.91	-11.39	12.19
354.11	18.64	2081	2.66	-1.56	0	0	100	5.06	12.52	-11.39	12.19
354.19	18.64	2046	2.62	-1.56	0	0	100	4.92	12.52	-11.39	11.88
354.29	18.64	2011	2.57	-1.56	0	0	100	4.7	12.52	-11.39	11.88
354.37	18.64	1978	2.53	-1.56	0	0	100	4.62	12.52	-11.39	11.88
354.47	16.16	1965	2.52	-1.56	0	0	100	4.56	12.13	-11.6	11.56
354.55	16.16	1941	2.48	-1.56	0	0	100	4.48	12.13	-11.39	11.88
354.65	16.16	1904	2.44	-1.56	0	0	100	4.44	12.13	-11.39	11.56
354.73	16.16	1871	2.39	-1.56	0	0	100	4.28	12.13	-11.39	11.56
354.83	16.16	1856	1.98	-1.56	0	0	100	4.24	12.13	-11.39	11.56
354.91	16.16	1837	2.35	-1.56	0	0	100	4.18	12.13	-11.6	11.56
355.01	16.16	1810	1.93	-1.56	0	0	100	4.14	12.13	-11.39	11.56
355.11	16.16	1788	2.29	-1.56	0	0	100	4.12	12.13	-11.39	11.88
355.19	13.67	1749	2.24	-1.56	0	0	100	4.1	12.13	-11.39	11.88
355.29	13.67	1732	2.22	-1.56	0	0	100	4.14	12.13	-11.17	12.19
355.39	13.67	1702	2.18	-1.56	0	0	100	4.1	12.13	-11.17	12.19
355.47	13.67	1666	2.13	-1.56	0	0	100	4.08	11.74	-11.17	12.19
355.57	13.67	1651	2.11	-1.56	0	0	100	4	11.74	-11.17	12.5
355.65	13.67	1617	2.07	-1.56	0	0	100	3.96	11.74	-11.17	12.19
355.75	13.67	1599	2.05	-1.56	0	0	100	3.88	11.74	-11.17	12.19
355.83	13.67	1574	2.02	-1.56	0	0	100	3.76	11.74	-11.17	12.19
355.93	12.43	1542	1.97	-1.56	0	0	100	3.7	11.74	-11.17	12.19
356.01	12.43	1515	1.94	-1.56	0	0	100	3.66	11.74	-11.17	12.19
356.11	12.43	1496	1.92	-1.56	0	0	100	3.62	11.74	-11.17	12.19
356.19	12.43	1471	1.88	-1.56	0	0	100	3.62	11.74	-11.02	12.5
356.29	12.43	1447	1.85	-1.56	0	0	100	3.68	11.74	-11.02	13.12
356.37	12.43	1427	1.83	-1.56	0	0	100	3.7	11.74	-11.02	13.12
356.47	12.43	1392	1.78	-1.56	0	0	100	3.64	11.74	-11.02	13.44
356.55	12.43	1367	1.75	-1.56	0	0	100	3.64	11.74	-10.8	13.75
356.65	11.18	1326	1.7	-1.56	0	0	100	3.64	11.74	-10.8	13.75
356.73	11.18	1301	1.67	-1.56	0	0	100	3.56	11.35	-10.8	13.75
356.83	11.18	1270	1.63	-1.56	0	0	100	3.48	11.35	-10.8	14.06
356.91	11.18	1239	1.59	-1.56	0	0	100	3.44	11.35	-10.59	14.06
357.01	11.18	1212	1.55	-1.56	0	0	100	3.46	11.74	-10.8	14.69
357.09	11.18	1189	1.52	-1.56	0	0	100	3.48	11.74	-10.59	15
357.19	11.18	1166	1.49	-1.56	0	0	100	3.54	11.74	-10.59	15.62
357.27	11.18	1150	1.47	-1.56	0	0	100	3.5	11.35	-10.37	15.31
357.37	9.94	1140	1.46	-1.56	0	0	100	3.46	11.35	-10.59	15.31
357.45	9.94	1123	1.44	-1.56	0	0	100	3.42	11.35	-10.37	15.31

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
357.55	9.94	1110	1.42	-1.56	0	0	100	3.42	11.35	-10.37	15.62
357.63	9.94	1101	1.41	-1.56	0	0	100	3.44	11.35	-10.37	15.62
357.73	9.94	1092	1.4	-1.56	0	0	100	3.42	11.35	-10.37	15.94
357.81	9.94	1082	1.38	-1.56	0	0	100	3.44	11.35	-10.22	15.94
357.91	9.94	1070	1.37	-1.56	0	0	100	3.42	11.35	-10.22	16.25
357.99	9.94	1063	1.36	-1.56	0	0	100	3.44	11.35	-10.22	16.25
358.09	9.94	1048	1.34	-1.56	0	0	100	3.4	11.35	-10.22	16.25
358.17	9.94	1039	1.33	-1.56	0	0	100	3.38	11.35	-10.22	16.25
358.27	9.94	1026	1.31	-1.56	0	0	100	3.34	11.35	-10.22	16.56
358.37	9.94	1019	1.3	-1.56	0	0	100	3.34	11.35	-10.22	16.56
358.48	9.94	1010	1.29	-1.56	-0.39	0	100	3.36	11.35	-10.22	16.88
358.58	9.94	1000	1.28	-1.56	-0.39	0	100	3.36	11.35	-10.01	17.19
358.7	9.94	991	1.27	-1.56	-0.78	0	100	3.34	11.35	-10.01	16.88
358.8	8.7	983	1.26	-1.56	-1.17	0	100	3.32	11.35	-10.22	16.88
358.92	8.7	980	1.25	-1.56	-1.17	0	100	3.26	11.35	-10.01	16.88
359.02	8.7	961	1.23	-1.56	-1.56	0	100	3.2	11.35	-10.22	17.19
359.14	8.7	949	1.42	-1.56	-1.56	0	100	3.44	11.74	-9.79	18.75
359.24	8.7	944	1.41	-1.56	-1.56	0	100	3.64	14.87	-9.21	21.88
359.36	8.7	965	1.65	-1.56	-1.95	0	100	5.1	16.43	-6.89	29.06
359.46	8.7	1032	2.64	-1.56	-1.95	0	100	8.4	16.43	-5.95	39.06
359.58	8.7	1231	3.42	-1.56	-2.73	0	100	11.28	17.22	-5.51	41.88
359.68	8.7	1512	3.87	-1.17	-3.12	0	100	13.62	17.61	-5.95	40.31
359.8	8.7	1774	4.16	-1.17	-3.9	0	100	14.76	17.61	-6.31	38.75
359.9	8.7	1951	4.16	-1.17	-4.29	0	100	15.02	18	-6.67	37.81
360.02	8.7	2004	4.28	-1.17	-5.07	0	100	15	18.78	-6.53	38.12
360.12	8.7	1996	4.68	-1.17	-5.85	0	100	15.56	19.17	-5.95	41.56
360.24	8.7	1926	4.93	-1.17	-6.63	0	100	16.12	19.56	-5.15	44.38
360.34	8.7	1809	4.63	-1.17	-7.02	0	100	16.48	19.56	-4.57	47.19
360.46	8.7	1827	4.68	-1.17	-7.8	0	100	18.14	20.35	-4.35	48.44
360.56	8.7	1959	5.02	-1.17	-8.58	0	100	19.04	20.35	-4.57	48.75
360.68	8.7	1956	5.01	-1.17	-9.36	0	100	19	20.35	-4.57	48.75
360.78	8.7	1992	5.1	-1.17	-9.75	0	100	19.84	20.35	-4.57	48.12
360.9	11.18	2102	5.38	-1.17	-10.14	0	100	20.12	20.35	-4.71	47.81
361	11.18	2110	5.4	-1.17	-8.97	0	100	20.56	20.74	-4.57	48.75
361.12	11.18	2154	5.98	-1.17	-7.8	0	100	21.88	21.52	-4.35	50
361.22	11.18	2252	6.25	-1.17	-6.63	0	100	23.76	22.69	-3.55	54.06
361.34	11.18	2287	6.83	-1.17	-5.46	0	100	25.9	29.34	-1.6	65
361.44	11.18	2360	9.57	-1.17	0	0	100	36.04	30.52	-0.65	75
361.56	13.67	2500	10.14	-1.17	0	0	100	38.5	30.52	-0.44	78.75

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
361.66	13.67	2518	10.75	-1.17	0	0	100	40.92	30.91	-0.07	81.56
361.74	13.67	2649	11.87	-1.17	0	0	100	47.12	36.78	0.94	89.69
361.84	13.67	2779	13.64	-1.17	0	0	100	52.58	36.78	1.31	95.62
361.94	13.67	2846	15.79	-1.17	0	0	100	56.1	36.39	1.89	98.75
362.04	13.67	2971	17.75	-1.17	0	0	100	60.12	36.78	2.47	102.5
362.12	13.67	3105	19.87	-1.17	0	0	100	65.64	36.78	2.83	107.19
362.22	13.67	3216	21.27	-1.17	0	0	100	71.12	36.78	3.63	110.94
362.32	17.4	3326	23.42	0	0	0	100	77	36.39	4.21	115.62
362.42	17.4	3469	25.9	0	0	0	100	82.84	36	5	120.94
362.5	17.4	3593	28.37	0	0	0	100	90.84	36	5.8	127.81
362.6	17.4	3736	31.89	0	0	0	100	100.74	36	6.6	135
362.7	17.4	3910	35.03	0	0	0	100	110.76	36	7.54	141.56
362.8	17.4	4062	38.14	0	0	0	100	118.8	36	8.48	148.12
362.88	17.4	4210	41.32	0	0	0	100	127.66	35.6	8.7	150
362.98	23.61	4353	40.86	0	0	0	100	126.64	35.21	7.9	137.19
363.08	23.61	4531	39.64	0	0	0	100	120.06	33.65	6.74	124.69
363.18	23.61	4687	34	0	0	1.41	100	104.72	27.39	2.68	94.69
363.34	23.61	4705	23.09	-1.17	0	0	100	45.72	16.04	-8.63	27.81
363.69	23.61	4693	7.01	-1.17	0	0	100	15.08	14.09	-11.17	12.5
363.69	23.61	4626	4.94	-1.56	0	0	100	9.68	13.3	-11.75	10.31
363.7	23.61	4499	4.8	-1.56	0	0	100	9.24	12.91	-11.97	10.62
363.77	26.1	4353	5.57	-1.56	0	0	100	9.16	12.52	-12.18	10.94
363.87	26.1	4155	5.32	-1.56	0	0	100	8.72	12.52	-12.18	9.69
363.99	26.1	3999	4.27	-1.56	0	0	100	6.06	12.13	-12.18	6.88
364.09	26.1	3838	0	-1.56	0	0	100	4.5	12.13	-12.33	5.62
364.21	26.1	3649	0	-1.56	0	0	100	3.56	11.74	-12.18	5
364.31	26.1	3457	0	-1.56	0	0	100	3.48	11.74	-12.18	5.31
364.43	26.1	3245	0	-1.56	0	0	100	3.32	11.35	-12.18	5.62
364.53	26.1	3073	0	-1.56	0	0	100	3.94	14.09	-11.75	8.12
364.63	26.1	3010	0	-1.56	0	0	100	5.68	14.09	-11.39	10
364.73	26.1	3019	0	-1.56	0	0	100	6.34	14.09	-11.39	10.31
364.83	26.1	3078	0	-1.56	0	0	100	6.44	14.09	-11.39	10.62
364.91	26.1	3075	0	-1.56	0	0	100	6.52	14.09	-11.39	10.62
365.01	26.1	3022	0	-1.56	0	0	100	6.52	14.09	-11.39	10.62
365.11	24.85	3027	0	-1.56	0	0	100	6.52	14.09	-11.39	10.94
365.21	24.85	2997	0	-1.56	0	0	100	6.46	14.09	-11.39	10.94
365.29	24.85	2952	0	-1.56	0	0	100	6.44	13.69	-11.39	10.94
365.39	24.85	2944	0	-1.56	0	0	100	6.36	13.69	-11.39	10.94
365.47	24.85	2918	0	-1.56	0	0	100	6.34	13.69	-11.39	10.94

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
365.57	24.85	2894	0	-1.56	0	0	100	6.3	13.69	-11.39	10.94
365.67	24.85	2865	0	-1.56	0	0	100	6.26	13.69	-11.39	10.94
365.77	24.85	2833	0	-1.56	0	0	100	6.1	14.48	-11.39	11.88
365.85	22.37	2816	0	-1.56	0	0	100	7.02	14.48	-11.17	13.12
365.95	22.37	2792	4.17	-1.56	0	0	100	7.52	14.48	-11.17	13.75
366.03	22.37	2784	3.56	-1.56	0	0	100	7.4	14.48	-11.39	13.12
366.13	22.37	2770	3.55	-1.56	0	0	100	7.2	14.48	-11.17	13.12
366.23	22.37	2749	3.52	-1.56	0	0	100	7.16	14.48	-11.17	13.12
366.31	22.37	2725	3.49	-1.56	0	0	100	6.78	12.13	-11.6	11.56
366.41	22.37	2687	3.44	-1.56	0	0	100	5.9	12.13	-11.97	11.25
366.49	21.13	2627	3.36	-1.56	0	0	100	5.84	11.74	-12.18	11.25
366.59	21.13	2638	3.38	-1.56	0	0	100	5.92	11.74	-12.18	11.25
366.69	21.13	2663	3.41	-1.56	0	0	100	5.88	11.35	-12.18	11.25
366.77	21.13	2582	3.31	-1.56	0	0	100	5.72	11.35	-12.18	11.25
366.87	21.13	2567	3.29	-1.56	0	0	100	5.78	12.13	-12.18	10.94
366.97	21.13	2581	0	-1.56	0	0	100	5.6	13.3	-11.97	11.25
367.05	21.13	2494	0	-1.56	0	0	100	5.62	13.3	-11.6	11.25
367.15	21.13	2493	0	-1.56	0	0	100	5.6	13.3	-11.6	11.25
367.25	19.88	2488	0	-1.56	0	0	100	5.48	13.3	-11.39	11.25
367.33	19.88	2433	0	-1.56	0	0	100	5.4	12.91	-11.39	11.25
367.43	19.88	2419	0	-1.56	0	0	100	5.44	12.91	-11.39	11.25
367.53	19.88	2393	0	-1.56	0	0	100	5.3	12.91	-11.17	11.25
367.61	19.88	2342	0	-1.56	0	0	100	5.28	12.91	-11.17	11.56
367.71	19.88	2333	0	-1.56	0	0	100	5.34	12.91	-11.17	11.56
367.79	19.88	2308	0	-1.56	0	0	100	5.28	12.91	-11.17	11.56
367.89	19.88	2273	0	-1.56	0	0	100	5.24	12.91	-11.17	11.56
367.97	18.64	2263	0	-1.56	0	0	100	5.18	12.91	-11.39	11.56
368.07	18.64	2226	0	-1.56	0	0	100	5.14	12.91	-11.17	11.88
368.15	18.64	2186	0	-1.56	0	0	100	5.14	12.91	-11.17	11.88
368.25	18.64	2186	0	-1.56	0	0	100	5.12	12.91	-11.17	11.88
368.33	18.64	2145	0	-1.56	0	0	100	5.06	12.52	-11.39	11.88
368.43	18.64	2119	0	-1.56	0	0	100	5	12.52	-11.17	11.88
368.51	18.64	2105	0	-1.56	0	0	100	5	12.52	-11.17	11.88
368.61	16.16	2066	0	-1.56	0	0	100	4.86	12.52	-11.39	11.88
368.69	16.16	2036	0	-1.56	0	0	100	4.84	12.52	-11.39	11.88
368.79	16.16	2029	0	-1.56	0	0	100	4.78	12.52	-11.17	11.88
368.87	16.16	1990	0	-1.56	0	0	100	4.72	12.52	-11.39	11.88
368.97	16.16	1958	0	-1.56	0	0	100	4.66	12.52	-11.17	11.88
369.05	16.16	1949	0	-1.56	0	0	100	4.6	12.13	-11.17	11.88

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
369.15	16.16	1906	0	-1.56	0	0	100	4.44	12.13	-11.17	11.88
369.25	16.16	1874	0	-1.56	0	0	100	4.34	12.13	-11.17	11.56
369.35	14.91	1860	0	-1.56	0	0	100	4.26	12.13	-11.17	11.56
369.43	14.91	1819	0	-1.56	0	0	100	4.14	11.74	-11.39	11.56
369.53	14.91	1793	0	-1.56	0	0	100	4.04	11.74	-11.17	11.25
369.61	14.91	1778	0	-1.56	0	0	100	3.96	11.74	-11.17	11.25
369.71	14.91	1748	0	-1.56	0	0	100	3.86	11.74	-11.39	10.94
369.79	14.91	1717	0	-1.56	0	0	100	3.76	11.74	-11.39	10.94
369.89	14.91	1696	0	-1.56	0	0	100	3.64	11.35	-11.39	10.94
369.97	14.91	1665	0	-1.56	0	0	100	3.58	12.52	-11.17	11.56
370.07	13.67	1640	2.45	-1.56	0	0	100	4.78	13.69	-10.59	15
370.15	13.67	1657	2.83	-1.56	0	0	100	5.44	14.09	-10.37	17.5
370.25	13.67	1592	3.06	-1.56	0	0	100	6.08	14.48	-9.64	20.31
370.35	13.67	1603	3.42	-1.56	0	0	100	7.22	14.87	-9.21	23.44
370.43	13.67	1639	3.5	-1.56	0	0	100	8.32	16.04	-8.63	26.56
370.53	13.67	1631	4.18	-1.56	0	0	100	8.94	16.43	-7.69	30.94
370.61	13.67	1501	4.17	-1.56	0	0	100	9.76	16.43	-7.25	32.81
370.71	13.67	1607	4.11	-1.56	0	0	100	10.68	16.43	-6.89	34.06
370.81	12.43	1549	4.3	-1.56	0	0	100	10.62	16.82	-6.53	36.25
370.89	12.43	1516	4.21	-1.56	0	0	100	11.66	20.74	-5.51	40.31
370.99	12.43	1608	5.83	-1.17	0	0	100	14.94	21.52	-3.41	51.88
371.09	12.43	1567	6.02	-1.17	0	0	100	17.26	21.13	-2.83	56.88
371.17	12.43	1598	6.14	-1.17	0	0	100	18.42	21.52	-2.83	57.81
371.27	12.43	1619	6.22	-1.17	0	0	100	18.8	21.52	-2.83	59.06
371.37	12.43	1610	5.84	-1.17	0	0	100	19.18	21.52	-2.83	59.38
371.45	12.43	1652	5.64	-1.17	0	0	100	19.6	21.52	-2.83	59.69
371.55	12.43	1654	5.3	-1.17	0	0	100	19.62	21.52	-2.61	60
371.67	12.43	1693	5.42	-1.17	0	0	100	20.42	21.52	-2.83	59.69
371.75	12.43	1716	5.49	-1.17	0	0	100	20.26	21.52	-2.83	59.06
371.85	12.43	1716	5.49	-1.17	0	0	100	20.4	21.52	-2.97	58.75
371.93	12.43	1760	5.63	-1.17	0	0	100	20.76	21.13	-2.83	58.44
372.03	12.43	1771	5.67	-1.17	0	0	100	20.6	21.13	-2.97	58.12
372.11	12.43	1789	5.73	-1.17	0	0	100	20.76	21.13	-2.97	57.81
372.21	13.67	1819	5.82	-1.17	0	0	100	20.62	19.56	-3.55	55.94
372.31	13.67	1813	5.42	-1.17	0	0	100	19.62	19.56	-3.99	52.81
372.39	13.67	1842	5.11	-1.17	0	0	100	19.16	19.56	-4.13	51.56
372.49	13.67	1865	5.17	-1.17	0	0	100	18.8	19.56	-4.13	50.31
372.59	13.67	1868	5.18	-1.17	-0.39	0	100	18.74	19.56	-4.35	50
372.67	13.67	1900	5.27	-1.17	-0.78	0	100	18.88	19.56	-4.35	49.69

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
372.77	13.67	1901	5.27	-1.17	-1.56	0	100	18.74	19.56	-4.13	49.38
372.85	14.91	1914	5.31	-1.17	-1.95	0	100	18.9	19.56	-4.35	49.06
372.95	14.91	1934	5.37	-1.17	-2.73	0	100	18.66	19.56	-4.13	49.06
373.05	14.91	1916	5.31	-1.17	-3.12	0	100	19.02	19.95	-4.13	49.38
373.13	14.91	1971	5.47	-1.17	-3.9	0	100	19.62	20.74	-3.99	51.56
373.23	14.91	1961	5.44	-1.17	-4.29	0	100	20.2	20.35	-3.77	52.19
373.31	14.91	1969	5.46	-1.17	-5.07	0	100	20.94	20.74	-3.77	53.12
373.41	14.91	2012	5.58	-1.17	-5.46	0	100	21.44	24.65	-2.39	58.12
373.51	14.91	2009	7.29	-1.17	-6.24	0	100	26.66	24.65	-1.45	67.19
373.59	16.16	2054	7.01	-1.17	-6.63	0	100	27.24	24.26	-1.45	67.19
373.69	16.16	2035	6.95	-1.17	-7.41	0	100	27.36	24.26	-1.45	66.88
373.77	16.16	2111	7.21	-1.17	-7.8	0	100	28.28	24.26	-1.6	67.5
373.87	16.16	2102	7.18	-1.17	-8.58	0	100	27.9	22.3	-2.03	65.94
373.95	16.16	2131	6.82	-1.17	-7.41	0	100	26	18.39	-4.13	55.94
374.05	16.16	2153	5.97	-1.17	-6.63	0	100	20.06	16.43	-6.31	43.75
374.13	16.16	2119	4.52	-1.17	-6.24	0	100	15.7	14.87	-7.9	33.44
374.23	16.16	2172	3.24	-1.17	-6.63	0	100	12.9	14.09	-9.06	26.56
374.31	17.4	2141	2.74	-1.56	-7.41	0	100	9.8	13.3	-9.79	20.94
374.41	17.4	2119	2.71	-1.56	-7.8	0	100	7.96	12.52	-10.59	17.19
374.49	17.4	2129	2.27	-1.56	-8.19	0	100	6.44	12.52	-11.02	14.69
374.59	17.4	2104	2.24	-1.56	-8.58	0	100	5.72	12.52	-11.17	13.12
374.67	17.4	2068	2.21	-1.56	0	0	100	5.14	12.52	-11.39	12.5
374.77	17.4	2051	2.19	-1.56	0	0	100	4.98	12.52	-11.39	12.19
374.85	17.4	2068	2.21	-1.56	0	0	100	4.98	12.52	-11.6	12.19
374.95	17.4	2059	2.64	-1.56	0	0	100	4.92	12.52	-11.6	12.19
375.03	16.16	2021	2.16	-1.56	0	0	100	4.88	12.13	-11.6	12.19
375.13	16.16	2004	2.57	-1.56	0	0	100	4.9	12.13	-11.6	12.19
375.21	16.16	2013	2.58	-1.56	0	0	100	4.88	12.13	-11.6	12.19
375.31	16.16	1981	2.54	-1.56	0	0	100	4.62	12.13	-11.6	11.56
375.39	16.16	1952	2.5	-1.56	0	0	100	4.46	12.13	-11.6	11.25
375.49	16.16	1935	2.06	-1.56	0	0	100	4.34	12.13	-11.6	11.25
375.57	16.16	1927	2.06	-1.56	0	0	100	4.24	12.13	-11.6	11.25
375.67	16.16	1907	2.03	-1.56	0	0	100	4.28	12.13	-11.39	11.25
375.75	14.91	1887	2.01	-1.56	0	0	100	4.3	12.13	-11.39	11.56
375.85	14.91	1876	2.4	-1.56	0	0	100	4.34	12.13	-11.39	11.88
375.93	14.91	1866	2.39	-1.56	0	0	100	4.38	12.52	-11.39	11.88
376.03	14.91	1829	2.34	-1.56	0	0	100	4.44	12.13	-11.39	12.19
376.11	14.91	1815	2.32	-1.56	0	0	100	4.4	12.13	-11.39	12.19
376.21	14.91	1798	2.3	-1.56	0	0	100	4.32	12.13	-11.39	12.19

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
376.29	14.91	1791	2.29	-1.56	0	0	100	4.24	12.13	-11.39	11.88
376.39	14.91	1770	2.27	-1.56	0	0	100	4.16	12.13	-11.39	11.88
376.47	13.67	1751	2.24	-1.56	0	0	100	4.1	12.13	-11.39	11.88
376.57	13.67	1730	2.21	-1.56	0	0	100	4.1	12.13	-11.39	11.88
376.65	13.67	1725	2.21	-1.56	0	0	100	4.12	12.13	-11.17	12.19
376.75	13.67	1703	2.18	-1.56	0	0	100	4.16	12.13	-11.17	12.5
376.83	13.67	1680	2.15	-1.56	0	0	100	4.2	12.13	-11.17	12.81
376.93	13.67	1665	2.13	-1.56	0	0	100	4.16	12.13	-11.17	12.5
377.01	13.67	1651	2.11	-1.56	0	0	100	4.14	12.13	-11.17	12.5
377.11	12.43	1640	2.1	-1.56	0	0	100	4.12	11.74	-11.17	12.81
377.19	12.43	1622	2.08	-1.56	0	0	100	4.06	11.74	-11.17	12.5
377.29	12.43	1588	2.03	-1.56	0	0	100	3.92	11.74	-11.17	12.5
377.37	12.43	1586	2.03	-1.56	0	0	100	3.88	11.74	-11.17	12.5
377.47	12.43	1574	2.02	-1.56	0	0	100	3.88	11.74	-11.17	12.5
377.55	12.43	1548	1.98	-1.56	0	0	100	3.8	11.74	-11.17	12.5
377.65	12.43	1529	1.96	-1.56	0	0	100	3.74	11.35	-11.17	12.19
377.73	12.43	1504	1.93	-1.56	0	0	100	3.64	11.35	-11.17	12.19
377.83	12.43	1501	1.92	-1.56	0	0	100	3.64	11.35	-11.17	12.19
377.91	12.43	1488	1.9	-1.56	0	0	100	3.54	11.35	-11.17	12.19
378.01	12.43	1460	1.87	-1.56	0	0	100	3.5	11.35	-11.17	12.19
378.09	12.43	1451	1.55	-1.56	0	0	100	3.48	11.35	-11.17	12.19
378.19	12.43	1443	1.85	-1.56	0	0	100	3.46	11.35	-11.17	12.19
378.27	12.43	1427	1.83	-1.56	0	0	100	3.48	11.35	-11.02	12.5
378.37	12.43	1395	1.79	-1.56	0	0	100	3.46	11.35	-11.02	12.81
378.45	12.43	1373	1.76	-1.56	0	0	100	3.48	11.35	-11.02	12.81
378.55	11.18	1369	1.75	-1.56	0	0	100	3.48	11.35	-11.02	13.12
378.63	11.18	1341	1.72	-1.56	0	0	100	3.52	11.35	-11.02	13.12
378.73	11.18	1334	1.71	-1.56	0	0	100	3.48	11.35	-11.02	13.12
378.81	11.18	1310	1.68	-1.56	0	0	100	3.46	11.35	-10.8	13.44
378.91	11.18	1292	1.65	-1.56	0	0	100	3.48	11.35	-10.8	13.44
378.99	11.18	1287	1.65	-1.56	0	0	100	3.48	11.35	-10.8	13.75
379.09	11.18	1271	1.63	-1.56	0	0	100	3.56	11.74	-10.8	14.38
379.17	11.18	1257	1.61	-1.56	0	0	100	3.66	11.74	-10.59	15
379.27	9.94	1229	1.57	-1.56	0	0	100	3.76	12.13	-10.37	15.62
379.35	9.94	1217	1.56	-1.56	0	0	100	3.9	14.09	-10.01	17.81
379.45	9.94	1205	2.06	-1.56	-0.39	0	100	4.76	15.26	-8.85	23.44
379.53	9.94	1155	2.22	-1.56	-0.39	0	100	6.56	16.04	-7.69	29.38
379.63	9.94	1247	3.19	-1.56	-0.78	0	100	8.44	16.43	-6.67	35.62
379.71	9.94	1286	3.29	-1.56	-0.78	0	100	9	16.43	-5.73	39.69

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
379.81	9.94	1086	3.01	-1.56	-1.17	0	100	9.18	16.43	-5.37	43.44
379.89	9.94	1233	3.16	-1.56	-1.56	0	100	11.08	17.22	-4.93	44.69
379.99	8.7	1246	3.72	-1.56	-1.56	0	100	10.52	16.82	-4.57	46.25
380.07	8.7	1153	3.2	-1.56	-1.95	0	100	11.18	18.78	-4.35	47.5
380.17	8.7	1262	4.31	-1.17	-1.95	0	100	12.94	21.91	-2.03	58.75
380.25	8.7	1212	4.66	-1.17	-2.34	0	100	15.12	22.69	-1.45	63.12
380.35	8.7	1260	4.84	-1.17	-2.34	0	100	16.8	23.48	-1.23	66.25
380.45	8.7	1278	4.91	-1.17	-2.73	0	100	17.2	23.87	-0.87	68.12
380.53	8.7	1282	4.92	-1.17	-3.12	0	100	18.48	26.21	-0.44	70.62
380.63	8.7	1346	5.46	-1.17	-3.51	0	100	19.34	27.78	-0.29	73.12
380.71	9.94	1340	5.43	-1.17	-3.9	0	100	20.18	30.52	0.15	75
380.81	9.94	1384	5.61	-1.17	-4.29	0	100	21.54	33.26	0.15	76.88
380.89	9.94	1420	5.76	-1.17	-4.68	0	100	22.04	36.78	0.29	78.75
380.99	9.94	1442	5.85	-1.17	-5.07	0	100	23.06	37.95	0.51	79.69
381.07	9.94	1487	6.35	-1.17	-5.46	1.41	100	24.18	40.69	0.51	81.88
381.17	9.94	1509	6.44	-1.17	-5.85	1.41	100	25.26	41.08	0.94	83.44
381.25	9.94	1562	6.67	-1.17	-6.24	1.41	100	26.46	39.91	0.73	85.31
381.35	12.43	1575	6.72	-1.17	-6.63	1.41	100	27.06	37.17	0.94	85.62
381.43	12.43	1609	7.21	-1.17	0	1.41	100	27.96	35.6	0.94	85.31
381.53	12.43	1687	7.2	-1.17	0	1.41	100	28.08	31.3	0.73	84.06
381.61	12.43	1667	7.12	-1.17	0	1.41	100	27.96	27.78	0.29	82.19
381.71	12.43	1732	7.39	-1.17	0	1.41	100	28.44	27.78	0.29	80.94
381.79	12.43	1772	7.56	-1.17	0	1.41	100	28.68	27.78	0.51	81.25
381.89	12.43	1784	7.61	-1.17	0	1.05	100	29.44	27.78	0.29	81.88
381.97	12.43	1837	7.84	-1.17	0	1.05	100	30.48	27.78	0.51	83.44
382.07	14.91	1860	7.94	-1.17	0	1.05	100	31.14	27.78	0.51	83.75
382.15	14.91	1902	8.12	-1.17	0	1.05	100	32.04	26.61	0.29	83.12
382.25	14.91	1935	8.26	-1.17	0	1.05	100	31.8	25.04	0.15	80.31
382.33	14.91	1960	7.95	-1.17	0	1.05	100	31.32	25.04	-0.07	78.44
382.43	14.91	2011	8.15	-1.17	0	1.05	100	31.18	24.65	-0.29	77.19
382.53	14.91	2017	8.18	-1.17	0	1.05	100	30.92	24.26	-0.29	75.62
382.63	14.91	2069	8.39	-1.17	0	0.7	100	31.16	24.26	-0.44	74.69
382.74	14.91	2100	8.06	-1.17	0	0.7	100	30.62	23.08	-1.02	72.19
382.86	17.4	2126	7.71	-1.17	0	0.7	100	30.04	23.08	-1.45	69.06
382.96	17.4	2168	7.87	-1.17	0	0	100	29.5	23.08	-1.45	67.81
383.06	17.4	2192	7.48	-1.17	0	0	100	29.24	22.69	-1.6	66.25
383.16	17.4	2226	7.6	-1.17	0	0	100	29.28	22.69	-1.6	65.31
383.26	17.4	2265	7.73	-1.17	0	0	100	29.18	22.3	-2.03	63.75
383.38	17.4	2278	7.78	-1.17	-0.78	0	100	28.66	22.3	-2.18	62.19

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
383.48	17.4	2331	7.46	-1.17	-1.56	0	100	28.32	21.52	-2.83	60
383.58	18.64	2330	6.96	-1.17	-2.34	0	100	27.04	20.35	-3.55	55.94
383.69	18.64	2366	6.56	-1.17	-2.73	0	100	25.16	20.35	-3.99	52.5
383.79	18.64	2379	6.6	-1.17	-3.9	0	100	23.46	18.39	-4.93	46.56
383.91	18.64	2395	5.62	-1.17	-4.68	0	100	19.94	17.61	-6.31	39.38
384.01	18.64	2400	5.12	-1.17	-5.46	0	100	17.2	17.22	-7.11	34.06
384.13	18.64	2406	4.62	-1.17	-6.24	0	100	15.5	17.22	-7.69	31.25
384.23	19.88	2421	4.65	-1.17	-6.63	0	100	14.24	17.22	-7.69	29.06
384.35	19.88	2399	4.09	-1.17	-7.02	0	100	13.58	17.22	-7.9	28.12
384.45	19.88	2419	4.13	-1.17	-6.63	0	100	13.2	17.22	-8.05	27.5
384.57	19.88	2394	4.09	-1.17	-5.46	0	100	13.04	17.22	-8.27	27.19
384.67	19.88	2414	4.12	-1.17	-4.68	0	100	12.8	17.22	-8.27	26.88
384.79	19.88	2379	4.06	-1.17	-3.51	0	100	12.76	16.82	-8.27	26.56
384.89	19.88	2404	4.1	-1.17	-2.73	0	100	12.72	16.82	-8.27	26.56
385.01	18.64	2373	4.05	-1.17	-1.95	0	100	12.64	16.82	-8.48	26.56
385.11	18.64	2399	4.09	-1.17	-1.17	0	100	12.5	16.82	-8.63	25.94
385.23	18.64	2373	4.05	-1.17	0	0	100	12.1	16.43	-8.63	25.31
385.33	18.64	2383	4.07	-1.17	0.78	0	100	11.92	16.43	-8.85	25
385.45	18.64	2365	4.04	-1.17	0	0	100	11.6	16.43	-8.85	24.69
385.55	18.64	2372	4.05	-1.17	-0.39	0	100	11.48	16.04	-9.06	24.06
385.67	18.64	2369	4.04	-1.17	-1.17	0	100	10.9	15.65	-9.21	22.81
385.77	18.64	2359	3.52	-1.56	-1.56	0	100	10.52	15.65	-9.43	22.19
385.89	18.64	2357	3.52	-1.56	-2.34	0	100	10.3	15.65	-9.43	21.88
385.99	18.64	2339	3.49	-1.56	-3.12	0	100	10.1	15.65	-9.64	21.25
386.11	18.64	2349	3.51	-1.56	-3.9	0	100	9.4	14.48	-10.01	19.69
386.21	18.64	2313	3.45	-1.56	-4.29	0	100	8.4	14.48	-10.37	17.81
386.33	18.64	2316	2.97	-1.56	-5.07	0	100	7.8	14.09	-10.59	16.56
386.43	18.64	2299	2.94	-1.56	-5.46	0	100	7.32	14.09	-10.8	15.94
386.55	18.64	2281	2.92	-1.56	-6.24	0	100	6.92	14.09	-10.59	15.31
386.65	18.64	2261	2.89	-1.56	-6.63	0	100	6.68	14.09	-10.8	14.69
386.77	18.64	2249	2.88	-1.56	-7.41	0	100	6.64	14.09	-10.8	15
386.87	18.64	2233	2.86	-1.56	-7.8	0	100	6.6	13.69	-10.8	14.69
386.95	18.64	2210	2.83	-1.56	-8.58	0	100	6.4	13.69	-10.8	14.38
387.05	17.4	2201	2.82	-1.56	-8.97	0	100	6.26	13.69	-11.02	14.38
387.15	17.4	2206	2.82	-1.56	-9.36	0	100	6.28	13.69	-10.8	14.69
387.25	17.4	2192	2.81	-1.56	-10.14	0	100	6.38	13.69	-11.02	14.69
387.33	17.4	2165	2.77	-1.56	-10.53	0	100	6.38	13.69	-10.8	14.69
387.43	17.4	2145	2.75	-1.56	-10.92	0	100	6.34	13.69	-10.8	15
387.53	17.4	2121	2.71	-1.56	-11.31	0	100	6.32	13.69	-10.8	15

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
387.63	17.4	2121	2.71	-1.56	-10.92	0	100	6.36	13.69	-10.8	15
387.71	16.16	2121	2.71	-1.56	-9.75	0	100	6.6	14.87	-10.59	16.56
387.81	16.16	2111	3.15	-1.56	-9.36	0	100	8.38	16.04	-9.79	21.25
387.91	16.16	2107	3.6	-1.56	-8.19	0	100	9.8	16.04	-9.21	24.69
388.01	16.16	2070	3.53	-1.56	-7.41	0	100	10.44	16.82	-8.63	26.56
388.09	16.16	2062	3.96	-1.56	-6.63	0	100	11.82	18.39	-7.69	32.19
388.19	16.16	2090	4.46	-1.17	-7.02	0	100	14.5	18.39	-7.11	35.94
388.29	16.16	2059	4.39	-1.17	-7.8	0	100	15.38	19.17	-6.31	39.69
388.39	16.16	2071	4.86	-1.17	-8.58	0	100	17.26	19.95	-5.51	43.75
388.49	16.16	2092	5.36	-1.17	-8.97	0	100	19.28	20.74	-4.93	47.19
388.57	16.16	2083	5.33	-1.17	-9.75	0	100	20.06	20.74	-4.71	48.44
388.67	16.16	2108	5.4	-1.17	-10.53	0	100	20.38	20.74	-4.71	48.44
388.77	16.16	2112	5.41	-1.17	-10.92	0	100	20.5	20.74	-4.57	48.44
388.85	16.16	2121	5.43	-1.17	-11.7	0	100	20.6	20.74	-4.57	49.06
388.95	16.16	2138	5.47	-1.17	-11.7	0	100	21.04	20.74	-4.57	49.38
389.05	16.16	2157	5.52	-1.17	-10.53	0	100	21.1	20.74	-4.57	49.06
389.15	17.4	2157	5.52	-1.17	-9.75	0	100	21	20.35	-4.35	48.44
389.23	17.4	2184	5.59	-1.17	-8.58	0	100	21.16	20.74	-4.57	48.44
389.33	17.4	2195	5.62	-1.17	-7.41	0	100	21.24	20.74	-4.57	48.44
389.43	17.4	2202	5.64	-1.17	-6.24	0	100	21.28	20.35	-4.57	48.12
389.53	17.4	2226	5.7	-1.17	-5.85	0	100	21.24	20.74	-4.57	47.81
389.63	17.4	2221	5.69	-1.17	-6.63	0	100	21.16	20.35	-4.57	47.81
389.73	17.4	2242	5.74	-1.17	-7.41	0	100	21.3	20.35	-4.57	47.5
389.85	17.4	2259	5.78	-1.17	-8.19	0	100	21.26	20.35	-4.57	47.5
389.95	18.64	2274	5.82	-1.17	-7.8	0	100	21.44	20.35	-4.57	47.19
390.07	18.64	2300	5.89	-1.17	-6.63	0	100	21.68	20.74	-4.57	47.5
390.17	18.64	2301	6.38	-1.17	-5.85	0	100	22.84	22.69	-3.99	51.25
390.29	18.64	2349	7.52	-1.17	-4.29	0	100	25.88	23.08	-3.19	56.56
390.39	18.64	2349	7.02	-1.17	-4.29	0	100	27.14	23.48	-2.97	58.75
390.51	18.64	2390	8.16	-1.17	-5.46	0	100	33.16	28.17	-0.87	71.56
390.61	18.64	2434	9.87	-1.17	0	0	100	35.28	23.87	-1.45	71.25
390.71	18.64	2440	8.85	-1.17	0	0	100	30.52	20.35	-3.77	57.81
390.79	18.64	2462	7.35	-1.17	-0.78	0	100	26	18.39	-5.37	48.44
390.89	18.64	2475	6.34	-1.17	-1.17	0	100	20.66	16.82	-6.89	38.75
390.99	18.64	2489	5.31	-1.17	-1.95	0	100	16.62	14.48	-8.63	29.38
391.09	18.64	2484	3.71	-1.17	-2.73	0	100	12.02	12.52	-10.22	20
391.17	18.64	2481	3.18	-1.56	-3.12	0	100	7.8	12.13	-11.39	13.75
391.27	19.88	2462	3.15	-1.56	0	0	100	5.56	11.74	-11.75	11.56
391.37	19.88	2422	3.1	-1.56	0	0	100	5.48	11.74	-11.97	11.56

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
391.47	19.88	2387	3.06	-1.56	0	0	100	5.52	11.35	-11.97	11.25
391.55	19.88	2473	3.17	-1.56	0	0	100	5.56	11.35	-12.18	11.56
391.65	19.88	2410	0	-1.56	0	0	100	5.22	12.91	-11.75	11.25
391.75	19.88	2354	0	-1.56	0	0	100	5.1	12.91	-11.39	10.62
391.85	19.88	2394	0	-1.56	0	0	100	5.04	12.91	-11.39	10.94
391.93	19.88	2326	0	-1.56	0	0	100	4.98	12.91	-11.17	10.94
392.03	18.64	2306	0	-1.56	0	0	100	4.98	12.91	-11.17	10.94
392.11	18.64	2319	0	-1.56	0	0	100	4.96	12.91	-11.17	10.94
392.21	18.64	2267	0	-1.56	0	0	100	5.04	12.91	-11.17	11.25
392.29	18.64	2244	0	-1.56	0	0	100	5	12.91	-11.17	11.25
392.39	18.64	2249	0	-1.56	0	0	100	5.08	12.91	-11.17	11.56
392.49	18.64	2200	0	-1.56	0	0	100	4.94	12.91	-11.17	11.56
392.57	18.64	2196	0	-1.56	0	0	100	5.06	12.91	-11.17	11.56
392.67	17.4	2182	0	-1.56	0	0	100	5.02	12.52	-11.17	11.88
392.75	17.4	2141	0	-1.56	0	0	100	4.96	12.52	-11.17	11.56
392.85	17.4	2139	0	-1.56	0	0	100	4.92	12.52	-11.17	11.88
392.95	17.4	2110	0	-1.56	0	0	100	4.9	12.52	-11.17	11.88
393.03	17.4	2081	0	-1.56	0	0	100	4.88	12.52	-11.17	11.88
393.13	17.4	2080	0	-1.56	0	0	100	4.8	12.52	-11.17	11.56
393.21	17.4	2047	0	-1.56	0	0	100	4.86	12.52	-11.17	11.88
393.31	17.4	2024	0	-1.56	0	0	100	4.82	12.52	-11.17	11.88
393.39	16.16	2020	0	-1.56	0	0	100	4.72	12.52	-11.17	11.88
393.49	16.16	1974	0	-1.56	0	0	100	4.64	12.13	-11.17	11.88
393.57	16.16	1931	0	-1.56	0	0	100	4.5	12.13	-11.17	11.88
393.67	16.16	1906	0	-1.56	0	0	100	4.44	12.13	-11.17	11.88
393.75	16.16	1860	0	-1.56	0	0	100	4.26	11.74	-11.17	11.56
393.85	16.16	1803	0	-1.56	0	0	100	4.1	11.74	-11.17	11.25
393.95	16.16	1772	0	-1.56	0	0	100	3.96	11.74	-11.17	11.25
394.03	16.16	1725	0	-1.56	0	0	100	3.76	11.74	-11.17	10.94
394.13	13.67	1672	0	-1.56	0	0	100	3.62	11.35	-11.39	10.94
394.21	13.67	1644	0	-1.56	0	0	100	3.48	11.35	-11.39	10.62
394.31	13.67	1601	0	-1.56	0	0	100	3.32	11.35	-11.17	10.62
394.41	13.67	1541	0	-1.56	0	0	100	3.14	11.35	-11.17	10.62
394.49	13.67	1474	0	-1.56	0	0	100	3	11.35	-11.17	10.62
394.59	13.67	1348	0	-1.56	0	0	100	2.86	11.35	-11.02	11.25
394.67	13.67	1263	0	-1.56	0	0	100	2.82	11.35	-10.8	12.19
394.77	13.67	1138	0	-1.56	0	0	100	3	12.91	-10.22	15.31
394.85	11.18	1035	0	-1.56	0	0	100	3.5	12.91	-9.43	19.38
394.95	11.18	922	2.17	-1.56	0	0	100	3.74	12.91	-9.06	23.12

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
395.03	11.18	841	2.15	-1.56	0	0	100	4.02	12.52	-8.48	24.38
395.13	11.18	902	1.92	-1.56	0	0	100	4.52	11.35	-8.85	22.5
395.21	11.18	993	1.91	-1.56	0	0	100	4.28	11.35	-9.21	20.94
395.31	11.18	1021	1.74	-1.56	0	0	100	3.96	11.35	-9.64	20.94
395.39	11.18	1002	1.71	-1.56	0	0	100	3.94	11.35	-9.79	19.69
395.49	11.18	989	1.69	-1.56	0	0	100	3.64	11.35	-9.79	18.44
395.57	9.94	971	1.45	-1.56	0	0	100	3.54	11.35	-9.79	18.12
395.67	9.94	975	1.46	-1.56	0	0	100	3.48	11.35	-10.01	17.81
395.77	9.94	976	1.46	-1.56	0	0	100	3.48	11.35	-10.01	17.5
395.85	9.94	985	1.47	-1.56	0	0	100	3.42	12.52	-9.79	17.81
395.95	9.94	988	1.69	-1.56	0	0	100	3.9	12.91	-9.21	20.62
396.03	9.94	1010	1.72	-1.56	0	0	100	4.52	12.91	-9.06	22.5
396.13	9.94	1075	2.06	-1.56	0	0	100	5.06	12.91	-9.06	23.12
396.23	9.94	1127	2.17	-1.56	0	0	100	5.28	12.91	-9.06	23.12
396.31	9.94	1183	2.27	-1.56	0	0	100	5.5	12.91	-9.06	22.5
396.41	9.94	1265	2.16	-1.56	0	0	100	5.68	12.91	-9.21	21.88
396.49	9.94	1339	2.29	-1.56	0	0	100	5.84	12.91	-9.43	20.94
396.59	9.94	1429	2.44	-1.56	0	0	100	5.86	12.91	-9.64	20
396.69	9.94	1492	2.23	-1.56	0	0	100	5.86	12.91	-9.79	19.06
396.77	9.94	1568	2.34	-1.56	0	0	100	5.92	13.69	-10.01	18.44
396.87	9.94	1643	2.45	-1.56	0	0	100	6.58	15.26	-9.64	20.94
396.95	8.7	1717	2.93	-1.56	0	0	100	7.84	15.65	-9.06	23.75
397.05	8.7	1788	3.43	-1.56	0	0	100	9.14	16.04	-8.63	26.25
397.13	8.7	1867	3.98	-1.56	0	0	100	10	16.04	-8.48	26.88
397.23	8.7	1921	4.1	-1.56	0	0	100	10.52	16.04	-8.48	27.19
397.33	8.7	1986	4.24	-1.56	0	0	100	10.84	16.43	-8.48	27.5
397.41	8.7	2034	3.91	-1.56	0	0	100	11.4	17.61	-8.05	29.69
397.51	8.7	2086	4.9	-1.17	0	0	100	13.1	18.39	-7.47	33.44
397.61	8.7	2112	5.41	-1.17	0	0	100	14.98	19.17	-6.67	37.81
397.69	8.7	2112	5.86	-1.17	0	0	100	16.96	19.95	-5.73	42.5
397.79	8.7	2071	5.75	-1.17	0	0	100	18.12	19.95	-5.15	45.94
397.87	8.7	1976	5.48	-1.17	0	0	100	18.32	20.74	-4.35	49.69
397.97	8.7	1903	6.09	-1.17	0	0	100	19.18	20.74	-4.13	50.94
398.05	8.7	1899	5.67	-1.17	0	0	100	19.74	21.13	-3.99	51.88
398.15	8.7	1998	5.97	-1.17	0	0	100	20.92	21.13	-4.13	51.88
398.25	8.7	2043	6.1	-1.17	0	0	100	21.24	21.13	-3.99	52.19
398.33	11.18	2051	6.57	-1.17	0	0	100	23.44	23.48	-3.19	57.81
398.43	11.18	2132	7.28	-1.17	0	0	100	25.76	23.48	-2.83	59.69
398.51	11.18	2220	7.58	-1.17	0	0	100	26.82	23.87	-2.61	60.62

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
398.61	11.18	2220	7.58	-1.17	0	0	100	27.34	25.04	-2.18	63.12
398.69	11.18	2293	8.32	-1.17	0	0	100	30.18	25.43	-2.18	64.69
398.79	11.18	2433	8.83	-1.17	0	0	100	32.1	25.43	-2.03	66.25
398.87	11.18	2455	8.38	-1.17	-0.39	0	100	32.7	25.43	-1.81	67.5
398.97	11.18	2484	8.48	-1.17	-1.17	0	100	34	27.78	-1.23	71.56
399.05	13.67	2614	10.6	-1.17	0	0	100	39.46	28.17	-1.02	75.62
399.15	13.67	2715	11.01	-1.17	0	0	100	41.46	28.17	-0.65	78.12
399.23	13.67	2725	11.05	-1.17	0	0	100	43.48	28.17	-0.65	79.69
399.33	13.67	2825	11.45	-1.17	0	0	100	47.06	30.52	0.15	84.69
399.43	13.67	2970	13.31	-1.17	0	0	100	52	29.34	0.15	87.5
399.51	13.67	3019	12.88	-1.17	0	0	100	49.04	25.43	-1.02	75.94
399.61	13.67	3039	11.67	-1.17	0	0	100	44.42	25.04	-1.6	71.56
399.69	13.67	3169	11.5	-1.17	0	0	100	45.56	25.04	-1.81	70.31
399.79	17.4	3269	11.86	-1.17	0	0	100	45.9	25.43	-1.6	70.31
399.87	17.4	3285	11.91	-1.17	0	0	100	46.36	25.43	-1.6	70.94
399.97	17.4	3360	12.19	-1.17	0	0	100	48.72	27	-1.02	74.38
400.05	17.4	3473	13.34	-1.17	0	0	100	54.2	27.39	-0.44	79.06
400.15	17.4	3534	14.33	-1.17	0	0	100	56.46	27.78	-0.29	81.25
400.23	17.4	3605	15.39	-1.17	0	0	100	59.64	28.17	0.15	84.69
400.33	17.4	3707	17.4	-1.17	0	0	100	65.72	28.95	0.94	90.62
400.41	17.4	3807	18.68	-1.17	0	1.05	100	69	27.78	0.29	89.38
400.51	21.13	3846	18.05	-1.17	0	0.7	100	67.66	26.61	-0.07	84.06
400.59	21.13	3938	15.13	-1.17	0	0	100	57.42	24.26	-2.39	65.94
400.69	21.13	3995	12.79	-1.17	0	0	100	48.12	24.65	-2.97	57.81
400.77	21.13	4030	12.04	-1.17	0	0	100	45.18	24.65	-3.41	55
400.87	21.13	4118	12.3	-1.17	0	0	100	45.22	26.21	-3.19	57.5
400.95	21.13	4180	13.38	-1.17	0	0	100	54.2	27.39	-2.18	69.06
401.05	21.13	4247	16.31	-1.17	0	0	100	61.7	27.39	-1.81	74.38
401.13	21.13	4290	17.39	-1.17	0	0	100	63.18	27.39	-1.6	74.06
401.23	23.61	4332	17.56	-1.17	0	0	100	64.2	27.39	-1.6	73.75
401.31	23.61	4424	17.94	-1.17	0	0	100	64.9	27.39	-1.81	72.81
401.41	23.61	4501	17.29	-1.17	0	0	100	64.18	27	-1.81	70.62
401.49	23.61	4528	17.39	-1.17	0	0	100	62.42	27.39	-2.03	68.75
401.59	23.61	4598	17.66	-1.17	0	0	100	63.34	27.39	-2.03	68.44
401.67	23.61	4675	17.95	-1.17	0	0	100	64.36	28.17	-1.81	70
401.77	23.61	4734	21.21	-1.17	0	0	100	73.74	31.3	0.15	85.94
401.85	23.61	4829	26.79	0	0	0	100	88.76	32.87	1.67	96.56
401.95	26.1	4927	32.59	0	0	0.7	100	100.2	34.04	3.26	106.25
402.03	26.1	5003	36.29	0	0	0.7	100	111.76	47.34	7.32	125.62

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
402.13	26.1	5190	50.94	0	0	2.46	100	162.18	53.99	10.88	165
402.21	26.1	5345	61.58	0	0	2.46	100	191.48	53.99	14.58	191.56
402.31	26.1	5434	73.04	0	0	2.11	100	224.52	53.99	17.69	216.25
402.39	26.1	5668	82.24	0	0	2.11	100	258.02	54.38	19.65	229.06
402.49	26.1	5868	85.13	0	0	1.76	100	264.62	53.21	19.87	218.12
402.57	33.55	6033	81.09	0	0	1.76	100	236.44	38.34	14	170.62
402.67	33.55	6097	53.33	0	0	1.41	100	155.5	29.34	4.21	104.69
402.75	33.55	5990	31.95	0	0	0.7	100	86.52	19.17	-4.13	55
402.85	33.55	5751	13.5	-1.17	0	0	100	40.74	14.48	-9.21	24.06
402.93	33.55	5551	7.11	-1.17	0	0	100	17.12	12.91	-11.17	12.5
403.03	33.55	5349	5.71	-1.17	0	0	100	11.08	12.52	-11.6	10.31
403.11	33.55	5168	5.51	-1.56	0	0	100	10.66	12.13	-11.75	10
403.21	33.55	4963	6.35	-1.56	0	0	100	12.14	18.78	-10.22	13.44
403.29	34.8	4819	7.2	-1.17	0	0	100	19.84	23.08	-8.05	27.81
403.39	34.8	4669	9.96	-1.17	0	0	100	32.78	23.87	-6.67	39.06
403.47	34.8	4456	11.41	-1.17	0	0	100	38.34	31.3	-3.41	59.69
403.57	34.8	4232	17.16	-1.17	0	0	100	63.1	34.43	-0.87	80.31
403.65	34.8	4440	22.73	0	0	0	100	76.64	36	0.51	90.31
403.75	34.8	4353	25.07	0	0	0	100	81.9	35.6	1.52	98.12
403.83	34.8	4451	28.49	0	0	0	100	92.92	43.43	4.06	114.69
403.93	34.8	4534	34.83	0	0	0	100	103.96	35.6	4.64	115.31
404.01	37.28	4499	31.67	0	0	0	100	95.76	24.26	0.29	85.62
404.11	37.28	4518	16.39	-1.17	0	0	100	55.02	18	-6.09	44.38
404.19	37.28	4556	8.75	-1.17	0	0	100	27.82	17.22	-8.85	25.94
404.29	37.28	4570	6.82	-1.17	0	0	100	19.76	17.22	-9.79	20
404.37	37.28	4559	5.84	-1.17	0	0	100	16.74	17.22	-10.22	17.5
404.47	37.28	4542	5.81	-1.17	0	0	100	15.18	17.22	-10.37	16.25
404.55	37.28	4523	5.79	-1.17	0	0	100	14.4	17.22	-10.37	15.62
404.65	37.28	4537	5.81	-1.17	0	0	100	13.94	17.22	-10.37	15
404.73	37.28	4564	5.84	-1.17	0	0	100	13.22	17.22	-10.37	14.38
404.83	37.28	4550	5.82	-1.17	0	0	100	12.92	17.22	-10.59	14.38
404.91	37.28	4523	5.79	-1.17	0	0	100	12.96	17.22	-10.59	14.38
405.01	37.28	4518	5.78	-1.17	0	0	100	13	17.22	-10.59	14.69
405.09	37.28	4512	5.78	-1.17	0	0	100	13.2	17.22	-10.59	15
405.19	37.28	4504	5.77	-1.17	0	0	100	13.46	17.22	-10.59	15
405.27	37.28	4493	5.75	-1.17	0	0	100	13.64	17.22	-10.59	15
405.37	37.28	4482	5.74	-1.17	0	0	100	13.42	14.87	-11.17	13.44
405.45	36.04	4453	5.7	-1.56	0	0	100	9.38	12.52	-11.97	10.62
405.55	36.04	4419	5.66	-1.56	0	0	100	9.26	12.13	-12.18	10.31

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
405.63	36.04	4464	5.71	-1.56	0	0	100	9.24	12.13	-12.18	10.62
405.73	36.04	4396	5.63	-1.56	0	0	100	9.24	11.74	-12.18	10.62
405.81	36.04	4383	5.61	-1.56	0	0	100	9.24	11.74	-12.33	10.62
405.91	36.04	4385	5.61	-1.56	0	0	100	9.24	11.35	-12.33	10.31
405.99	36.04	4340	0	-1.56	0	0	100	6.72	11.35	-12.55	6.56
406.09	36.04	4330	0	-1.56	0	0	100	4.62	13.3	-12.55	5
406.17	34.8	4315	0	-1.56	0	0	100	7.46	15.26	-11.75	10.31
406.27	34.8	4283	0	-1.56	0	0	100	10.04	16.43	-11.17	12.81
406.35	34.8	4273	0	-1.56	0	0	100	11.26	16.43	-11.02	13.44
406.45	34.8	4247	0	-1.56	0	0	100	11.94	16.82	-10.8	14.38
406.53	34.8	4244	6.34	-1.17	0	0	100	12.72	19.17	-10.59	16.56
406.63	34.8	4247	7.25	-1.17	0	0	100	19.2	21.52	-9.06	26.25
406.71	34.8	4300	8.26	-1.17	0	0	100	24.84	22.69	-8.27	31.88
406.81	34.8	4288	9.15	-1.17	0	0	100	29.34	22.69	-7.69	35.94
406.89	34.8	4162	9.77	-1.17	0	0	100	32.48	25.04	-6.53	43.12
406.99	34.8	4308	11.95	-1.17	0	0	100	41.46	25.82	-5.51	50
407.07	34.8	4275	11.86	-1.17	0	0	100	42.86	25.82	-5.37	51.88
407.17	34.8	4239	12.66	-1.17	0	0	100	44.74	25.82	-5.15	53.12
407.25	34.8	4347	12.98	-1.17	0	0	100	46.08	25.43	-4.93	53.75
407.35	34.8	4288	12.81	-1.17	0	0	100	46.84	25.82	-4.71	55.62
407.43	34.8	4342	12.97	-1.17	0	0	100	49.16	25.82	-4.57	56.88
407.53	36.04	4375	13.07	-1.17	0	0	100	49.84	25.82	-4.35	57.5
407.61	36.04	4353	13.93	-1.17	0	0	100	50.16	25.82	-4.13	58.12
407.71	36.04	4409	14.11	-1.17	0	0	100	51.5	25.82	-3.99	58.44
407.81	36.04	4422	14.15	-1.17	0	0	100	53.68	27.78	-2.97	65.31
407.89	36.04	4453	18.05	-1.17	0	0	100	65.26	30.52	-1.02	78.44
407.99	36.04	4512	22.14	0	0	0	100	78	32.47	0.51	90.62
408.09	36.04	4526	26.07	0	0	0	100	85.08	34.82	2.25	99.06
408.19	36.04	4589	33.29	0	0	1.41	100	116.34	54.78	6.96	136.25
408.29	37.28	4705	45.17	0	0	1.41	100	144	62.21	10.44	162.5
408.39	37.28	4743	54.65	0	0	1.41	100	169.46	84.51	14.58	192.81
408.49	37.28	4905	66.97	0	0	1.41	100	215.3	84.9	19.43	232.5
408.61	37.28	4973	80.64	0	0	1.41	100	257.88	85.29	23.93	268.75
408.71	37.28	5095	91.31	0	0	1.41	100	290.52	85.69	26.25	279.06
408.81	37.28	5292	93.72	0	0	1.41	100	288.28	85.69	26.25	270
408.89	37.28	5356	90.28	0	0	1.05	100	285.26	85.69	24.87	256.56
408.99	44.74	5506	86.93	0	0	0.7	100	270.66	85.69	23.35	237.81
409.07	44.74	5605	81.32	0	0	0.7	100	254.94	85.69	21.39	218.12
409.17	44.74	5773	78.83	0	0	0.35	100	240.56	85.29	19.87	206.88

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
409.27	44.74	5822	75.77	0	0	0.35	100	235.56	85.69	18.27	196.25
409.37	44.74	5980	74	0	0	0	100	231.34	85.29	16.9	190.94
409.47	44.74	6077	73.9	0	0	0	100	231.28	85.29	16.32	191.25
409.57	44.74	6193	76.63	0	0	0	100	242.1	85.29	15.95	193.75
409.67	50.95	6307	79.39	0	0	0	100	249.58	84.51	16.1	200.94
409.77	50.95	6426	83.63	0	0	0	100	259.62	36	10.44	154.38
409.87	50.95	6137	41.9	0	0	0	100	134.04	26.61	1.67	86.56
409.97	50.95	5957	25.42	0	0	0	100	71.32	20.35	-4.71	50
410.07	50.95	5751	13.5	-1.17	0	0	100	44.68	19.95	-7.69	32.19
410.17	50.95	5791	9.88	-1.17	0	0	100	31.24	20.35	-8.63	25.31
410.29	50.95	5822	9.94	-1.17	0	0	100	26.94	19.95	-9.06	22.81
410.39	52.2	5630	8.41	-1.17	0	0	100	22.68	19.56	-9.21	20.31
410.51	52.2	4940	7.38	-1.17	0	0	100	16.74	17.61	-9.79	16.88
410.61	52.2	4601	5.89	-1.17	0	0	100	14.52	18	-10.01	15.31
410.73	52.2	4892	7.31	-1.17	0	0	100	15.68	18.39	-10.01	16.88
410.83	52.2	4669	5.98	-1.17	0	0	100	15.14	18	-10.22	16.25
410.95	52.2	4713	6.03	-1.17	0	0	100	15.14	18	-10.01	16.25
411.05	52.2	4719	7.05	-1.17	0	0	100	16.94	17.61	-10.22	17.81
411.17	52.2	4716	7.04	-1.17	0	0	100	16.48	18	-10.37	17.19
411.27	52.2	4681	6.99	-1.17	0	0	100	15.46	18	-10.37	16.25
411.39	52.2	4702	6.02	-1.17	0	0	100	17.52	19.56	-9.79	20.31
411.49	52.2	4690	7	-1.17	0	0	100	19.72	21.13	-9.06	24.38
411.61	52.2	4687	9	-1.17	0	0	100	25.62	21.13	-8.63	28.12
411.71	52.2	4638	8.91	-1.17	0	0	100	25.64	21.13	-8.63	27.81
411.83	50.95	4661	8.95	-1.17	0	0	100	25.62	21.13	-8.63	27.5
411.93	50.95	4646	8.92	-1.17	0	0	100	25.48	21.52	-8.48	28.12
412.05	50.95	4655	9.93	-1.17	0	0	100	35.56	29.74	-4.71	50
412.15	50.95	4690	16.01	-1.17	0	0	100	61.04	31.69	-2.39	69.38
412.27	50.95	4649	20.83	-1.17	0	0	100	71.86	68.47	1.89	96.25
412.37	50.95	4755	31.45	0	0	0.7	100	98.7	83.34	3.84	112.81
412.45	50.95	4710	36.18	0	0	0.7	100	115.64	80.21	6.38	125.31
412.55	52.2	4804	42.02	0	0	0.7	100	131.8	70.82	9.5	147.5
412.65	52.2	4826	50.45	0	0	0.7	100	158.18	69.25	12.62	171.88
412.75	52.2	4879	59.33	0	0	0.7	100	180.6	69.25	16.68	202.81
412.83	52.2	4947	68.6	0	0	0.7	100	214.96	68.86	20.45	231.25
412.93	52.2	5003	77.92	0	0	0.7	100	244.74	61.04	22.99	249.69
413.03	52.2	5040	80.65	0	0	0.7	100	244.84	57.51	22.99	235.31
413.13	52.2	5158	74.83	0	0	0.35	100	229.4	59.08	21.39	214.06
413.21	57.17	5168	69.47	0	0	0.35	100	216.34	64.95	19.87	202.5

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
413.31	57.17	5270	67.46	0	0	0.35	100	207.24	73.95	18.27	193.44
413.41	57.17	5322	64.72	0	0	0.35	100	201.8	82.95	17.33	189.69
413.51	57.17	5380	64.28	0	0	0.35	100	204.14	84.51	16.68	189.38
413.61	57.17	5454	66.33	0	0	1.05	100	209.08	84.51	17.11	193.75
413.71	57.17	5502	69.26	0	0	1.05	100	217.72	84.12	17.69	200.62
413.79	57.17	5559	72.35	0	0	1.05	100	229.7	78.64	18.64	210.94
413.89	57.17	5622	77.96	0	0	1.05	100	220.56	33.26	11.68	154.38
413.99	62.14	5380	45.91	0	0	0.7	100	126.7	25.04	1.89	89.69
414.09	62.14	5322	20.44	-1.17	0	0	100	59.96	19.17	-5.15	47.19
414.19	62.14	5108	10.9	-1.17	0	0	100	35.42	18.78	-7.9	30.94
414.29	62.14	5026	7.51	-1.17	0	0	100	25.14	27.78	-5.37	38.44
414.39	62.14	4491	19.16	-1.17	0	0	100	72.46	35.21	1.67	95.31
414.49	62.14	4325	27.68	0	0	0	100	90.4	38.34	3.05	109.06
414.59	62.14	4237	31.64	0	0	1.41	100	101.1	37.95	4.79	120.62
414.71	62.14	4325	35.99	0	0	2.11	100	113.88	39.13	7.18	136.88
414.81	62.14	4380	41.12	0	0	2.11	100	128.16	39.13	9.5	154.69
414.93	62.14	4403	46.97	0	0	2.11	100	145.16	39.91	11.82	173.75
415.03	62.14	4424	51.92	0	0	2.11	100	158.68	40.3	13.2	177.81
415.15	62.14	4435	51.09	0	0	2.11	100	144.3	34.82	10.44	145.62
415.25	62.14	4451	33.24	0	0	1.76	100	100.32	27.39	3.05	97.5
415.37	65.87	4488	22.02	0	0	0.35	100	72.04	22.69	-2.03	68.44
415.47	65.87	4475	13.37	-1.17	0	0	100	40.4	19.95	-6.53	39.38
415.59	65.87	4493	8.63	-1.17	0	0	100	26.68	17.22	-9.06	24.38
415.69	65.87	4469	6.67	-1.17	0	0	100	19.06	17.22	-9.79	19.38
415.77	65.87	4469	6.67	-1.17	0	0	100	16.02	17.22	-10.22	17.5
415.87	65.87	4464	5.71	-1.17	0	0	100	14.78	17.22	-10.37	16.25
415.97	65.87	4469	5.72	-1.17	0	0	100	14.54	17.22	-10.37	16.25
416.07	64.62	4472	5.72	-1.17	0	0	100	14.04	17.22	-10.37	15.94
416.15	64.62	4458	5.71	-1.17	0	0	100	13.48	17.22	-10.37	15
416.25	64.62	4435	5.68	-1.17	0	0	100	12.98	18.39	-10.37	16.25
416.35	64.62	4443	6.64	-1.17	0	0	100	16.96	19.17	-9.79	20
416.45	64.62	4458	6.66	-1.17	0	0	100	18.18	19.17	-9.64	20.94
416.53	64.62	4430	6.62	-1.17	0	0	100	21.08	26.21	-7.69	32.81
416.63	64.62	4430	12.29	-1.17	0	0	100	47.56	29.34	-3.77	59.38
416.73	64.62	4453	15.2	-1.17	0	0	100	50.32	22.69	-5.51	50.31
416.81	64.62	4453	10.45	-1.17	0	0	100	32.42	19.56	-8.48	30.62
416.91	64.62	4403	8.46	-1.17	0	0	100	26.96	23.48	-7.47	34.69
416.99	64.62	4469	11.44	-1.17	0	0	100	41.12	29.74	-3.77	58.44
417.09	64.62	4424	16.05	-1.17	0	0	100	59.94	29.34	-2.61	69.38

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
417.17	64.62	4451	18.04	-1.17	0	0	100	61.76	26.21	-3.19	66.88
417.27	64.62	4443	15.17	-1.17	0	0	100	50.68	24.65	-4.57	54.38
417.35	64.62	4445	13.28	-1.17	0	0	100	46.88	24.65	-4.71	51.88
417.45	64.62	4458	12.37	-1.17	0	0	100	45.12	24.65	-4.93	50.94
417.53	64.62	4453	12.35	-1.17	0	0	100	44.38	24.65	-4.71	50
417.63	64.62	4453	12.35	-1.17	0	0	100	43.84	24.65	-4.93	49.38
417.71	64.62	4445	12.33	-1.17	0	0	100	43.48	24.26	-5.15	49.06
417.81	64.62	4453	11.4	-1.17	0	0	100	43.2	24.26	-4.93	48.44
417.89	64.62	4461	12.37	-1.17	0	0	100	43.08	24.26	-5.15	48.12
417.99	64.62	4475	11.46	-1.17	0	0	100	42.62	24.65	-5.15	48.12
418.07	64.62	4464	11.43	-1.17	0	0	100	39.96	21.13	-6.53	40.31
418.17	64.62	4445	9.48	-1.17	0	0	100	28.86	19.56	-8.27	30
418.27	64.62	4456	7.61	-1.17	0	0	100	23.56	19.17	-9.06	24.69
418.35	64.62	4448	7.59	-1.17	0	0	100	21.08	19.17	-9.21	23.12
418.45	64.62	4443	6.64	-1.17	0	0	100	19.94	19.17	-9.43	22.19
418.55	64.62	4437	6.63	-1.17	0	0	100	18.98	18.78	-9.64	21.25
418.65	64.62	4430	6.62	-1.17	0	0	100	17.9	18.78	-9.64	20
418.73	64.62	4430	6.62	-1.17	0	0	100	17.5	18.78	-9.79	20
418.83	64.62	4409	6.58	-1.17	0	0	100	16.98	18.78	-9.79	19.69
418.91	64.62	4411	6.59	-1.17	0	0	100	17.24	18.78	-9.79	20
419.01	64.62	4416	6.6	-1.17	0	0	100	17.72	18.78	-9.79	20.31
419.11	64.62	4396	6.57	-1.17	0	0	100	17.5	18.78	-9.79	20
419.19	64.62	4385	6.55	-1.17	0	0	100	17.36	18.78	-9.79	19.69
419.29	64.62	4393	6.56	-1.17	0	0	100	17.12	18.78	-10.01	19.69
419.37	64.62	4391	6.56	-1.17	0	0	100	17.38	18.78	-10.01	20
419.47	64.62	4391	6.56	-1.17	0	0	100	17.28	18.39	-10.01	20
419.55	63.38	4378	6.54	-1.17	0	0	100	16.76	16.82	-10.59	17.5
419.65	63.38	4360	5.58	-1.17	0	0	100	13.94	16.82	-10.8	15.94
419.73	63.38	4347	5.56	-1.17	0	0	100	13.32	16.82	-10.8	15.31
419.83	63.38	4355	5.57	-1.17	0	0	100	12.92	16.82	-10.8	15
419.91	63.38	4350	5.57	-1.17	0	0	100	12.92	16.82	-11.02	15
420.01	63.38	4337	5.55	-1.17	0	0	100	12.94	16.82	-10.8	15
420.09	63.38	4340	5.56	-1.17	0	0	100	12.78	17.22	-10.8	15
420.19	63.38	4340	5.56	-1.17	0	0	100	12.8	16.82	-10.8	15
420.29	63.38	4325	5.54	-1.17	0	0	100	12.8	16.82	-11.02	14.69
420.37	63.38	4315	5.52	-1.17	0	0	100	12.7	16.82	-10.8	15
420.47	63.38	4308	5.51	-1.17	0	0	100	12.62	16.82	-11.02	14.69
420.55	63.38	4302	5.51	-1.17	0	0	100	12.54	16.82	-11.02	14.69
420.65	63.38	4300	5.5	-1.17	0	0	100	12.68	16.82	-11.02	14.69

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
420.75	63.38	4295	5.5	-1.17	0	0	100	12.6	16.82	-11.02	14.69
420.83	63.38	4288	5.49	-1.17	0	0	100	12.64	16.82	-11.02	15
420.93	63.38	4280	5.48	-1.17	0	0	100	12.52	16.82	-11.02	15
421.03	62.14	4270	5.47	-1.17	0	0	100	12.78	16.82	-11.02	15
421.11	62.14	4261	5.45	-1.17	0	0	100	12.62	16.82	-11.02	15
421.21	62.14	4256	5.45	-1.17	0	0	100	12.66	16.82	-11.02	15
421.29	62.14	4247	5.44	-1.17	0	0	100	12.6	16.82	-11.02	15
421.39	62.14	4239	5.43	-1.17	0	0	100	12.56	16.82	-11.02	15
421.49	62.14	4239	5.43	-1.17	0	0	100	12.5	16.82	-11.02	15
421.57	62.14	4229	5.41	-1.17	0	0	100	12.46	16.82	-11.02	14.69
421.67	62.14	4218	5.4	-1.17	0	0	100	12.36	16.82	-11.02	15
421.77	62.14	4213	5.39	-1.17	0	0	100	12.64	16.82	-11.02	15
421.85	62.14	4213	5.39	-1.17	0	0	100	12.5	16.82	-11.02	15
421.95	62.14	4196	5.37	-1.17	0	0	100	12.74	16.82	-11.02	15.31
422.05	62.14	4192	5.37	-1.17	0	0	100	12.82	16.82	-11.02	15.31
422.13	62.14	4192	5.37	-1.17	0	0	100	12.8	16.82	-10.8	15.62
422.23	62.14	4180	5.35	-1.17	0	0	100	12.92	17.61	-10.8	16.25
422.33	62.14	4180	6.24	-1.17	0	0	100	16.3	21.91	-9.21	25
422.41	60.89	4199	8.06	-1.17	0	0	100	29.32	27.78	-5.95	45.62
422.51	60.89	4199	12.54	-1.17	0	0	100	45.24	29.74	-3.55	60
422.61	60.89	4199	16.12	-1.17	0	0	100	57.08	35.21	-1.45	75.31
422.69	60.89	4166	18.67	-1.17	0	0	100	68.92	37.17	-0.29	85
422.79	60.89	4220	20.71	0	0	0	100	74.36	36.39	0.51	90.94
422.87	60.89	4223	23.42	0	0	0	100	78.72	32.87	0.94	90.31
422.99	60.89	4210	19.76	0	0	0	100	66.46	23.87	-2.83	68.44
423.07	60.89	4210	13.47	-1.17	0	0	100	48	20.74	-5.73	47.5
423.17	62.14	4220	9.9	-1.17	0	0	100	29.4	19.17	-7.9	31.56
423.25	62.14	4223	8.11	-1.17	0	0	100	23.96	18.78	-8.63	26.56
423.35	62.14	4223	7.21	-1.17	0	0	100	20.62	18.39	-9.21	23.44
423.45	62.14	4218	6.3	-1.17	0	0	100	18.82	18	-9.64	21.25
423.53	62.14	4201	6.27	-1.17	0	0	100	16.92	18	-9.79	19.69
423.63	62.14	4204	6.28	-1.17	0	0	100	16	17.61	-10.01	18.75
423.71	62.14	4208	6.29	-1.17	0	0	100	15.32	18	-10.01	18.12
423.81	60.89	4206	6.28	-1.17	0	0	100	14.68	18	-10.22	17.5
423.91	60.89	4185	6.25	-1.17	0	0	100	14.7	18	-10.22	17.5
423.99	60.89	4185	6.25	-1.17	0	0	100	14.88	18	-10.22	17.81
424.09	60.89	4183	6.25	-1.17	0	0	100	14.86	17.61	-10.22	17.81
424.17	60.89	4183	6.25	-1.17	0	0	100	14.32	16.43	-10.8	16.25
424.27	60.89	4162	5.33	-1.17	0	0	100	12.3	16.43	-11.02	14.38

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
424.37	60.89	4143	5.3	-1.17	0	0	100	11.56	16.43	-11.02	13.75
424.47	60.89	4150	5.31	-1.17	0	0	100	11.28	16.43	-11.17	13.44
424.55	60.89	4157	5.32	-1.17	0	0	100	11.34	16.43	-11.02	13.75
424.65	60.89	4145	5.31	-1.17	0	0	100	11.34	16.43	-11.17	13.75
424.73	60.89	4143	5.3	-1.17	0	0	100	11.26	16.43	-11.02	13.75
424.83	60.89	4134	5.29	-1.17	0	0	100	11.32	16.43	-11.17	13.75
424.91	60.89	4123	5.28	-1.17	0	0	100	11.24	16.43	-11.17	13.75
425.01	60.89	4118	5.27	-1.17	0	0	100	11.22	16.43	-11.17	13.75
425.09	60.89	4118	5.27	-1.17	0	0	100	11.4	16.43	-11.17	14.06
425.19	60.89	4118	5.27	-1.17	0	0	100	11.44	16.43	-11.02	14.06
425.27	59.65	4109	5.26	-1.17	0	0	100	11.48	16.43	-11.02	14.06
425.37	59.65	4100	5.25	-1.17	0	0	100	11.48	16.43	-11.17	14.06
425.45	59.65	4087	5.23	-1.17	0	0	100	11.46	16.82	-11.02	14.69
425.55	59.65	4082	5.23	-1.17	0	0	100	13.42	19.95	-10.01	20.62
425.63	59.65	4089	6.98	-1.17	0	0	100	20.82	21.52	-8.63	28.75
425.73	59.65	4134	8.82	-1.17	0	0	100	26.76	23.87	-7.47	36.56
425.81	59.65	4058	10.39	-1.17	0	0	100	33.68	25.43	-5.95	45.31
425.91	59.65	4114	12.29	-1.17	0	0	100	43.2	30.52	-3.41	61.25
425.99	59.65	4114	15.8	-1.17	0	0	100	60.38	38.34	-0.65	80.94
426.09	59.65	4104	20.14	-1.17	0	0	100	70.6	41.47	0.73	91.25
426.17	59.65	4125	23.76	0	0	0	100	78.36	41.47	1.89	99.38
426.27	59.65	4129	27.31	0	0	0	100	86.28	41.08	3.05	108.44
426.35	59.65	4145	30.07	0	0	0	100	91.94	37.56	4.06	109.69
426.45	59.65	4168	29.35	0	0	0	100	94.04	33.65	4.21	113.12
426.53	59.65	4180	29.43	0	0	0	100	90.86	30.91	3.48	107.5
426.63	59.65	4204	27.8	0	0	0	100	89.76	31.3	3.84	109.38
426.71	60.89	4215	28.78	0	0	0	100	94.56	32.08	4.64	114.69
426.81	60.89	4247	31.71	0	0	0	100	98.12	31.3	4.79	115.31
426.89	60.89	4268	30.05	0	0	0.7	100	87.4	25.04	1.09	86.56
426.99	60.89	4234	16.26	-1.17	0	0	100	56.12	20.35	-4.35	53.44
427.07	60.89	4266	10.92	-1.17	0	0	100	36.34	18.78	-7.11	36.25
427.17	60.89	4268	7.28	-1.17	0	0	100	24.84	16.43	-9.21	24.38
427.25	60.89	4256	6.36	-1.17	0	0	100	17.04	16.43	-10.22	18.12
427.35	62.14	4249	5.44	-1.17	0	0	100	14.2	16.43	-10.37	16.25
427.43	62.14	4247	5.44	-1.17	0	0	100	13.02	16.43	-10.59	15
427.53	62.14	4263	5.46	-1.17	0	0	100	12.54	16.43	-10.8	13.75
427.61	62.14	4268	5.46	-1.17	0	0	100	11.12	16.43	-10.8	12.81
427.71	62.14	4244	5.43	-1.56	0	0	100	10.72	16.43	-10.8	12.5
427.79	62.14	4234	5.42	-1.56	0	0	100	10.86	16.43	-11.02	13.12

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
427.89	62.14	4239	5.43	-1.56	0	0	100	11.04	16.43	-11.02	13.44
427.97	62.14	4237	5.42	-1.56	0	0	100	11.6	16.43	-11.02	13.75
428.07	62.14	4229	5.41	-1.56	0	0	100	11.6	16.43	-11.02	13.75
428.15	62.14	4234	5.42	-1.56	0	0	100	11.7	16.82	-10.8	13.75
428.25	62.14	4225	5.41	-1.56	0	0	100	11.68	16.43	-11.02	14.06
428.33	62.14	4213	5.39	-1.56	0	0	100	11.7	16.43	-11.02	14.06
428.43	62.14	4208	5.39	-1.56	0	0	100	11.96	16.82	-11.02	14.38
428.51	62.14	4204	5.38	-1.56	0	0	100	12.12	16.82	-11.02	14.38
428.61	62.14	4206	5.38	-1.56	0	0	100	12.14	16.82	-11.02	14.69
428.69	62.14	4199	5.37	-1.17	0	0	100	12.28	16.82	-11.02	14.69
428.79	60.89	4192	5.37	-1.17	0	0	100	12.22	16.82	-11.02	14.69
428.87	60.89	4187	5.36	-1.17	0	0	100	12.12	16.43	-11.02	14.38
428.97	60.89	4185	5.36	-1.17	0	0	100	11.94	16.43	-11.02	14.38
429.05	60.89	4175	5.34	-1.17	0	0	100	11.9	16.43	-11.02	14.38
429.15	60.89	4175	5.34	-1.17	0	0	100	11.84	16.43	-11.02	14.38
429.23	60.89	4168	5.34	-1.17	0	0	100	11.8	16.43	-11.02	14.06
429.33	60.89	4164	5.33	-1.17	0	0	100	11.74	16.43	-11.17	14.38
429.43	60.89	4166	5.33	-1.17	0	0	100	11.72	16.43	-11.02	14.06
429.53	60.89	4155	5.32	-1.17	0	0	100	11.54	16.43	-11.17	13.75
429.63	60.89	4152	5.32	-1.17	0	0	100	11.42	16.43	-11.17	13.75
429.73	60.89	4148	5.31	-1.17	0	0	100	11.38	16.43	-11.17	13.75
429.83	60.89	4145	5.31	-1.17	0	0	100	11.34	16.04	-11.17	13.75
429.93	60.89	4139	5.3	-1.17	0	0	100	11.24	16.04	-11.17	13.75
430.03	60.89	4132	5.29	-1.17	0	0	100	11.32	16.43	-11.17	13.75
430.13	60.89	4127	5.28	-1.17	0	0	100	11.46	16.43	-11.17	14.06
430.22	60.89	4136	5.29	-1.17	0	0	100	11.48	16.43	-11.17	14.06
430.32	60.89	4116	5.27	-1.17	0	0	100	11.52	16.43	-11.17	14.06
430.42	60.89	4121	5.27	-1.17	0	0	100	11.62	16.43	-11.17	14.06
430.52	60.89	4116	5.27	-1.17	0	0	100	11.5	16.43	-11.17	14.06
430.6	60.89	4111	5.26	-1.17	0	0	100	11.48	16.43	-11.17	13.75
430.7	60.89	4104	5.25	-1.17	0	0	100	11.32	16.04	-11.17	13.75
430.78	60.89	4104	5.25	-1.17	0	0	100	11.16	16.04	-11.17	13.75
430.88	59.65	4103	5.25	-1.17	0	0	100	11.16	16.04	-11.17	13.44
430.96	59.65	4103	5.25	-1.17	0	0	100	11.12	16.04	-11.17	13.75
431.06	59.65	4103	5.25	-1.17	0	0	100	11.24	16.04	-11.17	13.75
431.14	59.65	4089	5.23	-1.17	0	0	100	11.34	16.43	-11.17	14.06
431.24	59.65	4087	5.23	-1.17	0	0	100	11.28	16.04	-11.17	14.06
431.32	59.65	4082	5.23	-1.17	0	0	100	11.28	16.43	-11.17	13.75
431.42	59.65	4076	5.22	-1.17	0	0	100	11.28	16.04	-11.17	13.75

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
431.5	59.65	4082	5.23	-1.17	0	0	100	11.24	16.43	-11.17	13.75
431.6	59.65	4069	5.21	-1.17	0	0	100	11.28	16.43	-11.17	14.06
431.68	59.65	4069	5.21	-1.17	0	0	100	11.56	16.43	-11.17	14.38
431.78	59.65	4073	5.21	-1.17	0	0	100	11.6	16.43	-11.17	14.38
431.86	59.65	4064	5.2	-1.17	0	0	100	11.74	16.43	-11.17	14.38
431.96	59.65	4060	5.2	-1.17	0	0	100	11.52	16.43	-11.17	14.06
432.04	59.65	4056	5.19	-1.17	0	0	100	11.4	16.04	-11.17	14.06
432.14	59.65	4054	5.19	-1.17	0	0	100	11.28	16.04	-11.17	14.06
432.22	59.65	4051	5.19	-1.17	0	0	100	11.18	16.04	-11.17	13.75
432.32	59.65	4049	5.18	-1.17	0	0	100	11	16.04	-11.17	13.44
432.4	59.65	4041	5.17	-1.17	0	0	100	11.02	16.04	-11.17	13.75
432.5	59.65	4038	5.17	-1.17	0	0	100	10.82	16.04	-11.39	13.44
432.58	59.65	4036	5.17	-1.56	0	0	100	10.7	16.04	-11.39	13.44
432.68	59.65	4038	5.17	-1.56	0	0	100	10.64	16.04	-11.17	13.12
432.76	59.65	4032	5.16	-1.56	0	0	100	10.54	16.04	-11.17	13.12
432.86	59.65	4021	5.15	-1.56	0	0	100	10.54	16.04	-11.39	13.12
432.94	59.65	4027	5.16	-1.56	0	0	100	10.5	16.04	-11.17	13.44
433.04	58.41	4021	5.15	-1.56	0	0	100	10.84	16.04	-11.17	13.75
433.12	58.41	4008	5.13	-1.56	0	0	100	10.88	16.04	-11.17	13.75
433.22	58.41	4010	5.13	-1.56	0	0	100	11	16.04	-11.17	13.75
433.3	58.41	4008	5.13	-1.56	0	0	100	11.02	16.04	-11.17	13.75
433.4	58.41	4004	5.13	-1.56	0	0	100	11	16.04	-11.17	13.75
433.48	58.41	3999	5.12	-1.56	0	0	100	10.72	16.04	-11.17	13.44
433.58	58.41	3995	5.11	-1.56	0	0	100	10.52	16.04	-11.17	13.12
433.66	58.41	3989	5.11	-1.56	0	0	100	10.46	16.04	-11.39	13.12
433.76	58.41	3985	5.1	-1.56	0	0	100	10.62	16.04	-11.39	13.44
433.84	58.41	3974	5.09	-1.56	0	0	100	10.5	15.65	-11.39	13.44
433.94	58.41	3955	5.06	-1.56	0	0	100	10.44	16.04	-11.39	13.44
434.04	58.41	3938	5.04	-1.56	0	0	100	10.78	16.04	-11.17	13.75
434.14	58.41	3918	5.02	-1.56	0	0	100	10.64	16.04	-11.17	13.75
434.26	58.41	3886	4.97	-1.56	0	0	100	10.6	16.04	-11.17	13.75
434.36	58.41	3859	4.94	-1.56	0	0	100	10.58	16.04	-11.17	13.75
434.46	55.92	3842	4.92	-1.56	0	0	100	10.62	15.65	-11.17	13.75
434.56	55.92	3812	4.88	-1.56	0	0	100	10.2	15.65	-11.17	13.44
434.64	55.92	3793	4.86	-1.56	0	0	100	10.18	15.65	-11.17	13.44
434.74	55.92	3782	4.84	-1.56	0	0	100	10.08	15.65	-11.17	13.44
434.84	55.92	3767	4.82	-1.56	0	0	100	10.1	15.65	-11.17	13.75
434.96	55.92	3746	4.79	-1.56	0	0	100	10	15.26	-11.39	13.44
435.06	55.92	3734	4.78	-1.56	0	0	100	9.88	15.65	-11.17	13.12

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
435.18	54.68	3725	4.77	-1.56	0	0	100	9.88	15.65	-11.39	13.44
435.28	54.68	3716	4.76	-1.56	0	0	100	9.96	15.65	-11.17	13.44
435.4	54.68	3712	4.75	-1.56	0	0	100	9.94	15.65	-11.17	13.44
435.5	54.68	3700	4.74	-1.56	0	0	100	9.6	15.26	-11.39	13.12
435.62	54.68	3687	4.72	-1.56	0	0	100	9.6	15.26	-11.39	13.12
435.72	54.68	3685	4.72	-1.56	0	0	100	9.5	15.26	-11.39	12.81
435.84	54.68	3683	4.71	-1.56	0	0	100	9.42	15.26	-11.39	13.12
435.94	53.44	3682	4.71	-1.56	0	0	100	9.52	15.26	-11.17	13.12
436.06	53.44	3672	4.7	-1.56	0	0	100	9.58	15.65	-11.17	13.12
436.16	53.44	3669	4.7	-1.56	0	0	100	9.74	15.65	-11.17	13.44
436.28	53.44	3665	4.69	-1.56	0	0	100	9.76	15.65	-11.17	13.44
436.38	53.44	3667	4.69	-1.56	0	0	100	9.78	15.65	-11.17	13.44
436.5	53.44	3656	4.68	-1.56	0	0	100	9.66	15.26	-11.39	13.12
436.6	53.44	3649	4.67	-1.56	0	0	100	9.52	15.26	-11.39	13.12
436.72	53.44	3645	4.67	-1.56	0	0	100	9.48	15.26	-11.17	13.12
436.82	53.44	3642	4.66	-1.56	0	0	100	9.48	15.26	-11.17	13.12
436.94	53.44	3633	4.65	-1.56	0	0	100	9.46	15.26	-11.39	13.12
437.04	53.44	3630	4.65	-1.56	0	0	100	9.8	15.65	-11.17	13.44
437.16	53.44	3633	4.65	-1.56	0	0	100	9.76	15.65	-11.17	13.44
437.26	53.44	3626	4.64	-1.56	0	0	100	9.72	15.65	-11.17	13.44
437.38	52.2	3621	4.64	-1.56	0	0	100	9.7	15.65	-11.17	13.75
437.48	52.2	3616	4.63	-1.56	0	0	100	9.68	16.04	-11.02	14.38
437.58	52.2	3619	4.63	-1.17	-0.39	0	100	14.1	21.91	-8.48	26.88
437.7	52.2	3639	9.32	-1.17	0	0	100	29.88	27.78	-4.71	50.94
437.8	52.2	3607	12.31	-1.17	0	0	100	42.74	28.56	-3.19	62.5
437.9	52.2	3708	12.66	-1.17	0	0	100	47.18	28.17	-2.83	66.56
438	53.44	3612	12.33	-1.17	0	0	100	48.62	23.87	-3.99	60.31
438.08	53.44	3635	10.08	-1.17	0	0	100	33.64	16.43	-8.05	34.69
438.18	53.44	3649	6.23	-1.17	0	0	100	17.6	16.04	-10.01	21.56
438.28	53.44	3647	5.45	-1.17	0	0	100	12.96	15.26	-10.8	15.62
438.38	53.44	3624	4.64	-1.56	-0.39	0	100	10.2	15.26	-11.02	13.12
438.46	53.44	3619	4.63	-1.56	0	0	100	9.24	15.26	-11.17	12.81
438.56	53.44	3669	4.7	-1.56	0	0	100	9.02	15.26	-11.17	12.5
438.66	53.44	3628	4.64	-1.56	0	0	100	8.94	15.26	-11.17	12.5
438.76	53.44	3637	4.66	-1.56	0	0	100	9.08	15.26	-11.17	12.5
438.84	53.44	3644	4.66	-1.56	0	0	100	9.2	15.26	-11.17	12.81
438.94	53.44	3626	4.64	-1.56	0	0	100	9.12	15.26	-11.17	12.5
439.04	53.44	3630	4.65	-1.56	0	0	100	10.84	21.52	-9.21	22.81
439.14	53.44	3605	6.92	-1.17	0	0	100	26.86	25.04	-5.95	43.75

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
439.22	53.44	3761	11.23	-1.17	0	0	100	36.04	25.82	-3.99	56.88
439.32	53.44	3610	10.78	-1.17	0	0	100	32.76	16.43	-7.9	31.56
439.42	53.44	3566	6.09	-1.17	0	0	100	17.62	16.04	-10.01	20.94
439.52	53.44	3597	5.37	-1.17	0	0	100	12.76	15.26	-10.8	15.94
439.6	53.44	3651	4.67	-1.56	-0.39	0	100	10.54	15.26	-11.17	13.75
439.7	53.44	3621	4.64	-1.56	-1.17	0	100	9.48	15.26	-11.17	13.12
439.8	53.44	3623	4.64	-1.56	0	0	100	9.32	15.26	-11.17	12.81
439.9	53.44	3621	4.64	-1.56	0	0	100	9.24	15.26	-11.17	12.81
439.98	53.44	3618	4.63	-1.56	0	0	100	9.3	15.26	-11.17	12.81
440.08	52.2	3614	4.63	-1.56	0	0	100	9.14	15.26	-11.17	12.81
440.2	52.2	3609	4.62	-1.56	0	0	100	9.2	15.26	-11.17	12.81
440.3	52.2	3603	4.61	-1.56	0	0	100	9.42	15.26	-11.17	13.12
440.42	52.2	3607	4.62	-1.56	0	0	100	9.44	15.26	-11.17	13.12
440.52	52.2	3598	4.61	-1.56	0	0	100	9.46	15.26	-11.17	13.44
440.64	52.2	3591	4.6	-1.56	0	0	100	9.42	15.26	-11.17	13.44
440.74	52.2	3588	4.59	-1.56	0	0	100	12.34	20.35	-9.43	22.5
440.86	52.2	3586	7.65	-1.17	0	0	100	25.74	24.26	-6.31	41.25
440.96	52.2	3647	10.9	-1.17	0	0	100	40.12	30.13	-2.83	63.75
441.08	52.2	3676	14.12	-1.17	0	0	100	54.76	36.39	-0.44	81.56
441.18	52.2	3621	16.22	-1.17	0	1.05	100	62.7	39.13	0.51	89.06
441.3	52.2	3628	18.58	-1.17	0	0	100	69.76	39.91	1.89	98.12
441.4	52.2	3653	22.6	0	0	0	100	69.24	30.13	0.94	91.56
441.5	52.2	3665	16.42	-1.17	0	0	100	55.62	19.95	-3.55	59.06
441.58	53.44	3651	9.35	-1.17	0	0	100	30.1	17.22	-7.69	33.75
441.68	53.44	3683	5.5	-1.17	0	0	100	18.04	16.04	-9.43	21.88
441.78	53.44	3680	5.5	-1.17	0	0	100	13.72	15.65	-10.22	17.19
441.88	53.44	3676	4.71	-1.17	0	0	100	11.48	15.65	-10.59	15
441.96	53.44	3662	4.69	-1.56	-0.39	0	100	10.54	15.65	-10.8	14.06
442.06	53.44	3665	4.69	-1.56	-1.17	0	100	10.02	15.65	-11.02	13.75
442.18	53.44	3670	4.7	-1.56	-2.34	0	100	12.76	23.87	-8.27	27.81
442.26	53.44	3729	11.14	-1.17	0	0	100	39.96	37.95	-0.87	71.88
442.36	53.44	3703	16.59	-1.17	0	0	100	60.14	38.34	0.51	88.44
442.46	53.44	3742	18.36	-1.17	0	0	100	67.5	38.34	1.31	94.06
442.56	53.44	3687	21.24	0	0	0	100	74.36	38.34	2.25	101.88
442.66	53.44	3729	25.46	0	0	0	100	80.84	38.34	3.48	110
442.76	53.44	3786	27.46	0	0	0	100	86.5	37.95	4.64	119.06
442.84	53.44	3780	29.84	0	0	0	100	90.9	33.65	4.79	115.94
442.94	54.68	3797	27.54	0	0	0	100	84.98	24.65	1.31	90.94
443.02	54.68	3789	14.55	-1.17	0	0	100	48.64	16.04	-5.73	47.5

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
443.12	54.68	3814	8.14	-1.17	0	0	100	24.98	16.04	-8.85	27.19
443.2	54.68	3809	5.69	-1.17	0	0	100	16.98	15.65	-10.01	19.69
443.3	54.68	3811	4.88	-1.17	0	0	100	13.28	15.65	-10.37	16.25
443.38	54.68	3801	4.87	-1.17	0	0	100	11.46	15.65	-10.8	15
443.48	54.68	3805	4.87	-1.17	0	0	100	10.7	15.65	-11.02	13.75
443.56	54.68	3818	4.89	-1.56	0	0	100	10.32	15.65	-11.02	13.44
443.66	55.92	3816	4.89	-1.56	0	0	100	9.9	15.65	-11.02	12.81
443.76	55.92	3803	4.87	-1.56	0	0	100	9.46	15.65	-11.17	12.19
443.84	55.92	3801	4.87	-1.56	0	0	100	9.14	15.65	-11.17	12.19
443.94	55.92	3797	4.86	-1.56	0	0	100	9.52	15.65	-11.02	12.81
444.02	55.92	3799	4.86	-1.56	0	0	100	9.72	15.65	-11.17	13.12
444.12	55.92	3789	4.85	-1.56	0	0	100	9.8	15.65	-11.17	12.81
444.2	55.92	3788	4.85	-1.56	0	0	100	9.8	15.65	-11.17	13.12
444.3	55.92	3784	4.84	-1.56	0	0	100	9.86	15.65	-11.17	13.12
444.4	54.68	3786	4.85	-1.56	0	0	100	9.88	15.65	-11.17	13.44
444.48	54.68	3782	4.84	-1.56	0	0	100	10.12	15.65	-11.17	13.44
444.58	54.68	3780	4.84	-1.56	0	0	100	10.16	15.65	-11.17	13.75
444.66	54.68	3767	4.82	-1.56	0	0	100	10.38	15.65	-11.17	13.75
444.76	54.68	3769	4.82	-1.56	0	0	100	10.34	15.65	-11.17	13.75
444.84	54.68	3765	4.82	-1.56	0	0	100	10.4	15.65	-11.17	13.75
444.94	54.68	3759	4.81	-1.56	0	0	100	10.28	15.65	-11.17	13.44
445.02	54.68	3761	4.81	-1.56	0	0	100	10.16	15.65	-11.17	13.44
445.12	54.68	3757	4.81	-1.56	0	0	100	10.16	15.65	-11.17	13.75
445.2	54.68	3755	4.81	-1.56	0	0	100	10.22	15.65	-11.17	13.75
445.3	54.68	3751	4.8	-1.56	0	0	100	10.2	15.65	-11.17	13.44
445.38	54.68	3748	4.8	-1.56	0	0	100	10	15.65	-11.39	13.44
445.48	54.68	3740	4.79	-1.56	0	0	100	11.74	19.56	-10.01	18.75
445.58	54.68	3710	7.12	-1.17	0	0	100	23.46	25.82	-6.31	40.94
445.66	54.68	3853	11.51	-1.17	0	0	100	40.28	28.17	-3.99	59.06
445.76	54.68	3658	12.49	-1.17	0	0	100	46.06	27.78	-3.41	62.5
445.84	54.68	3838	13.1	-1.17	0	0	100	47.6	27	-3.41	64.69
445.94	54.68	3767	12.86	-1.17	0	0	100	44.24	21.13	-5.73	49.06
446.04	54.68	3733	9.56	-1.17	0	0	100	29.48	18.39	-7.9	33.75
446.12	54.68	3782	6.45	-1.17	0	0	100	19.74	16.04	-10.01	20.94
446.22	54.68	3742	5.59	-1.17	0	0	100	13.24	15.65	-10.59	15.94
446.3	54.68	3736	4.78	-1.17	0	0	100	10.46	15.26	-11.02	13.44
446.4	54.68	3767	4.82	-1.56	0	0	100	9.62	15.65	-11.17	12.5
446.5	54.68	3763	4.82	-1.56	0	0	100	9.42	15.65	-11.17	12.5
446.6	54.68	3749	4.8	-1.56	0	0	100	9.42	15.65	-11.17	12.5

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
446.68	54.68	3757	4.81	-1.56	0	0	100	9.46	15.65	-11.17	12.81
446.78	54.68	3753	4.8	-1.56	0	0	100	9.56	15.65	-11.17	12.81
446.88	54.68	3748	4.8	-1.56	0	0	100	9.5	15.65	-11.17	12.81
446.96	54.68	3744	4.79	-1.56	0	0	100	9.52	15.65	-11.17	13.12
447.06	54.68	3738	4.79	-1.56	0	0	100	9.74	15.65	-11.17	13.44
447.16	54.68	3733	4.78	-1.56	0	0	100	10.04	15.65	-11.17	13.75
447.24	54.68	3731	4.78	-1.56	0	0	100	10.14	15.65	-11.17	13.44
447.34	54.68	3724	4.77	-1.56	0	0	100	9.88	15.65	-11.17	13.44
447.46	54.68	3718	4.76	-1.56	0	0	100	10.06	15.65	-11.17	13.44
447.54	54.68	3712	4.75	-1.56	0	0	100	9.98	15.65	-11.17	13.44
447.64	54.68	3712	4.75	-1.56	0	0	100	9.9	15.65	-11.17	13.44
447.74	54.68	3710	4.75	-1.56	0	0	100	9.9	15.65	-11.17	13.44
447.82	54.68	3708	4.75	-1.56	0	0	100	9.88	15.65	-11.17	13.44
447.92	53.44	3701	4.74	-1.56	0	0	100	9.82	15.26	-11.17	13.44
448	53.44	3688	4.72	-1.56	0	0	100	9.64	15.26	-11.17	13.12
448.1	53.44	3690	4.72	-1.56	0	0	100	9.52	15.26	-11.39	12.81
448.18	53.44	3688	4.72	-1.56	0	0	100	9.48	15.26	-11.17	13.12
448.26	53.44	3687	4.72	-1.56	0	0	100	9.58	15.26	-11.39	13.12
448.36	53.44	3678	4.71	-1.56	0	0	100	9.58	15.26	-11.39	13.12
448.46	53.44	3672	4.7	-1.56	0	0	100	9.58	15.65	-11.39	13.12
448.54	53.44	3670	4.7	-1.56	0	0	100	9.74	15.65	-11.17	13.44
448.64	53.44	3669	4.7	-1.56	0	0	100	10	15.65	-11.17	13.75
448.72	53.44	3664	4.69	-1.56	0	0	100	9.8	15.26	-11.17	13.44
448.82	53.44	3656	4.68	-1.56	0	0	100	9.72	15.65	-11.17	13.44
448.92	53.44	3656	4.68	-1.56	0	0	100	9.72	15.26	-11.17	13.44
449	53.44	3645	4.67	-1.56	0	0	100	9.52	15.26	-11.17	13.12
449.1	53.44	3645	4.67	-1.56	0	0	100	9.52	15.26	-11.39	13.12
449.18	53.44	3642	4.66	-1.56	0	0	100	9.5	15.26	-11.17	13.12
449.28	53.44	3637	4.66	-1.56	0	0	100	9.42	15.26	-11.39	13.12
449.36	53.44	3631	4.65	-1.56	0	0	100	9.5	15.26	-11.39	13.12
449.46	53.44	3626	4.64	-1.56	0	0	100	9.56	15.65	-11.17	13.44
449.54	53.44	3618	4.63	-1.56	0	0	100	9.72	15.65	-11.17	13.44
449.64	53.44	3616	4.63	-1.56	0	0	100	9.72	15.65	-11.17	13.44
449.72	53.44	3612	4.62	-1.56	0	0	100	9.66	15.26	-11.17	13.44
449.82	53.44	3616	4.63	-1.56	0	0	100	9.56	15.26	-11.17	13.44
449.9	53.44	3610	4.62	-1.56	0	0	100	9.56	15.26	-11.17	13.44
450	52.2	3605	4.62	-1.56	0	0	100	9.48	15.26	-11.39	13.12
450.08	52.2	3591	4.6	-1.56	0	0	100	9.4	15.26	-11.17	13.44
450.18	52.2	3583	4.59	-1.56	0	0	100	9.62	15.26	-11.17	13.44

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
450.26	52.2	3576	4.58	-1.56	0	0	100	9.56	16.04	-11.02	14.38
450.36	52.2	3591	5.36	-1.56	0	0	100	11.38	16.82	-10.59	17.19
450.44	52.2	3586	5.36	-1.17	-0.78	0	100	13.34	17.61	-10.22	19.69
450.54	52.2	3603	5.38	-1.17	-1.56	0	100	15.12	18.78	-9.64	22.19
450.62	52.2	3584	6.12	-1.17	0	0	100	17.08	19.17	-9.21	25.31
450.72	52.2	3562	6.08	-1.17	0	0	100	18.26	19.17	-9.06	25.94
450.8	52.2	3574	6.1	-1.17	0	0	100	18.52	19.17	-9.06	25.94
450.9	52.2	3562	6.08	-1.17	0	0	100	18.28	19.17	-9.06	25.94
450.98	52.2	3564	6.08	-1.17	0	0	100	18.8	19.17	-8.85	26.56
451.08	52.2	3567	6.85	-1.17	0	0	100	20.96	20.35	-8.27	30.62
451.16	52.2	3574	7.63	-1.17	0	0	100	23.04	21.52	-7.47	34.69
451.26	52.2	3562	8.36	-1.17	0	0	100	25.86	21.52	-7.11	37.19
451.34	52.2	3571	8.38	-1.17	0	0	100	26.8	21.91	-6.89	37.81
451.44	52.2	3569	8.38	-1.17	0	0	100	27.14	21.91	-6.89	38.44
451.52	52.2	3567	8.37	-1.17	0	0	100	26.98	19.95	-7.47	35.94
451.62	52.2	3571	6.86	-1.17	0	0	100	21.44	16.43	-9.21	26.56
451.7	52.2	3558	5.31	-1.17	0	0	100	15.34	15.65	-10.37	18.44
451.8	52.2	3549	4.54	-1.17	-0.39	0	100	11.18	15.26	-11.02	15
451.88	52.2	3539	4.53	-1.56	-1.17	0	100	10.02	15.26	-11.02	13.75
451.98	52.2	3558	4.55	-1.56	-1.95	0	100	9.54	15.26	-11.17	13.44
452.06	52.2	3558	4.55	-1.56	0	0	100	9.38	15.26	-11.17	13.12
452.16	52.2	3549	4.54	-1.56	0	0	100	9.28	15.26	-11.17	13.12
452.24	52.2	3532	4.52	-1.56	0	0	100	9.24	15.26	-11.17	13.44
452.34	52.2	3541	4.53	-1.56	0	0	100	9.34	15.26	-11.17	13.12
452.42	52.2	3534	4.52	-1.56	0	0	100	9.36	15.26	-11.17	13.12
452.52	52.2	3529	4.52	-1.56	0	0	100	9.3	15.26	-11.17	13.44
452.6	52.2	3524	4.51	-1.56	0	0	100	9.44	15.26	-11.02	13.44
452.7	52.2	3518	4.5	-1.56	0	0	100	9.42	15.26	-11.17	13.44
452.78	52.2	3518	4.5	-1.56	0	0	100	9.36	15.26	-11.02	13.44
452.88	50.95	3504	4.49	-1.56	0	0	100	9.4	15.26	-11.17	13.44
452.96	50.95	3504	4.49	-1.56	0	0	100	9.46	15.26	-11.02	13.75
453.06	50.95	3504	4.49	-1.56	0	0	100	9.52	15.26	-11.17	13.75
453.14	50.95	3495	4.47	-1.56	0	0	100	9.36	15.26	-11.02	13.44
453.24	50.95	3490	4.47	-1.56	0	0	100	9.5	15.26	-11.02	13.44
453.32	50.95	3481	4.46	-1.56	0	0	100	9.46	15.26	-11.02	13.75
453.42	50.95	3475	4.45	-1.56	0	0	100	9.46	15.26	-11.02	13.44
453.5	50.95	3470	4.44	-1.56	0	0	100	9.4	15.26	-11.17	13.44
453.6	50.95	3464	4.43	-1.56	0	0	100	9.26	15.26	-11.17	13.44
453.68	50.95	3464	4.43	-1.56	0	0	100	9.08	15.26	-11.17	13.12

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
453.78	50.95	3453	4.42	-1.56	0	0	100	9.04	15.26	-11.17	13.12
453.86	50.95	3448	4.41	-1.56	0	0	100	9.18	15.26	-11.17	13.44
453.96	50.95	3443	4.41	-1.56	0	0	100	9.2	15.26	-11.17	13.44
454.14	50.95	3437	4.4	-1.56	0	0	100	9.18	15.26	-11.17	13.12
454.24	50.95	3429	4.39	-1.56	0	0	100	8.96	14.87	-11.17	13.12
454.32	49.71	3419	4.38	-1.56	0	0	100	8.92	14.87	-11.17	13.12
454.42	49.71	3415	4.37	-1.56	0	0	100	8.9	14.87	-11.17	13.12
454.5	49.71	3405	4.36	-1.56	0	0	100	8.88	15.26	-11.17	13.12
454.6	49.71	3412	4.37	-1.56	0	0	100	10	16.04	-10.8	15.62
454.68	49.71	3415	4.37	-1.56	-0.39	0	100	11	16.43	-10.59	16.56
454.78	49.71	3407	4.36	-1.56	-1.17	0	100	11.78	17.22	-10.22	18.44
454.86	49.71	3410	5.09	-1.17	-1.95	0	100	14.28	18.78	-9.43	23.44
454.96	49.71	3432	5.86	-1.17	-2.73	0	100	17.56	19.56	-8.63	27.19
455.04	49.71	3381	6.49	-1.17	-3.51	0	100	19.16	19.17	-8.48	28.75
455.14	49.71	3405	5.81	-1.17	-4.29	0	100	19.2	19.17	-8.48	28.12
455.22	49.71	3372	5.75	-1.17	-5.07	0	100	18.84	18.78	-8.63	27.5
455.32	49.71	3402	5.81	-1.17	-5.85	0	100	18.36	18.78	-8.63	27.19
455.4	49.71	3375	5.76	-1.17	-6.24	0	100	18.08	18.78	-8.85	26.56
455.5	49.71	3393	5.79	-1.17	-7.02	0	100	18	18.78	-8.63	26.56
455.58	49.71	3384	5.78	-1.17	-7.41	0	100	18.26	19.17	-8.48	27.81
455.68	49.71	3392	5.79	-1.17	-6.63	0	100	19.74	20.74	-7.9	32.81
455.76	49.71	3392	7.24	-1.17	0	0	100	23.16	21.13	-7.25	35.62
455.86	49.71	3389	7.95	-1.17	0	0	100	24.44	23.87	-6.31	40.94
455.94	49.71	3402	9.44	-1.17	0	0	100	31.62	24.26	-4.93	48.75
456.04	49.71	3392	10.13	-1.17	0	0	100	34.1	24.26	-4.71	51.25
456.12	49.71	3412	10.19	-1.17	0	0	100	35.62	23.87	-4.71	52.19
456.22	49.71	3404	9.44	-1.17	0	0	100	33.98	20.35	-6.09	44.69
456.3	49.71	3404	7.99	-1.17	0	0	100	27.18	19.56	-7.25	36.88
456.4	49.71	3413	7.28	-1.17	0	0	100	23.18	19.17	-7.9	32.81
456.48	49.71	3412	6.55	-1.17	0	0	100	21.06	19.17	-8.05	30.31
456.58	49.71	3419	6.57	-1.17	0	0	100	20.2	18.78	-8.27	29.06
456.66	49.71	3412	6.55	-1.17	0	0	100	18.76	18.39	-8.63	26.88
456.76	49.71	3419	5.84	-1.17	0	0	100	17.98	18.39	-8.63	25.94
456.84	49.71	3413	5.83	-1.17	-0.39	0	100	17.4	18.39	-8.63	25.62
456.94	49.71	3410	5.82	-1.17	-1.17	0	100	17.2	18.39	-8.63	25
457.02	49.71	3410	5.82	-1.17	-1.95	0	100	16.98	18.39	-8.85	25.31
457.12	49.71	3404	5.81	-1.17	-2.34	0	100	17.04	18.39	-8.85	25.31
457.2	49.71	3413	5.83	-1.17	-1.56	0	100	17	18.39	-8.85	25.31
457.3	49.71	3399	5.8	-1.17	-0.39	0	100	16.98	18.39	-8.85	25.31

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
457.4	49.71	3413	5.83	-1.17	0.78	0	100	17.1	18.39	-8.85	25.31
457.48	49.71	3404	5.81	-1.17	1.95	0	100	17.08	18.39	-9.06	25
457.58	49.71	3409	5.82	-1.17	2.73	0	100	16.32	17.22	-9.21	23.44
457.68	49.71	3402	5.08	-1.17	1.95	0	100	14.5	16.82	-9.79	20.62
457.78	49.71	3401	5.08	-1.17	1.17	0	100	13.4	16.82	-10.01	19.38
457.88	49.71	3401	5.08	-1.17	0.39	0	100	12.48	16.04	-10.22	18.12
457.98	49.71	3376	4.32	-1.17	-0.39	0	100	11.48	15.65	-10.37	16.88
458.06	49.71	3376	4.32	-1.56	-1.17	0	100	10.58	15.26	-10.8	15.31
458.16	49.71	3384	4.33	-1.56	-1.95	0	100	9.92	15.26	-10.8	14.69
458.24	49.71	3376	4.32	-1.56	-2.73	0	100	9.74	15.65	-10.8	14.69
458.34	49.71	3367	4.31	-1.56	-3.51	0	100	9.78	15.65	-10.8	14.69
458.42	49.71	3372	4.32	-1.56	-4.29	0	100	9.86	15.65	-10.8	14.69
458.52	48.47	3370	4.31	-1.56	-5.07	0	100	9.86	15.65	-10.8	15
458.6	48.47	3366	4.31	-1.56	-5.85	0	100	9.88	15.65	-10.8	15
458.7	48.47	3357	4.3	-1.56	-6.24	0	100	10.52	16.43	-10.59	16.56
458.78	48.47	3357	5.01	-1.17	-7.02	0	100	13.52	19.17	-9.21	23.44
458.88	48.47	3393	5.79	-1.17	-7.8	0	100	19.1	21.13	-7.9	32.19
458.98	48.47	3349	7.86	-1.17	0	0	100	26.42	23.48	-5.73	43.75
459.08	48.47	3392	10.13	-1.17	0	0	100	34.1	26.21	-4.13	55
459.16	48.47	3369	11.5	-1.17	0	0	100	39.52	28.17	-2.97	62.81
459.26	48.47	3369	12.22	-1.17	0	0	100	47.66	31.3	-1.45	74.69
459.36	48.47	3392	13.75	-1.17	0	0	100	52.98	32.47	-0.65	81.25
459.48	48.47	3404	14.52	-1.17	0	0	100	57.7	33.65	0.15	87.5
459.58	48.47	3416	16.04	-1.17	0	0	100	62.18	33.65	1.09	92.81
459.7	48.47	3437	18.33	-1.17	0	0	100	66.74	35.6	2.25	101.25
459.8	48.47	3454	22.85	-1.17	0	0	100	72.66	34.82	3.05	106.25
459.92	50.95	3475	22.24	0	0	0	100	67.34	28.17	1.67	94.38
460.02	50.95	3496	17.9	-1.17	0	0	100	65.64	28.56	1.89	94.38
460.14	50.95	3511	18.73	-1.17	0	0	100	68.78	30.91	3.26	103.75
460.24	50.95	3545	24.21	0	0	0	100	80.38	32.87	4.79	118.75
460.36	50.95	3561	27.35	0	0	0	100	89.26	34.82	6.16	130
460.46	50.95	3593	30.67	0	0	0	100	96.98	31.3	6.16	130.62
460.58	50.95	3605	26.16	0	0	0	100	78.22	27.39	3.26	99.06
460.68	52.2	3642	20.2	-1.17	0	0	100	61.96	24.26	0.29	78.44
460.78	52.2	3649	13.24	-1.17	0	0	100	51	22.69	-1.81	65
460.88	52.2	3662	10.94	-1.17	0	0	100	41.54	21.13	-4.35	51.56
460.98	52.2	3672	9.4	-1.17	0	0	100	33.98	21.13	-5.15	45.31
461.08	52.2	3678	9.42	-1.17	0	0	100	31.7	21.13	-5.95	41.56
461.18	52.2	3682	8.64	-1.17	0	0	100	29.2	20.74	-6.31	38.75

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
461.28	52.2	3687	7.87	-1.17	0	0	100	26.94	19.95	-7.11	35
461.38	53.44	3687	7.08	-1.17	0	0	100	23.64	18.78	-7.9	29.06
461.48	53.44	3682	6.28	-1.17	0	0	100	18.16	18	-9.06	23.12
461.58	53.44	3683	5.5	-1.17	0	0	100	15.48	17.61	-9.43	20.31
461.68	53.44	3670	5.48	-1.17	0	0	100	14.58	17.61	-9.64	19.38
461.78	53.44	3674	5.49	-1.17	0	0	100	14.04	17.61	-9.64	19.38
461.88	53.44	3678	5.49	-1.17	0	0	100	14.16	17.61	-9.79	19.38
462	53.44	3672	5.48	-1.17	0	0	100	14.48	17.61	-9.79	19.69
462.1	53.44	3667	5.48	-1.17	0	0	100	14.52	17.61	-9.79	20
462.22	53.44	3669	5.48	-1.17	0	0	100	14.74	17.61	-9.79	20.31
462.32	53.44	3660	5.47	-1.17	0	0	100	15.22	18.78	-9.43	22.81
462.44	53.44	3658	6.24	-1.17	0	0	100	21.72	21.13	-8.05	31.56
462.54	53.44	3694	7.88	-1.17	0	0	100	26.84	21.91	-7.11	37.81
462.66	53.44	3654	8.58	-1.17	0	0	100	29.86	22.69	-6.53	41.25
462.74	53.44	3662	9.37	-1.17	0	0	100	30.42	22.3	-6.53	41.56
462.84	53.44	3676	8.63	-1.17	0	0	100	29.4	20.74	-7.11	38.75
462.94	53.44	3670	7.83	-1.17	0	0	100	24.8	18	-8.48	30.94
463.04	53.44	3658	6.24	-1.17	0	0	100	18.7	16.04	-10.01	22.19
463.12	53.44	3658	5.46	-1.17	0	0	100	14	15.65	-10.59	17.5
463.22	53.44	3647	4.67	-1.17	0	0	100	11.3	15.65	-10.8	15
463.32	53.44	3649	4.67	-1.56	-0.78	0	100	10.36	15.65	-11.02	14.06
463.42	53.44	3656	4.68	-1.56	-1.56	0	100	10.06	15.65	-11.02	13.75
463.5	53.44	3653	4.68	-1.56	-2.34	0	100	9.82	14.87	-11.17	13.12
463.6	53.44	3637	4.66	-1.56	0	0	100	9.14	15.26	-11.39	12.5
463.7	53.44	3635	4.65	-1.56	0	0	100	8.92	15.26	-11.17	12.5
463.8	53.44	3644	4.66	-1.56	0	0	100	9.1	15.26	-11.39	12.81
463.88	53.44	3637	4.66	-1.56	0	0	100	10.26	16.82	-10.8	15.31
463.98	53.44	3628	5.42	-1.17	-0.39	0	100	14.04	19.17	-9.43	22.5
464.08	53.44	3658	6.24	-1.17	0	0	100	20.3	20.74	-8.48	30
464.18	52.2	3628	7.74	-1.17	0	0	100	23.1	20.74	-7.9	32.81
464.28	52.2	3637	7.76	-1.17	0	0	100	24.4	21.52	-7.47	34.69
464.36	52.2	3610	7.7	-1.17	0	0	100	25.4	21.52	-7.25	35.62
464.48	52.2	3640	8.54	-1.17	0	0	100	28.1	23.08	-6.53	40.94
464.56	52.2	3633	9.3	-1.17	0	0	100	32.62	24.26	-5.51	48.12
464.66	52.2	3639	10.09	-1.17	0	0	100	35.58	23.87	-5.37	49.06
464.76	52.2	3644	10.11	-1.17	0	0	100	34.58	22.3	-5.95	45.94
464.84	53.44	3642	9.32	-1.17	0	0	100	32.72	22.69	-5.95	44.69
464.94	53.44	3647	9.34	-1.17	0	0	100	32.76	23.48	-5.73	46.56
465.04	53.44	3658	10.15	-1.17	0	0	100	35.12	24.26	-5.15	50

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
465.14	53.44	3660	10.93	-1.17	0	0	100	38.92	25.04	-4.35	55.62
465.24	53.44	3669	11.74	-1.17	0	0	100	41.62	24.65	-4.13	57.19
465.36	53.44	3672	10.97	-1.17	0	0	100	40.9	21.52	-5.37	50.62
465.46	53.44	3674	9.41	-1.17	0	0	100	27.12	16.04	-8.85	28.75
465.58	53.44	3658	5.46	-1.17	0	0	100	14.7	15.26	-10.37	16.88
465.68	53.44	3665	4.69	-1.17	0	0	100	10.16	15.26	-11.02	13.12
465.8	53.44	3635	4.65	-1.56	0	0	100	8.92	15.26	-11.17	12.5
465.9	53.44	3583	4.59	-1.56	0	0	100	8.56	15.26	-11.17	12.19
466	53.44	3532	4.52	-1.56	0	0	100	8.6	14.87	-11.17	12.19
466.08	53.44	3483	4.46	-1.56	0	0	100	8.48	14.87	-11.17	12.19
466.18	53.44	3438	4.4	-1.56	0	0	100	8.44	16.04	-10.8	13.75
466.28	53.44	3390	4.34	-1.56	0	0	100	10.72	17.61	-10.22	18.12
466.38	53.44	3375	5.04	-1.17	-0.78	0	100	14.3	19.56	-8.85	26.25
466.46	53.44	3393	6.52	-1.17	-1.56	0	100	19.56	19.95	-8.27	30
466.56	53.44	3322	6.38	-1.17	-2.34	0	100	20.54	19.95	-7.69	33.12
466.66	53.44	3069	6.55	-1.17	-3.12	0	100	19.66	20.35	-7.11	35.94
466.74	53.44	2619	6.15	-1.17	-3.9	0	100	19.18	19.95	-6.31	39.69
466.84	53.44	2565	6.02	-1.17	-4.29	0	100	20.76	19.95	-6.31	40.94
466.94	53.44	2498	5.86	-1.17	-5.07	0	100	20.72	19.95	-5.95	40.94
467.04	53.44	2559	6.01	-1.17	-5.85	0	100	22.26	21.13	-5.37	44.38
467.16	53.44	2559	6.55	-1.17	-4.68	0	100	23.08	21.13	-5.15	46.56
467.24	53.44	2565	7.12	-1.17	-3.9	0	100	23.86	21.52	-4.93	47.81
467.34	53.44	2559	7.1	-1.17	-2.73	0	100	24.34	21.52	-4.71	48.12
467.44	53.44	2557	7.09	-1.17	-1.95	0	100	24.6	21.52	-4.71	48.75
467.54	53.44	2551	6.53	-1.17	-2.34	0	100	24.74	21.52	-4.71	48.75
467.66	53.44	2556	6.54	-1.17	-3.12	0	100	24.72	21.52	-4.57	48.75
467.76	53.44	2559	7.1	-1.17	-2.73	0	100	24.72	21.52	-4.71	48.12
467.86	53.44	2561	7.1	-1.17	-1.56	0	100	24.76	21.52	-4.57	48.44
467.94	53.44	2563	7.11	-1.17	-0.78	0	100	24.84	21.52	-4.57	48.75
468.04	53.44	2568	7.12	-1.17	0	0	100	24.84	21.52	-4.57	48.75
468.14	53.44	2570	7.13	-1.17	-0.78	0	100	25.04	21.52	-4.57	49.06
468.22	53.44	2574	7.14	-1.17	-1.56	0	100	25.14	21.52	-4.35	49.06
468.32	53.44	2575	7.14	-1.17	-1.95	0	100	25.22	21.52	-4.57	49.06
468.4	53.44	2581	7.16	-1.17	-1.56	0	100	25.1	21.52	-4.57	49.06
468.5	53.44	2579	7.15	-1.17	-0.39	0	100	25.14	21.52	-4.57	49.06
468.58	53.44	2581	7.16	-1.17	0.39	0	100	25.84	23.48	-3.77	53.44
468.68	53.44	2585	8.27	-1.17	-0.39	0	100	30.72	25.04	-2.39	62.5
468.76	53.44	2590	8.84	-1.17	-1.17	0	100	33.76	25.82	-1.6	67.5
468.86	53.44	2597	9.42	-1.17	0	0	100	35.48	25.82	-1.45	69.38

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
468.94	53.44	2599	9.98	-1.17	0	0	100	36.38	25.43	-1.23	70.94
469.04	53.44	2603	9.44	-1.17	0	0	100	36.44	25.04	-1.45	70.31
469.12	54.68	2610	9.47	-1.17	0	0	100	36.44	25.04	-1.45	70
469.22	54.68	2612	9.47	-1.17	0	0	100	35.16	22.3	-2.39	65.62
469.3	54.68	2612	8.36	-1.17	0	0	100	31.8	20.74	-3.55	58.12
469.4	54.68	2617	7.82	-1.17	-0.78	0	100	28.3	20.35	-4.35	52.5
469.5	54.68	2622	7.27	-1.17	-1.56	0	100	25.86	20.35	-4.71	48.75
469.6	54.68	2624	6.72	-1.17	-2.34	0	100	25	20.35	-4.93	47.19
469.68	54.68	2624	6.72	-1.17	-3.12	0	100	24.38	20.35	-4.93	46.25
469.78	54.68	2626	6.72	-1.17	-3.9	0	100	24.12	20.35	-4.93	45.94
469.86	54.68	2626	6.72	-1.17	-3.51	0	100	24.08	20.35	-4.93	45.62
469.96	54.68	2631	6.74	-1.17	-2.73	0	100	23.64	20.35	-4.93	45
470.06	54.68	2637	6.75	-1.17	-1.56	0	100	23.24	19.95	-5.15	44.06
470.14	54.68	2637	6.75	-1.17	-0.39	0	100	22.64	19.56	-5.73	41.88
470.24	54.68	2638	6.75	-1.17	0.39	0	100	21.68	19.56	-5.95	40.62
470.32	54.68	2637	6.75	-1.17	1.56	0	100	21.04	19.17	-6.09	39.38
470.42	54.68	2637	6.19	-1.17	0.78	0	100	20.14	19.17	-6.31	38.12
470.52	55.92	2640	6.2	-1.17	0	0	100	19.78	18.78	-6.53	37.19
470.6	55.92	2640	5.63	-1.17	-0.78	0	100	19.06	18.78	-6.67	36.25
470.7	55.92	2641	5.64	-1.17	-1.56	0	100	18.8	19.17	-6.67	35.94
470.8	55.92	2640	5.63	-1.17	-2.34	0	100	19	19.17	-6.67	36.56
470.88	55.92	2641	6.2	-1.17	-1.56	0	100	20.06	21.13	-5.95	40.62
470.98	55.92	2645	7.34	-1.17	-0.39	0	100	25.42	23.48	-4.13	51.88
471.06	55.92	2652	9.05	-1.17	0.78	0	100	29.94	25.04	-2.83	60.94
471.16	55.92	2655	9.63	-1.17	1.56	0	100	34.36	25.82	-2.03	66.25
471.24	55.92	2656	10.2	-1.17	0	0	100	36.12	25.82	-1.81	69.06
471.34	55.92	2660	9.65	-1.17	0	0	100	37.14	25.82	-1.6	70
471.42	55.92	2662	10.22	-1.17	0	0	100	37.54	25.82	-1.45	71.88
471.54	55.92	2669	10.25	-1.17	0	0	100	38.48	25.82	-1.23	73.12
471.62	55.92	2674	10.27	-1.17	0	0	100	39.72	27	-0.65	76.25
471.72	55.92	2675	10.85	-1.17	0	0	100	43.44	29.34	0.29	82.81
471.8	55.92	2685	12.03	-1.17	0	0	100	46.46	30.52	0.94	89.38
471.9	55.92	2690	13.2	-1.17	0	0	100	49.9	30.52	1.31	94.38
471.98	55.92	2700	14.98	-1.17	0	0	100	51.48	30.52	1.52	96.88
472.08	55.92	2707	15.6	-1.17	0	0	100	52.72	30.13	1.67	98.75
472.18	55.92	2715	16.22	-1.17	0	0	100	53.94	29.74	1.89	100.62
472.26	55.92	2716	16.23	-1.17	0	0	100	54.56	28.56	1.89	100.31
472.36	55.92	2725	16.28	-1.17	0	0	100	53.88	27.39	1.67	98.44
472.46	55.92	2730	15.14	-1.17	0	0	100	52.48	26.21	1.31	94.06

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
472.54	55.92	2739	13.44	-1.17	0	0	100	49.02	24.26	0.15	86.88
472.64	57.17	2747	10.55	-1.17	0	0	100	43.1	22.69	-1.02	74.69
472.72	57.17	2749	9.38	-1.17	0	0	100	37.36	21.52	-2.18	62.5
472.82	57.17	2746	8.2	-1.17	0	0	100	32.22	21.52	-2.61	56.25
472.9	57.17	2754	7.64	-1.17	-0.78	0	100	29.56	21.52	-2.97	53.12
473	57.17	2765	7.67	-1.17	-1.56	0	100	28.38	21.52	-3.41	51.25
473.1	57.17	2766	7.67	-1.17	-0.78	0	100	27.96	21.52	-3.55	50.62
473.18	57.17	2766	7.67	-1.17	0.39	0	100	27.9	21.13	-3.77	50.62
473.28	57.17	2768	7.68	-1.17	1.17	0	100	27.48	20.74	-4.13	49.06
473.36	58.41	2771	7.69	-1.17	2.34	0	100	26.86	20.74	-4.57	48.44
473.46	58.41	2771	7.69	-1.17	3.51	0	100	26.26	20.74	-4.57	47.19
473.54	58.41	2775	7.7	-1.17	4.68	0	100	25.88	20.74	-4.71	46.56
473.64	58.41	2777	7.7	-1.17	4.29	0	100	25.56	20.74	-4.71	46.25
473.74	58.41	2780	7.71	-1.17	3.51	0	100	25.44	20.74	-4.71	46.25
473.82	58.41	2780	7.12	-1.17	2.73	0	100	25.26	20.35	-4.93	45.62
473.92	58.41	2781	7.12	-1.17	1.95	0	100	25	20.74	-5.15	44.69
474.02	58.41	2782	7.12	-1.17	1.17	0	100	24.48	20.35	-5.37	43.12
474.1	58.41	2785	7.13	-1.17	0.39	0	100	23.76	20.35	-5.51	42.5
474.2	58.41	2786	6.54	-1.17	-0.39	0	100	23.18	19.95	-5.73	41.25
474.28	58.41	2786	6.54	-1.17	-1.17	0	100	22.74	19.95	-5.95	40.62
474.38	58.41	2786	6.54	-1.17	-1.95	0	100	22.32	19.95	-5.95	40
474.48	58.41	2788	6.54	-1.17	-0.78	0	100	22.08	19.95	-6.09	39.69
474.58	58.41	2789	6.54	-1.17	0.39	0	100	21.9	19.95	-6.09	39.69
474.66	58.41	2791	6.55	-1.17	1.17	0	100	22.56	21.91	-5.37	43.44
474.76	58.41	2792	8.34	-1.17	0.78	0	100	29.72	28.17	-2.18	64.38
474.84	58.41	2799	11.35	-1.17	0	0	100	41.24	33.65	0.29	80.94
474.94	58.41	2801	13.15	-1.17	0	0	100	49.68	39.91	1.52	93.12
475.02	58.41	2808	16.77	-1.17	0	0	100	55.78	43.82	2.25	102.81
475.12	58.41	2817	18.03	-1.17	0	0	100	59.22	46.56	3.26	108.12
475.2	58.41	2827	19.3	-1.17	0	0	100	62.92	48.52	4.06	115
475.3	58.41	2834	19.95	-1.17	0	0	100	66.72	50.08	5.22	121.56
475.38	58.41	2841	21.22	-1.17	0	0	100	71.16	51.25	6.02	129.06
475.48	59.65	2856	23.16	0	0	0	100	75.32	53.99	7.18	135.62
475.56	59.65	2868	25.09	0	0	0	100	79.54	56.34	8.34	142.81
475.66	59.65	2884	27.08	0	0	0	100	84.62	57.91	9.5	151.56
475.74	59.65	2892	29	0	0	0	100	89.64	59.47	11.02	159.38
475.84	59.65	2911	31.06	0	0	0	100	95.32	60.64	12.4	168.44
475.92	59.65	2919	32.39	0	0	0	100	101.08	60.64	13.42	176.88
476.02	59.65	2939	33.87	0	0	0	100	105.68	60.64	14.36	183.75

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
476.1	59.65	2949	35.86	0	0	0.7	100	109.44	60.64	15.52	188.75
476.2	62.14	2967	36.72	0	0	0.7	100	113.9	60.25	16.53	194.06
476.28	62.14	2990	37.64	0	0	0.7	100	116.86	60.25	17.33	198.44
476.38	62.14	3021	38.68	0	0	0.7	100	119.5	60.25	17.91	201.56
476.46	62.14	3025	39.37	0	0	0.35	100	122.56	59.47	18.27	204.06
476.56	62.14	3048	39.68	0	0	0.35	100	123.96	55.17	18.27	199.38
476.64	62.14	3055	37.8	0	0	0.35	100	120.62	52.43	17.91	195.31
476.74	62.14	3058	37.84	0	0	0.35	100	118.94	49.69	17.48	192.81
476.82	62.14	3078	37.44	0	0	0.35	100	118.14	44.99	16.9	188.12
476.92	64.62	3095	36.98	0	0	0.35	100	114.64	42.26	15.74	182.81
477.02	64.62	3122	35.97	0	0	0.35	100	110.6	39.13	14.58	173.12
477.1	64.62	3142	34.19	0	0	0.35	100	104.92	37.17	13.42	166.56
477.2	64.62	3155	32.31	0	0	0.35	100	100.46	33.65	11.68	152.19
477.28	64.62	3166	27.69	0	0	0	100	89.26	30.91	9.5	134.06
477.38	64.62	3166	23.64	0	0	0	100	75.76	27.39	5.22	110
477.46	64.62	3179	18.99	-1.17	0	0	100	64.16	26.21	3.63	97.5
477.56	64.62	3192	16.35	-1.17	0	0	100	59.32	26.21	2.68	91.56
477.64	67.11	3195	14.32	-1.17	0	0	100	56.8	25.82	1.89	87.5
477.74	67.11	3201	13.66	-1.17	0	0	100	54.16	25.04	1.09	82.19
477.82	67.11	3203	12.3	-1.17	0	0	100	49.54	23.48	-0.44	72.5
477.92	67.11	3207	10.95	-1.17	0	0	100	43.7	21.91	-1.81	64.38
478	67.11	3211	10.28	-1.17	0	0	100	38.06	21.52	-2.97	57.19
478.1	67.11	3213	9.6	-1.17	0	0	100	34.78	21.13	-3.77	49.69
478.18	67.11	3210	8.22	-1.17	0	0	100	29.14	21.13	-4.35	43.75
478.28	67.11	3210	7.53	-1.17	0	0	100	26.3	20.74	-5.15	40
478.36	67.11	3209	7.53	-1.17	-0.39	0	100	24.98	20.74	-5.37	38.44
478.46	67.11	3209	7.53	-1.17	0	0	100	24.12	20.35	-5.73	37.19
478.54	67.11	3206	6.84	-1.17	1.17	0	100	23.32	19.95	-6.09	35.94
478.64	67.11	3207	6.84	-1.17	2.34	0	100	22.72	20.35	-6.09	35.31
478.72	67.11	3206	6.84	-1.17	3.9	0	100	22.28	19.95	-6.53	35
478.82	67.11	3206	6.84	-1.17	5.07	0	100	22.2	19.95	-6.53	34.69
478.9	67.11	3199	7.51	-1.17	6.24	0	100	21.96	19.95	-6.67	34.69
479	67.11	3196	7.5	-1.17	7.41	0	100	21.84	19.95	-6.89	34.69
479.08	67.11	3195	6.82	-1.17	6.63	0	100	22.02	19.95	-6.67	34.69
479.18	67.11	3192	6.81	-1.17	5.85	0	100	22	19.95	-6.89	34.69
479.26	67.11	3192	6.81	-1.17	5.07	0	100	22.14	19.95	-6.89	34.69
479.36	67.11	3189	6.81	-1.17	4.29	0	100	21.92	19.95	-6.89	34.69
479.44	67.11	3184	6.79	-1.17	3.51	0	100	21.92	19.95	-6.89	35
479.54	67.11	3184	6.79	-1.17	2.34	0	100	22.04	19.95	-6.89	34.69

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
479.62	67.11	3183	6.79	-1.17	1.56	0	100	22.04	19.95	-6.89	35
479.72	67.11	3180	6.79	-1.17	0.78	0	100	21.92	19.95	-6.89	35
479.8	67.11	3173	6.77	-1.17	0	0	100	22.02	19.95	-6.89	34.69
479.9	67.11	3175	6.77	-1.17	-0.78	0	100	22.02	19.95	-7.11	35
479.98	67.11	3172	6.77	-1.17	-1.56	0	100	22.02	19.95	-6.89	34.69
480.08	67.11	3168	6.76	-1.17	-0.39	0	100	21.9	19.95	-6.89	35
480.18	67.11	3166	6.75	-1.17	0.78	0	100	22.04	19.95	-6.89	35.31
480.26	67.11	3164	6.75	-1.17	1.95	0	100	22.16	19.95	-6.89	35
480.36	67.11	3164	6.75	-1.17	1.56	0	100	22.02	19.95	-6.89	35
480.44	65.87	3162	6.75	-1.17	0.39	0	100	21.88	19.95	-7.11	35.31
480.54	65.87	3159	6.74	-1.17	-0.39	0	100	22.1	19.95	-6.89	35
480.62	65.87	3155	6.73	-1.17	-1.17	0	100	22.2	19.95	-7.11	35.31
480.72	65.87	3152	6.72	-1.17	-1.95	0	100	22.04	19.95	-6.89	35
480.8	65.87	3153	6.73	-1.17	-2.34	0	100	22.04	19.95	-7.11	35
480.9	65.87	3147	6.71	-1.17	-1.17	0	100	21.92	19.95	-6.89	35
480.98	65.87	3147	6.71	-1.17	0	0	100	22.04	19.95	-7.11	35
481.08	65.87	3143	6.71	-1.17	0.78	0	100	21.98	19.95	-7.11	35.31
481.16	65.87	3142	6.7	-1.17	-0.39	0	100	21.86	19.95	-6.89	35
481.26	65.87	3140	6.7	-1.17	-1.17	0	100	22.04	19.95	-7.11	35.31
481.34	65.87	3136	6.69	-1.17	-1.95	0	100	21.9	19.95	-6.89	35.31
481.44	65.87	3135	6.69	-1.17	-1.56	0	100	22.02	19.95	-6.89	35.31
481.54	65.87	3132	6.68	-1.17	-0.39	0	100	22.08	19.95	-6.89	35.31
481.62	65.87	3131	6.68	-1.17	0.78	0	100	22.16	20.35	-6.67	36.25
481.72	65.87	3127	7.34	-1.17	1.17	0	100	24.54	23.48	-5.51	44.69
481.8	65.87	3132	9.36	-1.17	0.39	0	100	31.78	26.21	-3.41	56.88
481.9	65.87	3130	11.35	-1.17	0	0	100	40.62	30.52	-1.02	71.56
481.98	65.87	3127	12.68	-1.17	0	0.35	100	49.56	34.43	0.15	83.75
482.08	65.87	3134	14.71	-1.17	0	0.35	100	56	37.56	1.31	93.75
482.16	65.87	3135	17.39	-1.17	0	0.35	100	60.86	40.3	2.1	101.56
482.26	65.87	3142	20.11	-1.17	0	0.35	100	65.5	42.26	3.26	107.81
482.34	65.87	3145	21.48	-1.17	0	0.35	100	69.9	45.39	4.21	115.94
482.44	65.87	3151	23.53	0	0	0.35	100	75.62	46.17	5.37	124.38
482.52	65.87	3162	24.96	0	0	0.35	100	81.36	46.56	6.6	132.5
482.62	65.87	3169	27.05	0	0	0.35	100	86.68	46.17	7.9	141.25
482.72	65.87	3184	29.21	0	0	0.35	100	92.08	46.17	9.28	149.38
482.8	65.87	3188	31.29	0	0	0	100	98.6	45.78	10.88	160
482.9	65.87	3205	34.19	0	0	0	100	105.64	43.43	12.26	169.06
483	65.87	3214	35.66	0	0	0	100	110.38	40.69	12.98	174.38
483.08	65.87	3231	36.54	0	0	0	100	112.4	38.34	13.2	176.56

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
483.18	65.87	3249	37.43	0	0	0	100	112.7	36.39	12.84	170.31
483.26	68.35	3256	34.74	0	0	0	100	104.68	33.65	11.02	150.94
483.36	68.35	3262	27.14	0	0	0	100	88.76	30.91	8.7	126.56
483.46	68.35	3269	23.71	0	0	0	100	76.92	29.74	6.74	115.94
483.56	68.35	3276	22.37	0	0	0	100	74.56	29.34	5.58	112.81
483.66	68.35	3282	22.41	0	0	0	100	72.92	27.78	4.64	107.5
483.76	68.35	3296	20.4	-1.17	0	0	100	65.14	26.61	3.26	94.69
483.86	68.35	3302	15.5	-1.17	0	0	100	58.36	26.21	2.25	87.19
483.98	69.59	3299	13.38	-1.17	0	0	100	53.72	25.04	1.09	77.5
484.08	69.59	3309	12	-1.17	0	0	100	45.86	23.48	-0.65	65.62
484.18	69.59	3312	9.89	-1.17	0	0	100	39.34	21.91	-2.18	55.62
484.28	69.59	3312	8.48	-1.17	0	0	100	31.8	21.13	-3.77	44.69
484.38	69.59	3305	7.76	-1.17	0	0	100	26.06	20.74	-4.71	38.44
484.48	69.59	3305	7.05	-1.17	0	0	100	23.16	20.35	-5.51	34.69
484.6	69.59	3305	6.35	-1.17	0.39	0	100	21.86	19.56	-6.31	32.5
484.7	69.59	3305	6.35	-1.17	1.17	0	100	19.82	17.61	-7.47	27.5
484.82	69.59	3299	4.93	-1.17	2.73	0	100	14.54	15.65	-9.21	19.38
484.92	69.59	3285	4.2	-1.17	3.9	0	100	10.08	14.87	-10.37	13.75
485.04	69.59	3265	4.18	-1.56	0	0	100	8.06	14.87	-10.8	11.88
485.14	69.59	3273	4.19	-1.56	0	0	100	7.58	14.87	-10.8	11.56
485.26	69.59	3270	4.19	-1.56	0	0	100	7.08	12.52	-11.6	10.94
485.36	69.59	3256	4.17	-1.56	0	0	100	7.08	12.13	-11.75	10.94
485.48	68.35	3265	4.18	-1.56	0	0	100	7.1	12.13	-11.75	10.94
485.58	68.35	3248	4.16	-1.56	0	0	100	7.08	11.74	-11.97	10.94
485.7	68.35	3235	4.14	-1.56	0	0	100	7.06	11.74	-11.97	10.94
485.8	68.35	3229	4.13	-1.56	0	0	100	7.04	14.87	-11.6	11.88
485.92	68.35	3220	4.12	-1.56	0	0	100	8.84	15.26	-11.02	14.38
486.02	68.35	3223	4.13	-1.56	0	0	100	9.3	15.26	-10.8	14.69
486.14	67.11	3211	4.11	-1.56	0	0	100	9.24	15.26	-10.8	14.38
486.24	67.11	3209	4.11	-1.56	0	0	100	9.7	16.04	-10.59	16.25
486.36	67.11	3199	4.78	-1.56	-0.78	0	100	10.92	16.04	-10.37	17.19
486.46	67.11	3198	4.09	-1.56	-1.56	0	100	11.16	16.43	-10.22	17.81
486.58	67.11	3186	4.76	-1.17	-2.34	0	100	13.88	18.39	-9.21	24.06
486.68	67.11	3196	5.46	-1.17	-3.12	0	100	16.92	18.78	-8.63	27.81
486.8	67.11	3186	6.12	-1.17	-4.29	0	100	18.06	18.78	-8.48	28.75
486.9	67.11	3183	5.43	-1.17	-5.07	0	100	18.3	18.78	-8.27	28.75
487.02	67.11	3172	5.41	-1.17	-5.85	0	100	18.26	19.17	-8.27	29.06
487.12	67.11	3169	5.41	-1.17	-6.63	0	100	18.46	19.17	-8.05	29.38
487.24	67.11	3166	5.4	-1.17	-7.41	0	100	18.36	19.17	-8.27	29.38

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
487.34	67.11	3169	6.09	-1.17	-6.63	0	100	18.36	19.17	-8.27	29.38
487.46	67.11	3160	6.07	-1.17	-5.46	0	100	18.22	18.78	-8.27	29.06
487.56	65.87	3156	6.06	-1.17	-4.29	0	100	18.32	18.78	-8.27	29.38
487.66	65.87	3159	6.07	-1.17	-2.73	0	100	18.28	18.78	-8.27	29.38
487.78	65.87	3155	6.06	-1.17	-1.95	0	100	18.24	18.78	-8.27	28.75
487.88	65.87	3153	5.38	-1.17	-2.73	0	100	18.18	18.78	-8.27	29.06
487.98	65.87	3148	5.37	-1.17	-3.51	0	100	18.16	18.78	-8.27	29.06
488.08	65.87	3145	5.37	-1.17	-4.29	0	100	18.32	18.78	-8.27	29.38
488.16	65.87	3143	6.04	-1.17	-4.29	0	100	18.36	19.17	-8.05	29.69
488.26	65.87	3148	6.04	-1.17	-3.51	0	100	19.04	19.56	-7.9	31.56
488.36	65.87	3143	6.04	-1.17	-2.34	0	100	20.12	19.56	-7.69	32.5
488.46	65.87	3136	6.69	-1.17	-1.17	0	100	20.38	19.56	-7.69	32.5
488.54	65.87	3140	6.03	-1.17	-1.17	0	100	20.34	19.56	-7.47	32.81
488.64	65.87	3139	6.03	-1.17	-1.95	0	100	20.46	19.56	-7.47	33.12
488.74	65.87	3134	6.02	-1.17	-2.73	0	100	20.52	19.56	-7.47	33.12
488.84	65.87	3132	6.01	-1.17	-3.51	0	100	20.64	19.56	-7.47	33.12
488.92	65.87	3128	6.67	-1.17	-2.34	0	100	20.46	19.56	-7.47	33.12
489.02	65.87	3130	6.68	-1.17	-1.56	0	100	20.92	19.95	-7.25	33.75
489.12	65.87	3132	6.68	-1.17	-0.78	0	100	21.32	19.95	-7.25	34.38
489.22	65.87	3124	6.67	-1.17	-1.17	0	100	21.38	19.95	-7.25	34.69
489.3	65.87	3126	6.67	-1.17	-2.34	0	100	21.5	19.95	-7.25	34.69
489.4	65.87	3123	6.66	-1.17	-3.12	0	100	21.56	19.95	-7.11	35
489.52	65.87	3127	6.67	-1.17	-1.95	0	100	22.58	20.74	-6.67	37.19
489.62	65.87	3127	7.34	-1.17	-0.78	0	100	24.28	21.13	-6.31	40
489.7	65.87	3127	8.01	-1.17	0.78	0	100	25.52	21.91	-5.95	41.88
489.8	65.87	3127	8.01	-1.17	1.17	0	100	27.58	22.69	-5.37	45.94
489.88	65.87	3127	8.67	-1.17	0.39	0	100	30.46	23.87	-4.57	50.94
489.98	65.87	3127	9.34	-1.17	0	0	100	32.98	24.26	-3.99	54.06
490.08	65.87	3132	9.36	-1.17	0	0	100	34.52	24.26	-3.77	57.19
490.18	65.87	3130	10.02	-1.17	0	0	100	36.3	24.26	-3.55	59.06
490.26	65.87	3136	10.04	-1.17	0	0	100	37.4	24.26	-3.41	59.69
490.36	65.87	3139	10.05	-1.17	0	0	100	37.72	24.26	-3.19	60.62
490.46	65.87	3139	10.05	-1.17	0	0	100	37.98	24.26	-3.19	61.25
490.56	65.87	3147	10.07	-1.17	0	0	100	37.96	24.26	-3.19	61.25
490.66	65.87	3142	10.05	-1.17	0	0	100	38.62	24.26	-2.97	61.56
490.78	65.87	3148	10.07	-1.17	0	0	100	38.52	23.87	-2.97	61.88
490.88	65.87	3153	10.09	-1.17	0	0	100	38.98	23.87	-2.83	61.88
491	65.87	3157	10.1	-1.17	0	0	100	38.86	23.87	-2.83	61.56
491.1	65.87	3163	10.12	-1.17	0	0	100	39.06	23.87	-2.83	61.88

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
491.18	65.87	3164	10.13	-1.17	0	0	100	39.32	23.87	-2.83	61.88
491.28	65.87	3168	10.14	-1.17	0	0	100	38.88	22.69	-3.19	60
491.36	65.87	3171	9.47	-1.17	0	0	100	35.56	21.13	-4.35	53.12
491.46	65.87	3173	8.8	-1.17	0	0	100	30.46	20.35	-5.37	45.62
491.56	65.87	3177	7.46	-1.17	0	0	100	26.24	19.95	-5.95	39.69
491.66	65.87	3176	6.78	-1.17	-0.78	0	100	23.66	19.56	-6.53	35.94
491.76	67.11	3183	6.79	-1.17	-1.95	0	100	21.76	19.56	-6.67	33.75
491.86	67.11	3180	6.11	-1.17	-2.34	0	100	20.6	19.56	-7.11	32.19
491.94	67.11	3182	6.11	-1.17	-1.56	0	100	19.9	19.17	-7.25	30.94
492.04	67.11	3180	6.11	-1.17	-0.39	0	100	19.34	19.17	-7.47	30.31
492.12	67.11	3179	6.1	-1.17	0.39	0	100	18.88	19.17	-7.69	29.69
492.22	67.11	3180	6.11	-1.17	1.56	0	100	18.66	18.78	-7.9	29.06
492.3	67.11	3182	6.11	-1.17	2.34	0	100	18.04	18.78	-8.05	28.44
492.4	67.11	3177	6.1	-1.17	3.51	0	100	17.74	18.39	-8.27	27.5
492.48	67.11	3180	6.11	-1.17	3.9	0	100	17.24	18	-8.48	26.56
492.58	67.11	3177	5.42	-1.17	3.12	0	100	15.92	17.22	-8.85	24.38
492.68	67.11	3175	5.42	-1.17	2.34	0	100	14.62	16.82	-9.43	21.88
492.76	67.11	3172	4.74	-1.17	1.56	0	100	13.3	16.43	-9.64	20.31
492.86	67.11	3173	4.74	-1.17	0.78	0	100	12.38	16.43	-10.01	18.75
492.96	67.11	3176	4.74	-1.17	0.39	0	100	11.7	16.43	-10.01	18.44
493.06	67.11	3168	4.73	-1.17	-0.78	0	100	11.32	16.04	-10.22	17.81
493.18	67.11	3175	4.06	-1.17	-1.56	0	100	11	15.65	-10.22	17.19
493.26	67.11	3166	4.05	-1.56	-2.34	0	100	10.52	15.26	-10.59	15.94
493.36	67.11	3162	4.05	-1.56	-3.12	0	100	9.74	15.26	-10.8	15.31
493.46	67.11	3157	4.04	-1.56	-3.51	0	100	9.4	15.26	-10.8	14.69
493.54	67.11	3166	4.05	-1.56	-4.29	0	100	9.22	15.26	-10.8	14.69
493.64	67.11	3157	4.04	-1.56	-5.07	0	100	9.14	15.26	-11.02	14.38
493.72	67.11	3153	4.04	-1.56	-5.85	0	100	9.16	15.26	-10.8	14.69
493.82	67.11	3160	4.05	-1.56	-6.63	0	100	9.08	15.26	-11.02	14.69
493.9	65.87	3148	4.03	-1.56	-7.02	0	100	9.16	15.26	-10.8	14.69
494	65.87	3152	4.03	-1.56	-7.8	0	100	9.26	15.26	-11.02	14.69
494.08	65.87	3148	4.03	-1.56	-8.19	0	100	9.3	15.26	-10.8	14.69
494.18	65.87	3147	4.03	-1.56	-7.41	0	100	9.2	15.26	-11.02	14.38
494.26	65.87	3147	4.03	-1.56	-6.24	0	100	8.92	14.87	-11.02	14.06
494.36	65.87	3139	4.02	-1.56	-5.46	0	100	8.66	14.87	-11.02	13.75
494.44	65.87	3134	4.01	-1.56	-4.29	0	100	8.56	14.87	-11.02	13.75
494.56	65.87	3132	4.01	-1.56	-4.68	0	100	8.54	14.87	-11.17	13.75
494.64	65.87	3121	3.99	-1.56	-5.46	0	100	8.48	14.87	-11.02	13.75
494.74	65.87	3130	4.01	-1.56	-5.85	0	100	8.56	14.87	-11.17	13.75

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
494.82	65.87	3123	4	-1.56	-6.63	0	100	8.58	14.87	-11.02	13.75
494.92	65.87	3122	4	-1.56	-7.41	0	100	8.52	14.87	-11.02	13.75
495	65.87	3121	3.99	-1.56	-6.24	0	100	8.54	14.87	-11.17	13.75
495.1	65.87	3114	3.99	-1.56	-5.46	0	100	8.56	14.87	-11.02	14.06
495.18	65.87	3111	3.98	-1.56	-4.29	0	100	8.6	14.87	-11.02	13.75
495.28	65.87	3104	3.97	-1.56	-3.51	0	100	8.48	14.87	-11.17	13.44
495.36	65.87	3105	3.97	-1.56	-2.34	0	100	8.3	14.48	-11.17	13.44
495.46	65.87	3101	3.97	-1.56	0	0	100	8.12	14.48	-11.17	13.12
495.54	65.87	3106	3.98	-1.56	0	0	100	8.1	14.87	-11.17	13.12
495.64	65.87	3097	3.96	-1.56	0	0	100	8.04	14.87	-11.17	13.12
495.72	65.87	3092	3.96	-1.56	0	0	100	8.12	14.48	-11.17	13.44
495.82	65.87	3088	3.95	-1.56	0	0	100	8.08	14.48	-11.17	13.12
495.9	65.87	3081	3.94	-1.56	0	0	100	8	14.48	-11.39	13.12
496	64.62	3081	3.94	-1.56	0	0	100	8.02	14.48	-11.17	13.12
496.08	64.62	3075	3.94	-1.56	0	0	100	7.96	14.48	-11.17	13.12
496.18	64.62	3069	3.93	-1.56	0	0	100	7.96	14.48	-11.17	13.12
496.26	64.62	3068	3.93	-1.56	0	0	100	7.96	14.48	-11.17	13.12
496.36	64.62	3068	3.93	-1.56	0	0	100	7.88	14.48	-11.17	13.12
496.44	64.62	3061	3.92	-1.56	0	0	100	7.96	14.48	-11.17	13.12
496.54	64.62	3058	3.91	-1.56	0	0	100	7.96	14.48	-11.17	13.12
496.64	64.62	3048	3.9	-1.56	0	0	100	7.94	14.48	-11.17	13.12
496.72	64.62	3043	3.9	-1.56	0	0	100	7.9	14.48	-11.17	13.12
496.82	64.62	3036	3.89	-1.56	0	0	100	7.9	14.48	-11.17	13.12
496.92	64.62	3041	3.89	-1.56	0	0	100	7.98	14.87	-11.17	13.44
497	64.62	3036	3.89	-1.56	0	0	100	8.38	15.26	-11.02	14.38
497.1	64.62	3029	4.52	-1.56	0	0	100	9.38	16.04	-10.59	16.56
497.2	64.62	3029	4.52	-1.56	-0.78	0	100	10.72	16.43	-10.37	18.75
497.28	64.62	3032	4.53	-1.56	-1.17	0	100	11.64	16.82	-10.01	20
497.38	64.62	3008	4.49	-1.17	-1.95	0	100	12.34	16.82	-10.01	20.62
497.48	63.38	3017	4.51	-1.17	-2.73	0	100	12.42	16.82	-9.79	20.94
497.56	63.38	3010	4.5	-1.17	-3.51	0	100	12.5	16.82	-9.79	20.94
497.66	63.38	2997	4.48	-1.17	-3.9	0	100	12.54	16.82	-9.79	20.94
497.76	63.38	3000	4.48	-1.17	-4.68	0	100	12.54	16.82	-9.79	21.25
497.84	63.38	2992	4.47	-1.17	-5.46	0	100	13.08	17.22	-9.64	22.19
497.94	63.38	2986	4.46	-1.17	-6.24	0	100	13.64	18	-9.43	24.06
498.02	63.38	2986	5.1	-1.17	-6.63	0	100	15.36	18.78	-8.85	27.19
498.12	62.14	2984	5.73	-1.17	-7.41	0	100	17.36	19.95	-8.05	31.25
498.2	62.14	2992	6.38	-1.17	-6.63	0	100	19.32	20.35	-7.47	34.38
498.3	62.14	2978	6.99	-1.17	-5.46	0	100	21.88	21.13	-6.67	38.44

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
498.38	62.14	2970	6.97	-1.17	-4.29	0	100	23.7	21.52	-6.09	40.94
498.48	62.14	2972	7.61	-1.17	-3.51	0	100	25.48	22.69	-5.51	45
498.56	62.14	2972	7.61	-1.17	-3.12	0	100	27.42	23.08	-4.93	47.5
498.66	62.14	2972	8.24	-1.17	-3.9	0	100	29.72	23.87	-4.35	52.19
498.74	62.14	2975	8.89	-1.17	-5.07	0	100	31.6	23.87	-3.99	53.75
498.84	62.14	2972	8.88	-1.17	-4.29	0	100	32.28	23.87	-3.99	55
498.92	62.14	2971	8.88	-1.17	-3.51	0	100	32.68	23.87	-3.99	55
499.02	62.14	2965	8.86	-1.17	-4.29	0	100	32.9	23.87	-3.77	55.94
499.1	62.14	2967	8.86	-1.17	-5.07	0	100	33.42	23.87	-3.77	56.88
499.2	62.14	2970	8.87	-1.17	-5.85	0	100	33.56	23.87	-3.55	57.19
499.28	62.14	2975	8.89	-1.17	-6.63	0	100	34.14	23.87	-3.41	57.81
499.38	62.14	2971	8.88	-1.17	-7.41	0	100	34.2	23.87	-3.19	58.44
499.46	62.14	2972	8.88	-1.17	-7.41	0	100	34.64	23.87	-3.19	58.44
499.56	62.14	2971	8.88	-1.17	-6.24	0	100	34.98	23.87	-3.19	59.06
499.64	62.14	2970	9.5	-1.17	-5.07	0	100	35.2	23.87	-2.97	60
499.74	62.14	2972	8.88	-1.17	-5.07	0	100	36.02	23.87	-2.83	61.25
499.82	62.14	2972	9.51	-1.17	0	0	100	35.96	23.87	-2.97	60.94
499.92	62.14	2975	9.52	-1.17	0	0	100	36.16	23.87	-2.97	60.94
500	62.14	2972	9.51	-1.17	0	0	100	36	23.87	-2.83	61.56
500.1	62.14	2973	9.52	-1.17	0	0	100	36.28	23.87	-2.83	61.56
500.18	62.14	2973	9.52	-1.17	0	0	100	36.44	23.87	-2.61	61.88
500.28	62.14	2973	10.15	-1.17	0	0	100	36.6	23.87	-2.61	62.19
500.36	62.14	2975	10.15	-1.17	0	0	100	37.04	23.87	-2.39	63.12
500.46	62.14	2975	10.15	-1.17	0	0	100	37.24	23.87	-2.18	63.75
500.54	62.14	2976	10.16	-1.17	0	0	100	37.8	23.87	-2.18	64.06
500.64	62.14	2977	10.16	-1.17	0	0	100	38.04	23.87	-2.18	64.38
500.72	62.14	2978	10.17	-1.17	0	0	100	38.36	24.26	-2.03	65.94
500.82	62.14	2977	10.16	-1.17	0	0	100	39.98	25.43	-1.6	69.38
500.9	62.14	2980	11.45	-1.17	0	0	100	43.58	26.21	-0.87	75.62
501	62.14	2979	11.44	-1.17	0	0	100	45.58	26.21	-0.44	77.5
501.08	62.14	2977	12.07	-1.17	0	0	100	46.44	26.21	-0.44	79.06
501.18	62.14	2985	12.1	-1.17	0	0	100	47.42	26.21	-0.29	80
501.26	62.14	2985	12.1	-1.17	0	0	100	47.74	26.21	-0.07	80.31
501.36	62.14	2988	12.11	-1.17	0	0	100	47.52	25.82	-0.07	80
501.44	62.14	2989	12.12	-1.17	0	0	100	47.8	25.82	-0.07	80.31
501.54	62.14	2990	12.12	-1.17	0	0	100	48.16	25.04	-0.29	80
501.62	62.14	2988	11.47	-1.17	0	0	100	45.36	22.69	-1.45	71.56
501.72	62.14	2989	10.2	-1.17	0	0	100	37.52	19.95	-3.55	55.62
501.8	62.14	2989	8.29	-1.17	-0.39	0	100	28.9	19.17	-4.93	45.31

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
501.9	62.14	2985	7.01	-1.17	-1.17	0	100	24.92	19.17	-5.95	40
501.98	62.14	2986	6.37	-1.17	-1.95	0	100	22.52	18.78	-6.31	37.19
502.08	62.14	2985	6.37	-1.17	-2.73	0	100	21.58	19.17	-6.53	35.94
502.16	62.14	2981	6.36	-1.17	-3.51	0	100	20.8	19.17	-6.89	34.69
502.26	62.14	2977	5.72	-1.17	-4.29	0	100	20.2	19.17	-7.11	33.75
502.34	62.14	2973	5.71	-1.17	-5.07	0	100	19.58	18.78	-7.25	32.81
502.44	62.14	2969	5.7	-1.17	-4.29	0	100	19.16	18.78	-7.25	32.19
502.52	62.14	2960	5.68	-1.17	-3.51	0	100	18.84	18.78	-7.25	31.56
502.62	62.14	2958	5.68	-1.17	-2.34	0	100	18.52	18.78	-7.47	31.25
502.7	62.14	2957	5.68	-1.17	-1.56	0	100	18.34	18.78	-7.47	31.25
502.8	62.14	2952	5.67	-1.17	-0.78	0	100	18.34	18.78	-7.47	31.25
502.88	62.14	2945	6.28	-1.17	0.39	0	100	18.36	18.78	-7.69	31.56
502.98	62.14	2944	6.28	-1.17	1.17	0	100	18.44	18.78	-7.69	31.25
503.06	62.14	2938	6.27	-1.17	1.95	0	100	18.2	18.78	-7.69	30.94
503.16	62.14	2933	5.63	-1.17	1.56	0	100	17.86	18.78	-7.9	30.62
503.24	62.14	2932	5.63	-1.17	0.78	0	100	17.62	18.78	-7.9	30
503.34	62.14	2923	5.61	-1.17	0.39	0	100	17.38	18.39	-8.05	29.38
503.42	62.14	2919	5.61	-1.17	-0.39	0	100	16.98	18.39	-8.27	29.06
503.52	62.14	2916	5.6	-1.17	-1.17	0	100	16.7	18.39	-8.27	28.75
503.6	62.14	2912	5.59	-1.17	-1.95	0	100	16.72	18.39	-8.27	28.75
503.7	62.14	2908	5.58	-1.17	-2.34	0	100	16.76	18.39	-8.27	29.06
503.78	60.89	2900	5.57	-1.17	-3.12	0	100	16.86	18.39	-8.27	29.06
503.88	60.89	2893	5.56	-1.17	-3.51	0	100	16.66	18.39	-8.27	29.06
503.96	60.89	2895	5.56	-1.17	-3.51	0	100	16.86	18.39	-8.27	29.69
504.06	60.89	2889	5.55	-1.17	-2.73	0	100	16.98	18.78	-8.05	29.69
504.14	60.89	2881	5.53	-1.17	-1.56	0	100	17.08	18.78	-8.05	30.31
504.24	60.89	2880	5.53	-1.17	-1.17	0	100	17.72	19.17	-7.9	31.56
504.32	60.89	2875	5.52	-1.17	-1.95	0	100	18.46	19.17	-7.69	32.19
504.42	60.89	2874	5.52	-1.17	-2.34	0	100	18.56	19.17	-7.69	32.81
504.5	59.65	2864	5.5	-1.17	-3.12	0	100	18.68	19.17	-7.69	32.5
504.6	59.65	2864	5.5	-1.17	-3.51	0	100	18.62	19.17	-7.69	32.81
504.68	59.65	2856	5.49	-1.17	-4.29	0	100	18.66	19.17	-7.69	33.12
504.78	59.65	2854	5.48	-1.17	-5.07	0	100	18.76	19.17	-7.69	33.12
504.86	59.65	2853	6.09	-1.17	-4.29	0	100	18.7	19.17	-7.69	32.81
504.96	59.65	2849	6.08	-1.17	-3.51	0	100	18.46	18.78	-7.69	32.5
505.04	59.65	2841	6.06	-1.17	-2.73	0	100	18.46	18.78	-7.69	32.5
505.14	59.65	2837	5.45	-1.17	-3.12	0	100	18.3	18.78	-7.69	32.81
505.22	59.65	2836	5.45	-1.17	-3.51	0	100	18.32	18.78	-7.69	32.5
505.32	59.65	2829	5.43	-1.17	-4.29	0	100	18.44	18.78	-7.69	33.12

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
505.4	59.65	2823	5.42	-1.17	-5.07	0	100	18.66	19.17	-7.69	33.12
505.5	59.65	2819	5.41	-1.17	-5.46	0	100	18.76	19.17	-7.47	33.44
505.58	59.65	2821	6.02	-1.17	-4.68	0	100	18.76	19.17	-7.47	33.44
505.68	59.65	2814	6	-1.17	-3.9	0	100	18.88	19.17	-7.47	33.75
505.76	59.65	2811	6	-1.17	-2.73	0	100	18.94	19.17	-7.47	33.75
505.86	59.65	2805	5.99	-1.17	-2.34	0	100	18.54	19.17	-7.47	33.12
505.94	58.41	2802	5.38	-1.17	-2.73	0	100	18.6	18.78	-7.47	33.44
506.04	58.41	2797	5.37	-1.17	-3.51	0	100	18.44	18.78	-7.47	33.12
506.12	58.41	2797	5.37	-1.17	-3.9	0	100	18.36	18.78	-7.69	33.12
506.22	58.41	2795	5.37	-1.17	-4.68	0	100	18.42	18.78	-7.69	33.12
506.3	58.41	2788	5.35	-1.17	-5.07	0	100	18.32	18.78	-7.69	33.12
506.4	58.41	2777	5.93	-1.17	-5.07	0	100	18.22	18.78	-7.69	32.81
506.48	58.41	2777	5.33	-1.17	-4.29	0	100	18.04	18.78	-7.69	32.81
506.58	58.41	2773	5.92	-1.17	-3.51	0	100	18.12	18.78	-7.69	32.81
506.66	58.41	2767	5.31	-1.17	-3.51	0	100	18.02	18.78	-7.69	32.5
506.76	58.41	2772	5.32	-1.17	-4.29	0	100	17.88	18.78	-7.69	32.81
506.86	58.41	2770	5.32	-1.17	-4.68	0	100	17.94	18.78	-7.69	32.81
506.94	58.41	2760	5.3	-1.17	-5.46	0	100	17.82	18.78	-7.69	32.5
507.04	58.41	2752	5.28	-1.17	-5.07	0	100	17.78	18.39	-7.9	32.19
507.14	58.41	2749	5.28	-1.17	-3.9	0	100	17.38	18.39	-7.9	31.56
507.22	58.41	2746	5.27	-1.17	-3.12	0	100	17.16	18.39	-7.9	31.25
507.32	57.17	2745	5.27	-1.17	-3.12	0	100	16.92	18.39	-8.05	30.94
507.4	57.17	2739	5.26	-1.17	-3.51	0	100	16.76	18.39	-8.05	30.62
507.5	57.17	2735	5.25	-1.17	-4.29	0	100	16.66	18.39	-8.05	30.62
507.58	57.17	2730	5.24	-1.17	-4.68	0	100	16.6	18.39	-8.05	30.62
507.68	57.17	2729	5.24	-1.17	-5.46	0	100	16.56	18.39	-8.05	30.94
507.76	57.17	2723	5.23	-1.17	-5.07	0	100	16.64	18.39	-8.05	30.94
507.86	57.17	2719	5.22	-1.17	-4.29	0	100	16.68	18.39	-8.05	30.94
507.94	57.17	2714	5.21	-1.17	-3.51	0	100	16.72	18.39	-8.05	30.94
508.04	57.17	2712	5.21	-1.17	-3.12	0	100	16.64	18.39	-8.05	30.94
508.12	57.17	2709	5.2	-1.17	-3.9	0	100	16.58	18.39	-8.05	30.62
508.22	57.17	2703	5.19	-1.17	-4.29	0	100	16.46	18.39	-8.05	30.94
508.32	57.17	2694	5.17	-1.17	-5.07	0	100	16.6	18.39	-8.05	31.25
508.42	57.17	2690	5.17	-1.17	-5.46	0	100	16.92	18.39	-8.05	31.56
508.53	57.17	2690	5.17	-1.17	-4.68	0	100	16.92	18.78	-7.9	32.19
508.63	57.17	2687	5.73	-1.17	-3.9	0	100	18.14	19.95	-7.25	35.31
508.73	57.17	2683	5.72	-1.17	-4.29	0	100	20.14	20.35	-6.53	39.06
508.83	55.92	2673	6.27	-1.17	-5.07	0	100	21.4	20.35	-6.31	40.31
508.93	55.92	2665	6.82	-1.17	-5.07	0	100	22.52	20.74	-5.73	42.81

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
509.04	55.92	2665	6.82	-1.17	-4.29	0	100	23.72	21.13	-5.37	44.69
509.14	55.92	2665	6.82	-1.17	-4.29	0	100	24.18	21.13	-5.37	45.62
509.24	55.92	2644	6.77	-1.17	-5.07	0	100	23.98	21.13	-5.37	45.31
509.32	55.92	2650	6.22	-1.17	-5.85	0	100	24.04	21.13	-5.37	45.94
509.42	55.92	2661	6.81	-1.17	-6.63	0	100	24.6	21.52	-5.15	46.56
509.52	55.92	2662	6.82	-1.17	-5.85	0	100	24.92	21.13	-5.15	47.19
509.63	55.92	2660	6.81	-1.17	-4.68	0	100	24.88	21.13	-4.93	46.88
509.73	55.92	2653	6.79	-1.17	-3.51	0	100	24.56	21.13	-5.15	46.56
509.85	55.92	2647	6.78	-1.17	-3.51	0	100	24.56	21.13	-5.15	46.88
509.95	55.92	2648	6.78	-1.17	-4.29	0	100	24.62	21.13	-4.93	46.56
510.07	55.92	2644	6.77	-1.17	-5.46	0	100	25.06	21.13	-4.71	47.5
510.17	55.92	2642	6.76	-1.17	-5.07	0	100	25.04	21.52	-4.93	47.81
510.29	55.92	2638	6.75	-1.17	-3.9	0	100	25.56	21.91	-4.57	49.38
510.39	55.92	2635	7.31	-1.17	-2.73	0	100	26.9	21.91	-4.13	51.56
510.51	55.92	2636	7.31	-1.17	-2.73	0	100	27.62	22.3	-4.13	52.81
510.61	55.92	2636	7.87	-1.17	-3.51	0	100	28.04	22.3	-3.99	53.44
510.73	55.92	2633	7.3	-1.17	-4.68	0	100	28.18	22.3	-3.77	53.75
510.83	55.92	2633	7.3	-1.17	-5.46	0	100	28.42	22.3	-3.77	54.38
510.95	54.68	2627	7.85	-1.17	-5.46	0	100	28.64	22.3	-3.55	54.69
511.05	54.68	2626	7.85	-1.17	-4.29	0	100	28.84	22.3	-3.55	55
511.17	54.68	2626	7.85	-1.17	-2.73	0	100	28.9	22.3	-3.55	55.31
511.27	54.68	2623	7.84	-1.17	-3.51	0	100	28.86	22.3	-3.41	55.31
511.39	54.68	2625	7.84	-1.17	-4.68	0	100	29.14	22.69	-3.41	55.94
511.49	54.68	2628	7.85	-1.17	-5.46	0	100	30.04	23.08	-2.97	58.75
511.61	54.68	2624	8.4	-1.17	-4.68	0	100	31.54	23.48	-2.61	61.56
511.71	54.68	2623	8.95	-1.17	-3.9	0	100	33.06	23.87	-2.18	64.06
511.83	54.68	2618	8.94	-1.17	-2.34	0	100	33.62	23.87	-2.03	65.31
511.93	54.68	2613	8.92	-1.17	-3.12	0	100	34	23.87	-2.03	65
512.05	54.68	2620	8.39	-1.17	-4.29	0	100	34.72	25.04	-1.45	68.12
512.13	54.68	2629	9.54	-1.17	0	0	100	36.6	25.82	-1.02	73.12
512.23	54.68	2625	10.08	-1.17	0	0	100	38.9	25.82	-0.65	75.31
512.35	54.68	2624	10.08	-1.17	0	0	100	39.8	25.82	-0.65	76.25
512.45	54.68	2625	10.08	-1.17	0	0	100	40.06	25.82	-0.44	76.88
512.57	54.68	2633	10.11	-1.17	0	0	100	40.56	25.82	-0.44	77.81
512.67	54.68	2627	10.09	-1.17	0	0	100	40.82	25.82	-0.29	78.44
512.77	54.68	2631	10.67	-1.17	0	0	100	41.36	25.82	-0.29	78.75
512.87	54.68	2630	10.66	-1.17	0	0	100	41.38	25.82	-0.07	79.69
512.95	54.68	2632	10.67	-1.17	0	0	100	41.56	25.82	-0.07	79.69
513.05	54.68	2638	10.69	-1.17	0	0	100	41.84	25.82	-0.07	80

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
513.15	54.68	2639	10.7	-1.17	0	0	100	42.2	25.82	-0.07	80.94
513.25	54.68	2639	10.7	-1.17	0	0	100	42.5	25.82	0.15	81.25
513.33	54.68	2639	10.7	-1.17	0	0	100	42.58	25.82	0.15	80.62
513.43	54.68	2640	10.7	-1.17	0	0	100	42.94	25.82	0.29	82.19
513.53	54.68	2646	10.73	-1.17	0	0	100	43.62	26.21	0.51	83.44
513.63	54.68	2648	11.3	-1.17	0	0	100	44.06	26.21	0.51	84.38
513.71	55.92	2649	11.3	-1.17	0	0	100	44.52	26.21	0.51	84.38
513.81	55.92	2647	11.3	-1.17	0	0	100	44.82	25.82	0.51	84.69
513.91	55.92	2648	11.3	-1.17	0	0	100	44.76	25.82	0.51	85
514.01	55.92	2655	11.33	-1.17	0	0	100	44.62	25.82	0.51	85
514.09	55.92	2657	11.34	-1.17	0	0	100	44.92	25.82	0.73	85
514.19	55.92	2659	11.35	-1.17	0	0	100	44.88	25.82	0.73	85.31
514.29	55.92	2657	11.34	-1.17	0	0	100	44.8	25.82	0.73	85.31
514.39	55.92	2659	11.35	-1.17	0	0	100	45.14	25.82	0.73	85
514.47	55.92	2664	11.37	-1.17	0	0	100	45.12	25.82	0.73	84.38
514.57	55.92	2670	11.4	-1.17	0	0	100	44.34	24.65	0.29	81.88
514.67	55.92	2673	10.27	-1.17	0	0	100	41.38	23.08	-0.65	75.31
514.77	55.92	2669	9.68	-1.17	0	0	100	38.32	22.3	-1.45	68.12
514.85	55.92	2672	9.12	-1.17	0	0	100	35.64	22.3	-1.81	64.69
514.95	55.92	2671	9.12	-1.17	0	0	100	33.8	22.3	-2.03	63.12
515.07	55.92	2669	8.54	-1.17	0	0	100	32.2	21.13	-2.83	58.44
515.17	55.92	2664	7.96	-1.17	1.17	0	100	29.2	20.74	-3.41	53.44
515.29	55.92	2670	7.98	-1.17	2.34	0	100	27.26	20.74	-3.77	50.31
515.39	55.92	2670	7.41	-1.17	1.56	0	100	25.28	19.95	-4.57	46.56
515.51	55.92	2666	6.83	-1.17	0.78	0	100	23.84	20.35	-4.93	44.38
515.61	55.92	2666	6.83	-1.17	1.17	0	100	22.94	20.35	-4.93	43.12
515.73	55.92	2663	6.82	-1.17	2.73	0	100	22.64	19.95	-5.15	42.81
515.81	55.92	2655	6.8	-1.17	3.9	0	100	22.68	20.74	-4.93	43.75
515.91	55.92	2656	7.37	-1.17	5.07	0	100	23.96	21.52	-4.57	46.88
515.99	55.92	2658	8.51	-1.17	5.85	0	100	27.46	23.48	-3.19	56.56
516.09	55.92	2661	9.65	-1.17	6.63	0	100	31.96	24.26	-2.39	62.19
516.19	55.92	2658	9.64	-1.17	7.8	0	100	33.32	24.26	-2.18	64.69
516.27	55.92	2658	9.64	-1.17	7.02	0	100	34.52	24.26	-2.03	66.25
516.37	55.92	2657	9.64	-1.17	6.24	0	100	35.74	24.65	-1.6	68.44
516.47	55.92	2656	9.64	-1.17	0	0	100	37.96	26.21	-0.87	73.12
516.57	55.92	2661	10.79	-1.17	0	0	100	40.92	27.78	0.15	79.69
516.67	55.92	2660	11.35	-1.17	0	0	100	43.82	28.95	0.73	85.31
516.79	55.92	2666	11.94	-1.17	0	0	100	47.24	30.13	1.31	91.88
516.87	55.92	2672	13.68	-1.17	0	0	100	50.2	29.34	1.31	95.62

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
516.97	55.92	2671	14.82	-1.17	0	0	100	51.42	29.34	1.52	96.88
517.07	55.92	2679	15.43	-1.17	0	0	100	51.52	25.43	0.73	90.31
517.15	55.92	2678	11.43	-1.17	0	0	100	43.42	22.3	-1.23	73.75
517.25	55.92	2677	9.71	-1.17	0	0	100	33.74	20.35	-2.97	59.38
517.35	55.92	2676	7.99	-1.17	-0.39	0	100	28.16	19.95	-3.99	50.62
517.45	55.92	2682	6.87	-1.17	-1.17	0	100	25.9	19.56	-4.71	46.25
517.53	55.92	2683	6.3	-1.17	-1.95	0	100	23.18	19.17	-5.51	41.56
517.63	55.92	2679	6.29	-1.17	-2.73	0	100	21.1	18.39	-6.31	38.12
517.73	55.92	2673	5.7	-1.17	-3.51	0	100	19.48	18.39	-6.67	35.94
517.83	55.92	2670	5.13	-1.17	-4.29	0	100	18.72	18.39	-6.89	34.38
517.93	55.92	2672	5.13	-1.17	-4.68	0	100	17.66	18.39	-7.11	33.12
518.03	55.92	2675	5.14	-1.17	-3.9	0	100	17.22	18.39	-7.25	32.19
518.11	55.92	2668	5.12	-1.17	-3.12	0	100	16.78	18.39	-7.25	31.56
518.21	55.92	2656	5.1	-1.17	-1.95	0	100	16.44	18.39	-7.47	30.94
518.29	55.92	2653	5.1	-1.17	-1.17	0	100	16.28	18.39	-7.69	30.62
518.39	55.92	2656	5.1	-1.17	-0.39	0	100	16.3	18	-7.69	30.62
518.47	55.92	2656	5.1	-1.17	0.39	0	100	16.32	18.39	-7.69	30.94
518.57	55.92	2653	5.1	-1.17	1.17	0	100	16.12	18.39	-7.9	30.62
518.65	55.92	2651	5.09	-1.17	1.95	0	100	16.2	18.39	-7.9	30.94
518.75	55.92	2650	5.09	-1.17	1.56	0	100	16.16	18	-7.9	30.62
518.83	55.92	2645	5.08	-1.17	1.17	0	100	16.12	18	-7.9	30.62
518.93	55.92	2638	5.07	-1.17	0.39	0	100	16.12	18	-7.9	30.62
519.01	55.92	2638	5.07	-1.17	0	0	100	16.1	18.39	-8.05	30.62
519.11	55.92	2637	5.06	-1.17	-0.78	0	100	16.12	18	-7.9	30.94
519.19	55.92	2628	5.05	-1.17	-1.17	0	100	16.14	18.39	-7.9	30.94
519.29	55.92	2628	5.05	-1.17	-1.95	0	100	16.24	18.39	-7.9	30.94
519.37	54.68	2626	5.04	-1.17	-2.34	0	100	16.18	18.39	-7.9	30.94
519.47	54.68	2626	5.04	-1.17	-3.12	0	100	16.2	18.39	-7.9	31.25
519.57	54.68	2623	5.04	-1.17	-3.51	0	100	16.24	18.39	-7.9	30.94
519.65	54.68	2623	5.04	-1.17	-2.73	0	100	16.22	18.39	-7.9	31.56
519.75	54.68	2619	5.03	-1.17	-1.95	0	100	16.72	18.39	-7.69	32.19
519.83	54.68	2615	5.58	-1.17	-1.17	0	100	17.18	19.95	-7.11	35
519.93	54.68	2610	6.13	-1.17	-1.56	0	100	20.38	21.52	-6.09	41.88
520.01	54.68	2614	6.69	-1.17	-2.34	0	100	23.88	22.69	-4.93	48.75
520.11	54.68	2611	7.8	-1.17	-2.73	0	100	26.92	23.08	-4.13	52.81
520.19	54.68	2615	8.37	-1.17	-1.56	0	100	28.72	24.26	-3.41	56.88
520.29	54.68	2616	8.93	-1.17	-0.78	0	100	32.12	26.21	-2.39	63.75
520.37	54.68	2621	9.51	-1.17	-1.17	0	100	36.24	28.95	-1.02	72.81
520.47	54.68	2628	10.66	-1.17	0	0	100	40.6	30.91	-0.29	79.69

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
520.55	54.68	2625	11.2	-1.17	0	0	100	42.76	30.91	0.15	84.06
520.65	54.68	2627	11.77	-1.17	0	0	100	44.9	30.52	0.15	86.88
520.75	54.68	2634	11.8	-1.17	0	0	100	46.2	30.52	0.51	88.75
520.83	54.68	2640	11.83	-1.17	0	0	100	47.48	30.52	0.94	90.94
520.93	54.68	2640	12.96	-1.17	0	0	100	48.94	30.52	1.09	93.75
521.01	54.68	2645	13.54	-1.17	0	0	100	50.22	30.52	1.52	95.94
521.11	54.68	2649	14.7	-1.17	0	0	100	51.8	31.3	1.89	99.38
521.21	54.68	2661	16.47	-1.17	0	0	100	54.08	32.87	2.68	104.38
521.29	54.68	2675	17.12	-1.17	0	0	100	57.68	35.6	3.63	111.25
521.39	54.68	2679	18.29	-1.17	0	0	100	61.12	36	4.21	116.56
521.49	55.92	2685	18.9	-1.17	0	0	100	63.86	36.39	4.79	120.62
521.57	55.92	2698	20.15	-1.17	0	0	100	66.06	36.39	5.37	124.38
521.67	55.92	2707	20.79	-1.17	0	0	100	68.5	36	6.02	128.12
521.77	55.92	2708	21.38	-1.17	0	0	100	70.66	36	6.6	131.88
521.85	55.92	2722	22.07	0	0	0	100	72.6	35.6	6.96	135.31
521.95	55.92	2738	22.78	0	0	0	100	74.62	35.6	7.54	138.12
522.05	55.92	2753	23.5	0	0	0	100	76.36	35.6	8.12	140.94
522.13	55.92	2764	24.18	0	0	0	100	78.58	34.82	8.34	143.44
522.21	58.41	2766	24.79	0	0	0	100	79.3	32.87	8.12	142.81
522.31	58.41	2778	24.31	0	0	0	100	78.28	30.13	7.18	138.44
522.41	58.41	2798	22.69	0	0	0	100	72.88	28.17	6.02	126.88
522.49	58.41	2811	19.79	-1.17	0	0	100	68.18	27.39	5	119.06
522.61	58.41	2814	18.01	-1.17	0	0	100	56.12	21.52	0.94	84.38
522.69	58.41	2803	10.17	-1.17	0	0	100	40.7	21.52	-1.02	68.44
522.79	58.41	2816	9.01	-1.17	0	0	100	35.96	21.52	-1.81	62.5
522.87	59.65	2825	9.04	-1.17	0	0	100	33.72	21.52	-2.61	58.75
522.97	59.65	2835	8.47	-1.17	0	0	100	31.96	21.52	-2.97	55.62
523.07	59.65	2837	7.87	-1.17	-0.78	0	100	30.88	21.52	-3.19	54.06
523.15	59.65	2834	7.86	-1.17	-1.56	0	100	29.94	21.52	-3.55	52.19
523.25	59.65	2841	7.88	-1.17	-1.95	0	100	29.16	21.52	-3.77	51.56
523.33	59.65	2844	7.89	-1.17	-0.78	0	100	28.76	21.52	-3.77	50.62
523.43	59.65	2843	7.89	-1.17	0	0	100	28.5	21.52	-3.99	50.62
523.51	59.65	2847	7.9	-1.17	1.17	0	100	28.34	21.52	-4.13	49.69
523.61	59.65	2847	7.9	-1.17	2.34	0	100	28.12	21.52	-4.13	50
523.69	59.65	2848	7.9	-1.17	3.51	0	100	28.36	21.52	-4.13	49.69
523.79	59.65	2848	8.51	-1.17	4.68	0	100	28.36	21.52	-4.13	49.69
523.87	59.65	2849	7.9	-1.17	3.51	0	100	28.26	21.52	-4.13	50
523.97	59.65	2854	7.92	-1.17	3.12	0	100	28.18	21.52	-4.35	49.38
524.05	59.65	2858	7.93	-1.17	1.95	0	100	27.84	21.52	-4.35	49.38

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
524.15	59.65	2854	7.92	-1.17	1.17	0	100	28.04	21.52	-4.35	49.06
524.23	59.65	2854	7.92	-1.17	0.39	0	100	28.12	21.52	-4.35	49.06
524.33	59.65	2858	7.93	-1.17	-0.39	0	100	27.78	21.52	-4.35	48.75
524.41	59.65	2864	7.94	-1.17	0.78	0	100	27.68	21.52	-4.57	48.44
524.51	59.65	2870	7.96	-1.17	1.56	0	100	27.4	21.13	-4.57	48.12
524.61	59.65	2865	7.95	-1.17	2.73	0	100	27.12	21.13	-4.71	47.19
524.69	59.65	2865	7.34	-1.17	1.95	0	100	26.66	21.13	-4.93	45.94
524.79	59.65	2871	7.35	-1.17	1.17	0	100	26.16	20.74	-5.15	45.62
524.87	59.65	2870	7.35	-1.17	0.39	0	100	25.5	20.74	-5.37	44.38
524.97	59.65	2872	7.35	-1.17	-0.39	0	100	25	20.74	-5.37	43.75
525.05	60.89	2873	7.36	-1.17	-1.17	0	100	24.6	20.74	-5.51	43.44
525.15	60.89	2875	6.75	-1.17	-1.95	0	100	24.54	20.74	-5.51	42.81
525.23	60.89	2875	7.36	-1.17	-1.95	0	100	24.24	20.35	-5.51	42.19
525.33	60.89	2872	6.74	-1.17	-1.17	0	100	24.1	20.35	-5.51	42.19
525.41	60.89	2875	7.36	-1.17	0	0	100	23.94	20.35	-5.51	42.19
525.51	60.89	2875	7.36	-1.17	1.17	0	100	24.12	20.74	-5.51	42.5
525.59	60.89	2878	7.37	-1.17	1.17	0	100	24.92	21.91	-4.93	45.62
525.69	60.89	2886	8.62	-1.17	0.39	0	100	31.32	26.21	-2.61	61.25
525.77	60.89	2886	9.85	-1.17	0	0	100	38.14	26.61	-1.6	68.75
525.87	60.89	2888	11.09	-1.17	0	0	100	41.36	28.17	-0.65	75.94
525.95	60.89	2894	11.73	-1.17	0	0	100	46.68	31.3	0.51	85.31
526.05	60.89	2904	13.63	-1.17	0	0	100	51.84	32.87	1.09	93.44
526.13	60.89	2912	16.16	-1.17	0	0	100	56.34	35.6	2.1	100.62
526.23	60.89	2913	18.03	-1.17	0	0	100	59.8	35.6	2.68	105.31
526.31	60.89	2915	18.66	-1.17	0	0	100	62.78	35.6	3.26	109.69
526.41	60.89	2933	20.02	-1.17	0	0	100	65.76	35.6	3.84	114.38
526.49	60.89	2949	20.76	-1.17	0	0	100	68.32	35.6	4.64	118.75
526.59	60.89	2956	21.44	-1.17	0	0	100	71.28	35.21	5.22	123.12
526.67	60.89	2964	22.77	0	0	0	100	74.12	35.21	6.02	127.81
526.77	60.89	2976	24.13	0	0	0	100	77.12	35.21	6.6	131.88
526.85	60.89	2989	24.87	0	0	0	100	79.42	33.65	6.96	134.38
526.95	60.89	3002	24.98	0	0	0	100	80.9	33.26	7.32	136.88
527.03	60.89	3005	25.65	0	0	0	100	82.1	30.91	6.96	133.44
527.13	63.38	3015	22.52	0	0	0	100	74.06	26.61	4.64	113.12
527.21	63.38	3030	18.75	-1.17	0	0	100	57.58	23.48	1.67	86.88
527.31	63.38	3035	11.65	-1.17	0	0	100	47.86	21.91	-0.44	73.44
527.39	63.38	3036	10.36	-1.17	0	0	100	40.34	21.13	-2.03	62.81
527.49	63.38	3044	9.09	-1.17	0	0	100	35.4	19.95	-3.41	54.38
527.57	63.38	3051	8.46	-1.17	0	0	100	29.72	18.39	-5.37	44.38

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
527.67	63.38	3055	6.52	-1.17	-0.78	0	100	23.2	16.04	-7.47	33.12
527.75	63.38	3049	5.2	-1.17	-1.56	0	100	16.54	14.48	-9.21	23.75
527.85	63.38	3039	4.54	-1.17	-2.34	0	100	12.2	14.09	-10.22	18.12
527.93	63.38	3035	3.88	-1.56	-3.12	0	100	9.44	13.69	-11.02	14.38
528.03	63.38	3039	3.24	-1.56	0	0	100	7.48	12.91	-11.39	11.25
528.11	63.38	3035	3.88	-1.56	0	0	100	6.6	12.13	-11.75	10.94
528.21	63.38	3040	3.89	-1.56	0	0	100	6.62	11.74	-11.97	10.94
528.29	63.38	3034	3.88	-1.56	0	0	100	6.6	11.35	-11.97	10.94
528.39	63.38	3032	3.88	-1.56	0	0	100	6.6	11.35	-12.18	10.94
528.47	63.38	3029	3.88	-1.56	0	0	100	6.58	12.52	-11.97	10.31
528.57	63.38	3030	0	-1.56	0	0	100	6.32	14.09	-11.75	10.62
528.65	63.38	3017	0	-1.56	0	0	100	6.36	14.09	-11.39	10.62
528.75	63.38	3019	0	-1.56	0	0	100	6.64	14.09	-11.39	10.94
528.83	63.38	3017	0	-1.56	0	0	100	6.54	14.09	-11.39	10.94
528.93	63.38	3008	0	-1.56	0	0	100	6.62	14.09	-11.17	11.25
529.01	63.38	3005	0	-1.56	0	0	100	6.7	14.09	-11.17	11.25
529.11	63.38	3005	0	-1.56	0	0	100	6.68	14.09	-11.39	11.25
529.19	63.38	3000	0	-1.56	0	0	100	6.76	14.09	-11.39	11.56
529.29	63.38	2996	0	-1.56	0	0	100	6.76	14.09	-11.39	11.25
529.37	63.38	2991	0	-1.56	0	0	100	6.8	14.09	-11.39	11.56
529.47	63.38	2989	0	-1.56	0	0	100	6.76	14.09	-11.39	11.56
529.55	63.38	2983	0	-1.56	0	0	100	6.82	14.09	-11.39	11.56
529.65	63.38	2973	0	-1.56	0	0	100	6.78	14.09	-11.39	11.56
529.73	63.38	2975	0	-1.56	0	0	100	6.84	14.09	-11.39	11.56
529.83	63.38	2977	0	-1.56	0	0	100	6.76	14.09	-11.39	11.56
529.91	63.38	2973	0	-1.56	0	0	100	6.82	14.09	-11.39	11.56
530.01	62.14	2966	0	-1.56	0	0	100	6.78	13.69	-11.39	11.56
530.09	62.14	2959	0	-1.56	0	0	100	6.7	13.69	-11.39	11.25
530.19	62.14	2957	0	-1.56	0	0	100	6.6	13.69	-11.39	11.25
530.27	62.14	2955	0	-1.56	0	0	100	6.6	13.69	-11.39	11.25
530.37	62.14	2955	0	-1.56	0	0	100	6.6	13.69	-11.39	11.25
530.45	62.14	2944	0	-1.56	0	0	100	6.58	13.69	-11.39	11.25
530.55	62.14	2941	3.76	-1.56	0	0	100	6.74	14.48	-11.39	12.19
530.63	62.14	2945	3.77	-1.56	0	0	100	7.8	15.65	-11.02	14.38
530.73	62.14	2958	4.42	-1.56	0	0	100	9.72	16.04	-10.37	17.5
530.81	62.14	2957	4.42	-1.56	0	0	100	10.74	16.43	-10.22	18.75
530.91	62.14	2937	5.01	-1.56	0	0	100	11.98	17.61	-9.79	21.88
530.99	62.14	2945	5.66	-1.17	0	0	100	14.54	18.39	-9.06	26.25
531.09	62.14	2943	6.28	-1.17	0	0	100	16.24	18.78	-8.63	28.12

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
531.17	62.14	2939	6.27	-1.17	0	0	100	17.54	19.56	-8.05	31.56
531.27	62.14	2943	6.91	-1.17	0	0	100	19.12	19.95	-7.69	33.44
531.35	62.14	2942	6.9	-1.17	0	0	100	20.76	21.13	-6.89	37.19
531.45	62.14	2943	6.91	-1.17	0	0	100	22.74	21.52	-6.31	40.31
531.55	62.14	2942	7.53	-1.17	0	0	100	24.62	22.3	-5.73	43.75
531.63	62.14	2946	8.17	-1.17	0	0	100	26.6	22.3	-5.37	46.56
531.73	62.14	2948	8.18	-1.17	0	0	100	27.7	22.3	-5.15	47.19
531.81	62.14	2956	8.2	-1.17	0	0	100	27.92	22.3	-5.15	47.5
531.91	62.14	2957	8.2	-1.17	0	0	100	28.3	22.69	-4.93	48.44
531.99	62.14	2949	8.18	-1.17	0	0	100	28.76	22.69	-4.71	49.38
532.09	62.14	2955	8.2	-1.17	0	0	100	29.36	23.08	-4.35	50.94
532.17	62.14	2970	8.87	-1.17	0	0	100	30.64	24.26	-3.99	54.06
532.27	62.14	2967	9.5	-1.17	0	0	100	33.3	24.65	-3.41	58.44
532.35	62.14	2966	9.49	-1.17	0	0	100	35.28	25.04	-2.97	61.25
532.45	62.14	2970	10.14	-1.17	0	0	100	36.98	25.43	-2.61	63.75
532.53	62.14	2977	10.8	-1.17	0	0	100	40.16	27	-1.81	70
532.63	62.14	2984	11.46	-1.17	0	0	100	44.34	28.17	-1.02	76.56
532.71	62.14	2989	12.12	-1.17	0	0	100	46.46	28.17	-0.65	79.69
532.81	62.14	2991	12.13	-1.17	0	0	100	48.36	28.17	-0.44	82.19
532.89	62.14	3000	12.8	-1.17	0	0	100	50.04	28.17	-0.07	84.69
532.99	62.14	3007	12.83	-1.17	0	0	100	51.38	28.56	0.15	86.56
533.09	62.14	3013	13.5	-1.17	0	0	100	53.14	28.17	0.51	89.69
533.17	62.14	3020	13.53	-1.17	0	0	100	54.68	28.56	0.94	91.25
533.27	62.14	3030	14.87	-1.17	0	0	100	55.86	28.17	1.09	93.12
533.37	62.14	3034	15.53	-1.17	0	0	100	56.64	28.17	1.31	94.06
533.47	62.14	3039	16.21	-1.17	0	0	100	58.36	28.17	1.67	96.56
533.57	63.38	3051	16.92	-1.17	0	0	100	59.16	28.17	1.89	98.12
533.65	63.38	3058	17.62	-1.17	0	0	100	60.26	28.17	2.1	99.69
533.75	63.38	3071	18.35	-1.17	0	0	100	61.04	28.17	2.25	100.94
533.83	63.38	3080	18.4	-1.17	0	0	100	62.6	28.17	2.47	102.19
533.93	63.38	3082	19.07	-1.17	0	0	100	62.8	28.17	2.68	102.5
534.03	63.38	3088	19.11	-1.17	0	0	100	63.46	28.17	2.83	104.06
534.14	63.38	3101	19.19	-1.17	0	0	100	64.74	28.17	2.83	105.62
534.24	64.62	3111	19.92	-1.17	0	0	100	65.74	28.17	3.26	107.19
534.36	64.62	3123	19.99	-1.17	0	0	100	66.98	28.17	3.26	108.12
534.46	64.62	3128	20.02	-1.17	0	0	100	67.48	28.17	3.48	108.75
534.58	64.62	3132	20.05	-1.17	0	0	100	67.84	28.17	3.48	108.75
534.68	64.62	3153	20.18	-1.17	0	0	100	67.66	27.78	3.48	106.88
534.8	64.62	3166	19.59	-1.17	0	0	100	61.56	23.48	0.73	83.75

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
534.9	64.62	3164	11.48	-1.17	0	0	100	44.36	21.52	-1.81	64.69
535.02	67.11	3172	9.47	-1.17	0	0	100	35.86	20.74	-3.55	53.75
535.12	67.11	3175	8.81	-1.17	0	0	100	31.46	20.35	-4.57	48.12
535.24	67.11	3169	8.11	-1.17	0	0	100	27.3	19.56	-5.73	40.94
535.34	67.11	3179	7.46	-1.17	-0.39	0	100	24.02	19.56	-6.53	36.88
535.46	67.11	3179	6.78	-1.17	-1.95	0	100	22.2	19.17	-6.89	34.38
535.56	67.11	3175	6.1	-1.17	-2.73	0	100	20.72	19.17	-7.25	31.56
535.68	67.11	3172	6.09	-1.17	-3.51	0	100	18.9	18.78	-7.47	29.38
535.78	67.11	3176	5.42	-1.17	-4.29	0	100	18.2	18.78	-7.9	28.44
535.9	67.11	3171	5.41	-1.17	-4.29	0	100	17.64	18.78	-8.05	27.81
536	67.11	3176	5.42	-1.17	-3.12	0	100	17.4	18.78	-8.05	27.81
536.12	67.11	3168	5.41	-1.17	-1.95	0	100	17.08	18.39	-8.27	26.88
536.22	67.11	3168	5.41	-1.17	-0.78	0	100	16.8	18.39	-8.48	26.56
536.34	67.11	3172	5.41	-1.17	0.78	0	100	16.5	18	-8.63	25.94
536.44	67.11	3166	5.4	-1.17	1.56	0	100	15.96	17.61	-8.85	24.69
536.56	67.11	3166	5.4	-1.17	1.95	0	100	15.18	17.22	-9.21	23.44
536.66	67.11	3156	4.71	-1.17	1.17	0	100	13.88	17.22	-9.43	21.88
536.78	67.11	3156	4.71	-1.17	0.39	0	100	13.48	17.22	-9.64	21.25
536.88	67.11	3155	4.71	-1.17	-0.39	0	100	13	16.82	-9.64	20.62
537	67.11	3153	4.71	-1.17	-1.56	0	100	12.72	16.43	-9.79	20
537.1	65.87	3142	4.02	-1.17	-1.95	0	100	12.26	16.43	-9.79	19.69
537.22	65.87	3152	4.71	-1.17	-3.12	0	100	12.1	16.43	-10.01	19.06
537.32	65.87	3139	4.69	-1.17	-3.9	0	100	11.9	16.43	-10.01	18.75
537.44	65.87	3142	4.02	-1.17	-4.68	0	100	11.82	16.43	-10.01	18.75
537.54	65.87	3135	4.68	-1.17	-3.9	0	100	11.84	17.22	-9.79	19.69
537.64	65.87	3134	4.68	-1.17	-2.73	0	100	13.7	18.78	-9.21	24.69
537.74	65.87	3130	6.01	-1.17	-1.56	0	100	17.4	20.35	-7.9	31.56
537.84	65.87	3142	7.37	-1.17	-0.78	0	100	22.18	22.69	-6.67	38.44
537.92	65.87	3138	8.7	-1.17	0	0	100	28.06	23.87	-5.15	47.81
538.02	65.87	3131	8.68	-1.17	-1.17	0	100	31.26	23.87	-4.57	50.62
538.12	65.87	3145	9.4	-1.17	0	0	100	32	23.48	-4.57	51.25
538.22	65.87	3140	9.38	-1.17	0	0	100	32.2	23.08	-4.57	51.56
538.3	65.87	3136	8.7	-1.17	0	0	100	31.72	21.13	-5.37	48.12
538.4	65.87	3136	8.03	-1.17	0	0	100	27.52	20.35	-6.31	42.81
538.5	65.87	3142	7.37	-1.17	-0.78	0	100	25.56	19.95	-6.67	39.69
538.6	65.87	3138	6.69	-1.17	-1.95	0	100	23.1	19.17	-7.25	35.31
538.68	65.87	3140	6.03	-1.17	-2.73	0	100	21.2	19.17	-7.47	32.81
538.78	65.87	3134	6.02	-1.17	-3.51	0	100	20.1	19.17	-7.69	31.88
538.88	65.87	3135	6.02	-1.17	-4.29	0	100	19.48	19.17	-7.69	30.94

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
538.98	65.87	3134	6.02	-1.17	-5.07	0	100	18.92	18.78	-7.9	30
539.06	65.87	3132	5.35	-1.17	-5.46	0	100	18.04	18.39	-8.27	28.44
539.16	65.87	3131	5.34	-1.17	-4.68	0	100	17.1	18	-8.48	27.19
539.26	65.87	3126	5.34	-1.17	-3.51	0	100	16.5	18	-8.63	26.25
539.36	65.87	3132	5.35	-1.17	-2.73	0	100	16.22	18	-8.63	25.94
539.44	65.87	3127	5.34	-1.17	-1.56	0	100	16.02	18	-8.63	25.62
539.54	65.87	3119	5.32	-1.17	-0.78	0	100	15.56	18	-8.85	25
539.64	65.87	3122	5.33	-1.17	0.39	0	100	15.36	17.61	-8.85	24.69
539.74	65.87	3118	5.32	-1.17	0.39	0	100	15.14	17.61	-9.06	24.38
539.82	65.87	3118	5.32	-1.17	-0.39	0	100	15.04	17.61	-9.06	24.06
539.92	65.87	3115	4.65	-1.17	-1.17	0	100	14.82	17.61	-9.06	23.75
540.02	65.87	3111	4.65	-1.17	-1.95	0	100	14.68	17.61	-9.06	23.75
540.12	65.87	3117	4.65	-1.17	-2.73	0	100	14.62	17.61	-9.21	23.44
540.22	65.87	3117	5.32	-1.17	-1.56	0	100	14.76	17.61	-9.06	23.75
540.34	65.87	3118	5.32	-1.17	-0.39	0	100	14.66	17.61	-9.21	23.75
540.44	65.87	3109	5.31	-1.17	0.39	0	100	14.64	17.61	-9.06	23.75
540.56	65.87	3103	4.63	-1.17	0.78	0	100	14.6	17.61	-9.06	24.06
540.66	64.62	3097	5.29	-1.17	0	0	100	14.98	18.39	-9.06	25
540.78	64.62	3103	5.3	-1.17	-0.78	0	100	16.76	19.56	-8.27	29.38
540.88	64.62	3118	6.65	-1.17	-1.56	0	100	20.6	21.13	-7.11	36.25
541	64.62	3106	7.29	-1.17	-1.17	0	100	25.48	23.87	-5.51	45.94
541.1	64.62	3109	9.29	-1.17	0.39	0	100	30.74	24.26	-4.35	51.25
541.18	64.62	3105	9.27	-1.17	0	0	100	32.6	24.26	-3.99	54.06
541.28	64.62	3106	9.94	-1.17	0	0	100	34.7	25.04	-3.55	57.5
541.38	64.62	3109	10.61	-1.17	0	0	100	37.4	25.82	-2.97	62.81
541.48	64.62	3111	10.62	-1.17	0	0	100	39.84	26.21	-2.61	66.25
541.56	64.62	3115	11.3	-1.17	0	0	100	42.32	27	-2.03	69.69
541.66	64.62	3117	11.3	-1.17	0	0	100	44.6	27	-1.6	73.44
541.74	64.62	3121	11.98	-1.17	0	0	100	46.36	27.39	-1.45	75.94
541.84	64.62	3124	12	-1.17	0	0	100	47.64	27.39	-1.02	77.5
541.92	64.62	3126	12.67	-1.17	0	0	100	49.18	27.39	-0.65	79.69
542.02	65.87	3134	12.7	-1.17	0	0	100	51.16	27.78	-0.44	82.81
542.12	65.87	3138	13.39	-1.17	0	0	100	53.4	28.95	0.29	87.5
542.22	65.87	3138	14.06	-1.17	0	0	100	55.96	29.34	0.73	91.56
542.3	65.87	3152	16.14	-1.17	0	0	100	58.86	29.34	1.52	95.62
542.4	65.87	3156	17.51	-1.17	0	0	100	60.76	29.34	1.67	98.12
542.48	65.87	3163	18.89	-1.17	0	0	100	62.7	29.34	2.1	100.31
542.58	65.87	3172	19.63	-1.17	0	0	100	64.16	29.34	2.25	102.81
542.66	65.87	3177	19.66	-1.17	0	0	100	65.64	28.95	2.68	103.75

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
542.76	67.11	3187	20.4	-1.17	0	0	100	65.5	28.17	2.47	102.5
542.84	67.11	3194	19.76	-1.17	0	0.7	100	63.64	26.61	1.89	97.81
542.94	67.11	3199	17.07	-1.17	0	0.7	100	59.8	25.82	1.31	90.62
543.02	67.11	3202	13.66	-1.17	0	0.7	100	56.34	25.82	1.09	85.94
543.12	67.11	3209	13.01	-1.17	0	0.7	100	53.14	25.04	0.51	80.94
543.2	67.11	3210	12.33	-1.17	0	0.7	100	49.04	24.26	-0.29	73.12
543.3	67.11	3210	11.64	-1.17	0	0	100	44.84	23.48	-1.02	66.25
543.38	67.11	3216	10.29	-1.17	0	0	100	39.48	22.69	-2.03	58.75
543.48	67.11	3220	9.62	-1.17	0	0	100	35.32	22.3	-2.83	52.81
543.56	67.11	3223	8.94	-1.17	0	0	100	32.94	22.3	-3.19	50.31
543.66	67.11	3225	8.95	-1.17	0	0	100	31.48	22.3	-3.77	48.12
543.74	67.11	3224	8.25	-1.17	0	0	100	30.7	22.3	-3.99	47.81
543.84	67.11	3227	8.26	-1.17	0	0	100	30.5	22.3	-4.13	48.12
543.94	67.11	3227	8.95	-1.17	0	0	100	31.14	22.3	-4.13	48.75
544.02	67.11	3225	8.95	-1.17	0	0	100	31.46	22.3	-4.13	49.06
544.12	68.35	3232	8.97	-1.17	0	0	100	31.64	22.3	-4.35	49.38
544.2	68.35	3231	8.96	-1.17	0	0	100	31.7	22.3	-4.35	49.38
544.3	68.35	3235	8.97	-1.17	0	0	100	31.54	22.3	-4.57	48.75
544.38	68.35	3235	8.97	-1.17	0	0	100	31.06	21.52	-4.71	47.5
544.56	68.35	3234	8.28	-1.17	0	0	100	28.96	21.13	-5.51	42.81
544.66	68.35	3235	7.59	-1.17	0	0	100	26.04	20.35	-6.09	39.69
544.76	68.35	3236	7.6	-1.17	0	0	100	24.54	19.95	-6.31	37.5
544.84	68.35	3235	6.9	-1.17	0	0	100	23.06	19.95	-6.67	35
544.94	68.35	3235	6.9	-1.17	1.17	0	100	22.32	19.95	-6.89	34.06
545.02	68.35	3235	6.9	-1.17	2.34	0	100	21.76	19.95	-6.89	33.75
545.12	68.35	3235	6.9	-1.17	3.12	0	100	21.62	19.95	-7.11	33.44
545.2	68.35	3231	6.89	-1.17	4.29	0	100	21.48	19.95	-7.11	33.44
545.3	68.35	3231	6.89	-1.17	5.46	0	100	21.88	20.35	-6.89	34.06
545.38	68.35	3231	6.89	-1.17	5.85	0	100	22.54	20.74	-6.67	36.25
545.48	68.35	3232	7.59	-1.17	4.68	0	100	24.36	21.13	-6.53	39.06
545.56	68.35	3234	7.59	-1.17	3.9	0	100	25.28	21.13	-6.31	40
545.66	68.35	3235	7.59	-1.17	3.12	0	100	25.98	21.52	-6.09	40.62
545.74	68.35	3232	7.59	-1.17	1.95	0	100	26.52	21.52	-5.95	41.88
545.84	68.35	3231	8.27	-1.17	1.17	0	100	27.94	21.91	-5.51	43.75
545.94	68.35	3231	8.27	-1.17	0	0	100	29.06	22.3	-5.37	45.62
546.02	68.35	3229	8.96	-1.17	0	0	100	30.02	22.3	-5.37	46.88
546.12	68.35	3234	8.97	-1.17	0	0	100	30.22	22.3	-5.15	47.19
546.22	68.35	3236	8.98	-1.17	0	0	100	30.54	22.3	-4.93	47.81
546.3	68.35	3239	8.98	-1.17	0	0	100	30.9	22.69	-4.93	47.81

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
546.4	68.35	3235	8.97	-1.17	0	0	100	30.68	22.3	-4.93	47.5
546.5	68.35	3232	8.97	-1.17	0	0	100	30.68	21.91	-5.15	47.5
546.58	68.35	3223	8.94	-1.17	0	0	100	30.68	22.3	-4.93	47.5
546.7	68.35	3236	8.98	-1.17	0	0	100	31	22.3	-4.93	48.12
546.78	68.35	3248	9.01	-1.17	0	0	100	31	22.3	-4.93	47.81
546.88	68.35	3245	9	-1.17	0	0	100	30.6	21.91	-5.15	47.19
546.96	68.35	3238	8.29	-1.17	0	0	100	29.56	21.52	-5.37	45.31
547.08	68.35	3238	8.29	-1.17	0	0	100	28.48	20.35	-5.95	42.5
547.16	68.35	3245	7.62	-1.17	0	0	100	25.66	18.39	-7.11	35.31
547.26	68.35	3239	6.22	-1.17	-0.39	0	100	18.88	16.43	-8.85	25.62
547.34	68.35	3232	4.83	-1.17	-1.17	0	100	14.12	15.65	-9.79	20
547.44	68.35	3225	4.13	-1.17	-1.95	0	100	11.52	14.87	-10.37	16.25
547.54	68.35	3216	4.12	-1.56	-2.73	0	100	9.8	14.87	-10.8	14.38
547.62	68.35	3221	4.12	-1.56	-3.51	0	100	8.7	14.48	-11.02	13.12
547.72	68.35	3227	4.13	-1.56	0	0	100	8	12.91	-11.39	11.25
547.82	68.35	3206	4.1	-1.56	0	0	100	6.98	12.13	-11.75	10.94
547.92	68.35	3218	4.12	-1.56	0	0	100	7.02	12.13	-11.97	10.94
548	68.35	3202	4.1	-1.56	0	0	100	7	11.74	-11.97	10.94
548.1	68.35	3203	4.1	-1.56	0	0	100	6.98	11.74	-11.97	10.94
548.2	68.35	3194	4.09	-1.56	0	0	100	6.96	11.74	-12.18	10.94
548.28	68.35	3191	4.08	-1.56	0	0	100	6.96	11.35	-12.18	10.94
548.38	67.11	3186	4.08	-1.56	0	0	100	6.94	12.91	-12.18	10.31
548.48	67.11	3187	0	-1.56	0	0	100	6.76	14.09	-11.75	10.62
548.56	67.11	3175	0	-1.56	0	0	100	6.92	14.09	-11.39	11.25
548.66	67.11	3168	0	-1.56	0	0	100	7.1	14.09	-11.39	11.25
548.76	67.11	3164	0	-1.56	0	0	100	7.12	14.09	-11.39	11.25
548.84	67.11	3160	0	-1.56	0	0	100	7.04	14.09	-11.17	11.25
548.94	67.11	3162	0	-1.56	0	0	100	7.02	14.09	-11.39	11.25
549.02	67.11	3156	0	-1.56	0	0	100	7	14.09	-11.17	11.25
549.12	65.87	3149	0	-1.56	0	0	100	7.02	14.09	-11.39	11.25
549.2	65.87	3148	0	-1.56	0	0	100	7.08	14.09	-11.17	11.25
549.3	65.87	3131	0	-1.56	0	0	100	7.08	14.09	-11.17	11.56
549.38	65.87	3127	0	-1.56	0	0	100	7.08	14.09	-11.39	11.25
549.48	65.87	3124	0	-1.56	0	0	100	6.98	14.09	-11.17	11.25
549.56	65.87	3122	4	-1.56	0	0	100	7	14.48	-11.17	12.19
549.66	65.87	3123	4	-1.56	0	0	100	8.32	15.26	-11.02	14.06
549.74	65.87	3111	4.65	-1.56	0	0	100	9.08	16.04	-10.59	15.94
549.84	64.62	3111	5.31	-1.56	0	0	100	11.54	18.39	-9.64	22.19
549.94	64.62	3105	6.62	-1.17	0	0	100	16.74	19.56	-8.27	29.06

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
550.02	64.62	3162	7.42	-1.17	0	0	100	19.64	19.95	-7.69	33.12
550.12	64.62	3101	7.28	-1.17	0	0	100	20.98	19.95	-7.47	34.06
550.2	64.62	3096	7.27	-1.17	0	0	100	20.94	19.95	-7.47	34.06
550.3	64.62	3118	6.65	-1.17	0	0	100	21.06	19.95	-7.25	34.06
550.38	64.62	3110	6.64	-1.17	0	0	100	21.08	19.95	-7.47	34.38
550.48	64.62	3096	6.61	-1.17	0	0	100	20.98	19.95	-7.47	33.75
550.56	64.62	3094	6.6	-1.17	0	0	100	20.98	19.95	-7.25	33.75
550.66	64.62	3100	6.61	-1.17	0	0	100	20.92	19.95	-7.47	34.38
550.74	64.62	3103	6.62	-1.17	0	0	100	21.04	19.95	-7.47	34.06
550.84	64.62	3099	6.61	-1.17	0	0	100	21.06	19.56	-7.47	33.75
550.92	64.62	3095	6.6	-1.17	0	0	100	20.76	19.17	-7.47	33.12
551.02	64.62	3094	6.6	-1.17	0	0	100	20.04	19.17	-7.9	32.19
551.1	64.62	3094	6.6	-1.17	0	0	100	19.46	19.17	-7.9	31.25
551.2	64.62	3092	5.94	-1.17	0	0	100	19.08	19.17	-7.9	30.94
551.28	64.62	3091	5.94	-1.17	0	0	100	18.84	19.17	-7.9	30.62
551.38	64.62	3091	5.94	-1.17	-0.78	0	100	18.86	19.17	-8.05	30.62
551.46	64.62	3091	5.94	-1.17	-1.56	0	100	18.92	19.17	-8.05	30.62
551.56	64.62	3086	5.93	-1.17	-1.95	0	100	18.9	19.17	-7.9	30.94
551.64	64.62	3091	5.94	-1.17	-2.73	0	100	18.88	19.17	-7.9	30.94
551.74	64.62	3086	5.93	-1.17	-3.51	0	100	19	19.17	-7.9	30.62
551.82	64.62	3084	5.92	-1.17	-4.29	0	100	19	19.17	-7.9	30.62
551.92	64.62	3082	5.92	-1.17	-4.29	0	100	18.9	19.17	-7.9	30.62
552	64.62	3083	5.92	-1.17	-3.51	0	100	18.68	19.17	-7.9	30.31
552.1	64.62	3081	5.92	-1.17	-2.34	0	100	18.6	19.17	-8.05	30.31
552.18	64.62	3078	5.91	-1.17	-1.56	0	100	18.58	19.17	-8.05	30.31
552.28	64.62	3077	5.91	-1.17	-1.95	0	100	18.78	19.17	-7.9	30.62
552.36	64.62	3077	5.91	-1.17	-2.73	0	100	18.66	19.17	-7.9	30.62
552.46	64.62	3077	5.91	-1.17	-3.51	0	100	18.68	19.17	-7.9	30.62
552.54	64.62	3077	5.91	-1.17	-4.29	0	100	18.8	19.17	-7.9	30.62
552.64	64.62	3077	5.91	-1.17	-4.68	0	100	19.7	20.74	-7.25	35.31
552.72	64.62	3083	7.24	-1.17	-3.51	0	100	22.84	21.13	-6.67	38.75
552.82	64.62	3072	7.21	-1.17	-2.73	0	100	24.3	21.91	-6.31	40.62
552.9	64.62	3072	7.87	-1.17	-1.17	0	100	27.02	25.43	-4.71	49.38
553	64.62	3080	10.51	-1.17	0	0	100	35.7	28.17	-2.39	64.06
553.08	64.62	3082	11.84	-1.17	0	0	100	42.44	30.13	-1.45	73.44
553.18	64.62	3084	12.5	-1.17	0	0	100	48.28	33.65	-0.07	82.5
553.26	64.62	3090	13.84	-1.17	0	0	100	53.18	34.04	0.51	88.75
553.36	64.62	3097	14.54	-1.17	0	0	100	56.6	35.21	1.09	94.38
553.44	64.62	3105	17.22	-1.17	0	0	100	59.54	34.43	1.67	98.12

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
553.54	64.62	3109	18.57	-1.17	0	0	100	61.86	33.26	2.1	101.25
553.62	64.62	3111	19.25	-1.17	0	0	100	62.82	31.69	2.1	102.19
553.72	64.62	3121	19.31	-1.17	0	0	100	64.26	32.08	2.68	105.31
553.8	64.62	3130	20.7	-1.17	0	0	100	66.82	32.08	3.26	108.44
553.9	64.62	3132	20.72	-1.17	0	0	100	69.5	32.47	3.84	112.81
553.98	64.62	3143	21.46	0	0	0	100	71.72	32.08	4.21	115.94
554.08	65.87	3152	22.86	0	0	0	100	74.38	32.08	4.79	120.31
554.18	65.87	3159	23.59	0	0	0	100	77.48	32.08	5.37	124.06
554.26	65.87	3175	24.39	0	0	0	100	79.34	30.52	5.37	123.75
554.36	65.87	3175	22.35	0	0	0	100	70.12	24.65	2.83	100
554.44	65.87	3183	16.3	-1.17	0	0	100	53.46	24.26	0.73	80.31
554.54	65.87	3194	12.27	-1.17	0	0	100	48.38	24.26	-0.07	74.69
554.62	65.87	3203	11.62	-1.17	0	0	100	46	23.87	-0.65	71.25
554.72	67.11	3199	10.92	-1.17	0	0	100	42.42	23.08	-1.6	65
554.8	67.11	3203	10.25	-1.17	0	0	100	40.18	23.08	-2.18	61.56
554.9	67.11	3206	10.26	-1.17	0	0	100	37.52	21.52	-3.19	56.56
554.98	67.11	3203	9.57	-1.17	0	0	100	33.44	20.74	-4.35	49.69
555.08	67.11	3209	8.22	-1.17	0	0	100	29.4	20.74	-4.93	45.31
555.16	67.11	3206	7.52	-1.17	0	0	100	27.34	20.74	-5.37	40.94
555.26	67.11	3209	7.53	-1.17	0	0	100	25.14	20.74	-5.51	39.06
555.34	67.11	3211	6.85	-1.17	-0.78	0	100	24.56	20.74	-5.73	38.12
555.44	67.11	3209	7.53	-1.17	0	0	100	24.12	20.74	-5.95	37.5
555.52	67.11	3210	7.53	-1.17	1.17	0	100	24	20.74	-5.95	37.81
555.62	67.11	3211	7.54	-1.17	2.34	0	100	24.28	20.74	-6.09	38.12
555.7	67.11	3213	7.54	-1.17	3.9	0	100	25.08	21.13	-6.09	39.69
555.8	67.11	3213	8.23	-1.17	5.07	0	100	25.54	21.52	-5.95	40.62
555.88	67.11	3214	8.92	-1.17	6.24	0	100	27.8	22.69	-5.15	45.94
555.98	67.11	3213	8.91	-1.17	0	0	100	30.22	22.3	-4.71	47.5
556.06	67.11	3210	8.22	-1.17	0	0	100	30.88	22.3	-4.93	48.44
556.16	67.11	3210	8.9	-1.17	0	0	100	31.1	22.3	-4.71	48.75
556.24	67.11	3211	8.91	-1.17	0	0	100	31.26	22.3	-4.71	49.38
556.34	67.11	3213	8.91	-1.17	0	0	100	31.54	22.3	-4.71	49.38
556.42	67.11	3214	8.92	-1.17	0	0	100	31.52	23.08	-4.57	50.62
556.52	67.11	3218	9.61	-1.17	0	0	100	34.64	23.87	-3.99	55.62
556.6	67.11	3220	10.3	-1.17	0	0	100	37.38	24.26	-3.41	59.69
556.7	67.11	3218	10.3	-1.17	0	0	100	39.12	24.26	-3.19	61.56
556.78	67.11	3220	10.99	-1.17	0	0	100	39.96	24.26	-2.97	62.81
556.88	67.11	3224	11.01	-1.17	0	0	100	40.26	24.26	-2.97	62.81
556.96	67.11	3224	11.01	-1.17	0	0	100	40.02	23.87	-2.97	62.19

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
557.06	67.11	3228	10.33	-1.17	0	0	100	39.9	23.87	-2.97	61.88
557.14	67.11	3229	10.34	-1.17	0	0	100	39.88	23.87	-2.97	62.5
557.24	67.11	3229	10.34	-1.17	0	0	100	40.12	23.87	-2.83	62.19
557.32	67.11	3234	10.35	-1.17	0	0	100	40.4	24.26	-2.61	63.12
557.42	67.11	3239	11.06	-1.17	0	0	100	41.4	25.04	-2.39	65.62
557.5	67.11	3244	11.77	-1.17	0	0	100	44.88	27.39	-0.87	74.06
557.6	68.35	3246	13.16	-1.17	0	0	100	50.6	27.78	-0.44	79.69
557.7	68.35	3249	13.17	-1.17	0	0	100	52.96	27.78	-0.07	84.06
557.78	68.35	3252	13.88	-1.17	0	0	100	55	27.39	0.15	86.25
557.88	68.35	3259	14.6	-1.17	0	0	100	56.3	27.39	0.29	87.81
557.96	68.35	3265	14.63	-1.17	0	0	100	56.8	27	0.51	87.19
558.06	68.35	3270	14.65	-1.17	0	0	100	56.34	25.04	-0.29	83.44
558.14	68.35	3269	11.86	-1.17	0	0	100	48.72	22.69	-1.81	68.75
558.24	68.35	3273	10.47	-1.17	0	0	100	39.04	21.52	-3.55	54.06
558.35	68.35	3273	9.08	-1.17	0	0	100	30.62	20.74	-4.57	44.06
558.45	68.35	3274	7.69	-1.17	0	0	100	26.74	20.35	-5.37	39.06
558.56	68.35	3274	6.99	-1.17	0	0	100	23.86	20.35	-5.95	35.62
558.66	68.35	3273	6.98	-1.17	0.39	0	100	21.98	19.17	-6.89	32.19
558.78	68.35	3272	6.28	-1.17	1.95	0	100	18.18	16.82	-8.48	24.69
558.88	68.35	3268	4.88	-1.17	3.12	0	100	12.5	14.87	-10.01	16.88
559	68.35	3256	4.17	-1.56	4.29	0	100	8.54	12.52	-11.6	10.94
559.1	68.35	3232	4.14	-1.56	0	0	100	7.16	12.13	-11.75	10.94
559.22	68.35	3239	4.15	-1.56	0	0	100	7.12	11.74	-11.97	10.94
559.32	68.35	3250	4.16	-1.56	0	0	100	7.08	11.74	-11.97	10.94
559.44	68.35	3244	4.15	-1.56	0	0	100	7.06	11.35	-12.18	10.94
559.54	68.35	3238	4.14	-1.56	0	0	100	7.06	11.35	-12.18	10.94
559.66	68.35	3232	4.14	-1.56	0	0	100	7.04	12.52	-12.18	9.69
559.78	68.35	3225	0	-1.56	0	0	100	6.58	14.09	-11.75	10.31
559.88	68.35	3210	0	-1.56	0	0	100	6.96	14.48	-11.17	11.88
560	68.35	3210	4.11	-1.56	0	0	100	9.14	17.22	-10.59	16.56
560.1	68.35	3231	4.83	-1.17	-0.39	0	100	14.44	19.95	-8.63	26.88
560.22	68.35	3236	6.91	-1.17	-1.56	0	100	22.2	22.3	-6.67	38.44
560.32	68.35	3225	8.26	-1.17	-2.34	0	100	28.74	23.48	-5.15	47.19
560.44	67.11	3216	9.61	-1.17	0	0	100	31.96	24.65	-4.57	51.88
560.54	67.11	3214	10.29	-1.17	0	0	100	36.98	27	-2.97	62.5
560.66	67.11	3214	11.66	-1.17	0	0	100	44.68	29.74	-1.45	74.06
560.76	67.11	3217	13.04	-1.17	0	0	100	50.48	31.3	-0.44	81.56
560.88	67.11	3223	13.75	-1.17	0	0	100	54.36	30.91	-0.07	85.94
560.98	67.11	3224	14.45	-1.17	0	0	100	56.2	29.74	0.15	87.5

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
561.1	67.11	3231	14.48	-1.17	0	0	100	55.7	27.78	-0.07	85.94
561.2	68.35	3238	13.82	-1.17	0	0	100	54.36	27	-0.29	83.75
561.32	68.35	3242	13.84	-1.17	0	0	100	54.66	27	-0.07	85.31
561.42	68.35	3250	13.87	-1.17	0	0	100	55.92	27.39	0.29	87.19
561.54	68.35	3257	14.59	-1.17	0	0	100	57.14	27.39	0.73	88.44
561.64	68.35	3259	14.6	-1.17	0	0	100	58.9	27.78	1.09	91.56
561.76	68.35	3268	16.04	-1.17	0	0	100	61	27.78	1.52	94.38
561.86	68.35	3276	17.47	-1.17	0	0	100	63	29.34	2.25	98.75
561.98	68.35	3283	20.32	-1.17	0	0	100	70.68	33.65	4.21	113.75
562.08	68.35	3299	24.64	0	0	0	100	81.58	36.78	6.02	128.44
562.2	68.35	3311	27.55	0	0	0	100	88.62	36.78	7.18	136.88
562.3	68.35	3321	29.76	0	0	0	100	94	36.39	8.12	144.38
562.4	68.35	3333	32	0	0	0	100	98.64	36.39	9.28	150.94
562.5	68.35	3346	33.56	0	0	0	100	103.66	36.78	10.08	156.56
562.6	70.84	3363	35.16	0	0	0	100	106.84	36.39	11.02	162.19
562.68	70.84	3387	36.14	0	0	0	100	109.34	32.47	10.3	154.69
562.78	70.84	3382	28.87	0	0	0	100	89.88	29.74	7.32	122.5
562.88	70.84	3396	23.19	0	0	0	100	75.16	27	4.21	102.5
562.98	70.84	3402	18.15	-1.17	0	0	100	63.7	23.87	1.31	83.75
563.08	70.84	3405	12.35	-1.17	0	0	100	50.32	23.48	-0.87	70.62
563.18	70.84	3418	11.67	-1.17	0	0	100	45.16	22.3	-2.39	61.56
563.26	72.08	3421	10.22	-1.17	0	0	100	39.04	21.52	-3.55	54.06
563.36	72.08	3424	9.5	-1.17	0	0	100	34.44	21.52	-4.35	49.06
563.48	72.08	3427	8.77	-1.17	0	0	100	31.4	21.91	-4.93	44.38
563.58	72.08	3429	8.78	-1.17	0	0	100	29.3	21.91	-5.15	42.81
563.68	72.08	3426	8.04	-1.17	0	0	100	29.28	22.3	-5.15	43.44
563.78	72.08	3429	8.78	-1.17	0	0	100	29.78	22.3	-5.15	44.06
563.88	72.08	3429	8.78	-1.17	0	0	100	32.86	24.65	-3.99	55.62
563.96	72.08	3432	10.98	-1.17	0	0	100	40.96	25.43	-2.83	62.81
564.06	72.08	3434	11.72	-1.17	0	0	100	44.22	25.43	-2.61	65.94
564.16	72.08	3434	11.72	-1.17	0	0	100	46.68	26.61	-1.81	71.56
564.26	72.08	3443	13.22	-1.17	0	0	100	52.68	28.56	-0.65	79.38
564.34	72.08	3446	14.71	-1.17	0	0	100	57.02	28.56	-0.07	85
564.44	72.08	3457	15.49	-1.17	0	0	100	59.24	28.17	0.15	87.5
564.54	72.08	3457	15.49	-1.17	0	0	100	60.9	28.17	0.51	89.06
564.62	72.08	3460	16.24	-1.17	0	0	100	61.78	28.17	0.73	90.94
564.72	72.08	3470	17.03	-1.17	0	0	100	63.5	27.78	1.09	92.5
564.82	72.08	3470	17.77	-1.17	0	0	100	64.58	27.78	1.31	94.38
564.92	72.08	3473	18.53	-1.17	0	0	100	65.64	27.78	1.52	94.69

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
565.04	72.08	3483	17.83	-1.17	0	0	100	65.04	27.39	1.52	93.12
565.14	72.08	3491	17.13	-1.17	0	0	100	64.06	27	1.31	90.94
565.26	72.08	3499	15.68	-1.17	0	0	100	61.72	27	1.09	88.12
565.36	73.32	3499	15.68	-1.17	0	0	100	60.48	26.61	0.94	86.25
565.48	73.32	3507	14.97	-1.17	0	0	100	58.82	26.21	0.73	82.81
565.58	73.32	3516	14.25	-1.17	0	0	100	56	25.43	-0.07	76.56
565.66	73.32	3514	12.75	-1.17	0	0	100	51.7	25.04	-0.87	71.56
565.76	73.32	3516	12	-1.17	0	0	100	48.42	24.65	-1.23	67.5
565.88	73.32	3520	11.27	-1.17	0	0	100	45.24	23.87	-2.03	63.12
565.98	73.32	3524	11.28	-1.17	0	0	100	42.52	23.87	-2.39	59.69
566.08	74.56	3524	10.53	-1.17	0	0	100	41.02	23.87	-2.83	57.81
566.16	74.56	3524	10.53	-1.17	0	0	100	39.98	23.87	-2.97	56.88
566.26	74.56	3527	10.54	-1.17	0	0	100	40.06	23.87	-2.97	57.5
566.36	74.56	3532	10.55	-1.17	0	0	100	40.78	23.87	-3.19	57.5
566.46	74.56	3532	10.55	-1.17	0	0	100	40.26	23.87	-3.19	58.12
566.54	74.56	3542	10.58	-1.17	0	0	100	40.94	24.26	-2.97	58.44
566.64	74.56	3547	11.35	-1.17	0	0	100	41.56	24.26	-2.97	60
566.72	74.56	3539	11.33	-1.17	0	0	100	43	24.26	-2.97	60.94
566.82	74.56	3539	11.33	-1.17	0	0	100	42.98	24.26	-2.97	61.25
566.92	74.56	3541	11.33	-1.17	0	0	100	43.04	24.26	-2.97	60.94
567.02	74.56	3542	11.34	-1.17	0	0	100	42.8	24.26	-2.97	60.62
567.1	74.56	3544	11.34	-1.17	0	0	100	42.84	24.26	-2.97	60.62
567.2	74.56	3552	11.37	-1.17	0	0	100	43.1	24.26	-2.97	61.25
567.28	74.56	3549	11.36	-1.17	0	0	100	43.42	24.26	-2.83	61.25
567.38	74.56	3556	11.38	-1.17	0	0	100	43.82	24.65	-2.61	62.5
567.48	74.56	3554	11.37	-1.17	0	0	100	44.44	24.65	-2.61	63.44
567.58	74.56	3551	11.36	-1.17	0	0	100	45.2	24.65	-2.61	64.06
567.66	74.56	3551	11.36	-1.17	0	0	100	45.44	24.65	-2.39	64.69
567.76	74.56	3554	12.13	-1.17	0	0	100	46.82	25.04	-2.18	66.88
567.86	74.56	3562	12.92	-1.17	0	0	100	50.62	26.61	-1.23	73.44
567.94	74.56	3569	14.47	-1.17	0	0	100	56.8	28.95	0.29	84.38
568.04	74.56	3576	16.02	-1.17	0	0	100	62.88	28.95	0.73	90
568.12	74.56	3571	17.52	-1.17	0	0	100	65.6	28.95	1.09	94.06
568.22	74.56	3578	19.85	-1.17	0	0	100	69.28	29.74	1.89	99.38
568.3	74.56	3583	22.93	0	0	0	100	73.7	31.69	3.26	107.19
568.4	74.56	3595	25.31	0	0	0	100	80.32	33.65	4.42	115.31
568.48	74.56	3600	27.65	0	0	0	100	86.82	34.43	5.37	125.31
568.58	74.56	3614	30.07	0	0	0	100	95.26	36	6.74	135.94
568.66	74.56	3621	32.45	0	0	0	100	100.98	36	7.9	144.38

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
568.76	74.56	3635	34.9	0	0	0	100	107.32	36	8.92	150.62
568.84	74.56	3647	36.58	0	0	0	100	111.08	35.6	9.72	155.62
568.94	77.05	3653	37.41	0	0	0	100	114.98	35.6	10.3	159.06
569.02	77.05	3665	37.53	0	0	0	100	115.44	35.21	10.3	157.5
569.12	77.05	3678	36.1	0	0	0	100	110.78	33.65	9.5	144.69
569.2	77.05	3683	32.22	0	0	0	100	98.38	30.13	6.96	122.5
569.3	77.05	3687	24.39	0	0	0	100	74.3	26.61	3.48	98.75
569.38	77.05	3700	18.16	-1.17	0	0	100	65.78	26.21	1.67	86.25
569.48	77.05	3703	15.01	-1.17	0	0	100	60.62	26.21	0.94	80.62
569.56	77.05	3712	14.26	-1.17	0	0	100	57.38	25.82	0.15	76.56
569.66	78.29	3716	14.27	-1.17	0	0	100	55.06	25.82	-0.29	73.44
569.76	78.29	3724	13.51	-1.17	0	0	100	53.24	25.43	-0.65	71.25
569.84	78.29	3724	12.71	-1.17	0	0	100	51.5	25.04	-1.23	67.81
569.94	78.29	3722	12.7	-1.17	0	0	100	48.68	24.26	-2.03	64.38
570.02	78.29	3727	11.93	-1.17	0	0	100	46.16	23.87	-2.83	59.69
570.12	78.29	3725	11.13	-1.17	0	0	100	42.06	23.48	-3.19	55.62
570.2	78.29	3731	10.35	-1.17	0	0	100	40.2	23.87	-3.41	53.44
570.3	78.29	3729	10.34	-1.17	0	0	100	39.34	23.87	-3.55	52.81
570.38	78.29	3731	10.35	-1.17	0	0	100	39.86	23.87	-3.77	53.44
570.48	78.29	3733	10.35	-1.17	0	0	100	40.24	24.26	-3.77	55
570.58	78.29	3734	11.15	-1.17	0	0	100	40.86	23.87	-3.77	54.69
570.66	78.29	3740	11.17	-1.17	0	0	100	41.1	24.26	-3.55	56.25
570.76	78.29	3738	11.17	-1.17	0	0	100	43.2	24.65	-3.41	59.06
570.84	78.29	3736	11.96	-1.17	0	0	100	47.72	27	-2.18	69.06
570.94	78.29	3740	14.36	-1.17	0	0	100	56.44	29.34	-0.29	80.62
571.04	78.29	3749	17.6	-1.17	0	0	100	67.24	34.82	2.25	98.75
571.12	78.29	3759	24.86	0	0	0	100	80.46	37.17	3.63	112.19
571.22	78.29	3761	28.08	0	0	0	100	87.24	36.78	4.64	119.69
571.3	78.29	3769	29.75	0	0	0	100	93.2	35.21	5.58	127.19
571.4	78.29	3772	28.97	0	0	0	100	86.92	26.21	2.68	99.38
571.5	78.29	3769	18.49	-1.17	0	0	100	59.24	21.52	-1.81	67.19
571.58	78.29	3776	11.28	-1.17	0	0	100	42.86	21.13	-4.13	51.88
571.68	78.29	3780	9.68	-1.17	0	0	100	35.4	21.13	-5.37	45.31
571.78	79.54	3780	8.87	-1.17	0	0	100	32.28	21.13	-5.95	41.56
571.86	79.54	3782	8.88	-1.17	0	0	100	30.16	21.13	-6.31	39.06
571.96	79.54	3776	8.06	-1.17	0	0	100	28.5	21.13	-6.67	37.5
572.04	79.54	3776	8.06	-1.17	0	0	100	27.6	21.13	-6.67	36.25
572.14	79.54	3780	8.06	-1.17	0	0	100	26.82	21.13	-6.89	35
572.24	79.54	3776	8.06	-1.17	0	0	100	25.94	21.52	-6.89	34.69

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
572.32	79.54	3774	8.05	-1.17	0	0	100	28.8	25.43	-5.37	48.75
572.42	79.54	3789	12.13	-1.17	0	0	100	45.86	29.74	-1.81	69.38
572.52	79.54	3789	16.17	-1.17	0	0	100	60.84	34.04	0.15	85.62
572.6	79.54	3789	18.59	-1.17	0	0	100	69.34	36	1.52	96.25
572.7	79.54	3788	23.44	0	0	1.41	100	75.96	36	2.47	103.44
572.8	79.54	3795	25.91	0	0	1.41	100	81.4	35.6	3.48	110.62
572.88	79.54	3807	27.61	0	0	1.41	100	86.52	35.6	4.42	117.5
572.98	79.54	3809	30.07	0	0	1.41	100	92.78	35.6	5.37	125.94
573.06	79.54	3820	31.79	0	0	1.41	100	99.8	35.21	6.6	134.38
573.16	80.78	3834	34.36	0	0	1.41	100	105.36	34.43	7.32	140.94
573.24	80.78	3832	34.34	0	0	1.41	100	103.48	29.74	5.8	124.69
573.34	80.78	3840	26.22	0	0	1.41	100	80.64	26.61	2.83	95
573.42	80.78	3834	17.18	-1.17	0	0	100	65.08	24.26	0.15	77.19
573.52	80.78	3840	13.93	-1.17	0	0	100	53.52	23.87	-1.6	66.25
573.6	80.78	3846	12.31	-1.17	0	0	100	48.46	23.87	-2.61	61.56
573.7	80.78	3850	11.5	-1.17	0	0	100	45.62	23.87	-2.97	58.44
573.78	80.78	3855	11.52	-1.17	0	0	100	43.78	23.87	-3.41	56.25
573.88	80.78	3853	11.51	-1.17	0	0	100	42.68	23.87	-3.55	54.69
573.96	80.78	3852	10.68	-1.17	0	0	100	41.5	23.87	-3.77	53.44
574.06	80.78	3857	10.7	-1.17	0	0	100	40.62	23.87	-3.99	52.5
574.14	80.78	3855	10.69	-1.17	0	0	100	39.84	23.48	-4.35	51.25
574.24	80.78	3857	10.7	-1.17	0	0	100	38.42	23.08	-4.71	49.38
574.32	80.78	3855	9.87	-1.17	0	0	100	36.74	21.91	-5.51	44.69
574.42	80.78	3852	9.04	-1.17	0	0	100	31.64	20.74	-6.67	38.12
574.5	80.78	3850	8.21	-1.17	0	0	100	25.44	18.39	-8.05	29.06
574.6	80.78	3846	5.74	-1.17	0	0	100	18.52	18	-9.21	21.88
574.7	80.78	3838	5.73	-1.17	0	0	100	15.06	18	-9.43	19.38
574.8	80.78	3826	4.9	-1.17	0	0	100	14.36	18	-9.64	18.75
574.88	80.78	3836	4.91	-1.17	0	0	100	14.34	18	-9.64	18.75
574.98	80.78	3844	5.74	-1.17	0	0	100	14.52	18	-9.79	19.06
575.06	80.78	3822	5.71	-1.17	0	0	100	14.68	17.61	-10.01	19.06
575.16	80.78	3824	4.9	-1.17	0	0	100	13.48	16.04	-10.59	16.56
575.24	80.78	3811	4.88	-1.17	0	0	100	11.04	15.26	-11.17	13.44
575.34	80.78	3791	4.85	-1.56	0	0	100	9.34	14.87	-11.39	11.88
575.42	80.78	3805	4.87	-1.56	0	0	100	7.32	12.52	-12.18	11.25
575.52	80.78	3789	4.85	-1.56	0	0	100	8.48	12.13	-12.18	11.25
575.6	80.78	3791	4.85	-1.56	0	0	100	8.46	12.13	-12.33	11.25
575.7	80.78	3784	4.84	-1.56	0	0	100	8.44	12.13	-12.33	11.25
575.78	80.78	3778	4.84	-1.56	0	0	100	8.44	11.74	-12.33	11.25

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
575.88	80.78	3776	4.83	-1.56	0	0	100	8.42	11.74	-12.33	11.25
575.96	79.54	3765	4.82	-1.56	0	0	100	8.4	11.35	-12.33	11.25
576.06	79.54	3753	4	-1.56	0	0	100	6.7	11.35	-12.55	7.5
576.14	79.54	3751	0	-1.56	0	0	100	5.72	14.48	-11.97	9.38
576.24	79.54	3744	0	-1.56	0	0	100	7.7	14.87	-11.6	10.62
576.32	79.54	3734	0	-1.56	0	0	100	8.26	14.48	-11.6	11.25
576.42	79.54	3727	0	-1.56	0	0	100	8.34	14.48	-11.39	11.25
576.5	79.54	3725	0	-1.56	0	0	100	8.14	14.48	-11.39	10.94
576.6	79.54	3714	0	-1.56	0	0	100	8.12	14.48	-11.39	10.94
576.68	78.29	3707	0	-1.56	0	0	100	8.12	14.48	-11.39	10.94
576.78	78.29	3703	0	-1.56	0	0	100	8.02	14.48	-11.39	10.94
576.86	78.29	3694	0	-1.56	0	0	100	8.06	14.48	-11.39	10.94
576.96	78.29	3687	0	-1.56	0	0	100	8.04	14.48	-11.39	10.94
577.04	78.29	3682	0	-1.56	0	0	100	8.06	14.48	-11.39	10.94
577.14	78.29	3672	0	-1.56	0	0	100	7.94	14.48	-11.6	10.94
577.22	78.29	3664	0	-1.56	0	0	100	7.94	14.48	-11.6	10.94
577.32	78.29	3660	0	-1.56	0	0	100	7.84	14.48	-11.39	10.94
577.4	77.05	3649	0	-1.56	0	0	100	7.84	14.48	-11.39	10.94
577.5	77.05	3642	0	-1.56	0	0	100	7.9	14.48	-11.39	10.62
577.58	77.05	3639	0	-1.56	0	0	100	7.78	14.48	-11.39	10.94
577.68	77.05	3630	0	-1.56	0	0	100	7.82	14.48	-11.39	10.94
577.76	77.05	3624	0	-1.56	0	0	100	7.86	14.48	-11.39	10.62
577.86	77.05	3618	0	-1.56	0	0	100	7.66	14.48	-11.39	10.62
577.94	77.05	3612	0	-1.56	0	0	100	7.62	14.48	-11.39	10.62
578.04	77.05	3598	0	-1.56	0	0	100	7.6	14.48	-11.39	10.62
578.12	75.81	3598	0	-1.56	0	0	100	7.68	14.48	-11.39	10.62
578.22	75.81	3591	0	-1.56	0	0	100	7.68	14.48	-11.39	10.62
578.3	75.81	3590	0	-1.56	0	0	100	7.66	14.48	-11.39	10.62
578.4	75.81	3581	0	-1.56	0	0	100	7.68	14.48	-11.39	10.62
578.48	75.81	3574	0	-1.56	0	0	100	7.66	14.09	-11.39	10.62
578.58	75.81	3566	0	-1.56	0	0	100	7.48	14.09	-11.6	10.62
578.66	75.81	3561	0	-1.56	0	0	100	7.48	14.48	-11.39	10.62
578.76	75.81	3549	0	-1.56	0	0	100	7.44	14.09	-11.39	10.62
578.84	74.56	3544	0	-1.56	0	0	100	7.5	14.09	-11.39	10.62
578.94	74.56	3536	4.53	-1.56	0	0	100	8.3	15.65	-11.17	12.81
579.02	74.56	3534	5.28	-1.56	0	0	100	10.1	16.82	-10.8	15.62
579.12	74.56	3537	5.28	-1.56	0	0	100	12.06	17.22	-10.37	18.12
579.2	74.56	3537	6.04	-1.17	0	0	100	13.42	17.22	-10.22	19.38
579.3	74.56	3527	6.02	-1.17	0	0	100	13.66	17.22	-10.22	19.38

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
579.38	74.56	3509	5.24	-1.17	0	0	100	13.66	17.22	-10.01	19.38
579.48	74.56	3516	5.25	-1.17	0	0	100	13.62	17.61	-10.01	19.69
579.56	73.32	3504	5.23	-1.17	0	0	100	14.04	18	-9.79	20.94
579.66	73.32	3506	5.98	-1.17	0	0	100	15.48	18.39	-9.64	22.81
579.74	73.32	3501	5.98	-1.17	0	0	100	16.22	18	-9.43	23.44
579.84	73.32	3495	5.96	-1.17	0	0	100	16.4	18.39	-9.43	23.44
579.92	73.32	3495	5.96	-1.17	0	0	100	16.28	18	-9.43	23.44
580.02	73.32	3493	5.96	-1.17	0	0	100	16.14	18	-9.43	23.12
580.1	73.32	3481	5.94	-1.17	0	0	100	16.04	18	-9.43	23.12
580.2	73.32	3483	5.2	-1.17	0	0	100	15.94	18	-9.43	22.81
580.28	73.32	3478	5.19	-1.17	0	0	100	15.94	18	-9.43	22.81
580.38	73.32	3472	5.19	-1.17	0	0	100	15.82	18	-9.43	22.81
580.46	73.32	3472	5.19	-1.17	0	0	100	15.94	18	-9.43	23.12
580.56	73.32	3465	5.18	-1.17	0	0	100	15.88	18	-9.43	23.12
580.64	73.32	3457	5.16	-1.17	0	0	100	15.76	18	-9.43	23.12
580.74	73.32	3459	5.17	-1.17	0	0	100	15.88	18	-9.43	23.12
580.82	73.32	3454	5.16	-1.17	0	0	100	15.82	18	-9.43	23.44
580.92	72.08	3451	5.89	-1.17	0	0	100	16.12	18	-9.43	23.12
581	72.08	3449	5.89	-1.17	0	0	100	16.12	18	-9.43	23.44
581.1	72.08	3440	5.14	-1.17	0	0	100	16.04	18	-9.21	23.44
581.18	72.08	3441	5.87	-1.17	0.78	0	100	16	18	-9.43	23.12
581.28	72.08	3434	5.86	-1.17	1.95	0	100	15.92	18	-9.43	23.44
581.36	72.08	3431	5.12	-1.17	1.95	0	100	15.74	18	-9.43	23.12
581.46	72.08	3427	5.12	-1.17	1.17	0	100	15.26	16.82	-9.79	21.56
581.54	72.08	3418	5.1	-1.17	0.39	0	100	13.7	16.43	-10.22	19.38
581.64	72.08	3418	4.38	-1.17	-0.39	0	100	12.58	16.43	-10.37	17.81
581.72	72.08	3410	4.37	-1.17	-1.17	0	100	11.92	16.43	-10.37	17.19
581.82	72.08	3410	4.37	-1.17	-1.95	0	100	11.24	15.26	-10.8	15.94
581.92	72.08	3398	4.35	-1.56	-2.73	0	100	9.74	14.48	-11.39	13.12
582	72.08	3392	4.34	-1.56	0	0	100	7.44	12.52	-11.97	10.94
582.1	72.08	3392	4.34	-1.56	0	0	100	7.46	12.13	-11.97	10.94
582.18	72.08	3386	4.33	-1.56	0	0	100	7.4	12.13	-12.18	10.94
582.28	72.08	3384	4.33	-1.56	0	0	100	7.4	11.74	-12.18	10.94
582.36	70.84	3374	4.32	-1.56	0	0	100	7.38	11.74	-12.18	10.94
582.46	70.84	3363	4.3	-1.56	0	0	100	7.34	11.74	-12.18	10.94
582.54	70.84	3358	4.3	-1.56	0	0	100	7.32	11.35	-12.33	10.94
582.64	70.84	3352	4.29	-1.56	0	0	100	7.32	11.35	-12.33	10.94
582.72	70.84	3348	0	-1.56	0	0	100	6.3	14.09	-11.97	10
582.82	70.84	3343	0	-1.56	0	0	100	6.94	14.09	-11.75	10.62

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
582.92	70.84	3333	0	-1.56	0	0	100	7.1	14.09	-11.6	10.94
583	70.84	3326	0	-1.56	0	0	100	7.12	14.09	-11.39	10.94
583.1	69.59	3319	0	-1.56	0	0	100	7.14	14.09	-11.39	10.94
583.2	69.59	3312	0	-1.56	0	0	100	7.16	14.09	-11.39	10.94
583.3	69.59	3312	0	-1.56	0	0	100	7.2	14.09	-11.39	10.94
583.38	69.59	3304	0	-1.56	0	0	100	7.16	14.09	-11.39	10.94
583.48	69.59	3296	0	-1.56	0	0	100	7.14	14.09	-11.39	10.94
583.56	69.59	3283	0	-1.56	0	0	100	7.12	14.09	-11.39	10.94
583.66	69.59	3274	0	-1.56	0	0	100	7.1	14.09	-11.39	10.94
583.74	68.35	3272	0	-1.56	0	0	100	7.08	14.09	-11.39	10.94
583.84	68.35	3266	0	-1.56	0	0	100	7.12	14.09	-11.39	10.94
583.92	68.35	3262	0	-1.56	0	0	100	7.14	14.09	-11.39	10.94
584.02	68.35	3259	0	-1.56	0	0	100	7.1	14.09	-11.39	10.94
584.1	68.35	3248	0	-1.56	0	0	100	7.04	14.09	-11.39	10.94
584.2	68.35	3241	0	-1.56	0	0	100	7.04	14.09	-11.39	10.94
584.3	68.35	3234	0	-1.56	0	0	100	7.02	14.09	-11.39	10.94
584.38	68.35	3228	0	-1.56	0	0	100	7.16	14.09	-11.39	11.25
584.48	68.35	3224	0	-1.56	0	0	100	7.14	14.09	-11.39	11.25
584.58	68.35	3210	0	-1.56	0	0	100	7.06	14.09	-11.39	10.94
584.66	68.35	3209	0	-1.56	0	0	100	7.04	14.09	-11.39	11.25
584.76	68.35	3201	0	-1.56	0	0	100	7.08	14.09	-11.39	11.25
584.86	68.35	3192	0	-1.56	0	0	100	7.04	14.09	-11.39	11.25
584.94	68.35	3188	0	-1.56	0	0	100	7.06	14.09	-11.39	11.25
585.04	68.35	3177	0	-1.56	0	0	100	7.06	14.09	-11.39	11.25
585.16	68.35	3176	0	-1.56	0	0	100	7.04	14.09	-11.39	11.25
585.26	67.11	3169	0	-1.56	0	0	100	7.06	14.09	-11.39	11.25
585.38	67.11	3166	0	-1.56	0	0	100	7.12	14.09	-11.39	11.25
585.48	67.11	3152	0	-1.56	0	0	100	7.06	14.09	-11.39	11.25
585.6	67.11	3144	0	-1.56	0	0	100	7	14.09	-11.39	11.25
585.68	67.11	3140	0	-1.56	0	0	100	7	14.09	-11.39	11.25
585.78	67.11	3131	0	-1.56	0	0	100	7.06	14.09	-11.39	11.25
585.9	65.87	3127	0	-1.56	0	0	100	7.04	14.09	-11.39	11.25
586	65.87	3110	0	-1.56	0	0	100	7	14.09	-11.39	11.25
586.1	65.87	3111	0	-1.56	0	0	100	6.9	14.09	-11.39	11.25
586.2	65.87	3108	0	-1.56	0	0	100	6.92	14.09	-11.39	11.25
586.28	65.87	3099	0	-1.56	0	0	100	6.92	14.09	-11.39	11.25
586.38	65.87	3088	0	-1.56	0	0	100	6.88	14.09	-11.39	11.25
586.5	65.87	3083	0	-1.56	0	0	100	6.84	14.09	-11.39	11.25
586.6	64.62	3075	0	-1.56	0	0	100	6.84	14.09	-11.39	11.25

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
586.7	64.62	3071	0	-1.56	0	0	100	6.86	14.09	-11.39	11.25
586.8	64.62	3063	0	-1.56	0	0	100	6.84	14.09	-11.39	11.25
586.9	64.62	3055	0	-1.56	0	0	100	6.84	14.09	-11.39	11.25
587	64.62	3052	0	-1.56	0	0	100	6.84	14.09	-11.39	11.25
587.1	64.62	3042	0	-1.56	0	0	100	6.84	14.09	-11.39	11.25
587.2	64.62	3037	0	-1.56	0	0	100	6.8	14.09	-11.39	11.25
587.3	63.38	3032	0	-1.56	0	0	100	6.92	14.09	-11.39	11.56
587.4	63.38	3025	0	-1.56	0	0	100	6.88	14.09	-11.39	11.25
587.48	63.38	3018	0	-1.56	0	0	100	6.78	14.09	-11.39	11.25
587.58	63.38	3010	0	-1.56	0	0	100	6.8	14.09	-11.39	11.25
587.68	63.38	3002	0	-1.56	0	0	100	6.78	14.09	-11.39	11.25
587.78	63.38	2999	0	-1.56	0	0	100	6.78	14.09	-11.39	11.25
587.86	63.38	2994	0	-1.56	0	0	100	6.84	14.09	-11.39	11.56
587.96	63.38	2986	0	-1.56	0	0	100	6.86	14.09	-11.39	11.56
588.06	62.14	2980	0	-1.56	0	0	100	6.8	14.09	-11.39	11.56
588.16	62.14	2975	0	-1.56	0	0	100	6.82	14.09	-11.39	11.56
588.24	62.14	2970	0	-1.56	0	0	100	6.72	13.69	-11.39	11.56
588.34	62.14	2958	0	-1.56	0	0	100	6.68	13.69	-11.39	11.25
588.44	62.14	2955	0	-1.56	0	0	100	6.64	13.69	-11.39	11.25
588.54	62.14	2948	0	-1.56	0	0	100	6.56	13.69	-11.39	11.25
588.62	62.14	2942	0	-1.56	0	0	100	6.56	13.69	-11.39	11.25
588.72	62.14	2937	0	-1.56	0	0	100	6.56	13.69	-11.6	11.25
588.82	62.14	2930	0	-1.56	0	0	100	6.52	13.69	-11.39	11.25
588.92	62.14	2922	0	-1.56	0	0	100	6.52	13.69	-11.39	11.25
589	62.14	2915	0	-1.56	0	0	100	6.58	13.69	-11.39	11.25
589.1	62.14	2911	0	-1.56	0	0	100	6.56	13.69	-11.6	11.25
589.2	62.14	2898	0	-1.56	0	0	100	6.52	13.69	-11.39	11.25
589.3	62.14	2885	0	-1.56	0	0	100	6.42	13.69	-11.39	11.25
589.38	62.14	2868	0	-1.56	0	0	100	6.44	13.69	-11.39	11.25
589.48	60.89	2853	0	-1.56	0	0	100	6.42	13.69	-11.6	11.25
589.6	60.89	2832	0	-1.56	0	0	100	6.24	13.69	-11.6	11.25
589.7	60.89	2805	0	-1.56	0	0	100	6.2	13.69	-11.6	11.25
589.8	60.89	2773	0	-1.56	0	0	100	6.2	13.69	-11.6	11.25
589.9	60.89	2762	0	-1.56	0	0	100	6.14	13.69	-11.6	11.25
590	60.89	2731	0	-1.56	0	0	100	6.08	13.69	-11.6	11.25
590.12	60.89	2705	0	-1.56	0	0	100	6.06	13.3	-11.6	11.25
590.22	57.17	2671	0	-1.56	0	0	100	5.96	13.3	-11.6	11.56
590.34	57.17	2637	0	-1.56	0	0	100	5.9	13.3	-11.6	11.25
590.42	57.17	2606	0	-1.56	0	0	100	5.88	13.3	-11.39	11.56

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
590.52	57.17	2520	0	-1.56	0	0	100	5.62	13.3	-11.39	11.56
590.62	57.17	2406	0	-1.56	0	0	100	5.4	12.91	-11.39	11.56
590.7	57.17	2273	0	-1.56	0	0	100	5.18	12.91	-11.17	11.88
590.8	57.17	2154	3.22	-1.56	0	0	100	7.14	32.47	-4.93	30
590.9	53.44	2242	12.44	-1.17	0	0	100	33.48	46.56	-0.07	73.44
591	53.44	2713	13.89	-1.17	0	0	100	47.48	52.82	0.29	82.81
591.08	53.44	3421	18.25	-1.17	0	0	100	60.72	39.52	-0.07	82.5
591.18	53.44	3955	19.41	-1.17	0	0	100	65.78	26.21	-2.83	69.69
591.26	53.44	4180	13.38	-1.17	0	0	100	35.32	16.04	-8.85	29.06
591.36	53.44	3742	5.59	-1.17	0	0	100	14.28	14.48	-10.37	17.19
591.46	53.44	3558	4.55	-1.56	0	0	100	9.2	13.3	-11.6	11.25
591.54	53.44	3670	3.92	-1.56	0	0	100	8.02	13.69	-11.97	10
591.64	53.44	3610	0	-1.56	0	0	100	6.82	14.48	-11.39	9.06
591.74	53.44	3628	0	-1.56	0	0	100	6.52	14.48	-11.39	9.06
591.82	53.44	3614	0	-1.56	0	0	100	6.54	14.48	-11.39	9.38
591.92	53.44	3595	0	-1.56	0	0	100	6.84	14.48	-11.39	9.69
592	53.44	3598	0	-1.56	0	0	100	6.94	14.48	-11.39	10
592.1	53.44	3580	0	-1.56	0	0	100	7.1	14.48	-11.39	10
592.18	53.44	3581	0	-1.56	0	0	100	7.22	14.48	-11.39	10
592.28	52.2	3566	0	-1.56	0	0	100	7.42	14.87	-11.17	11.25
592.38	52.2	3559	0	-1.56	0	0	100	8.4	15.26	-11.02	12.5
592.48	52.2	3545	0	-1.56	0	0	100	9.08	15.26	-10.8	13.44
592.56	52.2	3541	5.29	-1.56	0	0	100	9.72	15.65	-11.02	14.69
592.66	52.2	3541	5.29	-1.56	0	0	100	10.14	15.65	-11.02	14.38
592.76	52.2	3532	5.28	-1.56	0	0	100	10.6	16.82	-10.8	15.94
592.88	52.2	3527	5.27	-1.17	0	0	100	13.06	18.78	-9.79	21.25
592.98	50.95	3551	6.82	-1.17	0	0	100	18.62	22.69	-8.05	32.19
593.06	50.95	3512	9.74	-1.17	0	0	100	29.2	26.61	-4.93	50
593.16	50.95	3549	12.87	-1.17	0	0	100	42.18	37.17	-1.02	72.81
593.24	50.95	3529	16.56	-1.17	0	0	100	56.76	38.34	-0.29	85
593.34	50.95	3547	16.65	-1.17	0	0	100	61.82	38.73	0.51	89.38
593.42	50.95	3559	17.47	-1.17	0	0	100	65.48	38.73	1.31	95.31
593.52	50.95	3566	20.54	-1.17	0	0	100	70.12	38.34	2.1	101.25
593.6	50.95	3595	24.54	0	0	0	100	74.92	38.34	3.26	107.19
593.7	52.2	3603	25.37	0	0	0	100	79.9	38.34	4.21	114.38
593.78	52.2	3623	27.05	0	0	0	100	86.34	38.73	5.37	123.75
593.88	52.2	3645	30.33	0	0	0	100	94.02	39.13	6.6	133.75
593.96	52.2	3667	32.86	0	0	0	100	101.28	38.73	7.76	142.5
594.06	52.2	3687	35.4	0	0	0	100	107.98	38.73	9.14	150.62

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
594.14	52.2	3720	37.3	0	0	0	100	115.04	38.34	10.3	158.44
594.24	52.2	3742	39.92	0	0	0	100	122.68	38.34	11.24	167.19
594.32	52.2	3774	41.87	0	0	0	100	128.56	36.78	11.46	168.12
594.42	54.68	3803	38.94	0	0	0	100	112.9	33.65	9.5	143.12
594.52	54.68	3842	31.97	0	0	0	100	101.3	34.04	8.12	130.31
594.6	54.68	3852	31.23	0	0	0	100	101.28	33.65	7.76	135
594.7	54.68	3892	33.21	0	0	0	100	105.32	33.65	7.76	135.94
594.8	54.68	3912	34.22	0	0	0	100	106.12	32.47	7.18	131.56
594.88	54.68	3930	31.03	0	0	0	100	98.48	32.08	6.38	123.44
594.98	54.68	3961	30.43	0	0	0	100	96.72	32.08	6.16	123.44
595.08	58.41	3989	30.64	0	0	0	100	97.02	30.13	5.37	119.38
595.16	58.41	3995	24.72	0	0	0.35	100	76.02	24.65	0.29	79.38
595.26	58.41	3999	14.51	-1.17	0	0	100	57.08	24.65	-1.45	67.81
595.34	58.41	4004	12.81	-1.17	0	0	100	51.44	24.65	-2.39	62.81
595.44	58.41	4041	12.07	-1.17	0	0	100	47.98	24.26	-2.97	59.38
595.54	58.41	4027	12.03	-1.17	0	0	100	44.46	23.48	-4.13	52.5
595.62	58.41	4034	11.19	-1.17	0	0	100	40.9	23.48	-4.57	50.31
595.72	58.41	4047	10.36	-1.17	0	0	100	39.64	23.48	-4.93	48.44
595.82	58.41	4036	10.33	-1.17	0	0	100	38.16	23.48	-5.15	46.56
595.92	58.41	4045	10.36	-1.17	0	0	100	37.26	22.69	-5.73	45
596	58.41	4056	9.52	-1.17	0	0	100	32.92	21.52	-6.67	38.44
596.08	58.41	4042	8.62	-1.17	0	0	100	28.96	21.52	-7.11	34.69
596.18	58.41	4049	8.64	-1.17	0	0	100	27.34	21.13	-7.25	33.44
596.28	58.41	4049	7.78	-1.17	0	0	100	26.2	21.13	-7.47	32.19
596.36	58.41	4041	7.76	-1.17	0	0	100	25.24	21.13	-7.69	31.25
596.46	58.41	4051	7.78	-1.17	0	0	100	25.56	21.13	-7.69	31.56
596.56	58.41	4041	7.76	-1.17	0	0	100	26.04	21.52	-7.69	32.81
596.64	58.41	4049	8.64	-1.17	0	0	100	27.24	22.69	-7.25	36.56
596.74	58.41	4047	9.5	-1.17	0	0	100	36.16	26.21	-5.37	50
596.84	58.41	4062	13.87	-1.17	0	0	100	50.74	30.91	-2.18	70.62
596.92	58.41	4067	17.35	-1.17	0	0	100	63.8	35.21	-0.07	84.38
597.02	58.41	4076	20.87	0	0	0	100	73.9	37.17	1.31	95.31
597.12	58.41	4082	25.26	0	0	0.35	100	81.84	37.56	2.47	104.38
597.2	59.65	4103	28.89	0	0	0.35	100	88.6	37.17	3.63	113.12
597.3	59.65	4121	31.65	0	0	0.35	100	96.48	36.78	5	121.25
597.38	59.65	4139	33.55	0	0	0.35	100	104.18	36.39	6.16	130.94
597.48	59.65	4159	37.27	0	0	0.35	100	112.84	33.26	6.74	132.5
597.56	59.65	4164	32.87	0	0	0.35	100	101.34	30.91	5	116.25
597.66	59.65	4206	29.61	0	0	0.7	100	93.76	30.91	4.79	110.62

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
597.74	59.65	4208	28.73	0	0	0.7	100	91.48	30.91	4.21	108.75
597.84	59.65	4229	27.97	0	0	0.7	100	90.78	30.91	4.06	107.5
597.92	62.14	4251	29.02	0	0	0.35	100	91.18	30.91	4.06	107.5
598.02	62.14	4261	28.18	0	0	0.35	100	91.32	29.34	3.48	103.75
598.1	62.14	4275	26.45	0	0	0.35	100	78.52	25.43	0.29	81.25
598.2	62.14	4280	16.44	-1.17	0	0	100	61.74	25.43	-1.23	68.44
598.28	62.14	4283	14.62	-1.17	0	0	100	56	22.3	-3.41	59.69
598.38	62.14	4308	11.03	-1.17	0	0	100	40.34	19.95	-6.53	40
598.48	62.14	4295	8.25	-1.17	0	0	100	27.96	18.78	-8.48	28.12
598.56	62.14	4288	6.4	-1.17	0	0	100	21.94	18.78	-9.06	24.38
598.66	62.14	4292	6.41	-1.17	0	0	100	20.18	18.78	-9.21	23.12
598.74	62.14	4290	6.41	-1.17	0	0	100	19.28	18.78	-9.43	22.19
598.84	62.14	4283	6.4	-1.17	0	0	100	18.6	18.78	-9.43	21.25
598.92	62.14	4297	6.42	-1.17	0	0	100	17.74	18.78	-9.64	20.62
599.02	62.14	4278	6.39	-1.17	0	0	100	17.48	18.78	-9.64	20.62
599.1	62.14	4273	6.38	-1.17	0	0	100	17.7	18.78	-9.64	20.94
599.2	62.14	4273	6.38	-1.17	0	0	100	17.78	18.78	-9.64	20.94
599.28	62.14	4258	6.36	-1.17	0	0	100	18.04	18.78	-9.64	21.56
599.38	62.14	4266	6.37	-1.17	0	0	100	18.64	19.17	-9.64	22.19
599.46	62.14	4253	7.26	-1.17	0	0	100	20.58	21.52	-8.63	27.81
599.56	62.14	4268	8.2	-1.17	0	0	100	26.7	21.91	-8.05	32.19
599.64	62.14	4261	8.18	-1.17	0	0	100	27.48	21.52	-8.05	32.81
599.74	62.14	4251	8.16	-1.17	0	0	100	27.52	21.52	-8.05	32.19
599.82	62.14	4249	8.16	-1.17	0	0	100	26.58	20.74	-8.48	30.62
599.92	62.14	4261	8.18	-1.17	0	0	100	25.32	20.74	-8.48	29.38
600	62.14	4229	7.22	-1.17	0	0	100	23.52	19.17	-9.06	26.25
600.1	62.14	4232	7.22	-1.17	0	0	100	21	19.17	-9.43	24.38
600.18	62.14	4229	6.32	-1.17	0	0	100	19.86	19.17	-9.43	23.44
600.28	62.14	4239	6.33	-1.17	0	0	100	19.5	19.17	-9.43	22.81
600.36	62.14	4249	6.35	-1.17	0	0	100	19.16	19.17	-9.64	22.81
600.46	62.14	4225	6.31	-1.17	0	0	100	19.22	19.17	-9.64	22.81
600.54	62.14	4234	6.32	-1.17	0	0	100	19.16	19.17	-9.64	22.81
600.64	62.14	4220	6.3	-1.17	0	0	100	19.08	19.17	-9.64	22.81
600.72	60.89	4220	6.3	-1.17	0	0	100	19.1	19.17	-9.64	22.81
600.82	60.89	4206	6.28	-1.17	0	0	100	19.38	19.56	-9.43	23.12
600.9	60.89	4215	6.3	-1.17	0	0	100	19.9	19.56	-9.43	24.06
601	60.89	4208	7.18	-1.17	0	0	100	20.28	19.56	-9.21	24.06
601.08	60.89	4206	7.18	-1.17	0	0	100	20.24	19.17	-9.43	24.06
601.18	60.89	4199	6.27	-1.17	0	0	100	19.38	17.22	-10.22	20.62

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
601.26	60.89	4185	5.36	-1.17	0	0	100	14.2	16.43	-11.02	15.31
601.36	60.89	4164	5.33	-1.17	0	0	100	11.6	16.04	-11.17	13.44
601.44	60.89	4141	5.3	-1.56	0	0	100	10.66	15.65	-11.39	12.5
601.54	60.89	4098	5.25	-1.56	0	0	100	10.04	15.65	-11.39	12.19
601.62	60.89	4038	5.17	-1.56	0	0	100	9.66	15.26	-11.39	11.88
601.72	60.89	3982	5.1	-1.56	0	0	100	9.18	15.26	-11.6	11.56
601.8	60.89	3914	5.01	-1.56	0	0	100	8.92	15.26	-11.6	11.56
601.9	60.89	3838	4.91	-1.56	0	0	100	8.76	15.26	-11.6	11.56
601.98	60.89	3770	4.83	-1.56	0	0	100	8.68	14.87	-11.6	11.56
602.08	60.89	3705	4.74	-1.56	0	0	100	8.48	14.87	-11.6	11.88
602.16	60.89	3614	4.63	-1.56	0	0	100	8.72	14.87	-11.39	12.19
602.26	60.89	3520	4.51	-1.56	0	0	100	8.44	14.87	-11.39	12.5
602.34	60.89	3386	4.33	-1.56	0	0	100	8.3	14.87	-11.39	12.5
602.44	60.89	3132	0	-1.56	0	0	100	6.96	13.69	-11.6	11.56
602.52	60.89	2790	0	-1.56	0	0	100	6.36	13.69	-11.39	11.25
602.62	60.89	2904	0	-1.56	0	0	100	6.38	13.69	-11.6	11.25
602.7	60.89	2825	0	-1.56	0	0	100	6.32	13.69	-11.39	11.25
602.8	60.89	2855	0	-1.56	0	0	100	6.28	13.69	-11.39	11.25
602.88	59.65	2853	0	-1.56	0	0	100	6.34	13.69	-11.39	11.25
602.98	59.65	2831	0	-1.56	0	0	100	6.3	13.69	-11.6	11.25
603.06	59.65	2830	0	-1.56	0	0	100	6.22	13.69	-11.39	11.25
603.16	59.65	2824	0	-1.56	0	0	100	6.26	13.69	-11.6	11.25
603.24	59.65	2818	0	-1.56	0	0	100	6.24	13.69	-11.39	11.25
603.34	59.65	2816	3.6	-1.56	0	0	100	6.42	14.09	-11.6	11.88
603.42	59.65	2808	3.59	-1.56	0	0	100	6.68	14.09	-11.6	11.88
603.52	59.65	2820	3.61	-1.56	0	0	100	6.76	14.09	-11.39	12.19
603.6	58.41	2797	3.58	-1.56	0	0	100	6.96	15.26	-11.39	12.81
603.7	58.41	2809	4.19	-1.56	0	0	100	8.2	16.43	-10.59	16.88
603.78	58.41	2818	4.21	-1.56	0.78	0	100	10.48	16.43	-10.22	19.38
603.88	58.41	2787	4.16	-1.56	1.56	0	100	11.24	16.43	-10.01	20.94
603.96	58.41	2794	4.17	-1.56	1.17	0	100	11.96	17.22	-9.64	22.81
604.06	58.41	2788	4.76	-1.17	0.78	0	100	13.72	18	-9.06	26.25
604.14	58.41	2793	5.36	-1.17	0	0	100	15.62	19.17	-8.48	30
604.24	58.41	2779	5.93	-1.17	-0.39	0	100	17.82	19.95	-7.69	33.75
604.32	58.41	2789	5.95	-1.17	-1.17	0	100	20.26	21.52	-6.67	40
604.42	58.41	2789	7.14	-1.17	-1.95	0	100	24.1	23.08	-5.37	46.88
604.5	58.41	2784	8.32	-1.17	-1.95	0	100	27.36	23.48	-4.71	50.62
604.6	58.41	2784	8.32	-1.17	-1.17	0	100	29.26	24.26	-4.13	54.69
604.68	58.41	2787	9.51	-1.17	0	0	100	31.76	25.82	-3.19	60

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
604.78	58.41	2789	9.52	-1.17	-0.78	0	100	35.96	27	-2.39	66.56
604.88	58.41	2792	10.13	-1.17	0	0	100	39.26	28.95	-1.6	72.81
604.96	58.41	2794	11.33	-1.17	0	0	100	42.4	30.52	-0.65	79.38
605.06	58.41	2796	11.93	-1.17	0	0	100	46.4	31.69	-0.07	84.38
605.14	58.41	2805	12.57	-1.17	0	0	100	48.46	32.47	0.51	88.44
605.24	58.41	2812	13.2	-1.17	0	0.35	100	50.7	33.26	0.94	92.19
605.34	58.41	2816	14.42	-1.17	0	0.35	100	53.08	33.65	1.52	97.19
605.42	58.41	2820	16.25	-1.17	0	0.35	100	55.52	34.82	2.25	101.25
605.52	58.41	2825	18.08	-1.17	0	0.35	100	59.22	34.82	2.83	106.56
605.62	58.41	2839	18.78	-1.17	0	0.35	100	62.28	36.39	3.63	112.19
605.7	59.65	2849	19.45	-1.17	0	0	100	65.3	37.56	4.42	118.12
605.8	59.65	2859	20.74	-1.17	0	0	100	69.52	39.52	5.58	124.38
605.9	59.65	2863	22.6	0	0	0	100	73.24	39.91	6.38	131.25
605.98	59.65	2875	23.93	0	0	0	100	76.62	39.91	7.18	136.25
606.08	59.65	2893	24.69	0	0	0	100	79.5	39.13	7.9	140.94
606.16	59.65	2909	26.07	0	0	0	100	82.72	39.13	8.7	145.94
606.26	59.65	2918	27.39	0	0	0	100	85.88	36.39	9.14	148.75
606.34	59.65	2929	26.87	0	0	0	100	84.5	32.08	8.48	139.38
606.44	60.89	2943	24.49	0	0	0	100	79.42	31.3	8.12	135.31
606.52	60.89	2950	24.55	0	0	0.7	100	78.92	31.3	7.76	134.38
606.62	60.89	2965	24.04	0	0	0.7	100	78.82	31.3	7.54	133.12
606.72	60.89	2973	24.11	0	0	0.7	100	77.92	28.95	6.6	128.44
606.8	60.89	2981	21.63	0	0	0.7	100	69.56	26.61	4.42	109.38
606.9	60.89	2991	17.87	-1.17	0	0.7	100	60.32	27	3.63	99.69
606.98	60.89	3003	16.66	-1.17	0	0.7	100	59.08	27	3.26	99.06
607.08	60.89	3013	17.36	-1.17	0	0.7	100	60.14	27.78	3.48	102.5
607.16	63.38	3024	18.71	-1.17	0	0.7	100	64.16	28.17	3.63	107.81
607.26	63.38	3030	19.39	-1.17	0	0.7	100	66.04	27.78	3.63	109.69
607.36	63.38	3036	19.43	-1.17	0	0.35	100	66.02	27	3.26	105.94
607.46	63.38	3036	18.14	-1.17	0	0.35	100	55.98	24.26	1.31	84.38
607.56	63.38	3042	11.68	-1.17	0	0.35	100	47.26	23.48	0.15	75.62
607.66	63.38	3051	11.07	-1.17	0	0	100	42.66	19.95	-2.61	60.94
607.74	63.38	3046	9.1	-1.17	0	0	100	32.44	19.95	-4.13	50
607.84	64.62	3047	7.8	-1.17	-0.39	0	100	27.94	19.95	-4.93	44.69
607.95	64.62	3057	7.18	-1.17	-1.17	0	100	26.42	21.13	-5.15	43.75
608.05	64.62	3058	7.18	-1.17	-2.34	0	100	27.16	21.13	-4.93	44.69
608.13	64.62	3053	7.17	-1.17	-3.12	0	100	26.94	21.13	-5.15	43.75
608.23	64.62	3056	7.17	-1.17	-3.9	0	100	26.3	21.13	-5.37	42.81
608.35	64.62	3051	7.16	-1.17	-2.34	0	100	25.78	21.13	-5.37	42.5

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
608.45	64.62	3058	7.83	-1.17	-1.17	0	100	25.98	21.52	-5.15	44.38
608.57	64.62	3053	8.47	-1.17	0.78	0	100	30.86	23.87	-3.77	54.38
608.67	64.62	3057	10.44	-1.17	0	0	100	39.84	28.56	-1.02	72.19
608.79	64.62	3062	13.07	-1.17	0	0	100	50.38	31.3	0.51	86.56
608.89	64.62	3068	14.4	-1.17	0	0	100	55.74	31.3	0.94	92.81
609.01	64.62	3073	15.74	-1.17	0	0	100	58.38	30.91	1.31	96.56
609.11	64.62	3080	17.08	-1.17	0	0	100	59.96	28.56	1.31	96.56
609.23	64.62	3087	15.15	-1.17	0	0	100	52.02	24.26	-0.44	79.69
609.33	64.62	3087	11.86	-1.17	0	0	100	45.12	23.87	-1.23	71.88
609.45	64.62	3095	11.23	-1.17	0	0	100	43.18	23.87	-1.45	69.38
609.55	64.62	3097	10.57	-1.17	0	0	100	40.9	22.3	-2.39	62.5
609.67	64.62	3096	9.91	-1.17	0	0	100	35.5	22.3	-3.19	55.62
609.77	64.62	3104	9.27	-1.17	0	0	100	33.64	22.3	-3.41	53.75
609.89	64.62	3100	9.26	-1.17	0	0	100	32.54	21.91	-3.77	51.88
609.99	64.62	3105	8.61	-1.17	0	0	100	30.2	20.74	-4.71	46.25
610.11	64.62	3101	7.28	-1.17	-0.78	0	100	26.22	19.95	-5.73	40.31
610.21	64.62	3105	6.62	-1.17	-1.56	0	100	22.76	19.17	-6.53	35
610.33	64.62	3106	5.97	-1.17	-1.95	0	100	20.22	19.17	-6.89	32.19
610.43	64.62	3104	5.96	-1.17	-0.78	0	100	18.94	18.78	-7.25	30
610.55	64.62	3100	5.95	-1.17	0.78	0	100	16.86	16.82	-8.63	24.69
610.65	64.62	3091	4.62	-1.17	1.56	0	100	13.32	16.43	-9.43	20.62
610.77	64.62	3086	4.61	-1.17	2.73	0	100	11.7	16.43	-9.79	18.44
610.87	64.62	3092	3.96	-1.17	2.34	0	100	10.66	15.65	-10.22	16.88
610.99	64.62	3087	3.95	-1.56	1.56	0	100	9.72	15.26	-10.59	15.31
611.09	64.62	3083	3.95	-1.56	0.78	0	100	8.98	15.26	-10.59	14.38
611.21	64.62	3067	3.93	-1.56	-0.39	0	100	8.7	14.87	-10.8	14.06
611.31	64.62	3080	3.94	-1.56	-0.78	0	100	8.42	14.48	-11.02	13.44
611.43	64.62	3067	3.93	-1.56	0	0	100	7.76	14.48	-11.17	12.5
611.53	64.62	3063	3.92	-1.56	0	0	100	6.84	12.13	-11.75	10.94
611.65	64.62	3044	3.9	-1.56	0	0	100	6.62	12.13	-11.97	10.94
611.75	64.62	3062	3.92	-1.56	0	0	100	6.62	11.74	-11.97	10.94
611.87	64.62	3048	3.9	-1.56	0	0	100	6.62	11.74	-12.18	10.94
611.97	64.62	3036	3.89	-1.56	0	0	100	6.6	11.35	-12.18	10.94
612.05	63.38	3035	3.88	-1.56	0	0	100	6.58	11.35	-12.18	10.94
612.15	63.38	3026	0	-1.56	0	0	100	6.52	14.09	-11.75	10.94
612.25	63.38	3020	0	-1.56	0	0	100	6.72	14.09	-11.6	11.25
612.35	63.38	3019	0	-1.56	0	0	100	6.84	14.09	-11.39	11.25
612.43	63.38	3009	0	-1.56	0	0	100	6.86	14.09	-11.39	11.56
612.53	63.38	3003	0	-1.56	0	0	100	6.88	14.09	-11.39	11.56

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
612.63	63.38	2995	0	-1.56	0	0	100	6.8	14.09	-11.39	11.56
612.73	63.38	2994	0	-1.56	0	0	100	6.92	14.09	-11.39	11.56
612.81	63.38	2989	0	-1.56	0	0	100	6.84	14.09	-11.39	11.56
612.91	63.38	2985	0	-1.56	0	0	100	6.8	14.09	-11.39	11.56
613.01	63.38	2977	3.81	-1.56	0	0	100	7.36	15.26	-11.17	13.75
613.11	63.38	2969	4.43	-1.56	0	0	100	8.96	15.65	-10.8	15.94
613.21	63.38	2989	4.46	-1.56	0.78	0	100	9.88	15.65	-10.59	16.88
613.31	63.38	2970	3.8	-1.56	1.56	0	100	9.82	15.65	-10.59	16.56
613.39	63.38	2949	3.77	-1.56	2.73	0	100	9.76	15.65	-10.59	16.88
613.49	62.14	2956	3.78	-1.56	3.51	0	100	9.96	15.65	-10.59	16.88
613.59	62.14	2965	3.8	-1.56	3.12	0	100	9.9	15.65	-10.59	16.88
613.69	62.14	2938	3.76	-1.56	2.34	0	100	9.88	15.65	-10.59	16.88
613.77	62.14	2941	3.76	-1.56	1.56	0	100	9.9	15.65	-10.59	17.19
613.87	62.14	2945	3.77	-1.56	1.17	0	100	10.58	16.43	-10.22	18.44
613.97	62.14	2950	4.41	-1.56	0.39	0	100	11.56	17.22	-9.79	20.94
614.07	62.14	2932	4.38	-1.17	-0.39	0	100	13.24	19.17	-9.06	26.25
614.17	62.14	2936	5.64	-1.17	-1.17	0	100	18.4	19.95	-7.9	32.19
614.29	62.14	2930	6.25	-1.17	0	0	100	19.58	19.95	-7.47	33.75
614.39	62.14	2938	6.27	-1.17	0.78	0	100	19.76	19.56	-7.47	34.06
614.51	62.14	2933	6.26	-1.17	-0.39	0	100	19.78	19.56	-7.47	34.06
614.61	62.14	2933	6.26	-1.17	-0.78	0	100	20.02	19.95	-7.25	34.69
614.73	62.14	2926	6.24	-1.17	-1.95	0	100	20.8	21.13	-6.67	38.12
614.81	62.14	2930	6.88	-1.17	-2.73	0	100	24.9	23.08	-5.51	46.25
614.91	60.89	2927	8.12	-1.17	-2.73	0	100	28.8	23.48	-4.71	50.31
615.01	60.89	2928	8.75	-1.17	-1.56	0	100	29.56	23.08	-4.57	51.25
615.09	60.89	2927	8.74	-1.17	-0.39	0	100	29.88	23.08	-4.57	51.56
615.19	60.89	2927	8.12	-1.17	-0.78	0	100	30.06	23.08	-4.35	52.19
615.29	60.89	2927	8.12	-1.17	-1.56	0	100	30.68	23.08	-4.35	52.5
615.39	60.89	2927	8.12	-1.17	-2.34	0	100	30.36	22.69	-4.57	51.88
615.47	60.89	2932	8.13	-1.17	-3.51	0	100	30.06	22.3	-4.57	50.94
615.57	60.89	2933	7.51	-1.17	-4.29	0	100	28.48	20.74	-5.37	46.88
615.69	62.14	2933	6.88	-1.17	-5.07	0	100	25.78	20.35	-6.09	43.12
615.79	62.14	2934	6.89	-1.17	-6.24	0	100	24.62	20.35	-6.09	41.56
615.91	62.14	2932	6.88	-1.17	-7.02	0	100	23.84	20.74	-5.95	40.62
616.01	62.14	2935	6.26	-1.17	-7.8	0	100	24.12	20.74	-5.95	41.56
616.09	62.14	2929	6.87	-1.17	-6.63	0	100	24.28	20.74	-5.95	41.88
616.19	62.14	2929	6.87	-1.17	-5.46	0	100	24.88	21.52	-5.51	43.12
616.29	60.89	2930	7.5	-1.17	-4.29	0	100	26.12	21.91	-4.93	45.94
616.39	60.89	2930	8.13	-1.17	-3.12	0	100	27.8	22.3	-4.71	48.75

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
616.47	60.89	2929	8.12	-1.17	-1.56	0	100	28.92	22.3	-4.57	50
616.57	60.89	2932	8.13	-1.17	-0.78	0	100	29.84	22.69	-4.13	51.25
616.65	60.89	2933	8.76	-1.17	0.39	0	100	31.18	23.87	-3.55	55.94
616.75	60.89	2935	9.39	-1.17	-0.39	0	100	33.7	23.87	-3.19	58.44
616.85	60.89	2938	9.4	-1.17	-1.17	0	100	34.28	23.48	-3.41	58.44
616.95	60.89	2945	8.8	-1.17	-1.95	0	100	34.2	23.48	-3.41	58.12
617.03	62.14	2948	8.81	-1.17	-3.12	0	100	34.22	23.08	-3.41	57.81
617.13	62.14	2943	8.79	-1.17	-3.9	0	100	33.42	22.3	-3.55	56.25
617.21	62.14	2941	8.16	-1.17	-4.68	0	100	30.92	20.74	-4.57	50.94
617.31	62.14	2946	7.54	-1.17	-5.46	0	100	28.28	20.74	-5.15	47.19
617.39	62.14	2954	7.56	-1.17	-6.24	0	100	27.34	21.13	-5.15	45.94
617.49	62.14	2942	6.9	-1.17	-7.02	0	100	26.2	20.74	-5.37	44.38
617.57	62.14	2939	6.9	-1.17	-7.8	0	100	25.88	21.13	-5.37	43.75
617.67	62.14	2946	6.92	-1.17	-7.02	0	100	25.6	21.13	-5.37	43.75
617.75	62.14	2944	6.91	-1.17	-5.85	0	100	25.58	21.13	-5.37	43.44
617.85	62.14	2949	6.92	-1.17	-4.68	0	100	25.64	21.13	-5.37	43.44
617.95	62.14	2955	7.56	-1.17	-3.51	0	100	25.52	21.13	-5.37	43.44
618.05	62.14	2955	7.56	-1.17	-2.34	0	100	25.54	21.13	-5.37	43.44
618.13	62.14	2949	7.55	-1.17	-1.17	0	100	25.42	21.13	-5.51	43.44
618.23	62.14	2952	7.56	-1.17	0	0	100	25.24	20.74	-5.51	43.12
618.31	62.14	2944	6.91	-1.17	0.78	0	100	24.76	20.35	-5.73	41.56
618.41	62.14	2945	6.91	-1.17	0	0	100	23.28	19.56	-6.31	39.06
618.51	62.14	2950	6.29	-1.17	-0.78	0	100	22.1	19.56	-6.53	37.19
618.59	62.14	2952	6.3	-1.17	-1.56	0	100	21.14	19.17	-6.89	35.31
618.69	62.14	2950	5.66	-1.17	-2.34	0	100	19.9	18.78	-7.25	33.12
618.77	62.14	2946	5.66	-1.17	-3.12	0	100	18.56	18.39	-7.69	30.94
618.87	62.14	2946	5.66	-1.17	-3.9	0	100	17.78	18.39	-7.9	30
618.95	62.14	2946	5.66	-1.17	-4.29	0	100	17.16	18.39	-7.9	29.06
619.05	62.14	2945	5.03	-1.17	-5.07	0	100	16.76	18.39	-8.05	28.44
619.13	62.14	2943	5.02	-1.17	-5.85	0	100	16.48	18.39	-8.05	28.12
619.23	62.14	2938	5.02	-1.17	-4.68	0	100	16.36	18.39	-8.27	28.12
619.31	62.14	2938	5.02	-1.17	-3.9	0	100	16.58	18.39	-8.05	28.44
619.41	62.14	2934	5.01	-1.17	-3.12	0	100	16.74	18.39	-8.05	29.06
619.49	62.14	2938	5.64	-1.17	-1.95	0	100	16.98	18.78	-8.05	29.06
619.59	62.14	2933	5.63	-1.17	-1.17	0	100	17.84	19.95	-7.69	32.5
619.67	62.14	2935	6.89	-1.17	-0.39	0	100	21.66	21.52	-6.31	39.38
619.77	62.14	2932	6.88	-1.17	0	0	100	24.38	21.52	-5.73	42.81
619.87	62.14	2934	7.51	-1.17	-0.78	0	100	25.4	21.52	-5.73	43.75
619.95	62.14	2933	7.51	-1.17	-1.95	0	100	25.6	21.52	-5.51	43.75

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
620.05	62.14	2930	7.5	-1.17	-2.73	0	100	25.72	21.52	-5.51	44.06
620.15	62.14	2932	7.51	-1.17	-3.51	0	100	25.9	21.52	-5.37	44.38
620.23	62.14	2928	7.5	-1.17	-4.29	0	100	25.84	21.52	-5.37	44.69
620.33	62.14	2930	6.88	-1.17	-5.07	0	100	26.06	21.52	-5.51	45
620.43	62.14	2930	6.88	-1.17	-5.85	0	100	26.06	21.13	-5.51	44.38
620.51	62.14	2933	7.51	-1.17	-5.07	0	100	25.64	20.35	-5.73	42.81
620.61	62.14	2932	6.88	-1.17	-3.9	0	100	23.48	19.17	-6.53	39.06
620.69	62.14	2930	6.25	-1.17	-3.51	0	100	21	17.22	-7.69	32.81
620.79	62.14	2929	5	-1.17	-4.29	0	100	16.26	15.26	-9.21	25.31
620.89	62.14	2921	4.36	-1.17	-5.07	0	100	12.1	12.13	-10.8	17.19
620.97	62.14	2898	3.71	-1.56	-5.46	0	100	7.48	12.13	-11.6	11.25
621.07	62.14	2905	3.72	-1.56	0	0	100	6.38	12.13	-11.97	10.94
621.17	62.14	2906	3.72	-1.56	0	0	100	6.36	11.74	-11.97	10.94
621.27	60.89	2906	3.72	-1.56	0	0	100	6.36	11.74	-12.18	10.94
621.35	60.89	2889	3.7	-1.56	0	0	100	6.34	11.35	-12.18	10.94
621.45	60.89	2890	3.7	-1.56	0	0	100	6.32	11.35	-12.18	10.94
621.55	60.89	2888	0	-1.56	0	0	100	6.08	13.69	-11.97	10.62
621.65	60.89	2880	0	-1.56	0	0	100	6.16	13.69	-11.6	10.94
621.73	60.89	2878	0	-1.56	0	0	100	6.26	13.69	-11.6	10.94
621.83	60.89	2872	0	-1.56	0	0	100	6.38	13.69	-11.6	11.25
621.93	60.89	2862	3.66	-1.56	0	0	100	6.36	14.87	-11.17	12.5
622.03	59.65	2867	4.28	-1.56	0	0	100	8.98	16.82	-10.37	18.44
622.11	59.65	2874	4.91	-1.56	0.78	0	100	12.12	18	-9.64	22.81
622.21	59.65	2888	5.55	-1.17	1.95	0	100	14.78	18.39	-8.63	27.81
622.31	59.65	2846	5.46	-1.17	2.73	0	100	16.46	19.17	-8.27	30.31
622.39	59.65	2845	6.07	-1.17	1.95	0	100	18.4	19.56	-7.69	33.12
622.49	59.65	2860	6.1	-1.17	1.56	0	100	19.56	19.95	-7.25	35.62
622.57	59.65	2850	6.69	-1.17	0.78	0	100	20.4	19.95	-7.11	36.25
622.67	59.65	2841	6.67	-1.17	0	0	100	21.02	19.95	-6.89	37.19
622.75	59.65	2840	6.06	-1.17	-0.78	0	100	21.04	20.35	-6.89	37.5
622.85	59.65	2843	6.07	-1.17	-1.56	0	100	21.32	20.35	-6.67	38.44
622.95	59.65	2841	6.06	-1.17	-2.34	0	100	21.8	20.35	-6.67	38.75
623.03	59.65	2841	6.06	-1.17	-2.73	0	100	22.02	20.35	-6.67	39.06
623.13	59.65	2843	6.67	-1.17	-1.95	0	100	22.02	20.35	-6.53	39.06
623.21	59.65	2844	6.67	-1.17	-0.78	0	100	22.12	20.35	-6.67	39.06
623.31	59.65	2839	6.66	-1.17	0.39	0	100	22.04	20.35	-6.53	39.06
623.39	59.65	2836	6.66	-1.17	0.78	0	100	22.04	20.35	-6.53	39.38
623.49	59.65	2835	6.65	-1.17	0	0	100	22.2	20.35	-6.53	39.06
623.57	59.65	2839	6.66	-1.17	-0.78	0	100	22.02	20.35	-6.53	39.06

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
623.67	59.65	2840	6.67	-1.17	-1.56	0	100	22.04	20.35	-6.53	38.75
623.75	59.65	2834	6.65	-1.17	-1.17	0	100	22.04	20.35	-6.53	39.06
623.85	59.65	2837	6.66	-1.17	-0.39	0	100	21.74	19.95	-6.53	38.44
623.93	59.65	2843	6.67	-1.17	0.78	0	100	21.6	19.95	-6.67	38.12
624.03	59.65	2839	6.66	-1.17	0.78	0	100	21.44	19.95	-6.67	37.81
624.11	59.65	2829	6.04	-1.17	0	0	100	21.14	19.56	-6.89	37.19
624.21	59.65	2830	6.04	-1.17	-0.78	0	100	20.96	19.95	-6.67	37.5
624.29	59.65	2832	6.04	-1.17	-1.56	0	100	21.02	19.95	-6.89	37.5
624.39	59.65	2837	6.05	-1.17	-2.34	0	100	21.16	19.95	-6.67	37.5
624.47	59.65	2834	6.65	-1.17	-1.56	0	100	21.32	19.95	-6.67	38.12
624.57	59.65	2832	6.65	-1.17	-0.78	0	100	21.66	20.35	-6.53	38.75
624.65	59.65	2831	6.64	-1.17	0.39	0	100	22.74	21.13	-5.95	41.56
624.75	59.65	2831	7.25	-1.17	1.56	0	100	24.62	22.3	-5.37	45.94
624.85	59.65	2830	7.85	-1.17	1.56	0	100	28.5	24.26	-3.99	53.75
624.93	59.65	2839	9.09	-1.17	0.78	0	100	33.38	25.43	-2.83	62.19
625.03	59.65	2838	9.69	-1.17	0	0	100	36.28	25.43	-2.39	65.31
625.11	59.65	2837	10.29	-1.17	0	0	100	37.78	25.82	-2.18	68.12
625.21	59.65	2838	10.3	-1.17	0	0	100	39.36	27.39	-1.6	72.19
625.29	59.65	2844	11.53	-1.17	0	0	100	43.62	30.91	-0.07	81.56
625.39	59.65	2850	12.77	-1.17	0	0	100	50.14	36.39	1.31	92.5
625.47	59.65	2849	15.81	-1.17	0	0	100	55.84	39.13	2.25	100.94
625.57	59.65	2859	18.3	-1.17	0	0.35	100	59.84	41.08	3.05	107.5
625.65	59.65	2870	18.98	-1.17	0	0.35	100	62.88	41.08	3.84	112.5
625.75	59.65	2881	19.67	-1.17	0	0.35	100	66.28	41.08	4.64	118.44
625.83	59.65	2890	20.96	-1.17	0	0.35	100	69.9	41.08	5.37	124.38
625.93	59.65	2902	22.91	0	0	0.35	100	73.3	41.47	6.38	130
626.01	59.65	2913	24.24	0	0	0	100	77.56	41.86	7.32	136.56
626.11	59.65	2925	25.59	0	0	0	100	81.36	41.47	8.12	142.5
626.19	60.89	2938	26.96	0	0	0	100	85.38	41.47	9.14	149.06
626.29	60.89	2950	28.32	0	0	0	100	89.12	41.47	10.3	155.31
626.37	60.89	2957	30.28	0	0	0	100	93.56	40.69	11.02	161.25
626.47	60.89	2963	31.61	0	0	0	100	98.16	39.13	12.04	166.56
626.55	60.89	2985	32.49	0	0	0	100	100.62	37.95	12.4	169.38
626.65	60.89	3003	32.68	0	0	0	100	101.36	37.95	12.62	172.19
626.73	60.89	3021	32.88	0	0	0	100	102.1	37.17	12.62	169.06
626.83	60.89	3029	32.96	0	0	0	100	99.6	34.82	11.82	161.25
626.91	63.38	3048	29.92	0	0	0	100	94.98	33.26	10.88	152.81
627.01	63.38	3055	28.03	0	0	0	100	86.82	30.91	8.92	135.31
627.09	63.38	3066	23.55	0	0	0	100	77.26	28.56	6.38	119.06

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
627.19	63.38	3069	19.65	-1.17	0	0	100	65.28	25.04	3.48	98.12
627.27	63.38	3076	15.75	-1.17	0	0	100	55.12	23.48	1.09	83.44
627.37	63.38	3088	11.2	-1.17	0	0	100	47.4	22.69	-0.44	73.12
627.45	63.38	3088	10.54	-1.17	0	0	100	42.68	22.69	-1.23	66.88
627.55	63.38	3096	9.91	-1.17	0	0	100	40.08	21.91	-2.18	62.5
627.63	64.62	3096	9.25	-1.17	0	0	100	36.12	21.13	-3.19	55.94
627.73	64.62	3097	8.59	-1.17	0	0	100	32.44	19.95	-4.57	48.75
627.81	64.62	3097	7.93	-1.17	-0.39	0	100	27.62	19.17	-5.73	41.88
627.91	64.62	3097	6.61	-1.17	-1.17	0	100	23.82	18	-6.89	35.62
627.99	64.62	3097	5.95	-1.17	-1.95	0	100	19.58	17.22	-8.05	28.12
628.09	64.62	3094	4.62	-1.17	-2.73	0	100	14.28	15.65	-9.21	20.31
628.17	64.62	3088	3.95	-1.17	-3.12	0	100	12.86	14.48	-10.22	18.44
628.27	64.62	3081	3.94	-1.56	-3.9	0	100	9.76	14.48	-10.59	14.69
628.35	64.62	3064	3.92	-1.56	-4.68	0	100	8.6	14.48	-11.02	13.44
628.45	64.62	3088	3.29	-1.56	-5.07	0	100	8.14	14.48	-11.02	12.81
628.53	64.62	3083	3.95	-1.56	0	0	100	7.8	14.48	-11.02	12.81
628.63	64.62	3082	3.95	-1.56	0	0	100	7.8	14.48	-11.02	12.5
628.71	64.62	3072	3.93	-1.56	0	0	100	7.62	14.48	-11.02	12.5
628.81	64.62	3072	3.93	-1.56	0	0	100	7.62	14.48	-11.02	12.5
628.89	64.62	3060	3.92	-1.56	0	0	100	7.52	14.48	-11.17	12.19
628.99	64.62	3061	3.92	-1.56	0	0	100	7.48	14.48	-11.17	12.19
629.07	64.62	3052	3.91	-1.56	0	0	100	7.44	14.48	-11.17	12.19
629.17	64.62	3052	3.91	-1.56	0	0	100	7.72	14.87	-11.02	12.81
629.25	64.62	3040	3.89	-1.56	0	0	100	7.92	14.87	-11.17	13.12
629.35	64.62	3047	3.9	-1.56	0	0	100	7.9	14.87	-11.17	13.12
629.43	64.62	3037	3.89	-1.56	0	0	100	7.98	14.87	-11.02	13.12
629.53	64.62	3037	3.89	-1.56	0	0	100	8.02	14.87	-11.02	13.12
629.61	64.62	3034	3.88	-1.56	0	0	100	7.98	14.48	-11.17	13.12
629.71	64.62	3027	3.88	-1.56	0	0	100	7.82	14.48	-11.17	12.81
629.81	63.38	3022	3.87	-1.56	0	0	100	7.8	14.48	-11.17	12.81
629.89	63.38	3017	3.86	-1.56	0	0	100	7.7	14.48	-11.17	12.81
629.99	63.38	3013	3.86	-1.56	0	0	100	7.64	14.48	-11.39	12.81
630.07	63.38	3010	3.85	-1.56	0	0	100	7.54	14.48	-11.17	12.81
630.17	63.38	3000	3.84	-1.56	0	0	100	7.78	14.87	-11.17	13.44
630.25	63.38	3004	3.85	-1.56	0	0	100	7.96	14.48	-11.17	13.44
630.35	63.38	2996	3.84	-1.56	0	0	100	8.02	14.87	-11.17	13.44
630.43	63.38	2991	3.83	-1.56	0	0	100	7.98	14.48	-11.17	13.44
630.53	63.38	2986	3.82	-1.56	0	0	100	8	14.48	-11.17	13.44
630.61	63.38	2985	3.82	-1.56	0	0	100	7.94	16.43	-10.8	14.69

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
630.71	63.38	2970	4.44	-1.56	0	0	100	10.62	18.39	-9.43	21.88
630.79	63.38	2991	5.74	-1.17	-0.78	0	100	16.12	20.35	-8.27	30.31
630.89	63.38	3022	6.45	-1.17	-1.56	0	100	20.12	21.13	-7.11	36.88
630.97	63.38	2994	7.03	-1.17	-2.34	0	100	22.96	22.3	-6.09	41.56
631.07	63.38	2954	7.56	-1.17	-3.12	0	100	25.88	22.3	-5.51	44.69
631.15	62.14	2967	7.6	-1.17	-3.9	0	100	27.32	22.69	-5.15	46.88
631.25	62.14	2986	7.65	-1.17	-4.68	0	100	28.76	24.26	-4.57	50.94
631.33	62.14	2980	8.27	-1.17	-5.46	0	100	32.3	26.21	-3.41	58.12
631.43	62.14	2978	9.53	-1.17	-6.24	0	100	36.92	27.39	-2.39	65.94
631.51	62.14	2981	10.81	-1.17	0	0	100	41.56	29.34	-1.45	73.44
631.61	62.14	2984	12.1	-1.17	0	0	100	45.48	30.52	-0.87	79.38
631.69	62.14	2992	12.77	-1.17	0	0	100	49.62	34.04	0.15	87.19
631.79	62.14	2996	14.06	-1.17	0	0	100	54.52	36.78	1.09	94.69
631.87	63.38	3003	16.66	-1.17	0	0	100	58.82	39.13	2.1	101.25
631.97	63.38	3007	19.25	-1.17	0	0	100	63.02	40.3	2.83	107.19
632.07	63.38	3019	19.97	-1.17	0	0	100	66.86	40.69	3.84	113.75
632.17	63.38	3021	21.27	-1.17	0	0	100	70.82	41.08	4.79	120.31
632.28	63.38	3035	22.66	0	0	0	100	76.52	41.08	6.02	128.44
632.38	63.38	3047	25.35	0	0	0	100	81.18	41.08	7.32	136.56
632.5	63.38	3063	26.8	0	0	0	100	86.44	41.08	8.7	144.69
632.6	64.62	3073	28.85	0	0	0	100	92.6	40.69	9.86	154.38
632.7	64.62	3100	31.75	0	0	0	100	97.34	39.91	11.02	162.81
632.81	64.62	3109	33.17	0	0	0	100	104	39.13	12.26	168.75
632.91	64.62	3124	34.67	0	0	0	100	107.24	37.56	12.4	171.88
633.03	64.62	3145	34.9	0	0	0	100	104.76	33.26	11.46	160.62
633.13	64.62	3160	28.32	0	0	0	100	84.7	29.34	7.9	125.31
633.25	64.62	3164	22.28	0	0	0	100	70.86	27.39	4.64	105.31
633.35	67.11	3176	18.98	-1.17	0	0	100	62.08	26.21	3.05	94.69
633.47	67.11	3186	14.27	-1.17	0	0	100	55.72	24.26	0.94	82.81
633.57	67.11	3189	12.25	-1.17	0	0	100	47.08	22.69	-0.87	70.62
633.69	67.11	3192	10.22	-1.17	0	0	100	40.16	21.52	-2.61	59.69
633.79	67.11	3198	9.55	-1.17	0	0	100	34.86	21.52	-3.77	51.25
633.91	67.11	3201	8.19	-1.17	0	0	100	29.82	21.52	-4.35	45
634.01	67.11	3199	7.51	-1.17	0	0	100	27.64	21.52	-4.71	43.12
634.13	67.11	3199	7.51	-1.17	0	0	100	27.14	21.52	-5.15	42.5
634.23	67.11	3201	7.51	-1.17	0	0	100	26.16	20.74	-5.73	40.31
634.35	67.11	3203	7.52	-1.17	1.56	0	100	24.62	20.35	-5.95	38.12
634.45	67.11	3201	7.51	-1.17	2.73	0	100	23.04	19.95	-6.53	35.62
634.57	67.11	3198	6.82	-1.17	4.29	0	100	21.88	19.95	-6.89	34.06

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
634.67	67.11	3199	6.83	-1.17	5.46	0	100	21.5	19.95	-6.89	33.75
634.79	67.11	3195	6.82	-1.17	4.68	0	100	20.96	19.56	-7.11	32.81
634.93	67.11	3189	6.12	-1.17	3.9	0	100	20.32	19.17	-7.47	31.56
635.07	67.11	3189	6.12	-1.17	2.34	0	100	19.4	19.17	-7.69	30.31
635.19	67.11	3192	6.13	-1.17	1.56	0	100	19.16	19.17	-7.9	30
635.29	67.11	3187	6.12	-1.17	0.78	0	100	19	19.17	-7.9	29.69
635.41	67.11	3186	6.12	-1.17	-0.39	0	100	18.96	19.17	-7.9	29.69
635.51	67.11	3184	6.11	-1.17	0.78	0	100	18.68	19.17	-8.05	29.38
635.63	67.11	3184	6.11	-1.17	2.34	0	100	18.66	19.17	-7.9	29.69
635.73	67.11	3180	6.11	-1.17	2.73	0	100	18.82	19.17	-8.05	29.69
635.85	67.11	3180	6.11	-1.17	1.95	0	100	18.9	19.17	-8.05	29.69
635.95	67.11	3179	6.1	-1.17	1.17	0	100	18.96	19.17	-7.9	30
636.07	67.11	3176	6.1	-1.17	0	0	100	21	21.13	-7.11	36.88
636.17	67.11	3180	7.46	-1.17	-0.78	0	100	25.56	22.3	-5.95	42.19
636.29	67.11	3180	8.14	-1.17	0.39	0	100	27.28	21.91	-5.73	43.75
636.39	67.11	3176	8.13	-1.17	1.56	0	100	27.88	21.91	-5.73	44.38
636.51	67.11	3176	8.13	-1.17	0.78	0	100	28.72	23.08	-5.15	47.19
636.59	67.11	3180	8.82	-1.17	0	0	100	32.44	23.87	-4.35	52.19
636.69	67.11	3179	9.5	-1.17	0	0	100	34.08	23.87	-4.13	54.69
636.79	67.11	3180	9.5	-1.17	0	0	100	35.26	23.87	-3.99	55.94
636.87	67.11	3184	9.51	-1.17	0	0	100	35.68	23.87	-3.77	57.19
636.97	67.11	3177	10.17	-1.17	0	0	100	36.4	23.87	-3.55	57.81
637.07	67.11	3186	10.2	-1.17	0	0	100	36.86	23.87	-3.77	58.12
637.17	67.11	3187	9.52	-1.17	0	0	100	36.82	23.87	-3.55	58.12
637.25	67.11	3189	9.53	-1.17	0	0	100	36.9	23.87	-3.55	57.81
637.35	67.11	3196	10.23	-1.17	0	0	100	37.62	25.04	-2.97	60.62
637.45	67.11	3195	11.59	-1.17	0	0	100	44.12	28.56	-1.02	74.69
637.55	67.11	3202	12.98	-1.17	0	0	100	49.7	28.17	-0.65	80.31
637.65	67.11	3203	13.67	-1.17	0	0	100	52.42	27.78	-0.44	82.81
637.77	67.11	3207	13.69	-1.17	0	0	100	47.7	24.26	-1.81	70.31
637.85	67.11	3209	10.95	-1.17	0	0	100	43.08	24.26	-2.18	67.19
637.95	67.11	3220	10.99	-1.17	0	0	100	43.1	24.65	-2.03	67.81
638.05	67.11	3220	10.99	-1.17	0	0	100	45.22	26.61	-0.87	74.38
638.13	67.11	3229	12.4	-1.17	0	0	100	51.2	28.95	0.29	84.06
638.23	68.35	3227	14.46	-1.17	0	0	100	56.28	28.95	0.94	88.75
638.33	68.35	3228	15.15	-1.17	0	0	100	58.3	28.56	1.31	91.25
638.43	68.35	3238	15.2	-1.17	0	0	100	59.74	28.17	1.52	93.12
638.51	68.35	3245	15.92	-1.17	0	0	100	61.06	28.17	1.67	96.25
638.61	68.35	3256	18.76	-1.17	0	0	100	63.4	28.17	1.89	98.75

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
638.71	68.35	3260	19.48	-1.17	0	0	100	64.54	28.17	2.25	100
638.81	68.35	3269	20.23	-1.17	0	0	100	65.52	28.17	2.47	101.56
638.89	68.35	3274	20.26	-1.17	0	0	100	66.86	27.39	2.47	101.88
638.99	68.35	3276	18.87	-1.17	0	0	100	56.68	22.69	-0.29	76.56
639.11	68.35	3280	10.5	-1.17	0	0	100	39.44	18.39	-4.13	52.19
639.21	68.35	3282	8.4	-1.17	0	0	100	24.66	16.43	-7.69	31.88
639.33	68.35	3283	4.9	-1.17	-0.78	0	100	15.78	13.3	-10.01	20.31
639.43	68.35	3259	4.17	-1.56	-1.56	0	100	9.32	12.52	-11.39	12.19
639.55	68.35	3239	3.46	-1.56	0	0	100	7.22	11.35	-11.97	10.94
639.65	68.35	3246	4.16	-1.56	0	0	100	6.5	13.69	-11.75	9.06
639.75	68.35	3252	0	-1.56	0	0	100	6.2	14.09	-11.39	9.38
639.85	68.35	3253	0	-1.56	0	0	100	5.92	14.09	-11.17	9.06
639.95	68.35	3246	0	-1.56	0	0	100	6.1	14.09	-11.17	9.69
640.03	68.35	3245	0	-1.56	0	0	100	6.28	14.09	-11.17	9.69
640.13	68.35	3238	0	-1.56	0	0	100	6.34	14.09	-11.17	10
640.23	68.35	3229	0	-1.56	0	0	100	6.42	14.09	-11.17	10
640.33	68.35	3220	0	-1.56	0	0	100	6.5	14.09	-11.17	10.31
640.41	67.11	3214	0	-1.56	0	0	100	6.62	14.09	-11.17	10.62
640.51	67.11	3211	0	-1.56	0	0	100	6.76	14.09	-11.17	10.62
640.63	67.11	3202	0	-1.56	0	0	100	6.76	14.09	-11.17	10.62
640.73	67.11	3199	0	-1.56	0	0	100	6.86	14.09	-11.39	10.94
640.85	67.11	3189	0	-1.56	0	0	100	6.9	14.09	-11.17	10.94
640.95	67.11	3180	0	-1.56	0	0	100	6.96	14.09	-11.39	10.94
641.05	67.11	3175	0	-1.56	0	0	100	6.98	14.09	-11.17	10.94
641.15	67.11	3166	0	-1.56	0	0	100	7	14.09	-11.17	11.25
641.23	67.11	3162	0	-1.56	0	0	100	7	14.09	-11.39	10.94
641.33	67.11	3155	0	-1.56	0	0	100	7	14.09	-11.39	11.25
641.43	67.11	3151	0	-1.56	0	0	100	7	14.09	-11.39	11.25
641.51	67.11	3142	0	-1.56	0	0	100	7	14.09	-11.39	11.25
641.61	67.11	3138	0	-1.56	0	0	100	6.94	14.09	-11.39	11.25
641.69	67.11	3131	0	-1.56	0	0	100	7	14.09	-11.39	11.25
641.79	65.87	3124	0	-1.56	0	0	100	6.96	14.09	-11.39	11.25
641.87	65.87	3122	0	-1.56	0	0	100	6.9	14.09	-11.39	11.25
641.97	65.87	3111	0	-1.56	0	0	100	6.86	14.09	-11.39	10.94
642.07	65.87	3109	0	-1.56	0	0	100	6.78	14.09	-11.39	10.94
642.15	65.87	3099	0	-1.56	0	0	100	6.76	14.09	-11.39	10.94
642.25	65.87	3094	0	-1.56	0	0	100	6.84	14.09	-11.39	11.25
642.33	65.87	3091	0	-1.56	0	0	100	6.84	14.09	-11.39	11.25
642.43	65.87	3082	0	-1.56	0	0	100	6.94	14.48	-11.17	12.19

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
642.51	64.62	3078	0	-1.56	0	0	100	8.18	15.65	-10.8	14.38
642.61	64.62	3075	4.59	-1.56	0	0	100	9.92	16.04	-10.59	16.88
642.69	64.62	3071	4.59	-1.56	0	0	100	10.6	16.04	-10.37	17.5
642.79	64.62	3087	4.61	-1.56	0	0	100	11	16.82	-10.22	18.44
642.87	64.62	3061	4.57	-1.56	0	0	100	11.42	16.82	-10.01	19.38
642.97	64.62	3048	5.2	-1.17	0	0	100	12.56	17.22	-9.64	21.56
643.05	64.62	3064	5.23	-1.17	0	0	100	13.48	17.61	-9.43	22.19
643.15	64.62	3057	5.22	-1.17	0	0	100	13.88	17.22	-9.43	22.81
643.23	64.62	3049	5.2	-1.17	0	0	100	13.94	17.22	-9.43	22.81
643.33	64.62	3047	5.2	-1.17	0	0	100	13.74	17.22	-9.43	22.81
643.41	64.62	3040	5.19	-1.17	0	0	100	13.72	17.22	-9.43	22.81
643.51	64.62	3039	5.19	-1.17	0	0	100	13.68	17.22	-9.43	22.81
643.59	64.62	3034	5.18	-1.17	0	0	100	13.72	17.22	-9.43	22.81
643.69	64.62	3036	5.18	-1.17	0	0	100	13.68	17.61	-9.43	22.81
643.77	64.62	3034	5.18	-1.17	0	0	100	15.16	19.95	-8.48	28.75
643.87	64.62	3046	6.5	-1.17	0	0	100	20.46	21.52	-7.11	36.56
643.95	63.38	3020	7.09	-1.17	0	0	100	23.24	21.13	-6.53	39.38
644.05	63.38	3032	7.12	-1.17	0	0	100	24.02	21.13	-6.31	40.31
644.13	63.38	3032	7.12	-1.17	0	0	100	24.28	21.13	-6.31	40.62
644.23	63.38	3021	7.09	-1.17	0	0	100	24.36	21.13	-6.31	40.31
644.31	63.38	3021	7.09	-1.17	0	0	100	24.2	20.74	-6.53	40
644.41	63.38	3029	7.11	-1.17	0	0	100	23.68	20.74	-6.67	39.06
644.51	63.38	3025	7.1	-1.17	0	0	100	23.4	20.74	-6.53	38.75
644.59	63.38	3026	7.1	-1.17	0	0	100	23.42	20.35	-6.53	38.75
644.69	63.38	3025	7.1	-1.17	0	0	100	23.34	20.74	-6.53	38.75
644.77	63.38	3027	7.11	-1.17	0	0	100	23.32	20.74	-6.53	38.75
644.89	63.38	3021	7.09	-1.17	-0.39	0	100	23.58	20.74	-6.53	39.38
644.97	63.38	3025	7.1	-1.17	-1.17	0	100	23.84	21.13	-6.09	40
645.07	63.38	3026	7.1	-1.17	-1.95	0	100	25	22.3	-5.51	43.75
645.15	63.38	3022	7.74	-1.17	-1.95	0	100	27.66	22.3	-5.15	47.19
645.25	63.38	3025	8.39	-1.17	-0.78	0	100	28.56	22.3	-4.93	48.12
645.35	63.38	3024	8.39	-1.17	0.39	0	100	28.94	22.3	-4.71	48.44
645.43	63.38	3020	7.73	-1.17	0	0	100	29.08	22.3	-4.71	48.75
645.53	63.38	3026	7.75	-1.17	-0.78	0	100	29.52	23.48	-4.35	50
645.63	63.38	3026	9.04	-1.17	-1.95	0	100	33.04	25.04	-3.19	59.38
645.71	63.38	3027	10.33	-1.17	0	0	100	39.62	28.17	-1.6	70.94
645.81	63.38	3036	12.31	-1.17	0	0	100	46.36	31.69	-0.29	80.94
645.91	63.38	3042	13.63	-1.17	0	0	100	52.92	35.6	0.94	91.88
645.99	63.38	3040	16.21	-1.17	0	0	100	58.58	37.56	1.89	99.69

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
646.09	63.38	3046	18.85	-1.17	0	0.7	100	62.52	37.17	2.68	105
646.19	63.38	3058	19.57	-1.17	0	0.7	100	65.66	37.17	3.48	109.69
646.29	63.38	3068	20.95	-1.17	0	0.7	100	68.8	37.17	4.06	114.69
646.37	63.38	3075	21.65	0	0	0.7	100	72.32	36.39	4.79	121.25
646.47	63.38	3077	23.64	0	0	0.7	100	74.5	32.08	4.79	119.06
646.55	63.38	3082	21.04	-1.17	0	0.7	100	68.64	29.74	4.21	110.62
646.65	63.38	3110	20.57	-1.17	0	0.35	100	68.94	29.74	4.21	112.19
646.75	65.87	3114	21.26	-1.17	0	0.35	100	70.48	28.95	4.42	113.75
646.83	65.87	3113	20.59	-1.17	0	0.35	100	64.7	22.3	1.31	87.81
646.93	65.87	3106	11.27	-1.17	0	0.35	100	45.4	19.56	-2.03	65.62
647.03	65.87	3091	8.57	-1.17	0	0	100	32.48	16.43	-5.51	44.38
647.13	65.87	3103	6.62	-1.17	-0.39	0	100	22.36	16.04	-7.9	30.62
647.21	65.87	3128	5.34	-1.17	-1.17	0	100	16.68	15.26	-9.21	25
647.31	65.87	3111	4.65	-1.17	-1.95	0	100	12.92	14.48	-10.22	18.12
647.39	65.87	3103	3.97	-1.56	-2.73	0	100	10.04	14.48	-10.59	15.31
647.47	65.87	3087	3.95	-1.56	-3.12	0	100	8.84	14.48	-10.8	14.06
647.57	65.87	3097	3.3	-1.56	-3.9	0	100	8.34	14.48	-11.02	13.12
647.67	65.87	3104	3.97	-1.56	0	0	100	7.92	14.48	-11.02	12.81
647.77	65.87	3094	3.96	-1.56	0	0	100	7.9	14.48	-11.02	12.5
647.85	65.87	3082	3.95	-1.56	0	0	100	7.48	14.48	-11.02	12.19
647.95	65.87	3080	3.94	-1.56	0	0	100	7.28	14.48	-11.17	11.88
648.03	65.87	3077	3.94	-1.56	0	0	100	7.16	14.48	-11.17	11.88
648.13	65.87	3066	3.92	-1.56	0	0	100	7.26	14.48	-11.17	11.88
648.21	64.62	3064	3.92	-1.56	0	0	100	7.34	14.87	-11.17	12.19
648.31	64.62	3060	3.92	-1.56	0	0	100	7.5	14.87	-11.17	12.5
648.39	64.62	3057	3.91	-1.56	0	0	100	8.3	16.04	-10.8	15
648.49	64.62	3056	4.56	-1.56	0	0	100	10.18	16.43	-10.37	17.5
648.57	64.62	3058	3.91	-1.56	-0.78	0	100	10.9	16.43	-10.22	18.12
648.67	64.62	3034	3.88	-1.56	-1.56	0	100	11.56	16.82	-10.01	19.69
648.75	64.62	3040	4.54	-1.17	-2.34	0	100	12.5	17.22	-9.64	21.25
648.85	63.38	3042	4.54	-1.17	-2.73	0	100	13.1	17.22	-9.64	22.19
648.93	63.38	3035	4.53	-1.17	-3.51	0	100	13.52	17.22	-9.43	22.81
649.03	63.38	3027	4.52	-1.17	-4.29	0	100	13.64	17.61	-9.43	23.12
649.11	63.38	3031	4.53	-1.17	-4.68	0	100	14.3	18.78	-8.85	25.94
649.21	63.38	3022	5.16	-1.17	-5.46	0	100	16.42	19.17	-8.48	28.44
649.29	63.38	3027	5.81	-1.17	-5.07	0	100	18.42	19.56	-8.05	31.25
649.39	63.38	3012	5.78	-1.17	-4.29	0	100	19.12	19.56	-7.9	32.19
649.47	63.38	3022	6.45	-1.17	-3.51	0	100	19.32	19.56	-7.69	32.5
649.57	63.38	3013	5.79	-1.17	-3.12	0	100	19.66	19.56	-7.69	32.81

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
649.65	63.38	3008	5.78	-1.17	-3.51	0	100	19.8	19.56	-7.69	33.12
649.75	63.38	3008	5.78	-1.17	-4.29	0	100	19.8	19.56	-7.69	33.12
649.85	63.38	3004	5.77	-1.17	-4.68	0	100	19.86	19.56	-7.47	33.44
649.93	63.38	3003	6.41	-1.17	-3.51	0	100	19.9	19.56	-7.47	33.44
650.03	63.38	3002	6.41	-1.17	-2.73	0	100	20.04	19.95	-7.47	33.75
650.11	63.38	3003	6.41	-1.17	-1.56	0	100	20.84	20.35	-7.11	35.94
650.21	63.38	2996	6.39	-1.17	-1.17	0	100	21.8	20.74	-6.67	37.19
650.29	63.38	2994	7.03	-1.17	-1.95	0	100	22.84	20.74	-6.53	39.06
650.39	63.38	2992	7.02	-1.17	-2.73	0	100	23.88	21.52	-6.09	41.25
650.47	63.38	2997	7.67	-1.17	-1.95	0	100	26.14	23.48	-4.93	47.19
650.57	63.38	2996	8.95	-1.17	-0.78	0	100	31.14	24.26	-3.99	54.06
650.65	63.38	2994	9.58	-1.17	0.39	0	100	33.46	25.04	-3.41	57.5
650.75	63.38	2997	9.59	-1.17	0.78	0	100	35.88	25.43	-2.97	61.56
650.83	63.38	2994	10.22	-1.17	0	0	100	37.58	25.43	-2.61	64.38
650.93	63.38	2997	10.23	-1.17	0	0	100	38.76	25.43	-2.39	65.31
651.01	63.38	2999	10.88	-1.17	0	0	100	39.64	25.43	-2.39	66.88
651.11	63.38	2999	10.88	-1.17	0	0	100	40.06	25.43	-2.18	67.5
651.19	63.38	2999	10.24	-1.17	0	0	100	40.34	25.43	-2.03	68.12
651.29	63.38	3002	10.89	-1.17	0	0	100	40.98	25.43	-2.03	68.75
651.37	63.38	3007	10.91	-1.17	0	0	100	41.6	25.43	-1.81	70.31
651.47	63.38	3003	10.89	-1.17	0	0	100	42.34	25.43	-1.45	70.94
651.55	63.38	3005	10.9	-1.17	0	0	100	43.04	26.21	-1.02	73.75
651.65	63.38	3008	12.19	-1.17	0	0	100	46.96	28.56	-0.07	80.94
651.73	63.38	3017	12.87	-1.17	0	0	100	50.84	29.34	0.73	86.88
651.83	63.38	3019	14.17	-1.17	0	0	100	55.02	30.52	1.31	94.38
651.91	63.38	3021	17.41	-1.17	0	0	100	59.18	32.08	2.1	101.25
652.01	63.38	3029	19.39	-1.17	0	0	100	63.26	32.47	2.68	105.62
652.09	63.38	3031	20.05	-1.17	0	0	100	65.18	32.47	3.26	110
652.19	63.38	3041	20.76	-1.17	0	0	100	67.58	32.47	3.63	113.75
652.27	63.38	3044	21.44	-1.17	0	0	100	70.3	32.47	4.21	117.19
652.37	63.38	3062	22.21	0	0	0	100	72.9	32.87	5	121.56
652.45	64.62	3062	22.87	0	0	0	100	75.8	33.65	5.8	127.19
652.55	64.62	3075	24.93	0	0	0	100	79.5	33.65	6.16	131.88
652.63	64.62	3080	25.63	0	0	0	100	82.14	33.26	6.74	135.31
652.73	64.62	3087	26.35	0	0	0	100	84.26	32.87	7.18	138.12
652.81	64.62	3097	27.09	0	0	0	100	85.48	31.3	7.18	136.56
652.91	64.62	3103	24.49	0	0	0	100	79.02	28.17	5.37	121.56
652.99	64.62	3106	21.87	0	0	0	100	69.54	26.21	3.63	103.44
653.09	65.87	3115	16.62	-1.17	0	0	100	57.08	25.43	2.25	90

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
653.17	65.87	3124	13.33	-1.17	0	0	100	53.8	25.43	1.52	85.31
653.27	65.87	3139	12.72	-1.17	0	0	100	51.48	25.43	1.09	82.19
653.35	65.87	3135	12.71	-1.17	0	0	100	50.4	25.43	0.73	80
653.45	65.87	3134	12.04	-1.17	0	0	100	49.4	25.43	0.51	79.06
653.53	65.87	3134	12.04	-1.17	0	0	100	49.64	25.43	0.29	79.69
653.63	65.87	3143	12.07	-1.17	0	0	100	50.02	25.82	0.29	80.62
653.71	65.87	3145	12.75	-1.17	0	0	100	50.76	25.43	0.29	80.94
653.81	65.87	3147	12.76	-1.17	0	0	100	51.26	25.82	0.51	82.5
653.89	65.87	3157	12.8	-1.17	0	0	100	51.96	25.82	0.29	83.12
653.99	65.87	3160	13.49	-1.17	0	0	100	52.6	25.43	0.29	83.12
654.07	65.87	3162	12.82	-1.17	0	0	100	51.76	25.43	0.15	81.56
654.17	65.87	3171	12.85	-1.17	0	0	100	51	25.43	0.15	80.62
654.25	65.87	3171	12.85	-1.17	0	0	100	50.58	25.43	0.15	80.31
654.35	65.87	3172	12.86	-1.17	0	0	100	50.54	25.43	0.15	80
654.43	65.87	3177	12.88	-1.17	0	0	100	50.28	25.43	0.15	79.69
654.53	67.11	3175	12.87	-1.17	0	0	100	50.28	25.04	-0.07	78.75
654.61	67.11	3175	12.87	-1.17	0	0	100	49.8	25.04	-0.29	77.5
654.71	67.11	3183	12.22	-1.17	0	0	100	47.46	24.65	-0.65	74.06
654.79	67.11	3186	11.55	-1.17	0	0	100	45.5	24.26	-1.02	70.62
654.89	67.11	3180	10.86	-1.17	0	0	100	43.22	23.87	-1.45	67.19
654.97	67.11	3192	10.9	-1.17	0	0	100	41.82	23.87	-1.6	65
655.07	67.11	3194	10.9	-1.17	0	0	100	41.2	23.87	-1.81	64.38
655.17	67.11	3195	10.91	-1.17	0	0	100	40.82	23.87	-1.81	64.06
655.25	67.11	3201	10.93	-1.17	0	0	100	41.64	24.26	-1.81	65.94
655.35	67.11	3201	10.93	-1.17	0	0	100	43.02	24.26	-1.45	68.12
655.43	67.11	3199	10.92	-1.17	0	0	100	43.68	24.26	-1.6	68.75
655.53	67.11	3199	11.6	-1.17	0	0	100	43.98	24.26	-1.45	69.38
655.61	67.11	3199	11.6	-1.17	0	0	100	44.54	24.65	-1.45	70.31
655.71	67.11	3205	11.62	-1.17	0	0	100	44.78	24.65	-1.45	70
655.81	67.11	3209	11.64	-1.17	0	0	100	44.64	24.26	-1.45	69.69
655.89	67.11	3206	11.63	-1.17	0	0	100	44.46	24.26	-1.45	69.38
655.99	67.11	3211	11.65	-1.17	0	0	100	44.3	24.26	-1.6	69.38
656.07	67.11	3216	11.66	-1.17	0	0	100	44.22	24.26	-1.45	69.38
656.17	67.11	3218	10.99	-1.17	0	0	100	44.38	24.26	-1.6	69.06
656.27	67.11	3220	10.99	-1.17	0	0	100	44.04	24.26	-1.6	67.81
656.37	67.11	3220	10.99	-1.17	0	0	100	43.2	23.87	-1.81	66.88
656.47	67.11	3225	11.01	-1.17	0	0	100	42.5	23.87	-1.81	66.56
656.57	67.11	3228	11.02	-1.17	0	0	100	42.12	23.87	-1.81	65.62
656.67	68.35	3234	11.04	-1.17	0	0	100	42.04	23.87	-2.03	65

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
656.77	68.35	3232	11.03	-1.17	0	0	100	41.56	23.87	-2.18	64.06
656.87	68.35	3239	11.06	-1.17	0	0	100	41.12	23.48	-2.18	63.12
656.97	68.35	3248	10.39	-1.17	0	0	100	40.62	23.08	-2.61	62.19
657.07	68.35	3244	10.38	-1.17	0	0	100	37.4	22.3	-3.41	56.56
657.19	68.35	3245	9.69	-1.17	0	0	100	35.2	22.3	-3.77	53.12
657.29	68.35	3241	9.68	-1.17	0	0	100	33.36	21.91	-3.99	50.62
657.41	68.35	3232	8.97	-1.17	0	0	100	31.6	21.91	-4.35	48.44
657.51	68.35	3242	8.99	-1.17	0	0	100	31	21.91	-4.35	47.81
657.63	68.35	3252	8.33	-1.17	0	0	100	30.68	22.3	-4.57	47.19
657.73	68.35	3255	8.33	-1.17	0	0	100	30.26	21.91	-4.71	46.56
657.85	68.35	3249	8.32	-1.17	0	0	100	28.34	20.35	-5.73	41.56
657.95	68.35	3248	7.62	-1.17	0	0	100	23.1	16.82	-7.69	30.94
658.07	68.35	3238	4.84	-1.17	0.78	0	100	13.92	13.3	-10.22	16.56
658.17	68.35	3223	4.13	-1.56	0	0	100	7.98	12.52	-11.6	10.94
658.29	68.35	3189	4.08	-1.56	0	0	100	7.14	12.13	-11.75	10.94
658.39	68.35	3220	4.12	-1.56	0	0	100	7.12	12.13	-11.97	10.94
658.51	68.35	3241	4.15	-1.56	0	0	100	7.1	11.74	-11.97	10.94
658.61	68.35	3221	4.12	-1.56	0	0	100	7.06	11.74	-12.18	10.94
658.73	68.35	3211	4.11	-1.56	0	0	100	7.04	11.35	-12.18	10.94
658.83	67.11	3199	4.1	-1.56	0	0	100	6.76	12.52	-11.97	9.69
658.95	67.11	3198	0	-1.56	0	0	100	6.5	14.09	-11.6	10.62
659.05	67.11	3189	4.08	-1.56	0	0	100	7.88	14.87	-11.17	12.5
659.17	67.11	3192	4.09	-1.56	0	0	100	8.06	14.87	-11.17	12.81
659.27	67.11	3172	4.06	-1.56	0	0	100	8.02	14.87	-11.17	12.81
659.39	67.11	3183	4.07	-1.56	0	0	100	8.2	14.87	-11.17	12.81
659.49	67.11	3173	4.06	-1.56	0	0	100	8.2	14.87	-11.17	13.12
659.61	67.11	3172	4.06	-1.56	0	0	100	8.18	14.87	-11.17	13.12
659.71	67.11	3166	4.05	-1.56	0	0	100	8.16	14.87	-11.17	13.12
659.83	67.11	3157	4.04	-1.56	0	0	100	8.12	14.87	-11.17	13.12
659.93	67.11	3160	4.05	-1.56	0	0	100	8.06	14.48	-11.17	12.81
660.03	67.11	3153	4.04	-1.56	0	0	100	7.84	14.48	-11.17	12.5
660.13	67.11	3149	4.03	-1.56	0	0	100	7.76	14.48	-11.39	12.5
660.23	65.87	3147	4.03	-1.56	0	0	100	7.8	14.48	-11.39	12.5
660.33	65.87	3140	4.02	-1.56	0	0	100	7.82	14.48	-11.17	12.5
660.45	65.87	3142	4.02	-1.56	0	0	100	7.96	14.87	-11.17	12.81
660.55	65.87	3143	4.02	-1.56	0	0	100	8.16	14.87	-11.17	13.12
660.67	65.87	3134	4.01	-1.56	0	0	100	8.22	14.87	-11.17	13.44
660.77	65.87	3130	4.01	-1.56	0	0	100	8.26	14.87	-11.17	13.44
660.89	65.87	3124	4	-1.56	0	0	100	9.76	16.04	-10.59	16.88

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
660.99	65.87	3135	4.68	-1.56	-0.39	0	100	11.48	17.22	-10.01	19.69
661.11	65.87	3128	4.67	-1.17	-1.56	0	100	13.24	17.22	-9.64	22.19
661.21	65.87	3121	4.66	-1.17	-2.34	0	100	13.92	17.61	-9.64	22.19
661.29	65.87	3118	4.66	-1.17	-3.12	0	100	13.82	17.22	-9.64	22.19
661.39	65.87	3127	4.67	-1.17	-3.9	0	100	13.88	17.61	-9.64	22.5
661.49	65.87	3117	4.65	-1.17	-4.29	0	100	13.96	17.22	-9.28	22.5
661.59	65.87	3122	4.66	-1.17	-5.07	0	100	13.86	17.61	-9.43	22.81
661.67	65.87	3128	4.67	-1.17	-5.85	0	100	14.82	18	-9.21	24.06
661.77	65.87	3115	4.65	-1.17	-6.63	0	100	14.96	17.61	-9.21	24.06
661.87	65.87	3115	4.65	-1.17	-7.02	0	100	14.98	18	-9.21	24.06
661.97	65.87	3121	4.66	-1.17	-6.24	0	100	15	17.61	-9.21	24.06
662.05	65.87	3106	4.64	-1.17	-5.07	0	100	14.94	18	-9.21	24.06
662.15	65.87	3113	5.31	-1.17	-4.29	0	100	14.92	18	-9.21	24.38
662.25	65.87	3115	5.32	-1.17	-3.12	0	100	15	18	-9.21	24.38
662.35	65.87	3108	5.3	-1.17	-1.95	0	100	14.98	18	-9.21	24.06
662.45	65.87	3105	5.3	-1.17	-1.17	0	100	14.9	18	-9.21	24.06
662.53	65.87	3104	5.3	-1.17	-1.17	0	100	14.84	18	-9.21	24.06
662.63	65.87	3100	4.63	-1.17	-1.95	0	100	14.84	18	-9.06	24.38
662.73	65.87	3097	5.29	-1.17	-2.34	0	100	15.34	18	-9.06	25
662.81	65.87	3097	5.29	-1.17	-2.34	0	100	15.8	18.39	-8.85	26.25
662.91	65.87	3099	5.29	-1.17	-1.56	0	100	16.76	18.78	-8.63	27.5
663.03	64.62	3100	5.95	-1.17	-0.39	0	100	17.72	18.78	-8.27	29.38
663.13	64.62	3094	5.94	-1.17	0.78	0	100	18.2	19.17	-8.27	29.69
663.25	64.62	3095	5.94	-1.17	0.78	0	100	18.22	19.17	-8.12	29.69
663.35	64.62	3094	5.94	-1.17	0	0	100	18.34	19.17	-8.27	29.69
663.47	64.62	3092	5.94	-1.17	-0.78	0	100	18.3	19.17	-8.27	29.69
663.57	64.62	3094	5.94	-1.17	-1.56	0	100	18.24	19.17	-8.27	29.69
663.69	64.62	3094	5.94	-1.17	-2.34	0	100	18.24	19.17	-8.05	30
663.79	64.62	3092	5.94	-1.17	-3.12	0	100	18.3	18.78	-8.27	29.69
663.91	64.62	3092	5.94	-1.17	-1.95	0	100	18.5	19.17	-8.05	30
664.01	64.62	3092	5.94	-1.17	-1.17	0	100	18.4	19.17	-8.05	30
664.13	64.62	3094	5.94	-1.17	-0.39	0	100	19.08	19.56	-7.9	31.56
664.23	64.62	3094	5.94	-1.17	-1.17	0	100	19.76	19.56	-7.54	32.19
664.33	64.62	3091	5.94	-1.17	-1.95	0	100	19.68	19.17	-7.9	31.88
664.41	64.62	3091	5.94	-1.17	-1.95	0	100	19.46	19.17	-7.9	31.56
664.51	64.62	3091	5.94	-1.17	-0.78	0	100	19.12	19.17	-8.05	30.62
664.61	64.62	3090	5.93	-1.17	0	0	100	18.58	18.78	-8.05	30
664.71	64.62	3088	5.93	-1.17	-0.39	0	100	18.22	18.78	-8.27	29.38
664.79	64.62	3092	5.94	-1.17	-1.56	0	100	17.86	18.78	-8.48	29.06

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
664.91	64.62	3092	5.94	-1.17	-2.34	0	100	17.72	18.78	-8.48	28.75
664.99	64.62	3087	5.27	-1.17	-2.73	0	100	17.52	18.78	-8.27	28.44
665.09	64.62	3087	5.27	-1.17	-3.51	0	100	17.6	18.39	-8.48	28.44
665.19	64.62	3087	5.27	-1.17	-3.12	0	100	17.4	18.39	-8.63	27.81
665.27	64.62	3087	5.27	-1.17	-1.95	0	100	16.8	18.39	-8.63	27.5
665.37	64.62	3087	5.27	-1.17	-1.17	0	100	16.66	18.39	-8.63	27.19
665.45	64.62	3086	5.27	-1.17	-0.39	0	100	16.44	18.39	-8.63	26.88
665.55	64.62	3088	5.27	-1.17	-1.17	0	100	16.3	18	-8.85	26.25
665.63	64.62	3077	5.25	-1.17	-1.56	0	100	15.72	18	-9.06	25.31
665.73	64.62	3086	5.27	-1.17	-2.34	0	100	15.36	17.61	-9.06	25
665.81	64.62	3083	5.26	-1.17	-1.56	0	100	15.28	18	-9.06	24.69
665.91	64.62	3082	4.6	-1.17	-1.95	0	100	15	17.61	-9.21	24.38
665.99	64.62	3076	4.59	-1.17	-2.73	0	100	14.78	17.61	-9.21	24.06
666.09	64.62	3078	4.6	-1.17	-3.51	0	100	14.54	17.61	-9.21	23.75
666.17	64.62	3080	5.26	-1.17	-2.73	0	100	14.64	17.61	-9.21	24.06
666.27	64.62	3073	5.25	-1.17	-1.95	0	100	14.52	17.61	-9.06	23.75
666.35	64.62	3078	5.25	-1.56	-0.78	0	100	14.52	17.61	-9.21	23.75
666.45	64.62	3073	5.25	-1.56	0	0	100	14.78	18	-9.06	24.69
666.53	64.62	3077	5.91	-1.56	1.17	0	100	16.8	20.74	-8.05	30.94
666.63	64.62	3087	7.25	-1.17	0.78	0	100	22.06	22.3	-6.67	38.75
666.71	64.62	3072	7.87	-1.17	-0.39	0	100	26	23.08	-5.73	45
666.81	64.62	3073	8.52	-1.17	0.78	0	100	29.22	23.48	-5.15	48.44
666.89	64.62	3080	9.2	-1.17	1.95	0	100	31.06	24.26	-4.35	52.5
666.99	64.62	3081	9.2	-1.17	1.17	0	100	33.12	23.87	-4.13	54.06
667.07	64.62	3084	9.21	-1.17	0	0	100	33.1	23.08	-4.35	53.44
667.17	64.62	3086	8.56	-1.17	0	0	100	30.04	19.95	-5.95	46.56
667.25	64.62	3086	7.24	-1.17	-0.78	0	100	26.28	19.56	-6.67	40.62
667.35	64.62	3086	6.58	-1.17	-1.56	0	100	22.76	18.78	-7.25	35.62
667.43	64.62	3087	5.93	-1.17	-2.34	0	100	20.64	18.78	-7.69	32.5
667.53	64.62	3087	5.93	-1.17	-3.12	0	100	18.84	18.39	-8.05	30
667.61	64.62	3088	5.27	-1.17	-3.51	0	100	17.9	18.39	-8.27	28.44
667.71	64.62	3086	5.27	-1.17	-4.29	0	100	17.04	18	-8.48	27.5
667.79	64.62	3088	5.27	-1.17	-5.07	0	100	16.56	18	-8.48	26.56
667.89	64.62	3083	5.26	-1.17	-5.85	0	100	16.1	18	-8.63	25.94
667.97	64.62	3087	5.27	-1.17	-5.85	0	100	15.88	18	-8.85	25.62
668.07	64.62	3086	5.27	-1.17	-5.07	0	100	15.76	18	-8.85	25.62
668.15	64.62	3087	5.27	-1.17	-3.9	0	100	15.6	18	-8.85	25.31
668.25	64.62	3084	5.26	-1.17	-3.12	0	100	15.42	18	-8.85	25.31
668.33	64.62	3080	5.26	-1.17	-1.95	0	100	15.62	18.39	-8.85	25.62

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
668.43	64.62	3081	5.26	-1.17	-1.17	0	100	15.88	18.39	-8.63	26.25
668.51	64.62	3081	5.26	-1.17	0	0	100	16.28	18.39	-8.63	26.88
668.61	64.62	3083	5.26	-1.17	0.78	0	100	16.82	18.78	-8.48	28.12
668.69	64.62	3083	5.92	-1.17	1.95	0	100	18.2	19.95	-8.05	31.25
668.79	64.62	3081	6.57	-1.17	2.73	0	100	21.02	21.13	-7.11	35.94
668.89	64.62	3082	7.23	-1.17	2.34	0	100	23.88	21.52	-6.38	40
668.97	64.62	3083	7.24	-1.17	1.56	0	100	25.06	21.52	-6.31	41.25
669.07	64.62	3083	7.24	-1.17	0.78	0	100	25.52	21.52	-6.09	41.88
669.15	64.62	3087	7.25	-1.17	0	0	100	25.68	21.52	-6.09	41.56
669.25	64.62	3084	7.24	-1.17	-0.78	0	100	25.64	21.13	-6.09	41.56
669.33	64.62	3086	7.24	-1.17	-1.95	0	100	25.56	21.13	-6.09	41.56
669.43	64.62	3090	7.25	-1.17	-1.95	0	100	25.54	21.13	-6.09	41.56
669.53	64.62	3088	7.25	-1.17	-0.39	0	100	25.56	21.13	-6.09	41.56
669.61	64.62	3091	7.91	-1.17	0.78	0	100	25.28	21.13	-6.09	41.25
669.71	64.62	3092	7.92	-1.17	1.95	0	100	25.04	20.74	-6.31	40.62
669.81	64.62	3095	7.26	-1.17	1.17	0	100	25	20.74	-6.31	40
669.89	64.62	3092	7.26	-1.17	0.39	0	100	24.46	20.35	-6.53	39.06
669.99	64.62	3094	6.6	-1.17	-0.39	0	100	23.32	19.17	-7.11	36.56
670.09	64.62	3094	6.6	-1.17	-1.17	0	100	20.96	18.39	-7.9	32.81
670.17	64.62	3088	5.93	-1.17	-1.95	0	100	19	18.39	-8.05	29.69
670.27	64.62	3092	5.94	-1.17	-2.73	0	100	17.64	18.39	-8.48	28.12
670.37	64.62	3091	5.28	-1.17	-3.51	0	100	16.82	18.39	-8.48	27.19
670.45	64.62	3091	5.28	-1.17	-4.29	0	100	16.58	18.39	-8.63	26.56
670.55	64.62	3094	5.28	-1.56	-5.07	0	100	16.24	18.39	-8.63	26.56
670.65	64.62	3095	5.28	-1.56	-4.29	0	100	16.32	18.39	-8.63	26.56
670.73	64.62	3091	5.28	-1.56	-3.51	0	100	16.38	18.39	-8.63	26.56
670.83	64.62	3084	5.26	-1.56	-2.34	0	100	16.24	18.39	-8.63	26.25
670.91	64.62	3091	5.28	-1.56	-1.56	0	100	16.14	18.39	-8.63	26.56
671.01	64.62	3083	5.26	-1.56	-0.39	0	100	16.16	18.39	-8.63	26.25
671.11	64.62	3081	5.26	-1.56	0.39	0	100	16.2	18.39	-8.63	26.25
671.19	64.62	3088	5.27	-1.56	1.56	0	100	16.2	18.39	-8.63	26.25
671.29	64.62	3081	5.26	-1.56	2.73	0	100	16.08	18	-8.63	26.25
671.39	64.62	3084	5.26	-1.56	3.12	0	100	16.12	18.39	-8.63	26.25
671.47	64.62	3083	5.26	-1.56	2.34	0	100	16.16	18.39	-8.63	26.56
671.57	64.62	3081	5.26	-1.56	1.56	0	100	16.28	18.39	-8.63	26.56
671.65	64.62	3083	5.26	-1.17	0.78	0	100	16.2	18.39	-8.63	26.56
671.75	64.62	3080	5.26	-1.17	0.39	0	100	16.38	18	-8.63	26.56
671.85	64.62	3078	5.25	-1.17	-0.39	0	100	16.24	18.39	-8.63	26.56
671.93	64.62	3083	5.26	-1.56	-1.17	0	100	16.24	18.39	-8.85	26.25

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
672.03	64.62	3080	5.26	-1.56	-1.95	0	100	16.26	18.39	-8.63	26.56
672.11	64.62	3075	5.25	-1.56	-2.34	0	100	16.12	18.39	-8.63	26.25
672.21	64.62	3081	5.26	-1.56	-1.17	0	100	16.14	18.39	-8.63	26.25
672.29	64.62	3076	5.25	-1.56	0	0	100	16.18	18.39	-8.85	26.56
672.39	64.62	3076	5.25	-1.56	0.78	0	100	16.2	18.39	-8.85	26.56
672.47	64.62	3077	5.25	-1.56	1.56	0	100	16.28	18.39	-8.63	26.56
672.57	64.62	3076	5.25	-1.56	0.78	0	100	16.14	18.39	-8.63	26.25
672.65	64.62	3076	5.25	-1.56	0	0	100	16.18	18.39	-8.85	26.56
672.75	64.62	3080	5.26	-1.56	-0.39	0	100	16.4	18.39	-8.85	26.88
672.85	64.62	3081	5.26	-1.56	-1.17	0	100	16.26	18.39	-8.63	26.56
672.93	64.62	3072	5.24	-1.56	-1.95	0	100	16.28	18	-8.63	26.56
673.03	64.62	3073	5.25	-1.56	-2.34	0	100	16.24	18	-8.85	26.56
673.11	64.62	3075	5.25	-1.56	-1.95	0	100	16.26	18.39	-8.85	26.56
673.21	64.62	3071	5.24	-1.56	-1.17	0	100	16.24	18	-8.85	26.56
673.29	64.62	3071	5.24	-1.56	0	0	100	16.08	18	-8.85	26.56
673.39	64.62	3072	5.24	-1.56	0.78	0	100	16	18	-8.85	25.94
673.47	64.62	3072	5.24	-1.56	0	0	100	15.9	18	-8.85	25.94
673.57	64.62	3071	5.24	-1.56	-0.78	0	100	15.78	18	-8.85	25.62
673.65	64.62	3075	5.25	-1.56	-1.56	0	100	15.58	18	-9.06	25.31
673.75	64.62	3068	5.24	-1.56	-1.95	0	100	15.42	18	-9.06	25
673.83	64.62	3072	5.24	-1.56	-1.17	0	100	15.26	18	-9.06	24.69
673.93	64.62	3073	5.25	-1.56	-0.39	0	100	15.04	17.61	-9.06	24.69
674.01	64.62	3069	5.24	-1.56	0.78	0	100	14.9	17.61	-9.06	24.06
674.11	64.62	3067	5.23	-1.56	1.56	0	100	14.5	17.61	-9.21	23.44
674.19	64.62	3067	5.23	-1.56	0.78	0	100	14.3	17.61	-9.21	23.44
674.29	64.62	3064	4.58	-1.56	0	0	100	14.2	17.61	-9.21	23.12
674.37	64.62	3064	4.58	-1.56	-0.78	0	100	14.14	17.22	-9.43	23.12
674.47	64.62	3064	4.58	-1.56	-1.17	0	100	13.94	17.22	-9.43	22.81
674.55	64.62	3057	4.57	-1.56	-1.95	0	100	13.58	17.22	-9.5	21.88
674.65	64.62	3058	4.57	-1.56	-2.73	0	100	13.06	16.82	-9.79	21.25
674.73	64.62	3058	4.57	-1.56	-3.12	0	100	12.74	16.82	-9.79	20.62
674.83	64.62	3056	4.56	-1.56	-3.9	0	100	12.46	16.82	-9.79	20.62
674.91	64.62	3063	4.58	-1.56	-4.68	0	100	12.4	16.82	-9.79	20.31
675.01	64.62	3052	4.56	-1.95	-5.46	0	100	12.28	16.82	-9.79	20.62
675.09	64.62	3051	4.56	-1.95	-5.07	0	100	12.76	17.22	-9.64	21.25
675.19	64.62	3052	4.56	-1.95	-4.29	0	100	13.72	18.78	-9.21	25
675.27	64.62	3053	5.21	-1.95	-3.12	0	100	16.44	19.56	-8.48	29.06
675.37	64.62	3066	6.54	-1.95	-2.34	0	100	19.28	20.35	-7.69	33.12
675.45	64.62	3043	6.49	-1.95	-1.56	0	100	21.2	21.13	-7.11	36.88

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
675.55	64.62	3049	7.16	-1.95	0	0	100	24.08	22.3	-6.09	41.56
675.63	64.62	3053	7.82	-1.95	-1.17	0	100	26.88	23.08	-5.37	45.94
675.73	64.62	3062	7.84	-1.95	-1.95	0	100	28.78	23.08	-5.15	47.81
675.81	64.62	3058	8.48	-1.95	-1.17	0	100	29.2	22.69	-5.15	48.44
675.91	64.62	3052	8.47	-1.95	0	0	100	29.4	22.69	-5.15	48.44
675.99	64.62	3055	8.47	-1.95	0	0	100	29.52	22.3	-4.93	48.12
676.09	64.62	3060	7.83	-1.95	-0.78	0	100	29.26	22.3	-5.15	47.81
676.17	64.62	3066	7.85	-1.95	-1.56	0	100	29	21.91	-5.37	47.19
676.27	64.62	3067	7.85	-1.95	-2.34	0	100	28.32	21.52	-5.51	45.94
676.35	64.62	3069	7.86	-1.95	-3.51	0	100	27.74	21.52	-5.51	45
676.45	64.62	3067	7.2	-2.34	-4.29	0	100	26.98	21.13	-5.73	43.75
676.53	64.62	3063	7.19	-2.34	-5.07	0	100	26.38	21.13	-5.95	42.5
676.63	64.62	3071	7.21	-2.34	-3.9	0	100	25.78	21.13	-5.95	41.88
676.71	64.62	3075	7.22	-2.34	-2.73	0	100	25.44	21.13	-6.09	41.56
676.81	64.62	3077	7.22	-2.34	-1.95	0	100	25.42	21.13	-5.95	41.56
676.89	64.62	3077	7.22	-2.34	-0.39	0	100	25.98	21.91	-5.73	43.12
676.99	64.62	3082	8.55	-2.34	0.78	0	100	28.76	23.87	-4.35	50.62
677.07	64.62	3083	9.87	-2.34	1.95	0	100	33.26	24.65	-3.55	57.19
677.17	64.62	3081	9.86	-2.34	0	0	100	36.72	25.43	-2.97	62.5
677.25	64.62	3087	10.54	-2.34	0	0	100	40.8	27	-2.03	69.38
677.35	64.62	3092	11.22	-2.34	0	0	100	44.38	27.39	-1.45	74.06
677.43	64.62	3100	11.91	-2.34	0	0	100	46.84	27.78	-1.02	77.81
677.53	64.62	3105	12.59	-2.34	0	0	100	48.86	27.39	-0.87	79.69
677.61	64.62	3110	12.61	-2.34	0	0	100	49.52	27.39	-0.65	80.31
677.71	64.62	3113	12.62	-2.34	0	0	100	50.5	27.39	-0.44	82.19
677.79	64.62	3119	12.64	-2.34	0	0	100	51.28	27.39	-0.29	83.12
677.89	65.87	3124	13.33	-2.34	0	0	100	52.08	27.39	-0.07	84.38
677.97	65.87	3131	13.36	-2.34	0	0	100	53.12	27	-0.07	85.62
678.07	65.87	3135	13.38	-2.34	0	0	100	53.74	27	0.15	86.25
678.15	65.87	3142	13.41	-2.34	0	0	100	53.88	26.61	0.15	85.94
678.25	65.87	3148	13.43	-2.34	0	0	100	53.34	25.43	-0.29	83.12
678.33	65.87	3151	12.77	-2.34	0	0	100	50.04	23.87	-0.87	75.94
678.43	65.87	3159	11.46	-2.34	0	0	100	43.9	23.08	-2.03	67.19
678.51	65.87	3164	10.13	-2.34	0	0	100	38.42	21.52	-3.19	56.56
678.61	65.87	3162	8.77	-2.34	0	0	100	31.56	21.13	-4.35	46.88
678.69	65.87	3166	7.43	-2.34	0	0	100	27.6	20.74	-4.79	41.56
678.79	65.87	3169	7.44	-2.34	0	0	100	24.88	20.74	-5.37	38.75
678.87	65.87	3166	7.43	-2.34	1.56	0	100	24.06	20.74	-5.51	37.5
678.97	65.87	3166	6.76	-2.34	2.73	0	100	23.5	20.74	-5.95	37.19

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
679.05	65.87	3177	7.46	-2.34	3.9	0	100	23.58	20.74	-5.95	37.19
679.15	65.87	3175	7.45	-2.34	5.07	0	100	23.58	20.74	-6.09	37.5
679.23	65.87	3171	7.44	-2.34	6.24	0	100	23.36	20.35	-6.31	36.88
679.33	67.11	3173	7.45	-2.34	7.41	0	100	23.16	20.35	-6.53	36.56
679.41	67.11	3175	7.45	-2.34	8.58	0	100	23.1	20.35	-6.53	36.56
679.51	67.11	3176	7.45	-2.34	9.75	0	100	22.94	20.35	-6.53	36.25
679.61	67.11	3179	7.46	-2.34	10.14	0	100	22.92	20.35	-6.67	36.25
679.69	67.11	3177	7.46	-2.34	8.97	0	100	22.8	20.35	-6.67	35.94
679.79	67.11	3182	7.47	-2.34	8.19	0	100	22.8	20.35	-6.67	35.94
679.87	67.11	3179	7.46	-2.34	7.41	0	100	22.7	20.35	-6.67	35.94
679.97	67.11	3176	6.78	-2.34	6.63	0	100	22.68	20.35	-6.89	35.94
680.05	67.11	3183	6.79	-2.34	5.46	0	100	22.86	19.95	-6.89	35.94
680.15	67.11	3180	6.79	-2.34	4.68	0	100	22.54	19.95	-6.89	35.31
680.23	67.11	3177	6.78	-2.34	3.9	0	100	22.3	19.95	-7.11	35
680.33	67.11	3177	6.78	-2.34	3.12	0	100	22.16	19.95	-7.11	35
680.41	67.11	3179	6.78	-2.34	2.34	0	100	21.9	19.95	-7.11	34.69
680.51	67.11	3180	6.79	-2.34	3.51	0	100	21.74	19.95	-7.25	34.06
680.59	67.11	3179	6.78	-2.34	4.68	0	100	21.48	19.95	-7.25	33.75
680.69	67.11	3179	6.78	-2.34	5.46	0	100	21.32	19.56	-7.25	33.44
680.77	67.11	3176	6.78	-2.34	4.68	0	100	20.9	19.56	-7.47	33.12
680.87	67.11	3177	6.1	-2.34	3.9	0	100	20.66	19.56	-7.47	32.5
680.95	67.11	3179	6.1	-2.34	3.12	0	100	20.5	19.56	-7.47	32.5
681.05	67.11	3175	6.1	-2.34	2.34	0	100	20.46	19.56	-7.69	32.19
681.13	67.11	3179	6.1	-2.34	2.34	0	100	20.26	19.17	-7.69	31.88
681.23	67.11	3176	6.1	-2.34	3.51	0	100	19.8	19.17	-7.9	30.94
681.33	67.11	3172	6.09	-2.34	4.29	0	100	19.06	18.39	-8.05	29.38
681.44	67.11	3175	6.1	-2.34	4.29	0	100	17.04	17.61	-8.85	26.25
681.54	67.11	3171	5.41	-2.34	3.51	0	100	15.46	17.61	-9.21	24.06
681.64	67.11	3169	5.41	-2.34	2.73	0	100	14.64	17.22	-9.21	22.81
681.74	67.11	3164	4.73	-2.34	1.95	0	100	13.94	17.22	-9.43	21.88
681.84	67.11	3166	4.73	-2.34	1.17	0	100	13.62	17.22	-9.43	21.25
681.96	67.11	3164	4.73	-2.34	0	0	100	13.3	16.82	-9.64	20.94
682.06	67.11	3162	4.72	-2.34	-0.78	0	100	12.78	16.82	-9.79	20.31
682.18	65.87	3147	4.7	-2.34	-1.56	0	100	12.58	16.82	-9.64	20
682.28	65.87	3163	4.05	-2.34	-2.34	0	100	12.32	16.82	-9.79	19.69
682.4	65.87	3151	4.71	-2.34	-1.56	0	100	12.28	16.82	-10.01	19.69
682.5	65.87	3147	4.7	-2.34	-0.78	0	100	12.34	16.43	-10.01	19.38
682.62	65.87	3149	4.7	-2.34	0.78	0	100	12.2	16.43	-10.01	19.38
682.72	65.87	3148	4.7	-2.34	1.56	0	100	12	16.82	-10.01	19.38

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
682.8	65.87	3140	4.69	-2.34	2.73	0	100	12.06	16.82	-10.01	19.38
682.9	65.87	3148	4.7	-2.34	2.73	0	100	12.1	16.43	-10.01	19.38
683	65.87	3142	4.69	-2.34	1.95	0	100	12.14	16.43	-10.01	19.38
683.08	65.87	3138	4.02	-2.34	1.17	0	100	12.02	16.43	-10.01	19.06
683.18	65.87	3128	4.67	-1.95	0.39	0	100	11.92	16.82	-10.01	19.38
683.28	65.87	3135	4.68	-1.95	-0.39	0	100	12.04	16.43	-10.01	19.06
683.39	65.87	3140	4.02	-2.34	-0.78	0	100	11.92	16.43	-10.01	19.06
683.49	65.87	3126	4.67	-2.34	0.39	0	100	11.9	16.43	-10.01	19.06
683.61	65.87	3135	4.68	-1.95	1.95	0	100	11.98	16.43	-10.01	19.06
683.71	65.87	3128	4.67	-1.95	2.73	0	100	11.84	16.82	-10.01	19.38
683.83	65.87	3127	4.67	-1.95	3.12	0	100	11.86	16.43	-10.01	19.06
683.93	65.87	3124	4.67	-1.95	2.73	0	100	11.96	16.82	-10.01	19.69
684.05	65.87	3121	4.66	-1.95	1.56	0	100	12.3	17.22	-9.79	20.31
684.15	65.87	3117	4.65	-1.95	0.78	0	100	14.3	18.78	-9.06	25
684.27	65.87	3123	6	-1.95	0	0	100	18.22	19.95	-8.05	30.94
684.37	65.87	3131	6.68	-1.95	0.39	0	100	20.28	20.35	-7.47	33.44
684.49	65.87	3124	6.67	-1.95	1.95	0	100	22.24	21.13	-6.89	37.19
684.59	65.87	3126	7.34	-1.95	0.78	0	100	24.06	21.13	-6.53	38.75
684.71	65.87	3127	7.34	-1.95	-0.39	0	100	24.24	21.13	-6.67	39.06
684.81	65.87	3119	7.32	-1.95	-1.17	0	100	24.28	21.13	-6.53	39.06
684.93	65.87	3122	6.66	-1.95	-1.95	0	100	24.18	21.13	-6.53	39.38
685.03	65.87	3126	7.34	-1.95	-1.17	0	100	24.44	21.13	-6.53	39.38
685.15	65.87	3127	7.34	-1.95	0.78	0	100	24.46	21.13	-6.53	39.38
685.25	65.87	3128	7.34	-1.95	1.95	0	100	24.4	21.13	-6.53	39.38
685.37	65.87	3127	7.34	-1.95	2.34	0	100	24.74	21.13	-6.31	39.69
685.47	65.87	3131	7.35	-1.95	1.56	0	100	25.02	21.13	-6.53	40
685.57	65.87	3127	7.34	-1.95	0.39	0	100	25.1	21.13	-6.31	40
685.65	65.87	3134	7.36	-1.95	0	0	100	25.04	21.13	-6.31	40
685.75	65.87	3134	7.36	-1.95	1.17	0	100	25.04	21.13	-6.31	40
685.85	65.87	3131	7.35	-1.95	2.73	0	100	24.72	21.13	-6.31	40
685.95	65.87	3138	7.36	-1.56	3.12	0	100	24.84	21.13	-6.31	40
686.03	65.87	3136	7.36	-1.56	1.95	0	100	25.1	21.13	-6.09	40.31
686.13	65.87	3138	7.36	-1.56	1.17	0	100	25.08	21.13	-6.31	40
686.23	65.87	3139	7.37	-1.56	1.95	0	100	25.22	21.13	-6.09	40.31
686.33	65.87	3138	8.03	-1.56	3.12	0	100	25.2	21.13	-6.31	40
686.41	65.87	3143	8.05	-1.56	4.68	0	100	25.04	21.13	-6.09	40.62
686.51	65.87	3140	7.37	-1.56	3.9	0	100	25.32	21.13	-6.09	40.31
686.61	65.87	3142	7.37	-1.56	2.73	0	100	25.4	21.13	-6.09	40.31
686.71	65.87	3145	7.38	-1.56	1.95	0	100	25.4	21.13	-6.09	40.62

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
686.79	65.87	3145	7.38	-1.56	1.17	0	100	25.42	21.13	-6.09	40.62
686.89	65.87	3152	7.4	-1.56	2.34	0	100	25.4	21.13	-6.09	40.62
686.99	65.87	3149	8.06	-1.56	3.9	0	100	25.52	21.13	-6.09	40.94
687.09	65.87	3151	7.4	-1.56	3.9	0	100	25.56	21.13	-6.09	40.62
687.19	65.87	3152	7.4	-1.56	2.73	0	100	25.64	21.13	-6.09	40.62
687.27	65.87	3151	7.4	-1.56	1.95	0	100	25.68	21.13	-6.09	40.62
687.37	65.87	3155	7.4	-1.56	1.17	0	100	25.44	21.13	-6.09	40.62
687.47	65.87	3153	7.4	-1.56	0.39	0	100	25.48	21.13	-6.09	40.62
687.55	65.87	3156	7.41	-1.56	1.95	0	100	25.58	21.13	-6.09	40.94
687.65	65.87	3160	8.09	-1.56	3.12	0	100	25.8	21.13	-6.09	40.62
687.77	65.87	3157	7.41	-1.56	3.12	0	100	25.56	21.13	-6.09	40.94
687.87	65.87	3163	7.42	-1.56	2.34	0	100	25.52	21.13	-6.09	40.62
687.99	65.87	3160	7.42	-1.56	1.17	0	100	25.5	21.13	-6.09	40.62
688.09	65.87	3160	7.42	-1.56	0.39	0	100	25.08	20.74	-6.09	40.31
688.21	65.87	3164	7.43	-1.56	1.56	0	100	25.18	21.13	-6.09	40
688.31	65.87	3163	7.42	-1.56	2.73	0	100	25.34	21.13	-6.09	40.31
688.43	65.87	3166	7.43	-1.56	2.73	0	100	25.22	21.13	-6.09	40.31
688.53	67.11	3166	7.43	-1.56	1.95	0	100	25.34	21.13	-6.09	40
688.65	67.11	3164	7.43	-1.56	0.78	0	100	25.3	21.13	-6.09	40
688.75	67.11	3168	7.44	-1.56	1.56	0	100	25.08	20.74	-6.09	40
688.85	67.11	3169	7.44	-1.56	3.12	0	100	25.24	21.13	-6.09	40
688.93	67.11	3169	7.44	-1.56	3.12	0	100	25.24	21.13	-6.09	40
689.03	67.11	3171	7.44	-1.56	2.34	0	100	25.3	21.13	-6.09	40
689.13	67.11	3172	7.44	-1.56	1.17	0	100	25.28	21.13	-6.31	40
689.23	67.11	3173	7.45	-1.56	0.39	0	100	25.3	21.13	-6.09	40
689.31	67.11	3171	7.44	-1.56	0.39	0	100	25.4	21.13	-6.31	40
689.41	67.11	3172	7.44	-1.56	1.95	0	100	25.24	20.74	-6.09	39.69
689.51	67.11	3172	7.44	-1.56	2.73	0	100	25.06	21.13	-6.09	39.69
689.61	67.11	3173	7.45	-1.56	1.95	0	100	25.04	20.74	-6.09	40
689.69	67.11	3172	7.44	-1.56	1.17	0	100	25.2	21.13	-6.09	39.69
689.79	67.11	3175	7.45	-1.56	0	0	100	25	21.13	-6.09	39.69
689.89	67.11	3173	7.45	-1.56	0	0	100	25.14	21.13	-6.09	40
689.99	67.11	3173	7.45	-1.56	1.56	0	100	25.04	21.13	-6.31	40
690.07	67.11	3177	7.46	-1.56	2.73	0	100	25.14	21.13	-6.09	40
690.17	67.11	3175	7.45	-1.56	1.95	0	100	25.24	21.13	-6.09	39.69
690.27	67.11	3176	7.45	-1.56	1.17	0	100	25.22	20.74	-6.09	40
690.35	67.11	3175	7.45	-1.56	0	0	100	25.18	21.13	-6.31	39.69
690.45	67.11	3175	7.45	-1.56	-0.78	0	100	25.04	21.13	-6.09	39.69
690.53	67.11	3177	7.46	-1.56	-1.17	0	100	25.04	21.13	-6.31	40

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
690.63	67.11	3176	7.45	-1.56	0	0	100	25.18	21.13	-6.09	40
690.73	67.11	3176	7.45	-1.56	1.17	0	100	25.24	21.13	-6.31	39.69
690.83	67.11	3175	7.45	-1.56	1.56	0	100	25.04	21.13	-6.09	39.69
690.91	67.11	3173	7.45	-1.56	0.78	0	100	25.1	21.13	-6.09	39.69
691.01	67.11	3176	7.45	-1.56	-0.39	0	100	25.2	21.13	-6.09	40
691.09	67.11	3176	7.45	-1.56	-1.17	0	100	25.42	20.74	-6.09	40.31
691.19	67.11	3176	7.45	-1.56	-0.39	0	100	25.36	21.13	-6.09	40
691.27	67.11	3176	7.45	-1.56	0.78	0	100	25.22	21.13	-5.95	39.69
691.37	67.11	3177	7.46	-1.56	1.95	0	100	25.14	21.13	-6.09	39.69
691.45	67.11	3173	7.45	-1.56	0.78	0	100	25.22	21.13	-6.09	40
691.55	67.11	3172	7.44	-1.56	0	0	100	25.36	21.13	-6.09	39.69
691.63	67.11	3177	7.46	-1.56	-0.78	0	100	25.04	20.74	-6.09	39.69
691.73	67.11	3176	7.45	-1.56	-1.56	0	100	25.1	21.13	-6.09	40
691.81	67.11	3175	7.45	-1.56	-0.78	0	100	25.24	21.13	-6.09	40
691.91	67.11	3173	7.45	-1.56	0.39	0	100	25.24	21.13	-6.09	40
692.01	67.11	3172	7.44	-1.56	1.56	0	100	25.4	20.74	-6.09	40
692.09	67.11	3175	7.45	-1.56	0.78	0	100	25.46	21.13	-6.09	40.31
692.19	67.11	3173	7.45	-1.56	0	0	100	25.28	21.13	-6.09	40
692.27	67.11	3175	7.45	-1.56	-1.17	0	100	25.52	21.13	-6.09	40.31
692.37	67.11	3173	7.45	-1.56	-1.95	0	100	25.72	21.13	-5.95	40.94
692.47	67.11	3171	7.44	-1.56	-0.78	0	100	25.86	21.13	-6.09	41.25
692.55	67.11	3172	7.44	-1.56	0.39	0	100	25.98	21.13	-5.95	40.94
692.65	67.11	3176	7.45	-1.56	0.78	0	100	25.72	21.13	-6.09	40.94
692.73	67.11	3173	7.45	-1.56	0	0	100	25.6	21.13	-6.09	40.31
692.83	67.11	3173	7.45	-1.56	-0.78	0	100	25.4	21.13	-6.09	40.62
692.91	67.11	3169	7.44	-1.56	-1.95	0	100	25.58	21.13	-5.95	40.62
693.01	67.11	3169	7.44	-1.56	-1.95	0	100	25.72	21.13	-6.09	40.62
693.09	67.11	3168	7.44	-1.56	-0.78	0	100	25.68	21.13	-5.95	40.62
693.19	67.11	3175	7.45	-1.56	0.39	0	100	25.72	21.13	-6.09	40.62
693.27	67.11	3169	7.44	-1.56	-0.39	0	100	25.58	21.13	-5.95	40.94
693.37	67.11	3168	7.44	-1.56	-1.17	0	100	25.64	21.13	-6.09	40.94
693.45	67.11	3168	7.44	-1.56	-2.34	0	100	25.72	21.13	-5.95	40.62
693.55	67.11	3163	7.42	-1.56	-3.12	0	100	25.48	21.13	-6.09	40.62
693.63	67.11	3166	7.43	-1.56	-1.56	0	100	25.5	21.13	-5.95	40.31
693.73	67.11	3166	7.43	-1.56	-0.39	0	100	25.58	21.13	-6.09	40.31
693.81	67.11	3166	7.43	-1.56	0.78	0	100	25.44	21.13	-5.95	40.31
693.91	67.11	3164	7.43	-1.56	0	0	100	25.32	21.13	-6.09	40
693.99	67.11	3166	7.43	-1.56	-0.78	0	100	25.16	20.74	-6.09	40
694.09	67.11	3164	7.43	-1.56	-1.95	0	100	25.24	21.13	-6.09	40.31

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
694.17	65.87	3163	7.42	-1.56	-2.34	0	100	25.18	21.13	-6.09	40
694.27	65.87	3163	7.42	-1.56	-0.78	0	100	25.16	21.13	-6.09	40
694.35	65.87	3162	7.42	-1.56	0.39	0	100	25.14	21.13	-6.09	40
694.45	65.87	3159	7.41	-1.56	1.56	0	100	25.28	21.13	-6.09	40.31
694.55	65.87	3160	7.42	-1.56	0.39	0	100	25.18	21.13	-6.09	40
694.63	65.87	3159	7.41	-1.56	-0.39	0	100	25.08	21.13	-6.09	40
694.73	65.87	3157	7.41	-1.56	-1.17	0	100	25.12	21.13	-6.09	40
694.83	65.87	3159	7.41	-1.56	-1.95	0	100	25.28	21.13	-6.09	40
694.91	65.87	3157	7.41	-1.56	-1.17	0	100	25.14	21.13	-6.09	40
695.01	65.87	3157	7.41	-1.56	0	0	100	25.18	21.13	-6.09	40.31
695.09	65.87	3156	7.41	-1.56	1.17	0	100	25.18	20.74	-6.09	39.69
695.21	65.87	3155	7.4	-1.56	0.39	0	100	24.7	20.74	-6.31	39.06
695.29	65.87	3155	7.4	-1.56	-0.39	0	100	24.2	19.56	-6.67	37.5
695.39	65.87	3149	6.05	-1.56	-1.17	0	100	21.24	18	-7.69	31.88
695.47	65.87	3151	5.38	-1.56	-1.95	0	100	18.38	16.82	-8.63	26.25
695.57	65.87	3145	4.7	-1.56	-2.73	0	100	14.24	16.04	-9.64	21.25
695.65	65.87	3140	4.02	-1.56	-3.51	0	100	12.12	15.26	-10.01	18.12
695.75	65.87	3134	4.01	-1.56	-4.29	0	100	10.02	15.26	-10.59	15.31
695.83	65.87	3122	4	-1.56	-5.07	0	100	9.16	15.26	-10.59	14.38
695.93	65.87	3138	4.02	-1.56	-5.46	0	100	8.8	15.26	-10.8	14.06
696.03	65.87	3124	4	-1.56	-6.24	0	100	8.66	15.26	-10.8	14.06
696.13	65.87	3122	4	-1.56	-7.02	0	100	8.62	15.26	-10.8	14.06
696.21	65.87	3123	4	-1.56	-7.8	0	100	8.72	15.26	-10.8	14.06
696.31	65.87	3113	3.98	-1.56	-7.8	0	100	8.62	15.26	-10.8	14.06
696.39	65.87	3115	3.99	-1.56	-6.63	0	100	8.72	15.26	-10.8	14.06
696.49	65.87	3104	3.97	-1.56	-5.85	0	100	8.76	15.26	-11.02	14.06
696.57	65.87	3108	3.98	-1.56	-5.07	0	100	8.74	15.26	-10.8	14.06
696.67	65.87	3095	3.96	-1.56	-3.9	0	100	8.8	15.26	-10.8	14.38
696.75	65.87	3094	3.96	-1.56	-2.73	0	100	8.96	15.26	-10.8	14.38
696.85	65.87	3088	3.95	-1.56	-1.95	0	100	9	15.26	-11.02	14.69
696.93	65.87	3081	3.94	-1.56	-1.17	0	100	9.08	15.26	-10.8	15
697.03	64.62	3082	3.95	-1.56	-0.39	0	100	9.18	15.26	-10.8	15
697.11	64.62	3075	3.94	-1.56	-1.17	0	100	9.26	15.26	-10.8	15.31
697.21	64.62	3063	3.92	-1.56	-1.95	0	100	9.38	15.26	-10.8	15.31
697.29	64.62	3067	3.93	-1.56	-2.34	0	100	9.64	15.65	-10.59	16.25
697.39	64.62	3069	3.93	-1.56	-3.12	0	100	10	16.04	-10.59	16.56
697.47	64.62	3064	3.92	-1.56	-3.9	0	100	10.52	16.43	-10.22	18.12
697.57	64.62	3056	3.91	-1.56	-4.68	0	100	11.74	17.61	-9.79	20.94
697.65	64.62	3052	5.21	-1.56	-5.07	0	100	14.36	18.78	-9.06	25.62

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
697.75	64.62	3052	5.21	-1.56	-5.85	0	100	16.92	19.17	-8.48	29.06
697.83	64.62	3056	5.87	-1.56	-6.63	0	100	18.18	19.17	-8.05	30.62
697.93	64.62	3042	5.84	-1.56	-5.46	0	100	19.18	19.95	-7.9	32.19
698.01	64.62	3041	6.49	-1.56	-4.29	0	100	20.32	20.35	-7.25	34.69
698.11	64.62	3044	6.5	-1.56	-4.68	0	100	22.12	21.13	-6.67	37.81
698.19	64.62	3042	6.49	-1.56	-5.46	0	100	23.44	21.13	-6.31	39.69
698.29	64.62	3039	6.48	-1.56	-5.85	0	100	23.96	21.13	-6.31	39.69
698.37	63.38	3035	7.12	-1.56	-4.68	0	100	23.82	20.74	-6.53	39.38
698.47	63.38	3040	7.13	-1.56	-3.51	0	100	23.8	20.74	-6.53	39.38
698.55	63.38	3040	7.13	-1.56	-2.34	0	100	23.74	20.74	-6.31	39.69
698.65	63.38	3036	6.48	-1.56	-2.34	0	100	23.8	20.74	-6.31	39.69
698.73	63.38	3036	7.13	-1.56	-3.12	0	100	24.36	21.52	-6.09	41.25
698.83	63.38	3036	7.77	-1.56	-3.9	0	100	29.3	25.04	-4.13	52.5
698.91	63.38	3041	9.73	-1.56	-3.51	0	100	34.86	25.43	-3.19	59.69
699.01	63.38	3037	10.37	-1.56	0	0	100	37.04	25.04	-2.97	61.56
699.09	63.38	3044	10.39	-1.56	0	0	100	37.42	24.26	-3.19	61.25
699.19	63.38	3043	9.74	-1.56	0	0	100	35.9	21.52	-4.35	56.25
699.27	63.38	3029	8.4	-1.56	0	0	100	30.24	18.39	-5.95	45
699.37	63.38	3019	6.44	-1.56	-0.78	0	100	22.34	17.61	-7.69	34.38
699.45	63.38	3029	5.82	-1.56	-1.56	0	100	18.46	17.61	-8.27	28.44
699.55	63.38	3034	5.18	-1.56	-2.34	0	100	15.62	17.22	-8.63	25.31
699.63	63.38	3031	4.53	-1.56	-3.12	0	100	15	17.22	-9.06	24.38
699.73	63.38	3029	4.52	-1.56	-3.51	0	100	14.36	17.22	-9.06	23.75
699.81	63.38	3020	4.51	-1.56	-4.29	0	100	14.1	17.22	-9.21	23.12
699.91	63.38	3018	4.51	-1.56	-5.07	0	100	13.62	16.82	-9.43	22.5
700.01	63.38	3012	4.5	-1.56	-5.07	0	100	13.22	17.22	-9.43	21.88
700.09	63.38	3014	4.5	-1.56	-4.29	0	100	12.96	16.82	-9.64	21.25
700.19	63.38	3013	4.5	-1.56	-3.12	0	100	12.7	16.82	-9.64	20.94
700.27	63.38	3010	4.5	-1.56	-2.34	0	100	12.56	16.82	-9.64	20.94
700.37	63.38	3003	4.49	-1.56	-1.17	0	100	12.44	16.82	-9.64	20.62
700.45	63.38	3007	4.49	-1.56	-0.39	0	100	12.48	16.82	-9.79	20.62
700.55	63.38	3004	4.49	-1.56	0.78	0	100	12.28	16.82	-9.79	20.62
700.63	63.38	3000	4.48	-1.56	1.56	0	100	12.42	16.82	-9.79	20.62
700.73	63.38	2999	4.48	-1.56	2.34	0	100	12.3	16.82	-9.79	20.62
700.81	63.38	2996	4.47	-1.56	1.95	0	100	12.28	16.82	-9.79	20.62
700.91	63.38	2989	4.46	-1.56	1.17	0	100	12.26	16.82	-9.79	20.62
700.99	63.38	2991	4.47	-1.56	0.78	0	100	12.16	16.82	-9.79	20.62
701.09	63.38	2983	4.46	-1.56	0	0	100	12.12	16.82	-9.79	20.31
701.17	63.38	2978	4.45	-1.56	-0.78	0	100	12.02	16.82	-9.79	20.31

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
701.27	62.14	2979	4.45	-1.56	-1.17	0	100	12.08	16.82	-9.79	20.31
701.35	62.14	2976	4.44	-1.56	-1.17	0	100	12.12	16.82	-9.79	20.31
701.45	62.14	2971	4.44	-1.56	-0.39	0	100	12.1	16.82	-9.79	20.62
701.53	62.14	2973	4.44	-1.56	0.78	0	100	12.28	16.82	-9.64	21.25
701.63	62.14	2970	4.44	-1.56	1.56	0	100	13.04	18.39	-9.43	23.44
701.71	62.14	2965	5.06	-1.56	1.17	0	100	16.08	20.35	-8.05	30.94
701.81	62.14	2981	6.36	-1.56	0.39	0	100	21.1	22.69	-6.53	39.69
701.89	62.14	2955	7.56	-1.56	-0.39	0	100	26.54	23.87	-5.15	48.44
701.99	62.14	2965	8.23	-1.56	-0.78	0	100	30.26	24.65	-4.13	52.81
702.07	62.14	2973	9.52	-1.56	0.39	0	100	32.38	24.65	-3.77	55.62
702.17	62.14	2976	9.52	-1.56	0.39	0	100	33.54	25.04	-3.55	58.12
702.25	62.14	2975	9.52	-1.56	-0.39	0	100	35.56	26.21	-2.83	62.5
702.35	62.14	2975	10.15	-1.56	0	0	100	38.48	26.21	-2.39	65.94
702.43	62.14	2977	10.8	-1.56	0	0	100	40.02	27	-2.03	69.69
702.53	62.14	2981	10.81	-1.56	0	0	100	42.64	27.39	-1.45	73.44
702.61	62.14	2988	11.47	-1.56	0	0	100	44.46	27.78	-1.02	75.94
702.71	62.14	2989	11.48	-1.56	0	0	100	45.88	27.78	-0.87	77.81
702.79	62.14	2992	12.13	-1.56	0	0	100	47	27.78	-0.65	79.38
702.89	62.14	2994	12.14	-1.56	0	0	100	48.02	27.78	-0.44	81.56
702.97	62.14	2996	12.79	-1.56	0	0	100	49.4	27.78	-0.29	83.44
703.07	62.14	3004	12.82	-1.56	0	0	100	50.38	27.78	-0.07	84.38
703.15	62.14	3008	12.84	-1.56	0	0	100	50.88	27.39	0.15	85.94
703.25	62.14	3014	12.86	-1.56	0	0	100	51.7	27.39	0.29	86.56
703.33	63.38	3021	13.54	-1.56	0	0	100	52.6	27.39	0.51	87.81
703.43	63.38	3021	12.89	-1.56	0	0	100	53.1	27	0.51	88.44
703.51	63.38	3025	12.91	-1.56	0	0	100	53.24	26.61	0.73	88.75
703.61	63.38	3029	13.57	-1.56	0	0	100	52.84	25.43	0.29	86.25
703.69	63.38	3036	12.31	-1.56	0	0	100	50.3	24.65	-0.29	81.25
703.79	63.38	3041	11.68	-1.56	0	0	100	46.94	23.48	-0.87	73.75
703.87	63.38	3044	11.04	-1.56	0	0	100	42.88	23.08	-1.45	68.44
703.97	63.38	3043	9.74	-1.56	0	0	100	37.7	21.91	-2.83	58.12
704.05	64.62	3048	9.11	-1.56	0	0	100	32.9	21.52	-3.41	51.88
704.15	64.62	3047	7.8	-1.56	-0.39	0	100	29.94	21.13	-3.77	47.5
704.23	64.62	3049	7.81	-1.56	0	0	100	27.72	20.74	-4.35	44.06
704.33	64.62	3047	7.15	-1.56	0.78	0	100	25.56	20.35	-4.93	40.62
704.41	64.62	3051	7.16	-1.56	1.95	0	100	24.04	20.35	-5.37	39.06
704.51	64.62	3055	7.17	-1.56	3.12	0	100	23.24	20.35	-5.51	38.12
704.59	64.62	3046	7.15	-1.56	4.29	0	100	22.92	20.35	-5.73	37.5
704.69	64.62	3046	7.15	-1.56	5.46	0	100	22.62	20.35	-5.95	37.19

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
704.8	64.62	3049	7.16	-1.56	6.63	0	100	22.58	19.95	-6.09	36.88
704.88	64.62	3046	7.15	-1.56	8.19	0	100	22.12	19.95	-6.31	35.94
704.98	64.62	3044	7.15	-1.56	9.36	0	100	21.5	19.95	-6.53	35.31
705.08	64.62	3046	7.15	-1.56	9.36	0	100	21.2	19.95	-6.67	35
705.16	64.62	3046	6.5	-1.56	8.58	0	100	21.4	19.95	-6.67	35.31
705.26	64.62	3046	7.15	-1.56	7.8	0	100	21.7	20.35	-6.67	36.25
705.34	64.62	3047	7.15	-1.56	7.02	0	100	22	20.35	-6.67	36.25
705.44	64.62	3039	6.48	-1.56	6.24	0	100	21.96	19.95	-6.67	36.25
705.52	63.38	3037	6.48	-1.56	5.46	0	100	22.1	20.35	-6.67	36.88
705.62	63.38	3039	7.13	-1.56	4.29	0	100	22.48	21.13	-6.31	38.75
705.72	63.38	3039	7.13	-1.56	3.51	0	100	24.72	21.52	-5.73	41.88
705.82	63.38	3037	7.78	-1.56	2.73	0	100	26.18	21.52	-5.51	43.75
705.92	63.38	3040	7.78	-1.56	3.9	0	100	26.62	21.91	-5.37	45.31
706.04	63.38	3042	8.44	-1.56	3.51	0	100	28.88	22.3	-4.71	48.44
706.14	63.38	3043	8.44	-1.56	2.73	0	100	29.78	22.3	-4.71	49.38
706.26	63.38	3039	8.43	-1.56	1.17	0	100	29.84	22.3	-4.71	49.38
706.34	63.38	3042	8.44	-1.56	0.39	0	100	29.6	21.91	-4.71	48.75
706.44	63.38	3040	7.78	-1.56	-0.39	0	100	29.3	21.91	-4.93	48.12
706.54	63.38	3042	7.79	-1.56	-1.17	0	100	28.98	21.91	-4.93	47.5
706.64	63.38	3046	7.8	-1.56	-1.95	0	100	28.82	21.91	-4.71	47.5
706.72	63.38	3043	7.79	-1.56	-3.12	0	100	29.2	22.3	-4.71	48.12
706.82	63.38	3047	8.45	-1.56	-1.95	0	100	29.52	22.3	-4.57	49.06
706.9	63.38	3048	8.46	-1.56	-0.78	0	100	30.06	22.69	-4.35	50.31
707	63.38	3051	9.11	-1.56	0.39	0	100	32.58	23.87	-3.55	55.94
707.1	63.38	3052	9.77	-1.56	0	0	100	35.12	23.87	-3.41	58.75
707.2	63.38	3055	9.78	-1.56	0	0	100	35.98	23.87	-3.19	60
707.3	63.38	3056	9.78	-1.56	0	0	100	36.72	23.87	-2.97	60.62
707.42	63.38	3058	9.79	-1.56	0	0	100	37.04	23.87	-2.97	61.25
707.52	63.38	3058	9.79	-1.56	0	0	100	36.94	23.87	-2.97	60.62
707.62	64.62	3064	9.81	-1.56	0	0	100	36.98	23.87	-2.97	60.62
707.72	64.62	3064	9.81	-1.56	0	0	100	36.84	23.87	-2.97	60.62
707.82	64.62	3066	9.81	-1.56	0	0	100	36.88	23.48	-2.97	60.31
707.94	64.62	3069	9.82	-1.56	0	0	100	36.7	23.48	-2.97	60.31
708.04	64.62	3071	9.83	-1.56	0	0	100	36.66	23.48	-2.97	60.31
708.14	64.62	3072	9.83	-1.56	0	0	100	36.86	23.48	-2.83	60.31
708.24	64.62	3075	9.84	-1.56	0	0	100	36.88	23.48	-2.83	60
708.34	64.62	3078	9.85	-1.56	0	0	100	37.12	23.48	-2.83	60.31
708.44	64.62	3078	9.85	-1.56	0	0	100	37.3	23.48	-2.83	60.94
708.52	64.62	3081	9.86	-1.56	0	0	100	37.28	23.48	-2.83	60.94

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
708.62	64.62	3081	9.86	-1.56	0	0	100	37.34	23.48	-2.83	60.94
708.72	64.62	3082	9.86	-1.56	0	0	100	37.34	23.48	-2.83	60.94
708.82	64.62	3084	9.87	-1.56	0	0	100	37.4	23.48	-2.83	60.62
708.94	64.62	3087	9.88	-1.56	0	0	100	37.48	23.48	-2.61	61.25
709.04	64.62	3088	9.88	-1.56	0	0	100	37.4	23.48	-2.61	60.94
709.14	64.62	3092	9.9	-1.56	0	0	100	37.4	23.48	-2.61	60.62
709.24	64.62	3092	9.9	-1.56	0	0	100	37.34	23.48	-2.83	60.62
709.34	64.62	3095	9.9	-1.56	0	0	100	36.98	23.08	-2.97	59.06
709.44	64.62	3100	9.92	-1.56	0	0	100	35.4	22.3	-3.41	55.94
709.56	64.62	3101	9.26	-1.56	0	0	100	33.24	21.91	-3.99	52.81
709.66	64.62	3103	8.61	-1.56	0	0	100	31.7	21.52	-4.35	49.69
709.76	64.62	3103	8.61	-1.56	0	0	100	29.48	21.13	-4.71	46.56
709.88	64.62	3103	7.94	-1.56	-1.17	0	100	27.74	20.74	-5.15	44.06
709.96	64.62	3105	7.29	-1.56	-1.56	0	100	26.54	20.74	-5.37	42.19
710.06	64.62	3108	7.29	-1.56	-0.39	0	100	25.88	21.13	-5.51	41.88
710.16	64.62	3108	7.96	-1.56	0.78	0	100	25.4	21.13	-5.51	41.25
710.24	64.62	3109	7.3	-1.56	1.95	0	100	25.24	21.13	-5.37	41.56
710.34	64.62	3106	7.95	-1.56	3.12	0	100	26.06	21.91	-5.15	44.38
710.44	65.87	3110	8.63	-1.56	4.29	0	100	29.28	23.08	-4.35	48.75
710.54	65.87	3110	9.29	-1.56	5.85	0	100	31.86	23.08	-3.99	52.81
710.62	65.87	3109	9.29	-1.56	0	0	100	33.92	23.48	-3.55	55.62
710.72	65.87	3110	9.95	-1.56	0	0	100	35.34	23.87	-3.41	57.81
710.82	65.87	3111	9.96	-1.56	0	0	100	36.6	24.26	-2.97	60
710.92	65.87	3109	9.95	-1.56	0	0	100	37.44	24.26	-2.83	61.88
711	65.87	3121	10.65	-1.56	0	0	100	39.18	25.04	-2.61	63.75
711.1	65.87	3130	10.68	-1.56	0	0	100	41.24	25.04	-2.18	66.56
711.2	65.87	3132	10.69	-1.56	0	0	100	42.24	25.04	-2.18	67.5
711.3	65.87	3134	10.7	-1.56	0	0	100	42.04	24.26	-2.18	66.88
711.38	65.87	3132	10.69	-1.56	0	0	100	41.78	24.65	-2.18	66.88
711.48	65.87	3128	10.68	-1.56	0	0	100	41.72	24.26	-2.18	66.56
711.58	65.87	3140	10.72	-1.56	0	0	100	41.56	23.87	-2.18	66.25
711.68	65.87	3140	10.72	-1.56	0	0	100	40.06	23.48	-2.83	63.12
711.76	65.87	3142	10.05	-1.56	0	0	100	38.22	22.3	-3.19	58.75
711.86	65.87	3145	9.4	-1.56	0	0	100	34.94	22.3	-3.77	54.69
711.96	65.87	3147	8.73	-1.56	0	0	100	32.86	21.91	-3.99	51.88
712.06	65.87	3149	8.74	-1.56	0	0	100	31.64	21.52	-4.35	48.75
712.14	65.87	3143	8.05	-1.56	0	0	100	29.66	21.52	-4.71	46.56
712.24	65.87	3149	8.06	-1.56	0	0	100	28.58	21.52	-4.93	45.31
712.36	65.87	3149	8.06	-1.56	0	0	100	28.24	21.52	-4.93	44.69

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
712.46	65.87	3138	8.03	-1.56	0.78	0	100	27.72	21.52	-4.93	44.38
712.58	65.87	3138	8.03	-1.56	2.73	0	100	27.78	21.52	-4.93	45
712.68	65.87	3144	8.72	-1.56	3.9	0	100	28.94	21.91	-4.71	46.56
712.8	65.87	3143	8.72	-1.56	5.46	0	100	29.04	21.91	-4.71	47.19
712.9	65.87	3143	8.72	-1.56	6.63	0	100	29.4	21.91	-4.71	47.19
713.02	65.87	3145	8.72	-1.56	5.46	0	100	29.5	22.3	-4.57	48.12
713.1	65.87	3145	8.72	-1.56	4.29	0	100	30.76	22.69	-4.35	50.31
713.2	65.87	3152	8.74	-1.56	0	0	100	31.6	22.69	-4.35	50.31
713.3	65.87	3145	8.72	-1.56	0	0	100	31.74	22.3	-4.35	50.62
713.38	65.87	3144	8.72	-1.56	0	0	100	31.68	22.69	-4.35	50.62
713.48	65.87	3149	8.74	-1.56	0	0	100	31.88	22.69	-4.13	50.94
713.58	65.87	3149	8.74	-1.56	0	0	100	32.18	22.69	-4.13	51.88
713.68	65.87	3153	8.75	-1.56	0	0	100	32.98	23.08	-3.77	53.75
713.76	65.87	3153	9.42	-1.56	0	0	100	34.26	23.48	-3.77	55.31
713.86	65.87	3152	9.41	-1.56	0	0	100	35.22	23.87	-3.41	57.19
713.96	65.87	3156	10.1	-1.56	0	0	100	37.2	24.26	-2.97	60
714.06	65.87	3159	10.11	-1.56	0	0	100	38.88	25.04	-2.39	64.06
714.14	65.87	3160	10.79	-1.56	0	0	100	41.22	25.04	-2.18	66.56
714.24	65.87	3164	10.8	-1.56	0	0	100	43.22	26.21	-1.45	70.62
714.34	65.87	3169	12.17	-1.56	0	0	100	47.16	27.39	-0.87	76.25
714.44	65.87	3173	12.86	-1.56	0	0	100	50.2	27.78	-0.07	81.88
714.52	65.87	3177	13.56	-1.56	0	0	100	53.54	28.17	0.29	86.25
714.62	65.87	3184	14.27	-1.56	0	0	100	55.9	28.17	0.73	89.69
714.72	67.11	3187	14.96	-1.56	0	0	100	57.92	28.17	0.94	92.19
714.82	67.11	3194	15.67	-1.56	0	0	100	58.88	28.17	1.09	94.06
714.92	67.11	3196	16.37	-1.56	0	0	100	60.68	28.17	1.52	95.94
715.04	67.11	3205	17.09	-1.56	0	0	100	61.72	28.17	1.89	97.19
715.14	67.11	3207	17.79	-1.56	0	0	100	62.92	28.17	2.1	99.38
715.24	67.11	3218	19.23	-1.56	0	0	100	64	28.17	2.25	100.31
715.34	67.11	3227	19.28	-1.56	0	0	100	65.4	28.17	2.68	102.19
715.44	67.11	3234	20.01	-1.56	0	0	100	65.92	28.17	2.83	103.75
715.52	67.11	3236	20.03	-1.56	0	0	100	67.36	28.17	2.83	105.31
715.62	67.11	3244	20.76	-1.56	0	0	100	68.2	28.17	3.05	105.31
715.7	67.11	3252	20.82	-1.56	0	0	100	68.24	28.17	3.26	105.62
715.8	67.11	3257	20.85	-1.56	0	0	100	68.54	28.17	3.26	105.62
715.88	67.11	3269	20.23	-1.56	0	0	100	68.82	28.17	3.26	105.31
715.98	67.11	3269	20.23	-1.56	0	0	100	68.74	28.17	3.26	105.31
716.06	68.35	3277	20.28	-1.56	0	0	100	68.58	28.17	3.48	105.62
716.16	68.35	3283	20.32	-1.56	0	0	100	68.8	28.17	3.48	105

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
716.24	68.35	3291	20.36	-1.56	0	0	100	68.58	28.17	3.48	104.38
716.34	68.35	3298	20.41	-1.56	0	0	100	68.4	28.17	3.26	103.44
716.42	68.35	3304	20.44	-1.56	0	0	100	67.76	27.78	3.05	101.88
716.52	68.35	3311	19.78	-1.56	0	0	100	64.04	27	2.47	95.31
716.6	68.35	3316	16.27	-1.56	0	0	100	60.96	26.61	2.1	90.31
716.7	68.35	3324	14.19	-1.56	0	0	100	58.68	26.61	1.89	88.12
716.78	69.59	3332	14.22	-1.56	0	0	100	57.82	26.61	1.52	86.25
716.88	69.59	3337	14.24	-1.56	0	0	100	56.78	26.21	1.31	84.69
716.96	69.59	3337	13.53	-1.56	0	0	100	55.26	25.82	0.73	81.88
717.06	69.59	3340	12.83	-1.56	0	0	100	51.64	25.04	-0.07	74.38
717.14	69.59	3340	12.12	-1.56	0	0	100	48.02	24.65	-0.44	70.62
717.24	69.59	3346	11.42	-1.56	0	0	100	46.18	24.65	-0.87	68.75
717.32	69.59	3352	11.44	-1.56	0	0	100	45.52	24.65	-1.23	67.81
717.42	69.59	3352	11.44	-1.56	0	0	100	44.52	24.65	-1.45	66.88
717.5	70.84	3355	11.45	-1.56	0	0	100	43.92	23.87	-1.81	64.69
717.6	70.84	3357	10.74	-1.56	0	0	100	41.92	23.87	-2.18	62.5
717.68	70.84	3357	10.74	-1.56	0	0	100	40.98	23.48	-2.39	60.31
717.78	70.84	3360	10.04	-1.56	0	0	100	38.98	23.08	-2.83	57.5
717.86	70.84	3366	10.05	-1.56	0	0	100	37.68	23.08	-2.97	55.62
717.96	70.84	3366	10.05	-1.56	0	0	100	36.9	23.08	-3.19	55
718.06	70.84	3364	10.05	-1.56	0	0	100	36.92	23.08	-3.41	54.69
718.14	70.84	3367	10.06	-1.56	0	0	100	36.6	23.08	-3.55	54.69
718.24	70.84	3369	10.06	-1.56	0	0	100	36.64	23.08	-3.55	54.38
718.32	70.84	3370	10.07	-1.56	0	0	100	36.66	23.08	-3.77	54.69
718.42	70.84	3374	10.08	-1.56	0	0	100	36.66	23.08	-3.77	54.69
718.5	70.84	3375	10.08	-1.56	0	0	100	36.44	23.08	-3.77	54.38
718.6	70.84	3375	10.08	-1.56	0	0	100	36.28	23.08	-3.77	54.38
718.68	70.84	3372	10.07	-1.56	0	0	100	36.6	23.08	-3.77	54.69
718.78	70.84	3375	10.08	-1.56	0	0	100	36.48	23.08	-3.77	54.69
718.88	70.84	3376	10.09	-1.56	0	0	100	36.6	23.08	-3.77	54.38
718.96	70.84	3378	10.09	-1.56	0	0	100	36.4	23.08	-3.99	54.38
719.06	70.84	3379	10.09	-1.56	0	0	100	36.42	23.08	-3.99	54.38
719.16	70.84	3379	10.09	-1.56	0	0	100	36.12	23.08	-3.99	53.12
719.26	70.84	3376	9.37	-1.56	0	0	100	35.16	22.69	-4.35	51.25
719.34	70.84	3382	9.38	-1.56	0	0	100	33.88	22.3	-4.57	49.69
719.44	70.84	3381	9.38	-1.56	0	0	100	32.96	22.3	-4.71	48.75
719.54	70.84	3381	9.38	-1.56	0	0	100	32.4	22.3	-4.71	48.12
719.62	70.84	3381	8.66	-1.56	0	0	100	32.3	22.3	-4.93	47.5
719.74	70.84	3379	8.65	-1.56	0	0	100	31.76	22.3	-4.93	47.19

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
719.82	70.84	3381	8.66	-1.56	0	0	100	31.52	22.3	-4.93	46.88
719.92	70.84	3379	8.65	-1.56	0	0	100	31.28	22.3	-4.93	46.25
720	70.84	3378	8.65	-1.56	0	0	100	31.16	21.91	-5.15	45.94
720.1	70.84	3378	8.65	-1.56	0	0	100	30.68	21.91	-5.37	45.31
720.2	70.84	3379	8.65	-1.56	0	0	100	30.2	21.91	-5.37	45
720.28	70.84	3379	8.65	-1.56	0	0	100	30.16	22.3	-5.37	44.69
720.38	70.84	3381	8.66	-1.56	0	0	100	30.2	21.91	-5.37	45
720.48	70.84	3378	8.65	-1.56	0	0	100	30.08	21.91	-5.37	44.69
720.56	70.84	3378	8.65	-1.56	0	0	100	29.98	21.91	-5.37	44.69
720.66	70.84	3376	8.64	-1.56	0	0	100	30.04	21.91	-5.51	45.31
720.74	70.84	3378	8.65	-1.56	0	0	100	30.32	21.91	-5.37	45.31
720.84	70.84	3382	8.66	-1.56	0	0	100	30.44	22.3	-5.37	45.62
720.92	70.84	3375	8.64	-1.56	0	0	100	30.84	22.3	-5.37	45.94
721.02	70.84	3375	8.64	-1.56	0	0	100	30.76	22.3	-5.15	46.25
721.1	70.84	3376	8.64	-1.56	0	0	100	31.4	22.3	-5.15	46.88
721.2	70.84	3379	8.65	-1.56	0	0	100	31.46	22.3	-5.15	46.88
721.28	70.84	3378	8.65	-1.56	0	0	100	31.56	22.3	-5.15	47.19
721.38	70.84	3379	8.65	-1.56	0	0	100	31.84	22.3	-5.15	47.19
721.46	70.84	3378	8.65	-1.56	0	0	100	31.72	22.3	-5.15	47.5
721.56	70.84	3381	8.66	-1.56	0	0	100	31.78	22.3	-5.15	47.5
721.64	70.84	3381	8.66	-1.56	0	0	100	31.8	22.3	-5.15	47.5
721.74	70.84	3379	8.65	-1.56	0	0	100	31.96	22.3	-5.15	47.19
721.82	70.84	3379	8.65	-1.56	0	0	100	31.6	22.3	-5.15	46.88
721.92	70.84	3379	8.65	-1.56	0	0	100	31.64	22.3	-5.15	46.88
722	70.84	3379	8.65	-1.56	0	0	100	31.3	22.3	-5.15	46.25
722.1	70.84	3382	8.66	-1.56	0	0	100	31.22	22.3	-5.37	46.25
722.18	70.84	3379	8.65	-1.56	0	0	100	30.9	22.3	-5.37	46.25
722.28	70.84	3379	8.65	-1.56	0	0	100	31.06	22.3	-5.37	45.94
722.36	70.84	3378	8.65	-1.56	0	0	100	31.06	22.3	-5.37	45.94
722.46	70.84	3379	8.65	-1.56	0	0	100	31.04	22.3	-5.15	45.94
722.54	70.84	3381	8.66	-1.56	0	0	100	31.16	22.3	-5.15	46.56
722.64	70.84	3379	8.65	-1.56	0	0	100	31.48	22.3	-5.15	46.56
722.72	70.84	3381	8.66	-1.56	0	0	100	31.64	23.48	-4.71	50.31
722.82	70.84	3379	10.09	-1.56	0	0	100	36.88	26.21	-2.97	61.25
722.9	70.84	3381	11.54	-1.56	0	0	100	44.9	27.78	-1.81	71.88
723	70.84	3384	13	-1.56	0	0	100	51.64	28.17	-0.87	78.44
723.08	70.84	3387	13.73	-1.56	0	0	100	54.56	28.17	-0.65	81.88
723.18	70.84	3390	14.47	-1.56	0	0	100	56.44	28.17	-0.29	84.38
723.26	70.84	3396	14.49	-1.56	0	0	100	57.54	28.17	0.15	86.56

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
723.36	70.84	3402	15.24	-1.56	0	0	100	59.26	27.78	0.15	88.12
723.44	70.84	3404	15.25	-1.56	0	0	100	60.16	27.39	0.29	89.06
723.54	70.84	3409	15.27	-1.56	0	0	100	59.84	26.61	0.29	87.5
723.62	70.84	3412	14.56	-1.56	0	0	100	58.98	26.61	0.29	86.25
723.72	70.84	3418	14.59	-1.56	0	0	100	58.98	27	0.51	87.19
723.8	70.84	3424	14.61	-1.56	0	0	100	59.54	27	0.51	87.5
723.9	72.08	3429	14.63	-1.56	0	0	100	60.36	27	0.94	88.75
723.98	72.08	3429	15.36	-1.56	0	0	100	60.8	27.39	1.09	89.69
724.08	72.08	3431	16.84	-1.56	0	0	100	65.24	34.04	4.06	106.56
724.16	72.08	3465	25.14	0	0	0	100	84.4	44.6	6.96	133.44
724.26	72.08	3470	32.58	0	0	0	100	99.56	50.86	8.92	149.06
724.34	72.08	3481	35.65	0	0	0	100	107.96	51.65	10.66	161.25
724.44	72.08	3481	38.63	0	0	0	100	117.12	51.25	12.84	173.75
724.52	72.08	3493	40.99	0	0	0	100	126.32	51.25	14.58	187.19
724.62	73.32	3518	44.28	0	0	0	100	136.54	51.25	16.1	200
724.7	73.32	3532	46.73	0	0	0	100	143.1	51.25	17.11	206.56
724.8	73.32	3544	47.64	0	0	0	100	146.14	48.91	17.33	201.25
724.88	73.32	3559	45.56	0	0	0	100	140.82	48.52	17.11	198.44
724.98	73.32	3578	45.04	0	0	0	100	139.4	47.73	16.68	193.12
725.06	73.32	3593	44.47	0	0	0	100	137	46.95	15.95	189.69
725.16	73.32	3618	44	0	0	0	100	135	46.56	15.37	186.88
725.24	73.32	3618	44	0	0	0	100	135.64	45.39	15.16	185.94
725.36	75.81	3626	43.32	0	0	0	100	134.08	42.65	14.36	181.25
725.51	75.81	3670	42.29	0	0	0	100	124.8	36.39	12.4	165
725.6	75.81	3685	35.38	0	0	0	100	111.92	32.47	9.5	137.19
725.7	75.81	3692	28.36	0	0	0	100	92.52	30.91	6.6	119.38
725.78	75.81	3705	26.09	0	0	0	100	83.72	30.52	5.37	113.75
725.88	75.81	3712	25.35	0	0	0	100	84.56	30.13	5.22	115
725.96	78.29	3722	26.2	0	0	0	100	85.38	30.52	5.22	115.94
726.06	78.29	3729	27.05	0	0	0	100	86.16	29.74	5	114.06
726.14	78.29	3734	24.7	0	0	0	100	78.7	26.61	2.83	95.62
726.24	78.29	3736	16.74	-1.56	0	0	100	64.92	25.82	1.09	83.75
726.32	78.29	3736	15.15	-1.56	0	0	100	58.7	23.48	-0.87	72.19
726.42	78.29	3738	11.96	-1.56	0	0	100	45.72	19.95	-4.35	52.81
726.5	78.29	3742	9.58	-1.56	0	0	100	32.52	18	-6.89	37.19
726.6	78.29	3733	6.37	-1.56	0	0	100	22	15.65	-9.21	24.69
726.68	78.29	3727	5.57	-1.56	0	0	100	15.08	15.26	-10.37	17.5
726.78	78.29	3716	4.76	-1.56	0	0	100	11.4	15.26	-10.8	14.69
726.86	78.29	3724	4.77	-1.56	0	0	100	10.26	15.26	-11.02	13.44

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
726.96	78.29	3712	4.75	-1.56	0	0	100	9.7	15.26	-11.02	12.81
727.04	78.29	3714	4.75	-1.56	0	0	100	9.28	15.26	-11.17	12.5
727.14	78.29	3707	4.75	-1.56	0	0	100	9.08	15.26	-11.17	12.19
727.22	78.29	3705	4.74	-1.56	0	0	100	8.78	15.26	-11.17	11.88
727.32	78.29	3694	4.73	-1.56	0	0	100	8.5	15.26	-11.39	11.25
727.4	78.29	3694	4.73	-1.56	0	0	100	8.3	15.26	-11.17	11.56
727.5	78.29	3687	4.72	-1.56	0	0	100	8.44	15.26	-11.17	11.56
727.58	78.29	3685	4.72	-1.56	0	0	100	8.76	15.26	-11.17	11.88
727.68	78.29	3682	4.71	-1.56	0	0	100	8.88	15.26	-11.17	12.19
727.76	78.29	3672	4.7	-1.56	0	0	100	8.92	15.26	-11.39	12.19
727.86	78.29	3662	4.69	-1.56	0	0	100	8.92	15.26	-11.17	12.5
727.94	78.29	3656	4.68	-1.56	0	0	100	9.02	15.26	-11.39	12.5
728.04	78.29	3656	4.68	-1.56	0	0	100	9.1	15.26	-11.17	12.5
728.12	77.05	3653	4.68	-1.56	0	0	100	9.18	15.26	-11.39	12.81
728.22	77.05	3644	4.66	-1.56	0	0	100	9.42	15.26	-11.02	13.12
728.3	77.05	3642	4.66	-1.56	0	0	100	9.38	15.26	-11.39	12.81
728.4	77.05	3639	4.66	-1.56	0	0	100	9.46	15.26	-11.17	13.12
728.48	77.05	3628	4.64	-1.56	0	0	100	9.34	15.26	-11.17	13.12
728.58	77.05	3631	4.65	-1.56	0	0	100	9.54	15.65	-11.17	13.12
728.66	77.05	3626	4.64	-1.56	0	0	100	9.46	15.65	-11.17	13.12
728.76	77.05	3616	4.63	-1.56	0	0	100	9.52	15.26	-11.17	13.44
728.84	75.81	3610	4.62	-1.56	0	0	100	9.44	15.26	-11.17	13.12
728.94	75.81	3605	4.62	-1.56	0	0	100	9.5	15.26	-11.17	13.44
729.02	75.81	3595	4.6	-1.56	0	0	100	9.5	15.26	-11.17	13.12
729.12	75.81	3593	4.6	-1.56	0	0	100	9.4	15.26	-11.17	13.12
729.2	75.81	3590	4.6	-1.56	0	0	100	9.24	15.26	-11.17	13.12
729.3	75.81	3574	4.58	-1.56	0	0	100	9.2	15.26	-11.17	13.12
729.38	75.81	3573	4.57	-1.56	0	0	100	9.36	15.26	-11.17	13.12
729.48	75.81	3576	4.58	-1.56	0	0	100	9.34	15.26	-11.02	13.44
729.56	75.81	3573	4.57	-1.56	0	0	100	9.66	15.26	-11.17	13.44
729.66	75.81	3574	4.58	-1.56	0	0	100	9.62	15.26	-11.17	13.44
729.74	75.81	3564	4.56	-1.56	0	0	100	9.4	15.26	-11.17	13.44
729.84	75.81	3547	4.54	-1.56	0	0	100	9.38	15.26	-11.17	13.12
729.95	75.81	3547	4.54	-1.56	0	0	100	9.42	15.26	-11.17	13.44
730.05	75.81	3541	4.53	-1.56	0	0	100	9.36	15.26	-11.17	13.44
730.15	75.81	3537	4.53	-1.56	0	0	100	9.36	15.26	-11.17	13.44
730.25	74.56	3539	4.53	-1.56	0	0	100	9.36	15.26	-11.17	13.44
730.35	74.56	3519	4.5	-1.56	0	0	100	9.28	15.26	-11.17	13.12
730.44	74.56	3519	4.5	-1.56	0	0	100	9.1	15.26	-11.17	12.81

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
730.54	74.56	3511	4.49	-1.56	0	0	100	9.24	15.26	-11.17	13.44
730.66	74.56	3511	4.49	-1.56	0	0	100	9.44	15.26	-11.17	13.75
730.76	74.56	3501	4.48	-1.56	0	0	100	9.38	15.26	-11.17	13.44
730.88	74.56	3498	4.48	-1.56	0	0	100	9.44	15.26	-11.17	13.44
730.96	73.32	3490	4.47	-1.56	0	0	100	9.42	15.26	-11.17	13.75
731.06	73.32	3477	4.45	-1.56	0	0	100	9.4	15.26	-11.17	13.75
731.14	73.32	3480	4.45	-1.56	0	0	100	9.38	15.26	-11.17	13.44
731.24	73.32	3470	4.44	-1.56	0	0	100	9.22	15.26	-11.17	13.12
731.32	73.32	3467	4.44	-1.56	0	0	100	9.08	15.26	-11.17	13.12
731.42	73.32	3460	4.43	-1.56	0	0	100	9.08	15.26	-11.17	13.12
731.54	73.32	3454	4.42	-1.56	0	0	100	9.16	15.26	-11.17	13.12
731.64	73.32	3449	4.42	-1.56	0	0	100	9.06	15.26	-11.17	13.12
731.76	72.08	3445	4.41	-1.56	0	0	100	9.06	15.26	-11.17	13.12
731.86	72.08	3431	4.39	-1.56	0	0	100	8.98	14.87	-11.17	13.12
731.98	72.08	3431	4.39	-1.56	0	0	100	8.9	14.87	-11.17	13.12
732.08	72.08	3415	4.37	-1.56	0	0	100	8.98	15.26	-11.17	13.12
732.2	72.08	3416	4.37	-1.56	0	0	100	8.92	15.26	-11.17	13.12
732.3	72.08	3404	4.36	-1.56	0	0	100	8.96	15.26	-11.17	13.12
732.42	72.08	3401	4.35	-1.56	0	0	100	9	15.26	-11.17	13.12
732.52	72.08	3396	4.35	-1.56	0	0	100	8.98	15.26	-11.17	13.44
732.64	72.08	3390	4.34	-1.56	0	0	100	9.26	15.26	-11.02	13.75
732.74	72.08	3381	4.33	-1.56	0	0	100	9.24	15.26	-11.02	13.75
732.86	72.08	3372	4.32	-1.56	0	0	100	9.12	15.26	-11.17	13.75
732.96	72.08	3366	4.31	-1.56	0	0	100	9.06	15.26	-11.17	13.75
733.08	70.84	3361	4.3	-1.56	0	0	100	9.08	15.26	-11.02	13.44
733.18	70.84	3352	4.29	-1.56	0	0	100	9.02	15.26	-11.17	13.44
733.3	70.84	3346	4.28	-1.56	0	0	100	9.1	15.26	-11.17	13.75
733.4	70.84	3337	4.27	-1.56	0	0	100	9.04	15.26	-11.17	13.44
733.52	70.84	3333	4.27	-1.56	0	0	100	8.92	14.87	-11.17	13.44
733.62	70.84	3329	4.26	-1.56	0	0	100	8.66	14.87	-11.17	13.12
733.74	70.84	3315	4.24	-1.56	0	0	100	8.64	14.87	-11.17	13.12
733.84	69.59	3313	4.24	-1.56	0	0	100	8.64	14.87	-11.17	13.12
733.94	69.59	3305	4.23	-1.56	0	0	100	8.68	14.87	-11.17	13.12
734.04	69.59	3306	4.23	-1.56	0	0	100	8.7	15.26	-11.02	13.44
734.14	69.59	3296	4.22	-1.56	0	0	100	8.92	15.26	-11.02	13.44
734.24	69.59	3291	4.21	-1.56	0	0	100	8.88	14.87	-11.17	13.44
734.36	69.59	3279	4.2	-1.56	0	0	100	8.78	14.87	-11.17	13.44
734.46	69.59	3274	4.19	-1.56	0	0	100	8.8	14.87	-11.17	13.44
734.56	68.35	3268	4.18	-1.56	0	0	100	8.64	14.87	-11.17	13.44

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
734.66	68.35	3253	0	-1.56	0	0	100	7.7	14.09	-11.39	11.88
734.74	68.35	3270	0	-1.56	0	0	100	7.42	14.09	-11.39	11.25
734.84	68.35	3248	0	-1.56	0	0	100	7.16	14.09	-11.39	11.25
734.94	68.35	3244	0	-1.56	0	0	100	7.14	14.09	-11.39	10.94
735.04	68.35	3239	0	-1.56	0	0	100	7.22	14.09	-11.39	11.25
735.12	68.35	3228	0	-1.56	0	0	100	7.26	14.09	-11.39	11.25
735.22	68.35	3229	0	-1.56	0	0	100	7.22	14.09	-11.39	11.25
735.32	68.35	3217	0	-1.56	0	0	100	7.22	14.09	-11.39	11.25
735.4	68.35	3210	4.11	-1.56	0	0	100	7.54	16.43	-11.02	15.31
735.5	68.35	3209	4.79	-1.56	0.39	0	100	12.64	18.78	-9.64	22.5
735.6	68.35	3244	6.23	-1.56	1.56	0	100	16.14	18.78	-8.85	25.94
735.7	68.35	3164	6.08	-1.56	2.34	0	100	17.06	18.78	-8.48	27.19
735.78	68.35	3218	5.49	-1.56	2.73	0	100	17.24	18.39	-8.63	26.88
735.88	67.11	3182	5.43	-1.56	1.95	0	100	16.8	18.39	-8.85	26.25
735.98	67.11	3192	5.45	-1.56	1.17	0	100	16.66	18.78	-8.85	26.56
736.08	67.11	3184	5.43	-1.56	0.78	0	100	17.1	18.78	-8.63	27.19
736.16	67.11	3184	5.43	-1.56	-0.39	0	100	17.4	18.78	-8.63	27.5
736.26	67.11	3179	5.43	-1.56	0.39	0	100	17.3	18.78	-8.48	27.5
736.36	67.11	3176	5.42	-1.56	1.56	0	100	17.36	18.78	-8.63	27.81
736.46	67.11	3176	6.1	-1.56	2.73	0	100	17.52	18.78	-8.48	27.81
736.54	67.11	3171	6.09	-1.56	3.9	0	100	17.44	18.78	-8.63	27.81
736.64	67.11	3168	5.41	-1.56	3.12	0	100	17.5	18.78	-8.48	27.81
736.76	67.11	3166	5.4	-1.56	2.34	0	100	17.44	18.78	-8.48	27.81
736.86	67.11	3164	5.4	-1.56	1.56	0	100	17.52	18.78	-8.48	27.81
736.98	67.11	3156	5.39	-1.56	0.78	0	100	17.56	18.78	-8.48	27.81
737.08	67.11	3151	5.38	-1.56	0	0	100	17.54	18.78	-8.48	27.81
737.2	67.11	3153	6.06	-1.56	1.56	0	100	17.92	19.17	-8.27	28.75
737.3	67.11	3145	6.04	-1.56	2.34	0	100	18.42	19.17	-8.05	30
737.42	65.87	3151	6.05	-1.56	3.12	0	100	19.3	19.56	-7.9	30.94
737.5	65.87	3144	6.04	-1.56	2.73	0	100	19.2	19.56	-7.9	30.94
737.6	65.87	3144	6.04	-1.56	1.95	0	100	19.24	19.17	-7.9	30.94
737.68	65.87	3136	6.02	-1.56	1.17	0	100	19.2	19.17	-7.9	30.94
737.78	65.87	3136	6.02	-1.56	0.39	0	100	19.58	19.56	-7.9	31.25
737.88	65.87	3138	6.03	-1.56	1.56	0	100	19.38	19.56	-7.9	31.25
737.96	65.87	3132	6.01	-1.56	2.73	0	100	19.92	19.95	-7.69	32.81
738.06	65.87	3134	6.69	-1.56	3.51	0	100	22.14	20.74	-7.11	36.25
738.16	65.87	3131	7.35	-1.56	2.73	0	100	23.18	20.74	-6.89	37.19
738.26	65.87	3126	6.67	-1.56	1.56	0	100	23.18	20.74	-6.89	37.19
738.34	65.87	3124	6.67	-1.56	0.78	0	100	23.1	20.35	-6.89	36.88

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
738.44	65.87	3126	6.67	-1.56	0	0	100	22.28	19.56	-7.25	35
738.54	65.87	3126	6.67	-1.56	0.78	0	100	20.92	19.17	-7.69	33.12
738.62	65.87	3123	6.66	-1.56	1.95	0	100	20	19.17	-7.69	32.19
738.72	65.87	3117	5.98	-1.56	1.56	0	100	19.8	19.17	-7.9	31.88
738.82	65.87	3118	5.99	-1.56	0.78	0	100	19.64	19.17	-7.69	31.56
738.9	65.87	3117	5.98	-1.56	0	0	100	19.58	19.17	-7.69	31.56
739	65.87	3110	5.97	-1.56	-0.78	0	100	19.42	19.17	-7.9	31.25
739.08	65.87	3113	5.98	-1.56	-1.17	0	100	19.42	19.17	-7.9	31.25
739.18	65.87	3109	5.97	-1.56	-1.95	0	100	19.48	19.17	-7.69	31.56
739.28	65.87	3106	5.97	-1.56	-0.78	0	100	19.38	19.17	-7.69	31.56
739.36	65.87	3106	5.97	-1.56	0	0	100	19.6	19.56	-7.69	31.88
739.46	64.62	3104	6.62	-1.56	1.17	0	100	20.12	19.56	-7.47	32.81
739.56	64.62	3099	6.61	-1.56	1.56	0	100	20.76	20.35	-7.25	35.31
739.64	64.62	3103	6.62	-1.56	0.39	0	100	22.2	20.35	-6.89	36.25
739.74	64.62	3099	6.61	-1.56	-0.39	0	100	22.22	20.35	-6.89	36.25
739.82	64.62	3096	6.61	-1.56	-0.39	0	100	22.32	20.35	-6.89	36.25
739.92	64.62	3092	6.6	-1.56	0.78	0	100	22.3	19.95	-6.89	36.25
740.02	64.62	3092	6.6	-1.56	1.95	0	100	22.2	19.95	-6.89	36.25
740.1	64.62	3091	6.59	-1.56	2.34	0	100	22.2	19.95	-6.89	36.25
740.2	64.62	3092	6.6	-1.56	1.56	0	100	22.26	19.95	-6.89	36.25
740.28	64.62	3090	6.59	-1.56	0.78	0	100	22.18	19.95	-7.11	35.94
740.38	64.62	3090	6.59	-1.56	0	0	100	21.92	19.95	-7.11	35.62
740.46	64.62	3082	6.58	-1.56	-0.78	0	100	20.86	18.78	-7.69	32.81
740.56	64.62	3083	5.92	-1.56	-1.56	0	100	19.38	18.78	-7.9	30.94
740.64	64.62	3081	5.92	-1.56	-2.34	0	100	18.6	18.39	-8.05	29.69
740.74	64.62	3080	5.26	-1.56	-2.73	0	100	17.84	18.39	-8.27	28.44
740.82	64.62	3081	5.26	-1.56	-3.51	0	100	17.18	18.39	-8.48	27.81
740.92	64.62	3072	5.24	-1.56	-4.29	0	100	16.76	18	-8.48	27.19
741	64.62	3069	5.24	-1.56	-5.07	0	100	16.52	18.39	-8.48	26.88
741.1	64.62	3067	5.23	-1.56	-5.46	0	100	16.42	18.39	-8.48	26.88
741.18	64.62	3072	5.24	-1.56	-4.68	0	100	16.36	18.39	-8.48	26.88
741.28	64.62	3063	5.23	-1.56	-3.51	0	100	16.28	18.39	-8.48	26.88
741.36	64.62	3062	5.23	-1.56	-2.73	0	100	16.34	18.39	-8.48	26.88
741.46	64.62	3062	5.23	-1.56	-1.56	0	100	16.38	18.39	-8.63	26.88
741.54	64.62	3053	5.21	-1.56	-0.78	0	100	16.42	18.39	-8.63	26.88
741.64	64.62	3057	5.22	-1.56	0	0	100	16.44	18.39	-8.63	26.88
741.72	64.62	3053	5.21	-1.56	0	0	100	16.38	18.39	-8.63	26.88
741.82	64.62	3049	5.2	-1.56	-0.39	0	100	15.94	17.61	-8.85	25.94
741.9	64.62	3046	5.2	-1.56	-1.17	0	100	14.68	16.43	-9.43	22.81

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
742	64.62	3037	4.54	-1.56	-1.95	0	100	13.06	16.43	-9.79	20.94
742.08	64.62	3040	4.54	-1.56	-2.34	0	100	12.14	16.04	-10.01	19.38
742.18	64.62	3029	3.88	-1.56	-3.12	0	100	11.24	15.65	-10.22	18.12
742.26	63.38	3031	3.88	-1.56	-3.9	0	100	10.58	15.65	-10.22	17.19
742.36	63.38	3029	3.88	-1.56	-4.68	0	100	10.68	17.22	-10.22	18.44
742.46	63.38	3022	4.51	-1.56	-5.07	0	100	13.16	18.39	-9.21	24.69
742.54	63.38	3024	5.16	-1.56	-5.85	0	100	15.98	18.78	-8.63	27.5
742.64	63.38	3026	5.17	-1.56	-6.63	0	100	17.86	19.56	-8.05	31.56
742.74	63.38	3014	5.79	-1.56	-7.41	0	100	19.62	20.35	-7.69	33.75
742.82	63.38	3008	5.78	-1.56	-7.8	0	100	20.78	19.95	-7.25	35
742.92	63.38	3009	6.42	-1.56	-6.63	0	100	21.08	19.95	-7.11	35
743.02	63.38	3009	6.42	-1.56	-5.46	0	100	21.14	19.95	-7.11	35.31
743.1	63.38	3007	6.42	-1.56	-4.29	0	100	21.06	19.95	-7.11	35.31
743.2	63.38	3007	6.42	-1.56	-2.73	0	100	21.34	19.95	-7.11	35.62
743.3	63.38	3003	6.41	-1.56	-1.56	0	100	21.4	19.95	-7.11	35.94
743.38	63.38	3000	6.4	-1.56	-0.78	0	100	21.36	19.95	-7.11	35.62
743.48	63.38	3000	6.4	-1.56	0.78	0	100	21.46	19.95	-6.74	35.94
743.58	63.38	2997	6.39	-1.56	0	0	100	21.48	19.95	-7.11	35.94
743.68	63.38	2992	6.38	-1.56	-0.78	0	100	21.12	17.61	-7.69	32.81
743.76	63.38	2990	5.1	-1.56	-1.56	0	100	17.24	15.65	-9.06	25.94
743.84	63.38	2997	4.48	-1.56	-2.34	0	100	13.22	14.09	-10.37	18.75
743.94	63.38	3034	3.88	-1.56	-3.12	0	100	9.26	14.48	-11.17	13.75
744.04	63.38	3014	3.86	-1.56	-3.9	0	100	10.08	21.52	-9.06	24.69
744.12	63.38	2967	6.33	-1.56	-4.29	0	100	21.88	22.69	-6.31	40.31
744.22	63.38	3207	7.53	-1.56	-5.07	0	100	28.7	25.82	-4.93	48.75
744.3	63.38	3674	10.98	-1.56	0	0	100	40.94	27	-4.57	54.69
744.4	62.14	4375	14	-1.56	0	0	100	51.02	30.52	-3.55	62.19
744.48	62.14	4290	16.48	-1.56	0	0	100	60.08	33.26	-1.45	77.19
744.58	62.14	4320	20.28	-1.56	0	0	100	75.22	41.47	0.94	93.75
744.68	62.14	4270	27.33	0	0	0	100	87.3	41.47	2.47	104.69
744.76	62.14	4317	30.4	0	0	0	100	94.4	41.47	4.06	115.62
744.86	62.14	4322	33.2	0	0	0	100	100.76	36	4.79	116.25
744.94	62.14	4325	32.29	0	0	0	100	100.9	34.04	5.22	118.75
745.04	62.14	4365	34.46	0	0	0	100	107.34	34.04	6.16	125.94
745.14	63.38	4383	36.47	0	0	0	100	112.98	34.04	6.96	130.62
745.22	63.38	4403	37.58	0	0	0	100	114.9	32.87	6.74	127.19
745.32	63.38	4419	32.06	0	0	0	100	96.1	26.21	2.1	92.81
745.42	63.38	4409	19.75	0	0	0	100	71.52	26.21	-0.07	76.25
745.5	63.38	4435	17.03	-1.56	0	0	100	64.56	26.21	-0.87	70.94

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
745.6	63.38	4456	16.16	-1.56	0	0	100	60.14	26.21	-1.6	66.25
745.68	63.38	4453	15.2	-1.56	0	0	100	58.08	27	-2.03	65
745.78	63.38	4466	17.15	-1.56	0	0	100	68.88	33.65	1.52	94.69
745.86	64.62	4501	30.73	0	0	0	100	98.14	36.39	4.21	116.25
745.96	64.62	4501	36.5	0	0	0	100	113.72	41.08	7.18	136.25
746.04	64.62	4523	44.39	0	0	0	100	134.2	43.04	9.86	159.69
746.14	64.62	4550	50.48	0	0	0	100	155.04	42.65	12.26	180.31
746.22	64.62	4586	57.73	0	0	0	100	171.54	40.69	13.78	186.88
746.32	64.62	4598	55.92	0	0	0	100	163.78	36.78	12.26	163.44
746.4	64.62	4618	40.39	0	0	0	100	132.04	32.87	8.34	128.44
746.5	68.35	4652	34.74	0	0	0	100	110.52	32.08	5.8	112.81
746.6	68.35	4652	29.78	0	0	0	100	94.52	27.39	1.67	89.69
746.68	68.35	4664	21.89	0	0	0	100	72.16	26.21	-0.51	72.5
746.78	68.35	4690	18.01	-1.56	0	0	100	63.98	26.61	-1.45	66.88
746.86	68.35	4684	15.99	-1.56	0	0	100	60.48	26.61	-2.03	63.75
746.96	68.35	4702	16.05	-1.56	0	0	100	58.78	26.21	-2.39	62.19
747.04	68.35	4713	16.09	-1.56	0	0	100	56.18	24.65	-3.55	56.88
747.14	68.35	4705	14.05	-1.56	0	0	100	48	22.69	-5.37	46.25
747.22	68.35	4707	11.05	-1.56	0	0	100	37.56	21.13	-6.89	35.62
747.32	68.35	4707	9.04	-1.56	0	0	100	28.28	19.56	-8.27	26.25
747.4	68.35	4699	7.02	-1.56	0	0	100	21.36	18.78	-9.06	20.62
747.5	68.35	4684	6	-1.56	0	0	100	17.8	19.17	-9.21	18.75
747.58	68.35	4669	6.97	-1.56	0	0	100	17.46	19.95	-9.06	20.31
747.68	68.35	4687	7	-1.56	0	0	100	24.98	22.69	-7.9	30.62
747.76	68.35	4755	9.13	-1.56	0	0	100	31.32	22.69	-7.32	34.06
747.86	68.35	4641	9.9	-1.56	0	0	100	31.98	22.69	-7.47	34.69
747.94	68.35	4710	10.05	-1.56	0	0	100	34.8	25.43	-6.31	43.12
748.04	68.35	4678	12.98	-1.56	0	0	100	46.62	25.82	-5.37	51.56
748.12	68.35	4710	14.07	-1.56	0	0	100	49.32	25.43	-5.15	53.12
748.22	68.35	4690	14.01	-1.56	0	0	100	49.98	25.43	-4.79	53.44
748.3	68.35	4693	14.02	-1.56	0	0	100	49.66	25.43	-4.93	52.81
748.4	68.35	4696	14.03	-1.56	0	0	100	49.56	25.43	-4.93	53.44
748.48	68.35	4690	14.01	-1.56	0	0	100	50.1	25.43	-4.71	53.75
748.58	68.35	4699	14.03	-1.56	0	0	100	50.36	25.43	-4.71	53.44
748.66	68.35	4699	14.03	-1.56	0	0	100	49.26	25.04	-4.57	52.19
748.76	68.35	4705	13.05	-1.56	0	0	100	48.44	25.04	-4.93	51.25
748.84	68.35	4705	13.05	-1.56	0	0	100	45.16	21.52	-6.38	42.19
748.94	68.35	4690	10.01	-1.56	0	0	100	31.42	19.56	-8.27	30
749.02	68.35	4696	8.01	-1.56	0	0	100	24.3	19.56	-8.85	25

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
749.12	68.35	4687	7	-1.56	0	0	100	22.22	19.56	-9.06	23.44
749.2	68.35	4681	6.99	-1.56	0	0	100	21.24	19.56	-9.06	22.5
749.3	68.35	4681	6.99	-1.56	0	0	100	20.6	19.56	-9.43	21.88
749.38	68.35	4687	7	-1.56	0	0	100	19.84	19.56	-9.28	20.94
749.48	68.35	4672	6.98	-1.56	0	0	100	19.36	19.17	-9.43	20.94
749.56	68.35	4672	6.98	-1.56	0	0	100	19.2	19.56	-9.64	20.62
749.66	68.35	4664	6.96	-1.56	0	0	100	19.26	19.17	-9.64	20.94
749.74	68.35	4664	6.96	-1.56	0	0	100	19.36	19.56	-9.64	20.94
749.84	68.35	4658	6.96	-1.56	0	0	100	19.78	19.56	-9.64	21.25
749.92	68.35	4649	6.94	-1.56	0	0	100	19.9	19.56	-9.43	21.88
750.02	68.35	4649	6.94	-1.56	0	0	100	20.28	19.56	-9.43	21.88
750.12	68.35	4641	6.93	-1.56	0	0	100	20.54	19.56	-9.43	22.19
750.22	68.35	4635	6.92	-1.56	0	0	100	20.38	19.95	-9.43	22.5
750.3	68.35	4632	6.92	-1.56	0	0	100	22.2	22.3	-8.63	27.5
750.4	68.35	4635	9.89	-1.56	0	0	100	30.54	23.87	-7.47	36.25
750.48	68.35	4658	10.93	-1.56	0	0	100	36.12	24.26	-6.74	40.94
750.58	68.35	4621	10.84	-1.56	0	0	100	38.4	24.65	-6.53	43.12
750.66	68.35	4624	11.84	-1.56	0	0	100	40.92	24.65	-6.31	45.94
750.76	67.11	4638	11.87	-1.56	0	0	100	42.36	24.26	-6.09	45.94
750.84	67.11	4615	11.81	-1.56	0	0	100	42.28	24.26	-6.09	45.94
750.94	67.11	4629	11.85	-1.56	0	0	100	42.36	24.65	-6.09	46.25
751.02	67.11	4629	11.85	-1.56	0	0	100	43.38	25.04	-5.73	48.44
751.12	67.11	4635	12.86	-1.56	0	0	100	46.4	25.43	-5.37	51.88
751.2	67.11	4638	13.85	-1.56	0	0	100	48.34	25.04	-5.15	52.5
751.3	67.11	4626	12.83	-1.56	0	0	100	48.1	25.04	-5.15	52.19
751.38	67.11	4641	12.87	-1.56	0	0	100	47.66	25.04	-5	51.25
751.48	67.11	4632	12.85	-1.56	0	0	100	46.68	25.04	-5.15	50.31
751.56	67.11	4632	12.85	-1.56	0	0	100	47.24	25.43	-4.71	51.88
751.66	67.11	4641	12.87	-1.56	0	0	100	48.78	25.04	-4.71	52.81
751.74	67.11	4638	12.86	-1.56	0	0	100	48.58	25.43	-4.71	52.19
751.84	67.11	4644	12.88	-1.56	0	0	100	47.94	25.43	-4.71	52.19
751.92	67.11	4644	13.87	-1.56	0	0	100	49.08	27	-4.13	55.62
752.02	67.11	4655	16.88	-1.56	0	0	100	61.9	29.34	-2.03	72.5
752.1	67.11	4655	19.86	-1.56	0	0	100	69.76	28.95	-1.45	77.5
752.2	68.35	4675	20.95	0	0	0	100	73.12	28.95	-0.87	80.62
752.28	68.35	4666	21.9	0	0	0	100	76.8	29.74	-0.29	84.69
752.38	68.35	4684	23.98	0	0	0	100	81.8	29.74	0.29	89.38
752.46	68.35	4690	25.02	0	0	0	100	84.1	29.74	0.51	90
752.56	68.35	4702	25.08	0	0	0	100	85.2	30.52	0.94	91.56

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
752.64	68.35	4723	27.21	0	0	0	100	91.24	32.47	2.47	104.69
752.74	68.35	4731	33.31	0	0	0	100	102.9	32.47	3.63	110.94
752.82	68.35	4743	34.41	0	0	0	100	105.86	32.08	4.06	112.81
752.92	69.59	4761	34.54	0	0	0	100	105.32	32.08	4.21	110.31
753	69.59	4776	33.63	0	0	0	100	104.5	32.08	4.42	110.31
753.1	69.59	4789	33.71	0	0	0	100	106.2	32.47	4.79	110.94
753.18	69.59	4807	33.85	0	0	0	100	106.9	32.47	4.79	111.56
753.28	69.59	4823	33.96	0	0	0	100	113.4	36	6.6	130.94
753.38	69.59	4854	44.53	0	0	0	100	143.36	41.47	10.3	160
753.48	69.59	4886	55.25	0	0	0	100	175.56	60.25	15.16	199.38
753.56	72.08	4917	69.24	0	0	0	100	212.84	84.51	18.85	229.06
753.66	72.08	4943	78.05	0	0	0	100	239.68	85.29	21.75	254.06
753.74	72.08	4966	84.77	0	0	0	100	263.8	85.69	24.29	274.38
753.84	72.08	5013	90.91	0	0	0	100	280.84	85.69	26.11	281.88
753.92	72.08	5053	91.64	0	0	0	100	282.4	85.69	26.69	275.62
754.02	72.08	5102	88.16	0	0	0	100	275.88	85.69	26.11	266.25
754.1	72.08	5123	85.25	0	0	0.35	100	266.84	85.69	25.09	256.25
754.2	72.08	5183	84.04	0	0	0.35	100	259.7	85.69	23.93	246.88
754.28	75.81	5204	79.94	0	0	0.35	100	249.26	85.29	22.77	234.38
754.38	75.81	5248	76.14	0	0	0.35	100	238.66	85.69	21.39	225.31
754.46	75.81	5285	74.42	0	0	0.35	100	232.2	85.29	20.23	214.69
754.56	75.81	5304	71.29	0	0	0.35	100	222.76	85.29	19.22	208.44
754.64	75.81	5345	69.57	0	0	0.35	100	218.38	84.9	18.49	203.44
754.74	75.81	5395	70.21	0	0	0.35	100	217.84	84.9	18.06	199.38
754.86	75.81	5415	69.31	0	0	0	100	218.38	84.9	17.91	200.31
754.94	75.81	5462	71.08	0	0	0	100	222.64	84.9	18.06	205.94
755.04	79.54	5494	72.68	0	0	0	100	227.14	84.9	18.64	208.75
755.14	79.54	5522	74.23	0	0	0	100	233.68	84.51	19.07	211.56
755.22	79.54	5563	75.97	0	0	0	100	239.46	84.12	20.01	215.62
755.32	79.54	5605	77.73	0	0	0	100	246.24	65.73	20.23	220.62
755.42	79.54	5601	78.86	0	0	0	100	244.68	59.08	20.45	217.19
755.53	79.54	5664	78.55	0	0	0	100	241.5	57.12	20.01	212.19
755.63	79.54	5699	76.6	0	0	0	100	233.88	55.17	19.22	203.75
755.75	83.26	5738	72.23	0	0	0	100	217.98	45.78	16.1	181.88
755.85	83.26	5755	63.85	0	0	0	100	185.56	39.91	11.24	150.94
755.97	83.26	5787	46.91	0	0	0	100	145.72	31.3	4.79	106.25
756.07	83.26	5773	35.72	0	0	0	100	90	23.87	-2.39	63.44
756.19	83.26	5673	18.15	-1.56	0	0	100	55.96	22.69	-5.95	42.81
756.29	83.26	5919	13.89	-1.56	0	0	100	41.9	21.52	-7.25	34.06

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
756.41	83.26	5694	10.93	-1.56	0	0	100	32.32	20.74	-8.48	26.88
756.51	84.51	5795	9.89	-1.56	0	0	100	28.52	20.74	-8.85	23.12
756.63	84.51	5769	8.62	-1.56	0	0	100	24.56	20.74	-8.92	20.94
756.73	84.51	5716	8.54	-1.56	0	0	100	23.36	20.74	-9.21	20.62
756.83	84.51	5729	8.56	-1.56	0	0	100	23.54	20.74	-9.06	20.62
756.93	84.51	5729	8.56	-1.56	0	0	100	24.06	21.13	-9.21	21.25
757.05	84.51	5725	8.55	-1.56	0	0	100	24.62	21.13	-9.21	21.88
757.15	83.26	5699	8.51	-1.56	0	0	100	27.56	24.26	-8.05	29.38
757.27	83.26	5733	13.46	-1.56	0	0	100	46.64	26.61	-6.53	44.06
757.37	83.26	5681	15.76	-1.56	0	0	100	52.16	26.21	-6.09	46.25
757.49	83.26	5725	15.88	-1.56	0	0	100	52.48	26.21	-5.73	47.5
757.59	83.26	5690	15.78	-1.56	0	0	100	55.96	28.56	-4.71	55
757.71	83.26	5690	20.64	-1.56	0	0	100	69.26	28.95	-3.55	62.81
757.81	83.26	5699	23.1	0	0	0	100	74.28	29.34	-2.83	67.19
757.93	83.26	5703	24.34	0	0	0	100	77.32	29.34	-2.61	67.81
758.03	83.26	5707	23.13	0	0	0	100	78.78	29.34	-2.18	69.69
758.15	83.26	5703	24.34	0	0	0	100	80.92	30.13	-1.09	74.06
758.25	83.26	5716	26.83	0	0	0	100	90.12	30.52	-0.44	80
758.37	83.26	5716	28.05	0	0	0	100	91.3	30.52	-0.29	80.31
758.47	83.26	5729	28.11	0	0	0	100	91.24	30.52	-0.07	80.62
758.57	83.26	5733	28.13	0	0	0	100	92.04	30.91	0.15	80.94
758.67	83.26	5738	28.16	0	0	0	100	92.12	30.52	0.15	80.31
758.77	83.26	5751	28.22	0	0	0	100	91.84	30.52	0.15	80.31
758.85	83.26	5755	28.24	0	0	0	100	90.3	30.13	-0.07	78.75
758.95	83.26	5760	28.26	0	0	0	100	89.7	30.13	-0.07	77.81
759.05	83.26	5764	27.06	0	0	0	100	89.34	30.13	0.07	77.81
759.15	83.26	5773	28.33	0	0	0	100	90.04	30.13	-0.07	78.44
759.23	84.51	5769	27.08	0	0	0	100	90.1	30.52	0.15	79.38
759.33	84.51	5787	28.4	0	0	0	100	91.68	30.91	0.29	80.94
759.43	84.51	5791	28.42	0	0	0	100	93.5	30.52	0.29	80.94
759.53	84.51	5795	28.44	0	0	0	100	93.18	30.52	0.15	80
759.61	84.51	5809	28.51	0	0	0	100	93	30.52	0.29	80.31
759.71	84.51	5805	28.48	0	0	0	100	93.7	32.47	1.09	86.25
759.81	84.51	5832	36.08	0	0	0	100	120.22	36.39	3.63	110.94
759.91	84.51	5845	46.14	0	0	0	100	144.02	39.13	6.96	136.25
759.99	85.75	5854	56.21	0	0	0	100	179.24	50.08	12.04	171.88
760.09	85.75	5895	74.21	0	0	0	100	237.82	82.56	17.33	216.56
760.19	85.75	5915	88.33	0	0	0	100	276.74	84.9	21.17	244.69
760.29	85.75	5947	96.43	0	0	0	100	301.7	84.51	24.15	256.88

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
760.41	85.75	5952	100.31	0	0	0	100	311.48	84.51	25.31	258.75
760.51	85.75	6038	99.19	0	0	0	100	308.76	84.12	25.09	256.25
760.63	85.75	6087	98.7	0	0	0	100	305.7	82.95	24.73	253.12
760.73	88.23	6122	97.96	0	0	0	100	296.6	66.9	23.35	241.88
760.85	88.23	6147	93.11	0	0	0	100	283.98	59.08	21.61	226.88
760.95	88.23	6162	84.14	0	0	0	100	175.1	20.74	1.09	87.81
761.07	88.23	5891	23.88	0	0	0	100	62.08	20.35	-5.73	43.44
761.17	88.23	5787	12.35	-1.56	0	0	100	39.16	19.95	-7.9	30.31
761.29	88.23	5618	9.59	-1.56	0	0	100	27.8	19.95	-8.85	23.75
761.39	89.48	5510	8.23	-1.56	0	0	100	23.96	19.56	-9.21	20.31
761.51	89.48	5422	8.1	-1.56	0	0	100	19.58	19.17	-9.43	17.81
761.61	89.48	5322	6.81	-1.56	0	0	100	18.14	19.17	-9.5	17.19
761.71	89.48	5244	6.71	-1.56	0	0	100	17.4	19.17	-9.79	16.88
761.81	89.48	5129	6.57	-1.56	0	0	100	16.42	18.39	-9.79	16.56
761.91	89.48	4669	5.98	-1.56	0	0	100	13.72	16.82	-10.22	15.31
761.99	89.48	4100	5.25	-1.56	0	0	100	11.72	16.04	-10.8	13.44
762.09	88.23	4247	5.44	-1.56	0	0	100	10.64	16.04	-10.8	14.06
762.19	88.23	4166	5.33	-1.56	0	0	100	11.68	16.04	-11.02	13.75
762.29	88.23	4164	5.33	-1.56	0	0	100	11.64	16.04	-11.02	14.06
762.39	88.23	4187	5.36	-1.56	0	0	100	11.96	16.04	-10.88	14.06
762.49	88.23	4175	5.34	-1.56	0	0	100	11.2	16.04	-11.17	13.44
762.59	88.23	4162	5.33	-1.56	0	0	100	11	16.04	-11.17	13.12
762.69	88.23	4155	5.32	-1.56	0	0	100	10.96	16.43	-11.17	13.44
762.79	86.99	4141	5.3	-1.56	0	0	100	11	16.04	-11.17	13.44
762.89	86.99	4125	5.28	-1.56	0	0	100	11.02	16.04	-11.17	13.44
762.99	86.99	4121	5.27	-1.56	0	0	100	10.92	16.04	-11.17	13.44
763.09	86.99	4098	5.25	-1.56	0	0	100	11	16.04	-11.17	13.44
763.17	86.99	4076	5.22	-1.56	0	0	100	11.04	16.04	-11.17	13.44
763.27	86.99	4073	5.21	-1.56	0	0	100	11.04	16.43	-11.17	13.75
763.35	86.99	4042	5.17	-1.56	0	0	100	11.1	16.04	-11.17	13.75
763.45	86.99	4047	5.18	-1.56	0	0	100	11.16	16.04	-11.17	13.75
763.53	85.75	4041	5.17	-1.56	0	0	100	10.98	16.04	-11.17	13.75
763.63	85.75	4015	5.14	-1.56	0	0	100	11	16.04	-11.17	13.75
763.73	85.75	4012	5.14	-1.56	0	0	100	10.68	16.04	-11.39	13.44
763.81	85.75	3995	5.11	-1.56	0	0	100	10.44	16.04	-11.39	13.12
763.91	85.75	3982	5.1	-1.56	0	0	100	10.38	16.04	-11.39	13.12
764.01	85.75	3970	5.08	-1.56	0	0	100	10.28	15.65	-11.39	13.12
764.11	85.75	3970	5.08	-1.56	0	0	100	10.4	16.04	-11.39	13.44
764.21	83.26	3966	5.08	-1.56	0	0	100	10.68	16.04	-11.17	13.75

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
764.31	83.26	3961	5.07	-1.56	0	0	100	10.84	16.04	-11.17	13.75
764.39	83.26	3955	5.06	-1.56	0	0	100	10.84	16.04	-11.02	13.75
764.49	83.26	3953	5.06	-1.56	0	0	100	10.84	16.04	-11.17	13.75
764.57	83.26	3949	5.05	-1.56	0	0	100	10.88	16.04	-11.17	13.75
764.67	83.26	3940	5.04	-1.56	0	0	100	10.6	16.04	-11.39	13.44
764.75	83.26	3926	5.03	-1.56	0	0	100	10.38	15.65	-11.39	13.12
764.85	83.26	3922	5.02	-1.56	0	0	100	10.2	15.65	-11.39	13.12
764.93	82.02	3912	5.01	-1.56	0	0	100	10.28	15.65	-11.17	13.12
765.03	82.02	3916	5.01	-1.56	0	0	100	10.22	15.65	-11.39	13.44
765.13	82.02	3906	5	-1.56	0	0	100	10.34	16.04	-11.17	13.44
765.23	82.02	3906	5	-1.56	0	0	100	10.6	16.04	-11.02	13.75
765.31	82.02	3895	4.99	-1.56	0	0	100	10.68	16.04	-11.17	13.75
765.41	82.02	3890	4.98	-1.56	0	0	100	10.78	16.04	-11.17	14.06
765.49	82.02	3886	4.97	-1.56	0	0	100	10.78	16.04	-11.17	13.75
765.59	82.02	3877	4.96	-1.56	0	0	100	10.48	16.04	-11.17	13.44
765.67	82.02	3861	4.94	-1.56	0	0	100	10.28	15.65	-11.39	13.12
765.77	82.02	3861	4.94	-1.56	0	0	100	10.08	15.65	-11.39	13.12
765.85	82.02	3857	4.94	-1.56	0	0	100	10.08	15.65	-11.39	13.12
765.95	82.02	3852	4.93	-1.56	0	0	100	10.14	15.65	-11.24	13.12
766.03	82.02	3846	4.92	-1.56	0	0	100	10.1	15.65	-11.39	13.12
766.15	82.02	3840	4.92	-1.56	0	0	100	10.02	15.65	-11.17	13.44
766.23	82.02	3836	4.91	-1.56	0	0	100	10.2	15.65	-11.17	13.44
766.33	80.78	3826	4.9	-1.56	0	0	100	10.3	15.65	-11.17	13.44
766.43	80.78	3826	4.9	-1.56	0	0	100	10.4	16.04	-11.17	13.75
766.51	80.78	3822	4.89	-1.56	0	0	100	10.5	16.04	-11.02	13.75
766.61	80.78	3809	4.88	-1.56	0	0	100	10.38	15.65	-11.17	13.44
766.69	80.78	3805	4.87	-1.56	0	0	100	10.32	15.65	-11.17	13.75
766.79	80.78	3801	4.87	-1.56	0	0	100	10.16	15.65	-11.17	13.44
766.87	80.78	3791	4.85	-1.56	0	0	100	10.08	15.65	-11.39	13.44
766.97	80.78	3782	4.84	-1.56	0	0	100	9.94	15.65	-11.39	13.12
767.05	79.54	3782	4.84	-1.56	0	0	100	9.9	15.65	-11.39	13.12
767.15	79.54	3776	4.83	-1.56	0	0	100	9.98	15.65	-11.17	13.75
767.23	79.54	3769	4.82	-1.56	0	0	100	10.14	15.65	-11.17	13.44
767.33	79.54	3767	4.82	-1.56	0	0	100	10.1	15.65	-11.17	13.44
767.43	79.54	3763	4.82	-1.56	0	0	100	10.08	15.65	-11.17	13.44
767.51	79.54	3755	4.81	-1.56	0	0	100	10.26	15.65	-11.17	13.75
767.61	79.54	3748	4.8	-1.56	0	0	100	10.2	15.65	-11.17	13.44
767.71	79.54	3742	4.79	-1.56	0	0	100	9.96	15.65	-11.39	13.12
767.79	78.29	3731	4.78	-1.56	0	0	100	9.76	15.65	-11.17	13.12

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
767.89	78.29	3731	4.78	-1.56	0	0	100	9.8	15.65	-11.17	13.12
767.97	78.29	3725	4.77	-1.56	0	0	100	9.88	15.65	-11.02	13.44
768.07	78.29	3722	4.76	-1.56	0	0	100	9.76	15.65	-11.24	13.44
768.17	78.29	3714	4.75	-1.56	0	0	100	9.92	15.65	-11.17	13.44
768.25	78.29	3712	4.75	-1.56	0	0	100	10.06	15.65	-11.17	13.75
768.35	78.29	3705	4.74	-1.56	0	0	100	10.08	15.65	-11.17	13.75
768.45	78.29	3696	4.73	-1.56	0	0	100	9.96	15.65	-11.17	13.44
768.55	78.29	3692	4.73	-1.56	0	0	100	9.88	15.65	-11.17	13.44
768.63	78.29	3690	4.72	-1.56	0	0	100	9.78	15.65	-11.39	13.12
768.73	78.29	3682	4.71	-1.56	0	0	100	9.68	15.65	-11.39	13.12
768.83	78.29	3669	4.7	-1.56	0	0	100	9.7	15.65	-11.39	13.12
768.91	78.29	3665	4.69	-1.56	0	0	100	9.7	15.65	-11.39	13.44
769.01	78.29	3664	4.69	-1.56	0	0	100	9.78	15.65	-11.39	13.44
769.11	78.29	3662	4.69	-1.56	0	0	100	9.78	15.26	-11.39	13.44
769.19	77.05	3654	4.68	-1.56	0	0	100	9.48	15.26	-11.24	12.81
769.29	77.05	3645	4.67	-1.56	0	0	100	9.28	15.26	-11.39	12.81
769.39	77.05	3635	4.65	-1.56	0	0	100	9.22	15.26	-11.39	12.81
769.47	77.05	3630	4.65	-1.56	0	0	100	9.46	15.26	-11.39	13.12
769.57	77.05	3630	4.65	-1.56	0	0	100	9.42	15.26	-11.39	13.12
769.67	77.05	3618	4.63	-1.56	0	0	100	9.4	15.65	-11.17	13.12
769.75	77.05	3619	4.63	-1.56	0	0	100	9.52	15.65	-11.02	13.12
769.85	75.81	3616	4.63	-1.56	0	0	100	9.6	15.26	-11.24	13.12
769.95	75.81	3607	4.62	-1.56	0	0	100	9.4	15.26	-11.39	13.12
770.05	75.81	3603	4.61	-1.56	0	0	100	9.4	15.26	-11.02	13.12
770.15	75.81	3593	4.6	-1.56	0	0	100	9.46	15.65	-11.17	13.12
770.23	75.81	3588	4.59	-1.56	0	0	100	9.52	15.65	-11.17	13.44
770.33	75.81	3586	4.59	-1.56	0	0	100	9.72	16.43	-11.17	14.38
770.41	75.81	3574	5.34	-1.56	0	0	100	13.82	28.95	-5.95	38.44
770.51	75.81	3658	13.27	-1.56	0	0	100	46.78	39.13	-1.02	74.06
770.59	75.81	3542	15.12	-1.56	0	0	100	58.54	41.08	-0.29	85
770.69	75.81	3549	15.9	-1.56	0	0	100	62.78	41.47	0.51	90.31
770.77	75.81	3584	18.35	-1.56	0	0	100	66.78	41.86	1.52	96.88
770.87	75.81	3610	22.34	-1.56	0	0	100	71.46	41.86	2.47	103.44
770.95	75.81	3614	24.67	0	0	0	100	76.94	39.52	3.63	107.81
771.05	75.81	3609	24.64	0	0	0	100	75.6	30.91	2.47	101.56
771.13	75.81	3605	21.54	-1.56	0	0	100	65.26	21.52	-1.81	70.31
771.23	75.81	3602	10.76	-1.56	0	0	100	35.96	17.22	-6.67	39.69
771.31	75.81	3598	6.91	-1.56	0	0	100	21.04	16.43	-9.06	25.62
771.41	75.81	3603	5.38	-1.56	0	0	100	15.7	15.65	-9.64	19.38

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
771.49	75.81	3590	4.6	-1.56	0	0	100	12.54	15.65	-10.22	16.25
771.59	75.81	3584	4.59	-1.56	-0.39	0	100	10.9	15.65	-10.66	14.69
771.67	75.81	3591	4.6	-1.56	-1.56	0	100	10.2	15.65	-11.02	14.06
771.77	75.81	3588	4.59	-1.56	-2.34	0	100	9.8	15.65	-10.88	13.44
771.85	75.81	3581	3.82	-1.56	-3.12	0	100	9.58	15.65	-11.02	12.81
771.95	75.81	3573	4.57	-1.56	0	0	100	8.96	15.26	-11.02	12.5
772.03	75.81	3581	4.58	-1.56	0	0	100	8.86	15.65	-10.88	12.5
772.13	75.81	3567	4.57	-1.56	0	0	100	8.88	15.26	-11.02	12.5
772.21	75.81	3564	4.56	-1.56	0	0	100	9.02	15.26	-11.17	12.81
772.31	75.81	3556	4.55	-1.56	0	0	100	9.02	15.65	-10.88	12.81
772.39	75.81	3551	4.55	-1.56	0	0	100	10.2	18.78	-10.01	19.06
772.49	75.81	3544	6.81	-1.56	0	0	100	23.72	28.95	-4.35	50
772.57	75.81	3649	14.01	-1.56	0	0	100	48.74	37.17	-0.65	77.81
772.67	75.81	3562	15.2	-1.56	0	0	100	59.16	37.95	0.07	85.94
772.75	74.56	3527	16.56	-1.56	0	0	100	63.58	37.56	0.73	91.56
772.85	74.56	3545	18.15	-1.56	0	0	100	67.22	37.17	1.52	96.25
772.93	74.56	3573	21.34	-1.56	0	0	100	69.6	33.26	1.52	95.31
773.03	74.56	3574	18.3	-1.56	0	0	100	63.96	27	-0.07	85
773.11	74.56	3573	14.48	-1.56	0	0	100	56.56	25.82	-0.87	78.44
773.21	74.56	3574	13.73	-1.56	0	0	100	54.3	24.26	-1.6	71.88
773.29	74.56	3576	12.21	-1.56	0	0	100	45.12	21.91	-3.77	56.25
773.39	75.81	3574	9.91	-1.56	0	0	100	34.24	19.56	-5.95	43.12
773.47	75.81	3571	7.62	-1.56	0	0	100	26.48	19.17	-6.96	34.38
773.57	75.81	3571	6.86	-1.56	0	0	100	23.3	19.56	-7.47	31.88
773.65	75.81	3573	6.86	-1.56	0	0	100	22.52	21.91	-6.89	34.06
773.75	75.81	3578	9.16	-1.56	0	0	100	35.34	27	-3.41	59.38
773.83	75.81	3574	12.2	-1.56	0	0	100	46.34	27	-2.18	68.44
773.93	75.81	3578	12.98	-1.56	0	0	100	50	26.61	-1.89	71.56
774.01	75.81	3581	12.99	-1.56	0	0	100	50.94	25.82	-2.18	70.94
774.11	75.81	3580	12.22	-1.56	0	0	100	47.9	22.69	-3.77	62.19
774.19	75.81	3580	10.69	-1.56	0	0	100	39.92	21.13	-5.15	50
774.29	75.81	3576	9.16	-1.56	0	0	100	31.92	20.74	-5.95	41.56
774.37	75.81	3574	7.63	-1.56	0	0	100	26.88	19.17	-7.11	33.75
774.47	75.81	3576	6.1	-1.56	0	0	100	20.96	17.22	-8.63	25
774.55	75.81	3569	4.57	-1.56	0	0	100	14.2	16.04	-10.01	17.19
774.65	75.81	3554	4.55	-1.56	-0.39	0	100	10.28	15.65	-10.59	13.44
774.73	75.81	3545	4.54	-1.56	0	0	100	8.9	15.65	-10.66	12.19
774.83	74.56	3581	4.58	-1.56	0	0	100	8.54	15.65	-11.02	12.19
774.91	74.56	3547	4.54	-1.56	0	0	100	8.62	15.65	-11.02	12.19

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
775.01	74.56	3549	4.54	-1.56	0	0	100	8.82	15.65	-11.02	12.5
775.11	74.56	3545	4.54	-1.56	0	0	100	9.02	15.65	-11.02	13.12
775.21	74.56	3539	4.53	-1.56	0	0	100	9.2	15.65	-10.88	13.12
775.31	74.56	3531	4.52	-1.56	0	0	100	9.42	15.65	-11.02	13.44
775.41	74.56	3532	4.52	-1.56	0	0	100	9.46	15.65	-10.88	13.44
775.49	74.56	3524	4.51	-1.56	0	0	100	9.3	15.26	-11.17	13.12
775.59	74.56	3518	4.5	-1.56	0	0	100	9.16	15.26	-11.17	13.12
775.67	74.56	3516	4.5	-1.56	0	0	100	9.08	15.26	-11.17	13.12
775.77	74.56	3491	4.47	-1.56	0	0	100	9.14	15.26	-11.02	13.12
775.85	74.56	3473	4.45	-1.56	0	0	100	9.24	15.26	-11.17	13.44
775.95	74.56	3470	4.44	-1.56	0	0	100	9.1	15.26	-11.17	13.12
776.05	74.56	3445	4.41	-1.56	0	0	100	8.96	15.26	-11.17	13.12
776.15	74.56	3443	4.41	-1.56	0	0	100	8.92	15.26	-11.02	13.12
776.25	72.08	3419	4.38	-1.56	0	0	100	8.88	15.26	-11.17	13.12
776.35	72.08	3407	4.36	-1.56	0	0	100	8.98	15.26	-11.17	13.44
776.45	72.08	3381	4.33	-1.56	0	0	100	9	15.26	-11.17	13.44
776.55	72.08	3375	4.32	-1.56	0	0	100	9.06	15.26	-11.02	13.44
776.63	72.08	3376	4.32	-1.56	0	0	100	9.08	15.26	-11.02	13.44
776.73	72.08	3372	4.32	-1.56	0	0	100	8.9	15.26	-11.02	13.44
776.81	72.08	3366	4.31	-1.56	0	0	100	8.92	15.26	-11.02	13.44
776.91	72.08	3361	4.3	-1.56	0	0	100	8.98	15.26	-10.88	13.44
776.99	70.84	3360	4.3	-1.56	0	0	100	8.9	15.26	-11.02	13.44
777.09	70.84	3348	4.29	-1.56	0	0	100	8.9	15.26	-11.02	13.12
777.17	70.84	3345	4.28	-1.56	0	0	100	8.76	15.26	-11.02	13.12
777.27	70.84	3343	4.28	-1.56	0	0	100	8.92	15.26	-11.02	13.44
777.35	70.84	3337	4.27	-1.56	0	0	100	8.78	14.87	-11.02	13.12
777.45	70.84	3332	4.26	-1.56	0	0	100	8.78	15.26	-11.02	13.12
777.55	70.84	3332	4.26	-1.56	0	0	100	8.82	15.26	-11.02	13.44
777.63	69.59	3324	4.26	-1.56	0	0	100	8.9	15.26	-10.88	13.44
777.73	69.59	3319	4.25	-1.56	0	0	100	8.92	15.26	-11.02	13.75
777.81	69.59	3309	4.24	-1.56	0	0	100	8.92	15.26	-11.02	13.44
777.91	69.59	3309	4.24	-1.56	0	0	100	8.96	14.87	-11.02	13.44
777.99	69.59	3306	4.23	-1.56	0	0	100	8.78	14.87	-11.02	13.44
778.09	69.59	3296	4.22	-1.56	0	0	100	8.7	14.87	-11.17	13.12
778.17	69.59	3296	4.22	-1.56	0	0	100	8.64	14.87	-11.02	13.12
778.27	69.59	3293	4.22	-1.56	0	0	100	8.6	14.87	-11.17	13.12
778.37	69.59	3286	4.21	-1.56	0	0	100	8.48	14.87	-11.17	12.81
778.45	69.59	3282	4.2	-1.56	0	0	100	8.62	15.26	-11.02	13.44
778.55	69.59	3274	4.19	-1.56	0	0	100	8.74	14.87	-11.17	13.12

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
778.63	69.59	3274	4.19	-1.56	0	0	100	8.78	14.87	-11.02	13.44
778.73	69.59	3265	4.18	-1.56	0	0	100	8.76	14.87	-11.02	13.75
778.81	69.59	3260	0	-1.56	0	0	100	8.66	13.69	-11.39	12.19
778.91	69.59	3231	0	-1.56	0	0	100	7.6	14.09	-11.39	11.56
779.03	69.59	3239	0	-1.56	0	0	100	7.16	14.09	-11.24	10.94
779.13	68.35	3252	0	-1.56	0	0	100	7.16	14.09	-11.39	11.25
779.23	68.35	3239	0	-1.56	0	0	100	7.16	14.09	-11.24	11.25
779.33	68.35	3232	0	-1.56	0	0	100	7.1	14.09	-11.39	11.25
779.44	68.35	3225	0	-1.56	0	0	100	7.12	14.09	-11.24	10.94
779.54	68.35	3217	0	-1.56	0	0	100	7.08	14.09	-11.24	10.94
779.64	68.35	3216	0	-1.56	0	0	100	7.04	14.09	-11.39	11.25
779.75	68.35	3209	0	-1.56	0	0	100	7.08	14.09	-11.24	11.25
779.85	67.11	3203	0	-1.56	0	0	100	7	14.09	-11.24	11.25
779.97	67.11	3196	0	-1.56	0	0	100	7.04	14.09	-11.39	11.25
780.07	67.11	3183	0	-1.56	0	0	100	7.04	14.09	-11.39	11.25
780.19	67.11	3177	0	-1.56	0	0	100	7	14.09	-11.24	10.94
780.29	67.11	3172	0	-1.56	0	0	100	7	14.09	-11.39	10.94
780.41	67.11	3168	0	-1.56	0	0	100	6.98	14.09	-11.24	10.94
780.51	65.87	3160	0	-1.56	0	0	100	7.1	14.09	-11.24	11.25
780.63	65.87	3152	4.03	-1.56	0	0	100	8.22	15.65	-11.02	14.06
780.73	65.87	3153	4.71	-1.56	0	0	100	10.26	16.43	-10.37	17.19
780.85	65.87	3162	5.4	-1.56	0	0	100	12.06	17.61	-9.64	20.94
780.95	65.87	3135	5.35	-1.56	0	0	100	13.86	18	-9.28	23.12
781.07	65.87	3149	6.05	-1.56	0	0	100	15.76	18.39	-8.85	25.62
781.17	65.87	3142	6.03	-1.56	0	0	100	16.44	18.78	-8.48	26.88
781.29	65.87	3128	6.01	-1.56	0	0	100	17.24	18.78	-8.34	27.81
781.39	65.87	3128	6.01	-1.56	0	0	100	17.46	19.17	-8.34	28.75
781.51	65.87	3132	6.01	-1.56	0	0	100	18.78	20.74	-7.54	32.81
781.61	65.87	3131	6.68	-1.56	0	0	100	22.7	21.52	-6.89	38.12
781.73	65.87	3131	7.35	-1.56	0	0	100	24.82	21.91	-6.31	40.94
781.83	65.87	3131	7.35	-1.56	0	0	100	26.36	22.3	-5.95	43.12
781.95	65.87	3126	8	-1.56	0	0	100	26.86	21.91	-5.95	43.75
782.05	65.87	3128	8.01	-1.56	0	0	100	27.6	22.69	-5.51	45.62
782.17	65.87	3128	8.68	-1.56	0	0	100	29.72	23.08	-5.15	47.81
782.27	65.87	3130	8.68	-1.56	0	0	100	30.12	21.13	-5.37	46.56
782.39	65.87	3123	8	-1.56	0	0	100	23.64	16.04	-8.12	31.88
782.49	65.87	3119	5.32	-1.56	0	0	100	15.1	14.48	-10.08	20
782.61	65.87	3160	4.05	-1.56	-1.17	0	100	9.5	13.3	-11.24	13.44
782.71	65.87	3135	4.01	-1.56	0	0	100	7.16	15.65	-11.17	12.5

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
782.83	65.87	3082	3.95	-1.56	0	0	100	11.22	19.95	-9.21	23.75
782.93	65.87	3172	7.44	-1.56	-0.78	0	100	24.44	23.48	-6.09	41.56
783.03	65.87	3635	9.31	-1.56	0	0	100	34.48	23.48	-6.31	43.75
783.15	65.87	4300	10.09	-1.56	0	0	100	38.44	23.48	-6.74	41.25
783.25	65.87	4528	10.63	-1.56	0	0	100	34.52	21.52	-7.47	38.12
783.35	64.62	4430	8.51	-1.56	0	0	100	29.24	21.13	-8.12	31.56
783.45	64.62	4437	8.52	-1.56	0	0	100	26.44	19.95	-8.48	28.75
783.53	64.62	4432	7.56	-1.56	0	0	100	23.68	19.95	-9.06	25.94
783.63	64.62	4432	7.56	-1.56	0	0	100	22.26	19.95	-8.92	25.31
783.73	64.62	4414	7.53	-1.56	0	0	100	21.88	20.74	-8.7	25.62
783.83	64.62	4419	7.54	-1.56	0	0	100	26.3	23.87	-7.32	35.62
783.91	64.62	4448	11.39	-1.56	0	0	100	37.54	24.65	-6.16	44.38
784.01	64.62	4401	11.27	-1.56	0	0	100	40.26	24.26	-6.09	45.62
784.11	64.62	4440	11.37	-1.56	0	0	100	40.18	23.48	-6.31	44.69
784.21	64.62	4416	11.31	-1.56	0	0	100	37.62	23.08	-6.53	41.88
784.29	64.62	4422	10.38	-1.56	0	0	100	36.02	23.87	-6.53	41.25
784.39	64.62	4430	10.4	-1.56	0	0	100	40.12	25.43	-5.37	49.38
784.49	64.62	4440	12.31	-1.56	0	0	100	46.76	25.43	-5	53.44
784.59	64.62	4424	13.22	-1.56	0	0	100	46.6	24.65	-5.22	51.88
784.69	64.62	4440	12.31	-1.56	0	0	100	43.28	23.48	-5.8	47.5
784.77	64.62	4430	11.34	-1.56	0	0	100	39.06	23.08	-6.16	42.81
784.87	64.62	4435	10.41	-1.56	0	0	100	36.68	23.08	-6.53	40.94
784.97	64.62	4432	10.4	-1.56	0	0	100	35.78	23.48	-6.16	40.62
785.07	64.62	4443	10.43	-1.56	0	0	100	36.4	23.48	-5.95	41.88
785.17	64.62	4445	10.43	-1.56	0	0	100	37.1	23.48	-5.95	41.88
785.27	64.62	4437	10.41	-1.56	0	0	100	38.4	26.21	-5	51.25
785.37	64.62	4453	15.2	-1.56	0	0	100	54.9	30.13	-2.39	69.38
785.45	64.62	4453	19	-1.56	0	0	100	68.22	30.52	-1.23	79.38
785.55	64.62	4466	20.96	0	0	0	100	72.68	29.74	-0.73	82.5
785.65	64.62	4472	21.94	0	0	0	100	75.48	30.13	-0.07	86.88
785.73	64.62	4488	22.98	0	0	0	100	81.22	31.69	1.23	95.31
785.83	64.62	4501	27.85	0	0	0	100	92.16	34.04	3.19	108.44
785.93	64.62	4523	32.81	0	0	0	100	103.38	35.21	4.79	120.31
786.03	64.62	4534	36.76	0	0	0	100	118.12	36.39	6.96	135.94
786.13	65.87	4559	42.79	0	0	0	100	130.44	36.39	8.34	146.88
786.23	65.87	4584	44.99	0	0	0	100	135.62	35.21	8.48	143.12
786.35	65.87	4609	37.37	0	0	0	100	108.34	29.34	4.42	104.69
786.43	65.87	4632	27.67	0	0	0	100	84.88	28.56	2.03	87.81
786.53	65.87	4641	21.78	0	0	0	100	77.5	28.56	0.94	82.5

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
786.63	65.87	4658	21.86	0	0	0	100	75.9	28.95	0.65	81.25
786.73	65.87	4675	21.94	0	0	0	100	78.36	30.13	1.23	87.5
786.85	68.35	4693	25.03	0	0	0	100	89.78	31.3	2.39	100.94
786.95	68.35	4707	30.13	0	0	0	100	96.12	30.52	2.47	101.56
787.05	68.35	4726	30.25	0	0	0	100	92.94	29.34	1.67	94.38
787.13	68.35	4734	24.24	0	0	0	100	77.12	26.21	-0.51	73.75
787.23	68.35	4743	18.22	-1.56	0	0	100	63.4	25.82	-1.67	64.69
787.33	68.35	4747	16.2	-1.56	0	0	100	58.18	26.21	-2.47	60.31
787.43	68.35	4761	15.24	-1.56	0	0	100	56.28	26.21	-2.68	58.75
787.51	68.35	4768	15.26	-1.56	0	0	100	55.42	26.21	-2.83	58.12
787.61	69.59	4765	15.25	-1.56	0	0	100	55.28	25.82	-3.05	58.44
787.69	69.59	4773	15.28	-1.56	0	0	100	55.16	26.21	-3.05	58.12
787.79	69.59	4780	15.3	-1.56	0	0	100	55.22	26.21	-3.26	57.81
787.87	69.59	4780	15.3	-1.56	0	0	100	55.96	27.78	-2.68	63.12
787.97	69.59	4804	19.47	-1.56	0	0	100	72.18	32.87	0.65	86.88
788.05	69.59	4813	29.78	0	0	0	100	95.44	37.17	3.41	109.38
788.15	69.59	4832	36.08	0	0	1.41	100	114.24	41.47	6.02	127.81
788.23	70.84	4848	44.47	0	0	2.11	100	135.32	44.6	9.06	152.5
788.33	70.84	4873	50.94	0	0	2.11	100	164.88	48.52	12.55	181.56
788.43	70.84	4898	62.71	0	0	2.11	100	191.88	49.3	16.24	210
788.53	70.84	4927	70.43	0	0	2.11	100	217.3	47.73	18.27	223.44
788.61	70.84	4953	69.75	0	0	2.11	100	199.96	40.69	16.1	183.44
788.71	70.84	5010	55.58	0	0	2.11	100	166.7	40.3	13.2	161.25
788.81	70.84	5020	48.19	0	0	2.11	99.61	155.88	41.08	11.82	153.75
788.91	70.84	5050	48.48	0	0	1.76	99.61	153.8	40.69	11.17	152.5
788.99	73.32	5081	48.78	0	0	1.76	99.61	154.92	39.52	10.8	151.25
789.09	73.32	5095	48.91	0	0	1.76	99.61	146.76	35.21	8.34	131.56
789.17	73.32	5112	35.99	0	0	1.76	99.61	113.16	27.39	2.61	92.19
789.27	73.32	5108	25.07	0	0	0	99.61	76.32	25.82	-1.09	67.19
789.35	73.32	5165	18.73	-1.56	0	0	99.61	62.84	22.3	-3.77	54.38
789.45	73.32	5108	13.08	-1.56	0	0	99.61	42.66	19.56	-7.32	33.44
789.53	73.32	5129	9.85	-1.56	0	0	99.61	29.28	18.78	-8.48	25.62
789.63	73.32	5112	7.63	-1.56	0	0	99.61	24.06	18.78	-8.92	22.5
789.71	74.56	5108	7.63	-1.56	0	0	99.61	21.72	18.78	-9.28	20.62
789.81	74.56	5115	7.64	-1.56	0	0	99.61	20.32	18.78	-9.5	19.69
789.89	74.56	5112	7.63	-1.56	0	0	99.61	19.56	18.78	-9.5	18.44
789.99	74.56	5095	7.61	-1.56	0	0	99.61	17.98	18.78	-9.64	17.5
790.07	74.56	5081	7.59	-1.56	0	0	99.61	17.4	18.78	-9.64	17.19
790.17	74.56	5084	6.51	-1.56	0	0	99.61	17.36	18.78	-9.64	17.19

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
790.25	74.56	5081	6.5	-1.56	0	0	99.61	17.06	18.78	-10.01	17.19
790.35	74.56	5074	6.49	-1.56	0	0	99.61	17.28	18.78	-10.01	17.19
790.43	74.56	5067	7.57	-1.56	0	0	99.61	17.16	18.78	-9.86	17.19
790.53	74.56	5057	6.47	-1.56	0	0	99.61	17.24	18.39	-10.08	17.19
790.61	74.56	5050	6.46	-1.56	0	0	99.61	17.14	18.39	-10.08	16.88
790.71	74.56	5046	6.46	-1.56	0	0	99.61	17.16	18.39	-10.22	17.19
790.79	74.56	5043	6.46	-1.56	0	0	99.61	17.2	18.39	-10.08	16.88
790.89	74.56	5030	6.44	-1.56	0	0	99.61	16.76	18.39	-10.22	16.56
790.97	74.56	5020	6.43	-1.56	0	0	99.61	16.66	18.39	-10.08	16.88
791.07	73.32	5010	6.41	-1.56	0	0	99.61	16.42	18.39	-10.22	16.56
791.15	73.32	5003	6.4	-1.56	0	0	99.61	16.5	18.39	-10.22	16.56
791.25	73.32	4996	6.4	-1.56	0	0	99.61	16.28	18.39	-10.22	16.56
791.35	73.32	4993	6.39	-1.56	0	0	99.61	16.24	18	-10.22	16.25
791.43	73.32	4986	6.38	-1.56	0	0	99.61	15.82	18	-10.37	15.94
791.53	73.32	4979	6.37	-1.56	0	0	99.61	15.84	18	-10.22	15.94
791.63	73.32	4970	6.36	-1.56	0	0	99.61	15.6	18	-10.22	15.62
791.71	73.32	4960	6.35	-1.56	0	0	99.61	15.42	18	-10.22	15.62
791.81	72.08	4957	6.34	-1.56	0	0	99.61	15.48	18	-10.22	15.94
791.91	72.08	4953	6.34	-1.56	0	0	99.61	15.78	18	-10.22	16.25
791.99	72.08	4937	6.32	-1.56	0	0	99.61	16.54	19.95	-9.86	19.38
792.09	72.08	4943	7.38	-1.56	0	0	99.61	22.66	22.69	-8.48	27.19
792.19	72.08	4979	10.62	-1.56	0	0	99.61	32	24.65	-7.11	35.94
792.27	72.08	4917	11.54	-1.56	0	0	99.61	38.02	24.65	-6.67	40
792.37	72.08	4957	12.69	-1.56	0	0	99.61	42.26	27.78	-5.37	48.44
792.45	72.08	4921	14.7	-1.56	0	0	99.61	52.64	28.17	-4.42	55.62
792.55	72.08	4937	16.85	-1.56	0	0	99.61	57.74	28.56	-3.63	60
792.65	72.08	4943	16.87	-1.56	0	0	99.61	61.32	28.56	-3.26	63.12
792.73	72.08	4937	17.91	-1.56	0	0	99.61	62.7	28.17	-2.97	65.31
792.83	72.08	4953	19.02	-1.56	0	0	99.61	65.46	27.78	-2.68	66.56
792.91	72.08	4950	17.95	-1.56	0	0	99.61	63.2	26.21	-3.41	61.88
793.01	72.08	4957	16.92	-1.56	0	0	99.61	58.64	26.21	-3.63	58.12
793.11	72.08	4963	15.88	-1.56	0	0	99.61	56.32	26.21	-3.99	56.56
793.19	72.08	4963	15.88	-1.56	0	0	99.61	55.24	26.21	-3.63	55.62
793.29	72.08	4960	15.87	-1.56	0	0	99.61	55.46	26.21	-3.77	56.25
793.37	72.08	4973	15.92	-1.56	0	0	99.61	55.3	24.26	-4.42	53.44
793.47	72.08	4963	13.77	-1.56	0	0	99.61	45.6	21.91	-6.38	42.19
793.57	72.08	4966	10.6	-1.56	0	0	99.61	34.98	20.74	-7.54	32.5
793.65	72.08	4970	9.54	-1.56	0	0	99.61	28.66	20.74	-7.9	26.88
793.75	72.08	4960	8.47	-1.56	0	0	99.61	25.08	20.74	-8.34	25

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
793.83	72.08	4950	8.45	-1.56	0	0	99.61	24.04	20.74	-8.48	24.38
793.93	72.08	4947	8.44	-1.56	0	0	99.61	23.78	20.74	-8.34	24.38
794.01	72.08	4960	8.47	-1.56	0	0	99.61	23.84	20.74	-8.48	24.06
794.11	72.08	4943	8.44	-1.56	0	0	99.61	23.64	20.35	-8.48	23.75
794.19	72.08	4943	8.44	-1.56	0	0	99.61	23.12	19.56	-9.06	22.81
794.29	72.08	4937	7.37	-1.56	0	0	99.61	21.2	18.39	-9.64	20.62
794.37	72.08	4917	7.34	-1.56	0	0	99.61	18.2	18	-10.08	17.81
794.47	72.08	4901	7.32	-1.56	0	0	99.61	16.42	18	-10.08	16.56
794.55	72.08	4905	6.28	-1.56	0	0	99.61	15.94	18	-10.08	16.25
794.65	72.08	4911	6.29	-1.56	0	0	99.61	14.74	14.48	-11.02	12.81
794.73	72.08	4867	5.19	-1.56	0	0	99.61	10.12	12.52	-11.97	10.31
794.83	72.08	4915	5.24	-1.56	0	0	99.61	10.16	12.13	-12.18	10.31
794.91	72.08	4863	6.23	-1.56	0	0	99.61	10.12	12.13	-12.04	10.31
795.01	72.08	4876	5.2	-1.56	0	0	99.61	10.08	11.74	-12.04	10.31
795.11	72.08	4851	5.17	-1.56	0	0	99.61	10.08	11.74	-12.18	10.31
795.19	72.08	4854	5.18	-1.56	0	0	99.61	9.08	11.35	-12.04	7.81
795.29	72.08	4841	0	-1.56	0	0	99.61	6.04	11.35	-12.18	5.62
795.37	70.84	4835	0	-1.56	0	0	99.61	7.48	15.65	-11.6	9.38
795.47	70.84	4816	0	-1.56	0	0	99.61	9.48	15.65	-11.24	10.31
795.55	70.84	4810	0	-1.56	0	0	99.61	9.74	15.65	-11.02	10
795.65	70.84	4795	0	-1.56	0	0	99.61	9.6	15.65	-11.24	10
795.73	70.84	4792	0	-1.56	0	0	99.61	9.56	15.65	-11.02	10
795.83	70.84	4780	0	-1.56	0	0	99.61	9.66	15.65	-11.02	10.31
795.91	70.84	4758	0	-1.56	0	0	99.61	9.8	15.65	-11.02	10.31
796.01	70.84	4765	0	-1.56	0	0	99.61	9.76	15.65	-11.02	10.31
796.09	69.59	4755	0	-1.56	0	0	99.61	9.66	15.65	-11.02	10.31
796.19	69.59	4752	0	-1.56	0	0	99.61	9.62	15.65	-11.02	10.31
796.27	69.59	4734	0	-1.56	0	0	99.61	9.76	15.65	-11.24	10.31
796.37	69.59	4723	0	-1.56	0	0	99.61	9.74	15.65	-11.24	10.62
796.45	69.59	4716	0	-1.56	0	0	99.61	9.88	15.65	-11.39	10.62
796.55	69.59	4705	0	-1.56	0	0	99.61	9.72	15.65	-11.24	10.31
796.63	69.59	4699	0	-1.56	0	0	99.61	9.72	15.65	-11.02	10.31
796.73	69.59	4696	0	-1.56	0	0	99.61	9.7	15.65	-11.17	10.31
796.81	68.35	4681	0	-1.56	0	0	99.61	9.7	15.65	-11.24	10.62
796.91	68.35	4672	0	-1.56	0	0	99.61	9.8	15.65	-11.24	10.62
796.99	68.35	4661	0	-1.56	0	0	99.61	9.66	15.65	-11.24	10.62
797.09	68.35	4655	0	-1.56	0	0	99.61	9.68	15.65	-11.24	10.62
797.17	68.35	4646	0	-1.56	0	0	99.61	9.68	15.65	-11.24	10.62
797.27	68.35	4629	0	-1.56	0	0	99.61	9.76	15.65	-11.24	10.62

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
797.35	68.35	4626	0	-1.56	0	0	99.61	9.76	15.65	-11.24	10.62
797.45	67.11	4624	0	-1.56	0	0	99.61	9.66	15.65	-11.24	10.62
797.53	67.11	4603	0	-1.56	0	0	99.61	9.74	15.65	-11.24	10.62
797.63	67.11	4603	0	-1.56	0	0	99.61	9.66	15.65	-11.24	10.62
797.71	67.11	4581	0	-1.56	0	0	99.61	9.84	15.65	-11.39	10.62
797.81	67.11	4578	0	-1.56	0	0	99.61	9.76	15.65	-11.24	10.94
797.89	67.11	4573	0	-1.56	0	0	99.61	9.88	15.65	-11.24	10.62
797.99	67.11	4570	0	-1.56	0	0	99.61	9.66	15.65	-11.39	10.62
798.07	67.11	4556	0	-1.56	0	0	99.61	9.82	15.65	-11.24	10.62
798.17	67.11	4550	0	-1.56	0	0	99.61	9.74	15.65	-11.24	10.94
798.25	67.11	4545	0	-1.56	0	0	99.61	9.76	15.65	-11.24	10.94
798.35	67.11	4523	0	-1.56	0	0	99.61	9.82	15.65	-11.24	10.94
798.43	67.11	4523	0	-1.56	0	0	99.61	9.74	15.65	-11.24	10.94
798.53	67.11	4512	0	-1.56	0	0	99.61	9.76	15.65	-11.39	10.94
798.61	67.11	4507	0	-1.56	0	0	99.61	9.66	15.65	-11.24	10.94
798.71	67.11	4493	0	-1.56	0	0	99.61	9.84	15.65	-11.39	10.94
798.79	67.11	4491	0	-1.56	0	0	99.61	9.76	15.65	-11.24	10.94
798.89	65.87	4480	0	-1.56	0	0	99.61	9.7	15.65	-11.24	10.94
798.97	65.87	4466	0	-1.56	0	0	99.61	9.66	15.65	-11.24	10.94
799.07	65.87	4448	0	-1.56	0	0	99.61	9.6	15.65	-11.24	10.94
799.15	65.87	4456	0	-1.56	0	0	99.61	9.7	15.65	-11.24	10.94
799.25	65.87	4443	0	-1.56	0	0	99.61	9.7	15.65	-11.39	10.94
799.33	65.87	4437	0	-1.56	0	0	99.61	9.72	15.26	-11.24	10.94
799.43	65.87	4427	0	-1.56	0	0	99.61	9.58	15.26	-11.39	10.94
799.51	65.87	4414	0	-1.56	0	0	99.61	9.56	15.26	-11.24	10.94
799.61	64.62	4411	0	-1.56	0	0	99.61	9.46	15.26	-11.39	10.94
799.69	64.62	4403	0	-1.56	0	0	99.61	9.56	15.26	-11.39	10.94
799.79	64.62	4393	0	-1.56	0	0	99.61	9.52	15.26	-11.24	10.94
799.87	64.62	4383	0	-1.56	0	0	99.61	9.58	15.26	-11.39	10.94
799.97	64.62	4378	0	-1.56	0	0	99.61	9.56	15.26	-11.24	10.94
800.05	64.62	4368	0	-1.56	0	0	99.61	9.48	15.26	-11.24	10.94
800.15	64.62	4357	0	-1.56	0	0	99.61	9.58	15.26	-11.24	11.25
800.23	64.62	4350	0	-1.56	0	0	99.61	9.64	15.26	-11.39	10.94
800.33	63.38	4337	0	-1.56	0	0	99.61	9.48	15.26	-11.39	10.94
800.41	63.38	4335	0	-1.56	0	0	99.61	9.54	15.26	-11.24	10.94
800.51	63.38	4330	0	-1.56	0	0	99.61	9.52	15.26	-11.24	10.94
800.59	63.38	4317	0	-1.56	0	0	99.61	9.4	15.26	-11.24	10.94
800.69	63.38	4308	0	-1.56	0	0	99.61	9.44	15.26	-11.24	10.94
800.77	63.38	4295	0	-1.56	0	0	99.61	9.46	15.26	-11.46	10.94

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
800.87	63.38	4290	0	-1.56	0	0	99.61	9.34	15.26	-11.24	10.94
800.95	63.38	4283	0	-1.56	0	0	99.61	9.3	15.26	-11.24	10.94
801.05	62.14	4270	0	-1.56	0	0	99.61	9.4	15.26	-11.39	11.25
801.13	62.14	4266	0	-1.56	0	0	99.61	9.34	15.26	-11.24	11.25
801.23	62.14	4256	0	-1.56	0	0	99.61	9.32	15.26	-11.24	10.94
801.31	62.14	4251	0	-1.56	0	0	99.61	9.32	15.26	-11.24	11.25
801.41	62.14	4237	0	-1.56	0	0	99.61	9.36	15.26	-11.24	11.25
801.49	62.14	4242	0	-1.56	0	0	99.61	9.4	15.26	-11.39	11.25
801.59	62.14	4229	0	-1.56	0	0	99.61	9.4	15.26	-11.24	10.94
801.67	62.14	4208	0	-1.56	0	0	99.61	9.28	15.26	-11.24	11.25
801.77	60.89	4199	0	-1.56	0	0	99.61	9.46	16.43	-11.02	12.5
801.85	60.89	4187	0	-1.56	0	0	99.61	11.32	18.78	-10.44	16.88
801.95	60.89	4208	8.08	-1.56	0	0	99.61	19.54	23.48	-8.34	30
802.03	60.89	4268	11.84	-1.56	0	0	99.61	31.7	24.26	-6.74	40.31
802.13	60.89	4194	12.53	-1.56	0	0	99.61	35.96	24.26	-6.16	45.31
802.23	60.89	4220	12.61	-1.56	0	0	99.61	39.16	26.21	-5.58	49.38
802.31	60.89	4152	13.29	-1.56	0	0	99.61	44.36	26.21	-4.79	54.38
802.41	60.89	4239	13.57	-1.56	0	0	99.61	46.8	25.82	-4.57	56.88
802.51	60.89	4196	12.53	-1.56	0	0	99.61	47.58	25.82	-4.42	57.5
802.59	60.89	4213	13.48	-1.56	0	0	99.61	48.4	24.65	-4.57	57.5
802.69	60.89	4220	11.71	-1.56	0	0	99.61	44.72	23.87	-5.37	50.94
802.77	60.89	4210	10.78	-1.56	0	0	99.61	41.58	23.87	-5.58	48.44
802.87	60.89	4218	10.8	-1.56	0	0	99.61	39.32	22.3	-6.16	44.06
802.95	60.89	4220	9.9	-1.56	0	0	99.61	31.48	19.95	-7.9	32.81
803.05	60.89	4215	8.09	-1.56	0	0	99.61	23.68	18.39	-8.92	24.69
803.13	60.89	4201	6.27	-1.56	0	0	99.61	18.24	17.61	-9.64	20.62
803.23	60.89	4196	5.37	-1.56	0	0	99.61	15.14	16.82	-10.22	16.88
803.35	60.89	4185	5.36	-1.56	0	0	99.61	12.54	16.82	-10.66	14.69
803.45	60.89	4189	5.36	-1.56	0	0	99.61	12.1	16.82	-10.8	14.38
803.53	60.89	4199	5.37	-1.56	0	0	99.61	11.8	16.82	-10.88	13.75
803.63	60.89	4187	5.36	-1.56	0	0	99.61	11.56	16.82	-10.88	14.06
803.73	60.89	4183	5.35	-1.56	0	0	99.61	11.6	16.43	-10.88	13.75
803.83	60.89	4175	5.34	-1.56	0	0	99.61	11.28	16.43	-10.88	13.75
803.95	60.89	4171	5.34	-1.56	0	0	99.61	11.74	18	-10.59	16.56
804.05	60.89	4168	6.23	-1.56	0	0	99.61	21.5	22.3	-8.48	30.31
804.17	60.89	4223	9.01	-1.56	0	0	99.61	30.02	23.87	-6.96	39.69
804.27	60.89	4104	9.63	-1.56	0	0	99.61	34.44	24.26	-6.38	43.75
804.39	60.89	4180	10.7	-1.56	0	0	99.61	38.56	24.65	-5.95	47.19
804.49	60.89	4194	11.63	-1.56	0	0	99.61	39.8	24.26	-5.8	48.44

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
804.61	60.89	4162	11.54	-1.56	0	0	99.61	40.88	24.26	-5.58	49.69
804.71	60.89	4162	10.65	-1.56	0	0	99.61	41.34	24.65	-5.51	50
804.83	60.89	4183	11.6	-1.56	0	0	99.61	41.96	24.26	-5.37	50.94
804.93	60.89	4192	11.63	-1.56	0	0	99.61	41.8	24.26	-5.37	50
805.05	60.89	4183	10.71	-1.56	0	0	99.61	38.92	22.69	-5.95	44.38
805.15	60.89	4183	9.82	-1.56	0	0	99.61	32.7	18.78	-7.76	34.38
805.25	60.89	4171	7.12	-1.56	0	0	99.61	20.3	16.43	-10.08	19.69
805.35	60.89	4157	5.32	-1.56	0	0	99.61	13.02	16.43	-10.66	15
805.46	60.89	4145	5.31	-1.56	0	0	99.61	9.22	12.91	-11.82	11.25
805.58	60.89	4162	5.33	-1.56	0	0	99.61	9.24	12.52	-12.18	11.25
805.68	60.89	4145	5.31	-1.56	0	0	99.61	9.22	12.13	-12.18	11.25
805.8	60.89	4141	5.3	-1.56	0	0	99.61	9.22	11.74	-12.18	11.25
805.9	60.89	4129	5.29	-1.56	0	0	99.61	9.2	11.74	-12.33	11.25
806.02	59.65	4118	0	-1.56	0	0	99.61	7.36	11.35	-12.4	7.19
806.12	59.65	4111	0	-1.56	0	0	99.61	4.44	11.35	-12.62	4.69
806.24	59.65	4082	0	-1.56	0	0	99.61	6.74	15.26	-11.6	9.69
806.34	59.65	4084	0	-1.56	0	0	99.61	8.88	15.26	-11.39	11.25
806.46	59.65	4069	0	-1.56	0	0	99.61	9.08	15.26	-11.24	11.25
806.56	59.65	4051	0	-1.56	0	0	99.61	8.92	15.26	-11.24	10.94
806.68	58.41	4045	0	-1.56	0	0	99.61	8.8	15.26	-11.24	10.94
806.78	58.41	4034	0	-1.56	0	0	99.61	8.92	15.26	-11.24	10.94
806.9	58.41	4023	0	-1.56	0	0	99.61	8.82	15.26	-11.24	11.25
807	58.41	4015	0	-1.56	0	0	99.61	8.92	15.26	-11.24	11.25
807.08	58.41	3978	0	-1.56	0	0	99.61	9	15.26	-11.24	11.25
807.18	58.41	3974	0	-1.56	0	0	99.61	8.92	14.87	-11.24	11.25
807.28	58.41	3970	0	-1.56	0	0	99.61	8.9	14.87	-11.46	11.25
807.38	58.41	3966	0	-1.56	0	0	99.61	8.74	15.26	-11.24	10.94
807.46	58.41	3953	0	-1.56	0	0	99.61	8.72	15.26	-11.24	11.25
807.56	58.41	3947	0	-1.56	0	0	99.61	10.04	16.43	-10.88	13.75
807.66	58.41	3935	5.88	-1.56	0	0	99.61	12.6	17.61	-10.44	17.81
807.76	58.41	3930	5.87	-1.56	0	0	99.61	14.32	18	-10.22	18.75
807.84	58.41	3947	6.74	-1.56	0	0	99.61	15.06	18	-10.22	19.06
807.94	58.41	3940	6.73	-1.56	0	0	99.61	16.16	18.78	-9.64	21.88
808.04	58.41	3890	6.64	-1.56	0	0	99.61	20.52	24.26	-7.54	32.81
808.14	57.17	3918	11.7	-1.56	0	0	99.61	35.1	28.17	-4.42	54.38
808.24	57.17	3916	14.2	-1.56	0	0	99.61	48.02	28.56	-3.26	65
808.32	57.17	3957	13.51	-1.56	0	0	99.61	52.42	28.56	-2.83	68.12
808.42	57.17	3914	14.2	-1.56	0	0	99.61	54.68	28.17	-2.68	69.69
808.52	57.17	3930	14.26	-1.56	0	0	99.61	55.52	28.56	-2.03	73.12

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
808.62	57.17	3959	15.21	-1.56	0	0	99.61	58.7	28.17	-1.67	75.94
808.72	57.17	3955	16.03	-1.56	0	0	99.61	61	28.17	-1.31	77.81
808.8	57.17	3957	16.04	-1.56	0	0	99.61	59.74	24.65	-2.68	71.25
808.9	57.17	3968	13.54	-1.56	0	0	99.61	50.92	23.87	-3.63	60.31
809	57.17	3972	11.86	-1.56	0	0	99.61	43.96	23.48	-4.21	54.06
809.1	57.17	3982	11.05	-1.56	0	0	99.61	40.84	23.87	-4.57	50.31
809.18	57.17	3982	10.2	-1.56	0	0	99.61	39.34	25.04	-4.21	51.88
809.28	57.17	3993	11.93	-1.56	0	0	99.61	48.22	26.21	-3.05	63.12
809.38	57.17	4006	13.67	-1.56	0	0	99.61	52.28	25.82	-2.83	66.88
809.48	58.41	4008	13.68	-1.56	0	0	99.61	53.78	25.82	-2.83	67.5
809.58	58.41	4015	13.7	-1.56	0	0	99.61	51.94	23.08	-3.99	58.75
809.7	58.41	4010	11.12	-1.56	0	0	99.61	36.28	20.35	-6.67	38.44
809.8	58.41	4017	8.57	-1.56	0	0	99.61	27.02	20.35	-7.47	32.5
809.9	58.41	4017	7.71	-1.56	0	0	99.61	24.92	20.35	-7.76	30.94
810	58.41	4019	7.72	-1.56	0	0	99.61	24.9	22.69	-7.32	33.44
810.1	58.41	4032	10.32	-1.56	0	0	99.61	37.76	30.13	-2.83	61.88
810.18	58.41	4030	15.48	-1.56	0	0	99.61	60.04	33.26	-0.51	80.94
810.28	58.41	4062	19.94	-1.56	0	0	99.61	74.52	36	1.23	96.25
810.4	58.41	4056	25.96	0	0	0	99.61	80.9	34.04	2.03	101.25
810.5	58.41	4076	26.96	0	0	0	99.61	87.32	35.21	3.63	111.56
810.6	58.41	4103	31.51	0	0	0	99.61	99.8	39.52	5.95	128.44
810.68	58.41	4129	37	0	0	0	99.61	114.84	48.12	9.06	149.69
810.78	58.41	4159	44.37	0	0	0	99.61	138.14	59.47	12.76	179.38
810.9	58.41	4183	54.44	0	0	0	99.61	166.26	65.73	16.68	205.94
811	60.89	4208	58.36	0	0	0	99.61	185.78	65.34	20.59	234.38
811.12	60.89	4268	70.12	0	0	0	99.61	217.96	66.51	23.13	260.62
811.22	60.89	4340	75	0	0	0	99.61	224.3	67.69	23.5	256.56
811.32	60.89	4380	71.96	0	0	0	99.61	219.68	74.73	22.99	248.12
811.4	60.89	4411	69.64	0	0	0	99.61	214.08	84.9	22.34	237.81
811.5	60.89	4461	67.58	0	0	0	99.61	209.82	85.29	21.32	233.75
811.6	65.87	4512	67.39	0	0	0	99.61	208.04	84.9	20.59	227.81
811.7	65.87	4526	65.66	0	0	0	99.61	205.66	85.29	20.01	223.44
811.78	65.87	4592	65.65	0	0	0	99.61	203.96	85.29	19.65	223.12
811.88	65.87	4632	66.21	0	0	0	99.61	206.62	85.29	19.36	223.44
811.98	65.87	4669	66.75	0	0	0	99.61	208.02	84.9	19.58	221.88
812.08	65.87	4726	67.55	0	0	0	99.61	209.22	84.9	19.8	225.62
812.18	65.87	4747	68.86	0	0	0	99.61	218.62	84.9	20.23	230.62
812.28	65.87	4792	71.57	0	0	0	99.61	222.84	84.9	20.74	235
812.38	69.59	4841	72.3	0	0	0	99.61	228.04	84.9	21.32	237.19

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
812.48	69.59	4882	73.96	0	0	0	99.61	231.84	84.51	21.75	239.69
812.56	69.59	4924	75.64	0	0	0	99.61	235.94	84.51	21.97	241.88
812.66	69.59	4966	76.29	0	0	0	99.61	239.22	84.51	22.55	241.88
812.76	69.59	5003	76.85	0	0	0	99.61	241.12	84.51	22.55	241.25
812.84	69.59	5057	78.76	0	0	0	99.61	245.66	84.51	22.55	243.44
812.94	69.59	5081	79.14	0	0	0	99.61	246.06	84.51	22.7	241.56
813.02	74.56	5123	78.69	0	0	0	99.61	245.56	84.51	22.7	239.69
813.12	74.56	5147	77.97	0	0	0	99.61	246.16	84.51	22.7	238.12
813.2	74.56	5179	78.45	0	0	0	99.61	248.04	84.51	22.55	236.88
813.3	74.56	5219	79.05	0	0	0	99.61	246.4	84.51	22.34	235.94
813.4	74.56	5285	77.8	0	0	0	99.61	245.86	84.51	22.34	232.19
813.48	74.56	5289	77.85	0	0	0	99.61	243.48	83.73	22.12	230
813.58	74.56	5334	77.39	0	0	0	99.61	244.24	65.34	21.54	228.75
813.66	74.56	5372	76.79	0	0	0	99.61	237.38	51.65	20.59	214.69
813.76	78.29	5407	69.21	0	0	0	99.61	204.82	41.86	15.66	178.75
813.86	78.29	5426	57.89	0	0	0	99.61	172.28	36.78	11.02	147.5
813.94	78.29	5426	42.84	0	0	0.7	99.61	141.26	30.13	5.37	111.56
814.04	78.29	5395	32.23	0	0	0.7	99.61	84.6	25.04	-0.87	70.62
814.12	78.29	5466	19.82	0	0	0	99.61	63.48	20.74	-4.79	50
814.22	78.29	5442	12.77	-1.56	0	0	99.61	36.28	19.17	-7.76	30
814.3	78.29	5384	8.04	-1.56	0	0	99.61	27.72	19.17	-8.7	24.06
814.4	78.29	5418	9.25	-1.56	0	0	99.61	24.84	19.17	-8.92	22.19
814.48	79.54	5418	8.09	-1.56	0	0	99.61	22.84	19.17	-9.28	20.31
814.58	79.54	5415	8.09	-1.56	0	0	99.61	21.02	19.17	-9.5	19.38
814.66	79.54	5403	8.07	-1.56	0	0	99.61	19.8	19.17	-9.64	17.81
814.76	79.54	5387	6.9	-1.56	0	0	99.61	18.64	19.17	-9.64	17.19
814.84	79.54	5376	6.88	-1.56	0	0	99.61	18.26	19.17	-9.64	17.19
814.94	79.54	5372	6.88	-1.56	0	0	99.61	18.54	19.17	-9.64	17.5
815.02	79.54	5364	8.01	-1.56	0	0	99.61	18.72	19.17	-9.64	17.5
815.12	79.54	5360	8.01	-1.56	0	0	99.61	18.74	19.17	-9.86	17.5
815.2	78.29	5353	7.99	-1.56	0	0	99.61	18.78	19.17	-9.64	17.5
815.3	78.29	5341	7.98	-1.56	0	0	99.61	18.74	19.17	-9.86	17.5
815.38	78.29	5334	7.97	-1.56	0	0	99.61	18.52	19.17	-9.86	17.81
815.48	78.29	5326	7.95	-1.56	0	0	99.61	18.62	18.78	-9.86	17.5
815.58	78.29	5311	7.93	-1.56	0	0	99.61	18.28	18.78	-10.08	17.5
815.66	78.29	5307	6.79	-1.56	0	0	99.61	18.2	18.78	-10.08	17.19
815.81	78.29	5304	7.92	-1.56	0	0	99.61	18.06	18.78	-9.86	17.19
815.94	77.05	5289	7.9	-1.56	0	0	99.61	18.14	18.78	-10.08	17.19
816.04	77.05	5277	7.88	-1.56	0	0	99.61	18	18.78	-10.08	17.19

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
816.14	77.05	5274	6.75	-1.56	0	0	99.61	17.76	18.78	-10.08	16.88
816.22	77.05	5263	6.74	-1.56	0	0	99.61	17.64	18.78	-10.08	16.88
816.32	77.05	5255	6.73	-1.56	0	0	99.61	17.84	18.78	-10.08	16.88
816.42	77.05	5244	6.71	-1.56	0	0	99.61	17.62	18.78	-10.08	17.19
816.52	77.05	5241	6.71	-1.56	0	0	99.61	17.74	18.78	-10.08	16.88
816.6	77.05	5233	6.7	-1.56	0	0	99.61	17.64	18.78	-10.08	16.88
816.7	77.05	5226	7.8	-1.56	0	0	99.61	17.58	18.78	-10.08	17.19
816.78	77.05	5215	7.79	-1.56	0	0	99.61	17.78	18.78	-10.08	17.19
816.88	77.05	5211	7.78	-1.56	0	0	99.61	17.58	18.78	-10.08	17.19
816.98	77.05	5197	6.65	-1.56	0	0	99.61	17.4	18.39	-10.08	16.88
817.08	77.05	5190	6.64	-1.56	0	0	99.61	17.28	18.39	-10.22	16.56
817.16	77.05	5186	6.64	-1.56	0	0	99.61	17.3	18.39	-10.08	16.56
817.26	75.81	5172	6.62	-1.56	0	0	99.61	17.12	18.39	-10.22	16.56
817.36	75.81	5165	6.61	-1.56	0	0	99.61	16.94	18.39	-10.22	16.56
817.46	75.81	5150	6.59	-1.56	0	0	99.61	17.28	18.78	-10.08	16.88
817.54	75.81	5150	7.69	-1.56	0	0	99.61	17.22	18.78	-10.08	16.88
817.64	75.81	5108	7.63	-1.56	0	0	99.61	17.14	18.39	-10.08	16.88
817.72	75.81	5023	6.43	-1.56	0	0	99.61	16.76	18.39	-10.22	16.56
817.82	75.81	5006	6.41	-1.56	0	0	99.61	16.54	18.39	-10.22	16.56
817.9	75.81	5023	6.43	-1.56	0	0	99.61	16.48	18	-10.37	16.25
818	73.32	5030	6.44	-1.56	0	0	99.61	16.12	18	-10.22	15.94
818.1	73.32	5010	6.41	-1.56	0	0	99.61	15.8	18	-10.37	15.94
818.2	73.32	5010	6.41	-1.56	0	0	99.61	15.82	18	-10.22	15.94
818.28	73.32	4996	6.4	-1.56	0	0	99.61	15.8	18	-10.22	15.94
818.38	73.32	4990	6.39	-1.56	0	0	99.61	15.82	18	-10.22	15.94
818.46	73.32	4986	6.38	-1.56	0	0	99.61	15.84	18.39	-10.22	16.25
818.56	73.32	4983	6.38	-1.56	0	0	99.61	16.3	18.39	-10.22	16.56
818.64	73.32	4973	6.37	-1.56	0	0	99.61	16.16	18	-10.22	16.25
818.74	72.08	4960	6.35	-1.56	0	0	99.61	16.16	18.39	-10.37	16.25
818.82	72.08	4957	6.34	-1.56	0	0	99.61	16.26	18.39	-10.37	16.25
818.92	72.08	4953	6.34	-1.56	0	0	99.61	15.98	18	-10.22	15.94
819	72.08	4937	6.32	-1.56	0	0	99.61	15.62	18	-10.22	15.94
819.1	72.08	4931	6.31	-1.56	0	0	99.61	15.44	18	-10.22	15.62
819.18	72.08	4898	6.27	-1.56	0	0	99.61	15.36	18	-10.22	15.94
819.28	72.08	4873	6.24	-1.56	0	0	99.61	15.24	18	-10.44	15.94
819.36	72.08	4829	6.18	-1.56	0	0	99.61	15.02	17.61	-10.44	15.62
819.46	70.84	4792	6.13	-1.56	0	0	99.61	14.7	17.61	-10.44	15.31
819.54	70.84	4752	6.08	-1.56	0	0	99.61	14.3	17.61	-10.66	15
819.64	70.84	4731	6.06	-1.56	0	0	99.61	14.02	17.61	-10.66	15

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
819.72	70.84	4699	6.01	-1.56	0	0	99.61	13.84	17.22	-10.66	15
819.82	70.84	4658	5.96	-1.56	0	0	99.61	13.52	17.22	-10.66	14.69
819.9	70.84	4624	5.92	-1.56	0	0	99.61	13.32	17.22	-10.66	14.38
820	70.84	4609	5.9	-1.56	0	0	99.61	13.36	17.22	-10.66	14.69
820.08	65.87	4601	10.8	-1.56	0	0	99.61	41.56	73.56	-0.51	75.94
820.18	65.87	4915	26.21	0	0	0	99.61	87.46	84.9	0.65	88.75
820.28	65.87	5630	33.63	0	0	0	99.61	108.72	39.52	0.29	85.94
820.36	65.87	6208	33.11	0	0	0	99.61	91.22	26.61	-2.83	65
820.46	65.87	5729	20.78	-1.56	0	0	99.61	60.26	19.95	-6.96	39.06
820.54	65.87	5999	12.8	-1.56	0	0	99.61	37.12	20.74	-8.34	27.5
820.64	65.87	6072	10.36	-1.56	0	0	99.61	29.88	20.35	-8.7	24.38
820.72	65.87	5769	9.85	-1.56	0	0	99.61	25.92	19.95	-9.06	21.88
820.82	65.87	5933	8.86	-1.56	0	0	99.61	25.5	23.48	-8.12	26.56
820.9	65.87	5966	12.73	-1.56	0	0	99.61	45.74	28.17	-5.73	48.44
821	65.87	5938	19	-1.56	0	0	99.61	61.2	28.56	-4.57	55.62
821.08	65.87	5900	21.4	-1.56	0	0	99.61	71.96	34.82	-1.45	72.19
821.18	65.87	5910	35.3	0	0	0	99.61	113.22	47.73	2.83	105.31
821.26	65.87	5995	44.76	0	0	0	99.61	137.54	46.56	5.51	123.44
821.36	65.87	5971	48.41	0	0	0	99.61	151.9	39.91	7.11	131.88
821.44	65.87	6033	52.77	0	0	0	100	164.06	38.73	8.48	141.25
821.54	67.11	6048	55.48	0	0	0	100	174.42	40.69	10.01	149.69
821.62	67.11	6107	61.24	0	0	0	100	189.98	39.91	10.44	150.94
821.72	67.11	6112	52.16	0	0	0	100	165.54	37.56	8.48	132.19
821.8	67.11	6177	50.08	0	0	0	100	152.84	29.74	3.63	100.62
821.9	67.11	6087	31.17	0	0	0	100	84.24	21.13	-3.63	58.12
821.98	67.11	5966	16.55	-1.56	0	0	100	53.36	20.74	-7.32	35.62
822.08	67.11	6345	12.18	-1.56	0	0	100	38.84	21.13	-8.34	28.44
822.16	67.11	6023	10.28	-1.56	0	0	100	31.86	20.74	-8.85	25.31
822.26	68.35	6067	10.36	-1.56	0	0	100	29.86	20.74	-8.85	25.31
822.34	68.35	6162	10.52	-1.56	0	0	100	29.54	20.74	-8.92	23.44
822.44	68.35	6067	10.36	-1.56	0	0	100	26.8	20.74	-9.06	21.56
822.52	68.35	6122	9.14	-1.56	0	0	100	25.38	21.13	-9.43	20.62
822.62	68.35	6058	9.05	-1.56	0	0	100	24.62	20.35	-9.5	20
822.7	68.35	6077	9.08	-1.56	0	0	100	23.58	20.74	-9.5	19.06
822.8	68.35	6072	9.07	-1.56	0	0	100	23.3	20.35	-9.64	19.06
822.88	68.35	6033	9.01	-1.56	0	0	100	22.84	20.35	-9.64	18.75
822.98	67.11	6019	8.99	-1.56	0	0	100	22.6	20.35	-9.64	18.75
823.06	67.11	6043	9.02	-1.56	0	0	100	22.72	20.35	-9.64	19.38
823.16	67.11	6014	8.98	-1.56	0	0	100	29.06	27.39	-6.96	35.62

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
823.24	67.11	6009	16.67	-1.56	0	0	100	67.42	32.47	-3.99	62.19
823.34	67.11	6224	25.23	0	0	0	100	70.42	26.21	-5	50.94
823.42	67.11	5859	16.25	-1.56	0	0	100	46.16	21.52	-7.9	32.81
823.52	67.11	5999	11.52	-1.56	0	0	100	34.36	20.74	-9.06	25.62
823.6	67.11	6072	10.36	-1.56	0	0	100	27.72	20.35	-9.43	21.25
823.7	67.11	6019	8.99	-1.56	0	0	100	24.3	20.35	-9.5	20
823.78	67.11	5938	8.87	-1.56	0	0	100	23.32	20.35	-9.5	19.38
823.88	67.11	5947	8.88	-1.56	0	0	100	22.68	20.35	-9.64	18.75
823.96	67.11	6014	8.98	-1.56	0	0	100	22.74	20.35	-9.64	19.06
824.06	67.11	5966	8.91	-1.56	0	0	100	22.36	20.35	-9.64	19.06
824.14	67.11	5928	8.85	-1.56	0	0	100	22.28	20.35	-9.64	18.75
824.24	67.11	5942	8.87	-1.56	0	0	100	22.2	20.35	-9.86	18.75
824.32	65.87	5942	8.87	-1.56	0	0	100	22.58	20.35	-9.64	19.06
824.42	65.87	5924	8.85	-1.56	0	0	100	22.64	20.35	-9.86	19.06
824.5	65.87	5924	8.85	-1.56	0	0	100	22.52	20.35	-9.86	19.06
824.6	65.87	5915	8.83	-1.56	0	0	100	22.52	20.35	-9.86	19.06
824.68	65.87	5900	8.81	-1.56	0	0	100	22.4	20.35	-9.86	19.38
824.78	65.87	5895	8.8	-1.56	0	0	100	22.8	20.35	-9.86	19.38
824.86	65.87	5887	8.79	-1.56	0	0	100	22.82	20.35	-9.86	19.69
824.96	65.87	5877	8.78	-1.56	0	0	100	22.86	20.35	-9.64	19.69
825.04	64.62	5863	8.76	-1.56	0	0	100	22.9	20.35	-10.01	19.69
825.14	64.62	5863	8.76	-1.56	0	0	100	22.72	20.35	-9.64	19.38
825.24	64.62	5841	8.72	-1.56	0	0	100	22.52	20.35	-9.86	19.38
825.32	64.62	5782	8.64	-1.56	0	0	100	22.12	20.35	-10.01	19.38
825.42	64.62	5742	9.8	-1.56	0	0	100	30.06	26.61	-7.11	36.88
825.5	64.62	5703	14.6	-1.56	0	0	100	48.44	23.08	-7.11	38.44
825.6	64.62	5613	9.58	-1.56	0	0	100	28.06	19.95	-9.06	23.75
825.68	64.62	5037	8.6	-1.56	0	0	100	27.08	23.08	-7.32	34.69
825.78	64.62	4322	10.14	-1.56	0	0	100	33.16	22.69	-6.96	38.12
825.86	64.62	4480	9.56	-1.56	0	0	100	36.48	26.61	-5.58	47.81
825.96	64.62	4475	12.41	-1.56	0	0	100	44.98	21.91	-6.53	44.38
826.04	64.62	4458	10.46	-1.56	0	0	100	33.48	21.52	-7.54	34.69
826.14	64.62	4445	8.54	-1.56	0	0	100	28.98	21.13	-7.9	31.88
826.22	64.62	4475	8.59	-1.56	0	0	100	26.82	19.56	-8.7	27.5
826.32	64.62	4435	7.57	-1.56	0	0	100	24.28	21.13	-8.34	28.12
826.4	64.62	4461	7.61	-1.56	0	0	100	24.34	23.48	-7.54	32.5
826.5	64.62	4445	10.43	-1.56	0	0	100	38.04	25.82	-5.58	47.5
826.58	64.62	4461	15.23	-1.56	0	0	100	63	40.3	0.07	84.38
826.68	64.62	4531	24.17	0	0	0	100	81.22	39.91	0.94	95.31

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
826.76	64.62	4458	25.68	0	0	0	100	80.06	27	-1.45	77.19
826.86	64.62	4466	17.15	-1.56	0	0	100	56.12	23.08	-4.21	57.81
826.96	64.62	4501	12.49	-1.56	0	0	100	41.32	27.39	-3.63	51.88
827.06	64.62	4518	15.42	-1.56	0	0	100	60.78	27.78	-2.03	71.88
827.16	65.87	4491	18.2	-1.56	0	0	100	65.58	26.21	-2.25	70.31
827.26	65.87	4512	16.37	-1.56	0	0	100	64.78	27.78	-1.67	74.06
827.36	65.87	4528	17.39	-1.56	0	0	100	61.92	25.82	-2.68	66.25
827.46	65.87	4528	15.46	-1.56	0	0	100	55.6	21.13	-4.79	52.19
827.56	65.87	4507	11.54	-1.56	0	0	100	34.56	20.35	-7.11	34.06
827.68	65.87	4531	8.7	-1.56	0	0	100	28.8	20.74	-7.54	31.25
827.78	65.87	4528	8.7	-1.56	0	0	100	26.7	21.13	-7.76	30
827.9	65.87	4515	8.67	-1.56	0	0	100	27.9	22.69	-7.32	31.88
828	65.87	4528	10.63	-1.56	0	0	100	36.8	23.87	-6.16	42.5
828.12	65.87	4523	11.58	-1.56	0	0	100	39.16	23.48	-6.16	43.12
828.22	65.87	4523	10.61	-1.56	0	0	100	35.04	22.3	-6.96	37.81
828.32	65.87	4523	9.65	-1.56	0	0	100	33.38	23.08	-6.74	36.88
828.43	65.87	4523	9.65	-1.56	0	0	100	33.1	23.08	-6.74	37.19
828.53	65.87	4528	10.63	-1.56	0	0	100	43.06	25.82	-5	52.81
828.65	65.87	4526	14.48	-1.56	0	0	100	55.64	28.17	-3.26	65
828.75	65.87	4540	16.47	-1.56	0	0	100	60.8	27.78	-2.68	68.44
828.87	65.87	4548	17.47	-1.56	0	0	100	63.06	27.78	-2.25	70.94
828.97	65.87	4545	18.42	-1.56	0	0	100	66.22	27.78	-1.89	74.06
829.09	65.87	4556	18.47	-1.56	0	0	100	67.84	27.78	-1.45	75
829.19	65.87	4570	18.52	-1.56	0	0	100	68.44	27.78	-1.31	75
829.31	67.11	4570	18.52	-1.56	0	0	100	68.58	27.78	-1.09	75.31
829.41	67.11	4581	18.57	-1.56	0	0	100	70.22	28.17	-0.87	77.5
829.53	67.11	4592	20.58	0	0	0	100	71.28	28.17	-0.51	78.44
829.63	67.11	4606	20.64	0	0	0	100	72.4	28.17	-0.51	79.06
829.75	67.11	4612	20.66	0	0	0	100	73.88	29.34	-0.07	83.75
829.85	67.11	4626	23.69	0	0	0	100	80.36	29.74	0.65	88.44
829.97	67.11	4635	24.72	0	0	0	100	83.3	31.69	1.81	95.62
830.07	67.11	4666	31.86	0	0	0	100	106.54	39.52	6.31	127.5
830.19	67.11	4690	44.03	0	0	0	100	147.3	56.73	11.46	170
830.29	67.11	4719	58.4	0	0	0	100	182.4	85.29	16.24	208.44
830.41	67.11	4765	70.14	0	0	0	100	220.6	85.29	20.96	246.88
830.51	67.11	4807	82.05	0	0	0	100	256.38	86.08	24.87	277.19
830.61	67.11	4832	89.69	0	0	0	100	275.8	86.08	26.25	282.81
830.69	70.84	4892	87.67	0	0	0	100	274.4	86.08	26.61	277.81
830.79	70.84	4889	85.53	0	0	0	100	268.9	86.08	26.25	271.88

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
830.91	70.84	4966	84.77	0	0	0	100	264.36	86.08	25.53	262.81
831.01	70.84	5006	82.25	0	0	0	100	257.46	86.08	24.66	255.31
831.13	70.84	5057	80.91	0	0	0	100	250.36	85.69	23.71	244.38
831.23	70.84	5115	78.58	0	0	0	100	242.04	85.69	21.97	234.38
831.35	70.84	5161	75.98	0	0	0	100	236.12	85.29	21.17	226.25
831.45	75.81	5215	74.55	0	0	0	100	230.16	85.29	20.38	219.69
831.53	75.81	5229	72.52	0	0	0	100	228.44	85.29	19.65	216.56
831.63	75.81	5270	71.96	0	0	0	100	227.26	85.29	19.43	215.94
831.73	75.81	5311	72.52	0	0	0	100	229.26	85.29	19.58	217.81
831.83	75.81	5353	74.24	0	0	0	100	232.44	85.69	19.8	219.69
831.91	75.81	5399	74.87	0	0	0	100	236.72	85.69	20.38	221.88
832.01	75.81	5407	76.13	0	0	0	100	242.86	85.69	20.74	224.38
832.11	75.81	5450	77.91	0	0	0	100	247.04	85.69	21.17	227.81
832.19	79.54	5502	79.82	0	0	0	100	249.88	85.29	21.54	228.12
832.29	79.54	5547	80.47	0	0	0	100	255.42	85.29	21.75	231.88
832.39	79.54	5572	82.02	0	0	0	100	259.16	85.29	21.97	232.19
832.49	79.54	5605	82.51	0	0	0	100	258.22	85.29	22.34	230.31
832.59	79.54	5651	83.2	0	0	0	100	260.78	85.29	22.34	230
832.67	79.54	5668	82.24	0	0	0	100	259.46	85.29	22.19	228.75
832.77	79.54	5733	83.18	0	0	0	100	261.2	84.9	22.34	229.06
832.87	83.26	5778	83.82	0	0	0	100	261.6	85.29	22.34	228.75
832.97	83.26	5787	83.95	0	0	0	100	262.52	85.29	21.75	226.88
833.05	83.26	5791	84.02	0	0	0	100	261.98	85.29	21.75	226.25
833.15	83.26	5859	83.75	0	0	0	100	261.52	85.29	21.54	226.56
833.25	83.26	5877	85.27	0	0	0	100	264.94	85.29	21.75	227.19
833.33	83.26	5895	85.53	0	0	0	100	268.98	85.29	21.75	226.88
833.43	83.26	5942	86.21	0	0	0	100	270.34	85.29	21.39	227.5
833.55	83.26	5976	86.69	0	0	0	100	270.22	84.9	21.75	226.56
833.65	86.99	6033	87.53	0	0	0	100	272.92	84.9	21.17	227.5
833.77	86.99	6072	88.1	0	0	0	100	272.06	84.9	21.54	225
833.87	86.99	6087	87.02	0	0	0	100	273.02	84.51	21.32	225.94
833.99	86.99	6117	88.75	0	0	0	100	276.78	84.12	21.17	226.56
834.09	86.99	6177	89.62	0	0	0	100	279.7	83.73	21.17	225.94
834.21	86.99	6218	90.21	0	0	0	100	279.78	84.12	21.17	227.81
834.31	90.72	6260	90.82	0	0	0	100	284.82	84.12	20.96	228.12
834.43	90.72	6291	91.28	0	0	0	100	283.34	84.51	20.74	225.31
834.53	90.72	6323	91.74	0	0	0.35	100	285.88	84.51	20.74	226.25
834.65	90.72	6350	90.77	0	0	0.35	100	288.18	84.51	20.38	225.62
834.75	90.72	6394	91.39	0	0	0.35	100	287.16	84.51	20.59	227.19

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
834.83	90.72	6404	92.91	0	0	0	100	291.78	84.51	20.16	225.94
834.93	90.72	6454	93.63	0	0	0	100	291.14	84.51	20.16	224.69
835.03	94.45	6499	92.89	0	0	0	100	290.1	84.51	20.01	222.81
835.13	94.45	6521	93.22	0	0	0	100	292.88	84.51	19.87	224.38
835.23	94.45	6533	93.38	0	0	0	100	292.62	84.51	20.01	224.38
835.31	94.45	6573	95.36	0	0	0	100	295.62	84.51	19.65	226.25
835.41	94.45	6625	94.7	0	0	0	100	295.6	84.51	19.8	223.75
835.51	94.45	6643	94.95	0	0	0	100	299.48	84.9	19.58	224.69
835.61	94.45	6666	96.71	0	0	0.35	100	298.2	84.51	19.58	225
835.69	98.18	6756	96.58	0	0	0.35	100	299.48	84.51	19.36	222.5
835.79	98.18	6714	95.97	0	0	0.35	100	300.1	84.51	19.22	220.62
835.87	98.18	6781	96.93	0	0	0.35	100	297.64	84.51	18.85	220.31
835.97	98.18	6787	95.56	0	0	0.35	100	296.3	84.51	19	220.31
836.07	98.18	6781	95.48	0	0	0.35	100	297.94	84.51	18.78	220.62
836.15	98.18	6830	96.17	0	0	0.35	100	298.68	66.12	17.69	215.31
836.26	98.18	6793	82.61	0	0	0.35	100	204.28	31.3	6.53	125
836.33	98.18	6590	39.37	0	0	0.35	100	115.98	22.3	-2.68	65.62
836.43	99.42	6355	21.69	-1.56	0	0	100	57.6	21.13	-6.38	40
836.51	99.42	6137	13.09	-1.56	0	0	100	41.56	20.74	-7.9	30
836.61	99.42	6152	13.12	-1.56	0	0	100	61.44	47.73	2.83	100.31
836.69	99.42	5337	40.99	0	0	0	100	113.38	77.08	7.32	135.62
836.79	99.42	4770	45.8	0	0	0	100	144.72	84.51	10.01	158.44
836.89	99.42	4687	52	0	0	0	100	167.88	82.95	13.56	181.56
836.97	99.42	4710	59.29	0	0	0	100	185.04	61.04	17.48	208.75
837.07	100.66	4747	68.86	0	0	0.35	100	211.58	46.95	19.22	219.38
837.15	100.66	4789	63.34	0	0	0.35	100	178	26.21	9.43	147.5
837.25	100.66	4702	32.1	0	0	0.35	100	84.84	20.35	-1.67	68.12
837.33	100.66	4898	14.63	-1.56	0	0	100	50.08	18	-6.16	41.56
837.43	100.66	4734	9.09	-1.56	0	0	100	29.52	17.61	-8.48	26.25
837.51	100.66	4773	7.13	-1.56	0	0	100	21.58	17.61	-9.06	22.5
837.61	100.66	4737	7.08	-1.56	0	0	100	19.12	17.61	-9.64	19.06
837.69	100.66	4747	6.08	-1.56	0	0	100	17.04	17.61	-10.01	17.5
837.79	99.42	4731	6.06	-1.56	0	0	100	16.14	17.61	-10.08	16.56
837.87	99.42	4726	6.05	-1.56	0	0	100	15.14	17.61	-10.37	15.31
837.97	99.42	4707	6.03	-1.56	0	0	100	13.68	17.61	-10.22	14.38
838.05	99.42	4710	6.03	-1.56	0	0	100	13.3	17.61	-10.44	14.06
838.15	99.42	4696	6.01	-1.56	0	0	100	13.4	17.61	-10.22	14.38
838.23	99.42	4699	6.01	-1.56	0	0	100	13.66	17.61	-10.44	14.69
838.33	99.42	4681	5.99	-1.56	0	0	100	14.08	17.61	-10.59	15

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
838.41	99.42	4681	5.99	-1.56	0	0	100	13.96	17.61	-10.44	15
838.51	98.18	4675	5.98	-1.56	0	0	100	14.12	17.61	-10.44	15
838.59	98.18	4661	5.97	-1.56	0	0	100	13.96	17.61	-10.44	15.31
838.69	98.18	4652	5.96	-1.56	0	0	100	14.3	17.61	-10.44	15.31
838.77	98.18	4649	5.95	-1.56	0	0	100	14.24	17.61	-10.59	15.62
838.87	98.18	4641	5.94	-1.56	0	0	100	14.34	17.61	-10.44	15.31
838.95	98.18	4632	5.93	-1.56	0	0	100	14.08	17.61	-10.59	15.62
839.05	98.18	4624	5.92	-1.56	0	0	100	14.02	17.61	-10.44	15.31
839.13	98.18	4624	5.92	-1.56	0	0	100	14	17.61	-10.44	15.31
839.23	96.93	4615	5.91	-1.56	0	0	100	13.76	17.22	-10.66	15
839.31	96.93	4603	5.89	-1.56	0	0	100	13.82	17.61	-10.8	15
839.41	96.93	4589	5.87	-1.56	0	0	100	13.62	17.22	-10.8	15.31
839.51	96.93	4586	5.87	-1.56	0	0	100	13.72	17.22	-10.8	15
839.61	96.93	4586	5.87	-1.56	0	0	100	13.72	17.61	-10.66	15
839.69	96.93	4573	5.85	-1.56	0	0	100	13.76	17.22	-10.66	15
839.79	96.93	4564	5.84	-1.56	0	0	100	13.8	17.22	-10.66	15.31
839.89	95.69	4556	5.83	-1.56	0	0	100	13.9	17.22	-10.66	15.31
839.99	95.69	4548	5.82	-1.56	0	0	100	13.86	17.22	-10.8	15.31
840.07	95.69	4545	5.82	-1.56	0	0	100	13.7	17.22	-10.66	15
840.17	95.69	4540	5.81	-1.56	0	0	100	13.46	17.22	-10.66	15
840.27	95.69	4528	5.8	-1.56	0	0	100	13.34	17.22	-10.66	14.69
840.37	95.69	4518	5.78	-1.56	0	0	100	13.24	17.22	-10.66	14.69
840.45	95.69	4515	5.78	-1.56	0	0	100	13.26	17.22	-10.66	15
840.53	95.69	4512	5.78	-1.56	0	0	100	13.32	17.22	-10.66	15
840.63	94.45	4496	5.76	-1.56	0	0	100	13.4	16.82	-10.88	14.69
840.73	94.45	4491	5.75	-1.56	0	0	100	13.08	16.82	-10.88	14.38
840.81	94.45	4488	5.74	-1.56	0	0	100	12.92	17.22	-10.66	14.69
840.91	94.45	4475	5.73	-1.56	0	0	100	12.94	16.82	-10.88	14.69
841.01	94.45	4466	5.72	-1.56	0	0	100	12.88	17.22	-10.66	14.69
841.11	94.45	4458	5.71	-1.56	0	0	100	12.86	16.82	-10.66	14.38
841.19	94.45	4422	5.66	-1.56	0	0	100	12.88	16.82	-10.66	14.69
841.27	94.45	4388	5.62	-1.56	0	0	100	12.76	16.82	-10.66	14.69
841.37	91.96	4332	5.55	-1.56	0	0	100	12.38	16.82	-10.88	14.38
841.47	91.96	4266	5.46	-1.56	0	0	100	12.16	16.43	-10.88	14.38
841.57	91.96	4187	5.36	-1.56	0	0	100	11.64	16.43	-11.17	13.75
841.65	91.96	4098	5.25	-1.56	0	0	100	11.36	16.43	-10.88	14.06
841.73	91.96	4036	5.17	-1.56	0	0	100	11.32	16.43	-10.88	14.06
841.83	91.96	4036	5.17	-1.56	0	0	100	11.28	16.43	-11.02	14.06
841.93	91.96	3968	5.08	-1.56	0	0	100	11.06	16.43	-11.02	14.38

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
842.01	91.96	3910	5	-1.56	0	0	100	11.08	16.04	-11.02	14.38
842.11	82.02	3855	4.94	-1.56	0	0	100	11.02	16.04	-10.88	14.38
842.19	82.02	3791	4.85	-1.56	0	0	100	10.36	15.65	-11.02	13.75
842.29	82.02	3714	4.75	-1.56	0	0	100	9.98	15.65	-11.02	13.44
842.37	82.02	3647	4.67	-1.56	-0.78	0	100	9.72	15.65	-11.02	13.44
842.47	82.02	3616	4.63	-1.56	-1.56	0	100	9.38	15.26	-11.02	13.44
842.55	82.02	3593	4.6	-1.56	-2.73	0	100	9.66	15.65	-10.8	14.06
842.65	82.02	3478	4.45	-1.56	-3.12	0	100	9.8	15.26	-10.8	14.38
842.73	73.32	3511	4.49	-1.56	-3.9	0	100	9.88	15.26	-10.8	14.06
842.83	73.32	3470	4.44	-1.56	-4.68	0	100	9.56	15.26	-10.66	14.69
842.91	73.32	3449	4.42	-1.56	-5.46	0	100	9.68	15.26	-10.44	13.75
843.01	73.32	3467	4.44	-1.56	-6.24	0	100	9.88	15.26	-10.8	14.06
843.09	73.32	3457	4.43	-1.56	-5.85	0	100	9.86	15.26	-10.88	14.38
843.19	73.32	3445	4.41	-1.56	-4.68	0	100	9.38	15.26	-10.88	13.75
843.29	73.32	3445	4.41	-1.56	-3.51	0	100	9.22	15.26	-10.88	13.75
843.37	73.32	3432	4.39	-1.56	-2.34	0	100	9.26	15.26	-10.88	13.44
843.47	72.08	3431	4.39	-1.56	0	0	100	9.06	14.87	-10.88	13.12
843.55	72.08	3429	4.39	-1.56	0	0	100	8.8	14.87	-11.02	12.81
843.65	72.08	3409	4.36	-1.56	0	0	100	8.78	15.26	-11.02	12.81
843.73	72.08	3419	4.38	-1.56	0	0	100	8.84	15.26	-11.17	13.12
843.83	72.08	3412	4.37	-1.56	0	0	100	8.86	15.26	-11.17	12.81
843.91	72.08	3405	4.36	-1.56	0	0	100	8.76	15.26	-11.02	12.81
844.01	72.08	3412	4.37	-1.56	0	0	100	8.86	15.26	-11.17	13.12
844.09	72.08	3387	4.34	-1.56	0	0	100	8.78	15.26	-11.02	13.12
844.19	70.84	3378	4.32	-1.56	0	0	100	8.94	15.26	-11.02	13.44
844.27	70.84	3386	4.33	-1.56	0	0	100	8.92	15.26	-11.02	13.12
844.37	70.84	3382	4.33	-1.56	0	0	100	8.92	15.26	-10.88	13.44
844.45	70.84	3379	4.33	-1.56	0	0	100	9	15.26	-10.88	13.44
844.55	70.84	3372	4.32	-1.56	0	0	100	8.94	15.26	-10.88	13.44
844.63	70.84	3366	4.31	-1.56	0	0	100	9.02	15.26	-11.02	13.44
844.73	70.84	3330	4.26	-1.56	0	0	100	8.7	14.87	-11.02	13.12
844.81	70.84	3295	4.22	-1.56	0	0	100	8.6	14.87	-10.88	13.12
844.91	70.84	3249	0	-1.56	0	0	100	7.7	13.69	-11.24	11.56
844.99	70.84	3155	0	-1.56	0	0	100	7.14	14.09	-11.24	11.25
845.09	70.84	3372	0	-1.56	0	0	100	7.82	14.09	-11.6	11.25
845.17	70.84	3895	0	-1.56	0	0	100	9.3	15.26	-11.46	11.25
845.27	70.84	4482	0	-1.56	0	0	100	10.44	15.65	-11.02	10.94
845.37	70.84	4819	0	-1.56	0	0	100	10.36	15.65	-11.24	10.94
845.45	70.84	4635	0	-1.56	0	0	100	10	15.65	-11.24	10.62

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
845.55	70.84	4758	0	-1.56	0	0	100	9.88	15.65	-11.24	10.31
845.63	68.35	4655	0	-1.56	0	0	100	9.58	15.65	-11.24	10.31
845.73	68.35	4702	0	-1.56	0	0	100	9.78	15.65	-11.24	10.31
845.81	68.35	4649	0	-1.56	0	0	100	9.78	15.65	-11.39	10.62
845.91	68.35	4675	0	-1.56	0	0	100	9.72	15.65	-11.24	10.31
845.99	68.35	4649	0	-1.56	0	0	100	9.7	15.65	-11.24	10.31
846.09	68.35	4641	0	-1.56	0	0	100	9.72	15.65	-11.24	10.62
846.17	68.35	4632	0	-1.56	0	0	100	9.72	15.65	-11.24	10.31
846.27	67.11	4626	0	-1.56	0	0	100	9.64	15.65	-11.24	10.31
846.35	67.11	4615	0	-1.56	0	0	100	9.62	15.65	-11.24	10.31
846.45	67.11	4601	0	-1.56	0	0	100	9.72	15.65	-11.24	10.62
846.53	67.11	4592	0	-1.56	0	0	100	9.72	15.65	-11.24	10.62
846.63	67.11	4581	0	-1.56	0	0	100	9.78	15.65	-11.24	10.62
846.71	67.11	4573	0	-1.56	0	0	100	9.78	15.65	-11.24	10.62
846.81	67.11	4567	0	-1.56	0	0	100	9.7	15.65	-11.24	10.62
846.89	67.11	4550	0	-1.56	0	0	100	9.74	15.65	-11.24	10.62
846.99	65.87	4548	0	-1.56	0	0	100	9.7	15.65	-11.24	10.94
847.07	65.87	4528	0	-1.56	0	0	100	9.8	15.65	-11.24	10.94
847.17	65.87	4526	0	-1.56	0	0	100	9.64	15.65	-11.39	10.94
847.25	65.87	4515	0	-1.56	0	0	100	9.72	15.65	-11.24	10.94
847.35	65.87	4499	0	-1.56	0	0	100	9.78	15.65	-11.24	10.94
847.43	65.87	4504	0	-1.56	0	0	100	9.78	15.65	-11.24	10.94
847.53	65.87	4482	0	-1.56	0	0	100	9.7	15.65	-11.24	10.94
847.61	65.87	4480	0	-1.56	0	0	100	9.62	15.65	-11.24	10.94
847.71	64.62	4464	0	-1.56	0	0	100	9.74	15.65	-11.24	10.94
847.79	64.62	4453	0	-1.56	0	0	100	9.68	16.43	-11.02	11.56
847.89	64.62	4440	0	-1.56	0	0	100	11.24	16.43	-10.88	13.12
847.97	64.62	4430	0	-1.56	0	0	100	12.34	16.82	-10.66	14.38
848.07	64.62	4427	6.61	-1.56	0	0	100	13.2	16.82	-10.88	14.69
848.15	64.62	4445	5.69	-1.56	0	0	100	12.7	16.82	-10.88	14.38
848.25	64.62	4414	5.65	-1.56	0	0	100	12.6	16.82	-10.88	14.38
848.33	64.62	4416	5.65	-1.56	0	0	100	12.66	16.82	-10.88	14.38
848.43	64.62	4406	5.64	-1.56	0	0	100	12.5	16.82	-11.02	14.38
848.51	64.62	4401	5.63	-1.56	0	0	100	12.44	16.82	-10.88	14.06
848.61	64.62	4391	5.62	-1.56	0	0	100	12.48	15.26	-11.02	13.12
848.69	64.62	4373	5.6	-1.56	0	0	100	9.3	12.52	-11.97	10.62
848.79	64.62	4345	5.56	-1.56	0	0	100	9.34	12.13	-12.04	10.62
848.87	64.62	4385	5.61	-1.56	0	0	100	9.3	11.74	-12.18	10.62
848.97	64.62	4350	5.57	-1.56	0	0	100	9.3	11.74	-12.18	10.62

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
849.05	64.62	4355	5.57	-1.56	0	0	100	9.3	11.74	-12.18	10.62
849.15	63.38	4340	5.56	-1.56	0	0	100	9.3	11.35	-12.18	10.62
849.23	63.38	4335	0	-1.56	0	0	100	7.94	11.35	-12.4	7.5
849.33	63.38	4320	0	-1.56	0	0	100	5.08	14.48	-12.18	7.19
849.41	63.38	4320	0	-1.56	0	0	100	8.28	15.26	-11.46	10.62
849.51	63.38	4305	0	-1.56	0	0	100	9.54	15.26	-11.6	10.94
849.59	63.38	4302	0	-1.56	0	0	100	9.4	15.26	-11.46	10.94
849.69	63.38	4290	0	-1.56	0	0	100	9.34	15.26	-11.24	10.94
849.77	63.38	4280	0	-1.56	0	0	100	9.34	15.26	-11.24	10.94
849.87	62.14	4266	0	-1.56	0	0	100	9.4	15.26	-11.24	10.94
849.97	62.14	4263	0	-1.56	0	0	100	9.4	15.26	-11.39	10.94
850.05	62.14	4251	0	-1.56	0	0	100	9.4	15.26	-11.24	11.25
850.15	62.14	4242	0	-1.56	0	0	100	9.46	15.26	-11.24	10.94
850.23	62.14	4237	0	-1.56	0	0	100	9.36	15.26	-11.24	10.94
850.33	62.14	4225	0	-1.56	0	0	100	9.34	15.26	-11.24	11.25
850.41	62.14	4218	0	-1.56	0	0	100	9.26	15.26	-11.24	11.25
850.51	62.14	4206	0	-1.56	0	0	100	9.22	15.26	-11.6	10.94
850.59	60.89	4199	0	-1.56	0	0	100	10.3	16.43	-11.02	13.12
850.69	60.89	4189	0	-1.56	0	0	100	11.16	16.82	-10.88	14.38
850.77	60.89	4178	6.24	-1.56	0	0	100	14.2	18.39	-10.22	19.06
850.87	60.89	4204	7.17	-1.56	0	0	100	17.4	19.17	-10.01	21.56
850.95	60.89	4225	7.21	-1.56	0	0	100	18.2	19.56	-9.64	22.81
851.05	60.89	4136	7.94	-1.56	0	0	100	22.76	22.69	-8.34	30.94
851.13	60.89	4180	9.81	-1.56	0	0	100	28.36	22.3	-7.76	34.69
851.23	60.89	4173	9.79	-1.56	0	0	100	28.7	21.91	-7.76	34.69
851.31	60.89	4171	9.79	-1.56	0	0	100	28.78	22.3	-7.76	34.38
851.41	60.89	4157	9.76	-1.56	0	0	100	28.74	22.3	-7.54	35
851.51	60.89	4183	9.82	-1.56	0	0	100	29.62	22.69	-7.32	36.56
851.61	60.89	4159	9.76	-1.56	0	0	100	32.78	23.48	-6.74	41.25
851.71	60.89	4171	10.68	-1.56	0	0	100	40.44	26.61	-4.79	52.5
851.83	60.89	4183	13.39	-1.56	0	0	100	49.08	28.17	-3.41	63.12
851.93	60.89	4189	15.2	-1.56	0	0	100	58.1	29.74	-2.03	72.5
852.05	60.89	4189	16.98	-1.56	0	0	100	62.58	28.95	-1.67	75.62
852.15	60.89	4199	17.92	-1.56	0	0	100	65.28	29.74	-0.87	80.31
852.27	60.89	4218	18.9	-1.56	0	0	100	71.44	30.52	0.29	88.12
852.37	60.89	4234	21.68	0	0	0	100	76.52	30.13	0.87	91.56
852.49	60.89	4234	23.49	0	0	0	100	81.06	30.13	1.45	97.19
852.59	60.89	4261	26.36	0	0	0	100	82.68	26.61	0.07	85
852.71	62.14	4253	16.33	-1.56	0	0	100	52.9	23.87	-3.41	56.88

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
852.81	62.14	4275	12.77	-1.56	0	0	100	44.92	23.87	-4.21	51.88
852.93	62.14	4285	11.89	-1.56	0	0	100	42.08	21.52	-5.58	45.62
853.03	62.14	4278	10.04	-1.56	0	0	100	25.88	16.43	-9.28	23.75
853.15	62.14	4251	6.35	-1.56	0	0	100	15.06	16.43	-10.44	16.25
853.25	62.14	4253	5.44	-1.56	0	0	100	12.62	16.43	-10.66	14.69
853.35	62.14	4268	5.46	-1.56	0	0	100	11.94	16.43	-10.66	13.75
853.47	62.14	4256	5.45	-1.56	0	0	100	11.66	16.43	-10.88	13.44
853.57	62.14	4253	5.44	-1.56	0	0	100	11.24	16.43	-10.88	13.12
853.67	62.14	4239	5.43	-1.56	0	0	100	10.94	16.43	-10.88	13.12
853.75	62.14	4229	5.41	-1.56	0	0	100	11.06	16.43	-11.02	13.12
853.85	62.14	4232	5.42	-1.56	0	0	100	11.16	16.43	-10.88	13.44
853.95	62.14	4223	5.41	-1.56	0	0	100	11.32	16.43	-11.02	13.44
854.05	62.14	4220	5.4	-1.56	0	0	100	11.28	16.43	-11.02	13.44
854.15	60.89	4201	5.38	-1.56	0	0	100	11.38	16.43	-11.02	13.75
854.23	60.89	4206	5.38	-1.56	0	0	100	11.54	16.43	-10.88	13.75
854.33	60.89	4196	5.37	-1.56	0	0	100	11.48	16.82	-10.88	14.06
854.43	60.89	4187	5.36	-1.56	0	0	100	11.7	16.43	-10.88	14.06
854.53	60.89	4178	5.35	-1.56	0	0	100	11.8	16.43	-11.02	14.06
854.65	60.89	4180	5.35	-1.56	0	0	100	11.78	16.82	-10.88	14.69
854.75	60.89	4171	6.23	-1.56	0	0	100	15.24	20.74	-9.5	23.12
854.86	60.89	4168	8	-1.56	0	0	100	29.32	23.48	-7.11	37.5
854.98	60.89	4185	9.82	-1.56	0	0	100	33.28	23.48	-6.74	40.94
855.08	60.89	4196	9.85	-1.56	0	0	100	34.32	23.48	-6.53	42.19
855.2	60.89	4145	10.61	-1.56	0	0	100	36.04	24.26	-6.16	44.06
855.3	60.89	4155	10.64	-1.56	0	0	100	38.32	25.43	-5.58	49.06
855.42	60.89	4185	11.61	-1.56	0	0	100	44.36	25.82	-4.79	54.69
855.52	60.89	4178	12.48	-1.56	0	0	100	47.48	25.82	-4.42	58.44
855.64	60.89	4171	13.35	-1.56	0	0	100	49.12	25.82	-4.21	59.38
855.74	60.89	4187	13.4	-1.56	0	0	100	49.54	23.87	-4.79	55
855.84	60.89	4185	11.61	-1.56	0	0	100	42.98	23.87	-5.22	50
855.94	60.89	4183	10.71	-1.56	0	0	100	40.4	23.87	-5.37	48.12
856.04	60.89	4196	10.74	-1.56	0	0	100	40.1	23.87	-5.22	47.81
856.12	60.89	4189	10.73	-1.56	0	0	100	39.94	24.26	-5	48.75
856.22	60.89	4206	11.67	-1.56	0	0	100	41.98	24.65	-4.79	51.56
856.32	60.89	4204	11.66	-1.56	0	0	100	45.52	26.21	-4.13	57.5
856.42	60.89	4210	14.37	-1.56	0	0	100	52.28	26.21	-3.41	63.75
856.5	60.89	4215	14.39	-1.56	0	0	100	55.32	27	-2.68	68.12
856.6	60.89	4220	16.21	-1.56	0	0	100	59.5	27.39	-2.03	72.19
856.7	60.89	4239	17.19	-1.56	0	0	100	64.76	28.17	-1.09	79.06

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
856.8	60.89	4234	18.97	-1.56	0	0	100	68.24	28.17	-0.51	82.5
856.88	62.14	4258	19.99	-1.56	0	0	100	70.5	28.17	-0.29	83.12
856.98	62.14	4266	20.02	-1.56	0	0	100	71.12	28.56	-0.15	83.75
857.08	62.14	4273	20.06	0	0	0	100	71	28.17	0.07	83.12
857.18	62.14	4288	19.21	0	0	0	100	70.84	27.78	-0.15	82.19
857.26	62.14	4288	19.21	-1.56	0	0	100	67.52	27.39	-0.51	77.81
857.36	62.14	4310	17.47	-1.56	0	0	100	65.78	27.78	-0.51	76.56
857.46	62.14	4305	17.45	-1.56	0	0	100	65.24	27.39	-0.73	75.62
857.56	62.14	4330	16.63	-1.56	0	0	100	60.3	19.95	-4.57	55.31
857.66	63.38	4308	10.11	-1.56	0	0	100	27.96	17.22	-8.7	26.25
857.78	63.38	4320	6.45	-1.56	0	0	100	17.3	15.65	-10.22	17.5
857.88	63.38	4295	5.5	-1.56	0	0	100	11.2	14.48	-11.24	10.94
858	63.38	4270	5.47	-1.56	0	0	100	9.32	13.69	-11.82	10.94
858.1	63.38	4312	5.52	-1.56	0	0	100	9.28	12.91	-12.04	10.94
858.22	63.38	4300	4.59	-1.56	0	0	100	7.66	12.13	-12.18	7.5
858.32	62.14	4283	4.57	-1.56	0	0	100	5.1	11.74	-12.18	6.25
858.44	62.14	4266	4.55	-1.56	0	0	100	4.92	11.74	-12.4	5
858.54	62.14	4263	0	-1.56	0	0	100	3.78	15.65	-11.82	8.44
858.66	62.14	4244	0	-1.56	0	0	100	10.2	16.43	-11.02	13.44
858.76	62.14	4242	6.33	-1.56	0	0	100	11.74	16.82	-10.88	14.38
858.86	62.14	4253	5.44	-1.56	0	0	100	12.24	16.82	-10.88	14.38
858.96	62.14	4239	5.43	-1.56	0	0	100	12.16	16.82	-10.88	14.38
859.06	62.14	4215	5.4	-1.56	0	0	100	10.76	13.3	-11.6	10.94
859.14	62.14	4185	5.36	-1.56	0	0	100	9.24	12.13	-12.18	10.94
859.24	62.14	4215	5.4	-1.56	0	0	100	9.24	12.13	-12.18	11.25
859.34	62.14	4189	5.36	-1.56	0	0	100	9.24	12.13	-12.18	10.94
859.44	62.14	4189	5.36	-1.56	0	0	100	9.24	11.74	-12.18	11.25
859.52	62.14	4185	5.36	-1.56	0	0	100	9.24	11.74	-12.4	11.25
859.62	62.14	4168	0	-1.56	0	0	100	8.44	11.35	-12.4	8.12
859.72	60.89	4162	0	-1.56	0	0	100	5.14	13.69	-12.55	6.25
859.82	60.89	4164	0	-1.56	0	0	100	7.62	15.26	-11.6	10.31
859.92	60.89	4145	0	-1.56	0	0	100	9.2	15.26	-11.46	11.25
860.02	60.89	4141	0	-1.56	0	0	100	9.16	15.26	-11.46	11.25
860.12	60.89	4125	0	-1.56	0	0	100	9.2	15.26	-11.24	11.25
860.2	60.89	4118	0	-1.56	0	0	100	9.18	16.04	-11.24	11.88
860.32	60.89	4111	0	-1.56	0	0	100	10.96	16.43	-10.88	13.75
860.42	60.89	4103	0	-1.56	0	0	100	11.44	16.43	-11.02	14.38
860.52	59.65	4104	5.25	-1.56	0	0	100	11.98	16.82	-10.88	15
860.62	59.65	4103	6.13	-1.56	0	0	100	14.16	18.78	-10.22	19.38

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
860.72	59.65	4109	6.14	-1.56	0	0	100	18.04	19.95	-9.5	24.06
860.8	59.65	4129	7.05	-1.56	0	0	100	20.78	20.74	-8.92	27.19
860.9	59.65	4067	7.81	-1.56	0	0	100	23.08	20.74	-8.48	29.06
861	59.65	4096	7.86	-1.56	0	0	100	25.02	21.52	-8.12	31.56
861.08	59.65	4078	7.83	-1.56	0	0	100	26.2	21.52	-8.12	32.19
861.18	59.65	4100	8.75	-1.56	0	0	100	28.38	22.3	-7.54	35.31
861.28	59.65	4084	8.71	-1.56	0	0	100	29.56	22.3	-7.32	36.56
861.36	59.65	4100	8.75	-1.56	0	0	100	29.78	22.3	-7.32	36.56
861.46	59.65	4087	8.72	-1.56	0	0	100	30.02	22.3	-7.32	37.19
861.54	59.65	4098	8.74	-1.56	0	0	100	30.16	22.3	-7.11	37.5
861.64	59.65	4098	8.74	-1.56	0	0	100	30.34	22.3	-7.32	36.88
861.72	59.65	4096	8.74	-1.56	0	0	100	30.52	22.3	-7.11	37.5
861.82	59.65	4100	8.75	-1.56	0	0	100	30.84	22.69	-6.96	38.44
861.9	59.65	4093	9.61	-1.56	0	0	100	31.8	22.69	-6.74	38.75
862	59.65	4104	8.76	-1.56	0	0	100	31.64	22.69	-6.96	39.06
862.08	59.65	4103	9.63	-1.56	0	0	100	31.74	22.69	-6.89	39.06
862.18	59.65	4098	9.62	-1.56	0	0	100	32.14	22.69	-6.74	39.38
862.26	59.65	4100	9.62	-1.56	0	0	100	32.04	22.69	-6.74	39.38
862.36	59.65	4114	9.65	-1.56	0	0	100	32.76	23.48	-6.38	41.88
862.46	59.65	4107	9.64	-1.56	0	0	100	36.4	24.65	-5.8	47.19
862.54	59.65	4125	11.44	-1.56	0	0	100	41.76	25.04	-5	53.12
862.64	59.65	4109	12.27	-1.56	0	0	100	44.78	25.04	-4.57	55.31
862.72	59.65	4123	12.31	-1.56	0	0	100	45.8	25.04	-4.42	56.88
862.84	59.65	4127	12.33	-1.56	0	0	100	47.14	25.04	-4.21	57.81
862.92	59.65	4127	12.33	-1.56	0	0	100	46.84	25.04	-4.42	56.56
863.02	59.65	4132	12.34	-1.56	0	0	100	45.94	24.26	-4.42	55
863.1	59.65	4136	11.47	-1.56	0	0	100	42.76	20.74	-5.95	45.62
863.2	59.65	4132	9.7	-1.56	0	0	100	31.42	20.74	-7.32	35.31
863.28	60.89	4143	7.96	-1.56	0	0	100	26.68	20.74	-7.76	31.56
863.38	60.89	4145	7.96	-1.56	0	0	100	25.34	20.74	-7.76	30.62
863.48	60.89	4134	7.94	-1.56	0	0	100	25.08	20.74	-7.9	30.31
863.56	60.89	4143	7.96	-1.56	0	0	100	24.7	20.74	-7.9	29.69
863.66	60.89	4134	7.94	-1.56	0	0	100	24.28	20.74	-8.12	29.38
863.76	60.89	4141	7.95	-1.56	0	0	100	23.86	20.74	-8.12	28.75
863.84	60.89	4136	7.06	-1.56	0	0	100	23.28	20.74	-8.34	28.44
863.94	60.89	4129	7.05	-1.56	0	0	100	23.34	20.74	-8.34	28.44
864.02	59.65	4134	7.06	-1.56	0	0	100	23.5	20.74	-8.34	28.75
864.12	59.65	4132	7.93	-1.56	0	0	100	23.84	21.13	-8.12	29.69
864.22	59.65	4125	7.92	-1.56	0	0	100	26.36	22.3	-7.54	34.06

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
864.3	59.65	4134	8.82	-1.56	0	0	100	29.08	22.3	-7.32	35.62
864.4	59.65	4132	8.82	-1.56	0	0	100	29.3	21.91	-7.32	35.62
864.5	59.65	4125	8.8	-1.56	0	0	100	29.08	22.3	-7.32	35.31
864.58	59.65	4129	8.81	-1.56	0	0	100	28.88	21.91	-7.47	35
864.68	59.65	4123	8.8	-1.56	0	0	100	28.74	21.91	-7.32	35
864.78	59.65	4132	8.82	-1.56	0	0	100	28.72	21.91	-7.32	35
864.86	59.65	4129	8.81	-1.56	0	0	100	29	22.3	-7.32	35.62
864.96	59.65	4129	8.81	-1.56	0	0	100	28.92	21.52	-7.32	34.69
865.04	59.65	4129	8.81	-1.56	0	0	100	28	21.52	-7.54	33.75
865.14	59.65	4127	7.92	-1.56	0	0	100	27.6	21.52	-7.54	33.44
865.24	59.65	4127	7.92	-1.56	0	0	100	27.48	21.52	-7.54	33.75
865.34	59.65	4125	7.92	-1.56	0	0	100	27.46	21.52	-7.54	33.75
865.42	59.65	4125	7.92	-1.56	0	0	100	27.56	21.52	-7.54	33.44
865.52	59.65	4125	8.8	-1.56	0	0	100	27.8	21.91	-7.54	34.06
865.6	59.65	4132	8.82	-1.56	0	0	100	29.02	22.3	-7.11	36.25
865.7	59.65	4127	8.81	-1.56	0	0	100	30.36	22.69	-6.96	37.81
865.8	59.65	4129	8.81	-1.56	0	0	100	31.28	22.69	-6.96	38.44
865.9	59.65	4127	9.69	-1.56	0	0	100	31.86	23.48	-6.53	40
865.98	59.65	4134	10.58	-1.56	0	0	100	35.52	24.65	-5.8	46.25
866.06	59.65	4139	11.48	-1.56	0	0	100	42.68	26.61	-4.42	55.94
866.16	60.89	4145	13.27	-1.56	0	0	100	50.7	27	-3.63	63.44
866.26	60.89	4148	14.16	-1.56	0	0	100	53.72	27	-3.26	65.94
866.34	60.89	4159	15.09	-1.56	0	0	100	55.9	27.39	-2.68	69.06
866.44	60.89	4166	16	-1.56	0	0	100	58.32	27.78	-2.03	72.81
866.52	60.89	4173	16.92	-1.56	0	0	100	62.04	27.78	-1.67	76.25
866.62	60.89	4183	16.96	-1.56	0	0	100	64.06	27	-1.45	76.25
866.7	60.89	4187	16.08	-1.56	0	0	100	60.28	24.65	-2.83	67.19
866.8	60.89	4192	13.42	-1.56	0	0	100	52.32	24.65	-3.41	60.31
866.88	60.89	4201	12.55	-1.56	0	0	100	48.86	25.04	-3.41	57.81
866.98	60.89	4208	12.57	-1.56	0	0	100	48.9	26.61	-2.83	61.56
867.06	60.89	4223	14.41	-1.56	0	0	100	58.02	27.39	-1.89	71.88
867.16	60.89	4234	16.26	-1.56	0	0	100	61.44	25.43	-2.25	70.62
867.24	60.89	4232	14.45	-1.56	0	0	100	49.32	21.52	-5.37	49.06
867.34	60.89	4223	9.91	-1.56	0	0	100	35.22	21.52	-6.38	39.06
867.42	60.89	4234	9.03	-1.56	0	0	100	31.62	21.52	-6.74	36.56
867.52	62.14	4234	9.03	-1.56	0	0	100	30.02	21.52	-6.96	35
867.6	62.14	4239	9.04	-1.56	0	0	100	29	21.52	-7.11	33.75
867.7	62.14	4234	8.13	-1.56	0	0	100	28.36	21.52	-7.32	33.12
867.78	62.14	4239	8.14	-1.56	0	0	100	27.8	21.52	-7.32	32.5

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
867.88	62.14	4237	8.14	-1.56	0	0	100	27.22	21.52	-7.54	32.19
867.96	62.14	4242	8.14	-1.56	0	0	100	27.34	21.52	-7.54	32.5
868.06	62.14	4234	8.13	-1.56	0	0	100	27.58	21.52	-7.69	32.81
868.14	62.14	4239	8.14	-1.56	0	0	100	27.36	21.52	-7.54	32.19
868.24	62.14	4242	8.14	-1.56	0	0	100	27	21.52	-7.76	32.19
868.32	62.14	4242	8.14	-1.56	0	0	100	27.16	21.52	-7.76	32.19
868.42	62.14	4239	8.14	-1.56	0	0	100	26.96	21.13	-7.76	31.88
868.5	62.14	4229	8.12	-1.56	0	0	100	26.32	21.13	-7.9	30.94
868.6	62.14	4234	8.13	-1.56	0	0	100	26.1	21.13	-8.12	30.94
868.68	62.14	4229	8.12	-1.56	0	0	100	25.82	21.13	-7.9	30.62
868.78	62.14	4234	8.13	-1.56	0	0	100	25.74	21.13	-7.9	30.62
868.86	62.14	4225	8.11	-1.56	0	0	100	25.74	20.74	-8.12	30.31
868.96	62.14	4229	8.12	-1.56	0	0	100	24.78	20.74	-8.34	29.06
869.04	62.14	4227	8.12	-1.56	0	0	100	24.22	20.74	-8.34	28.75
869.14	62.14	4223	7.21	-1.56	0	0	100	23.96	20.74	-8.34	28.44
869.22	62.14	4220	7.2	-1.56	0	0	100	23.8	20.74	-8.34	28.44
869.32	62.14	4213	7.19	-1.56	0	0	100	24.14	20.74	-8.34	28.75
869.4	62.14	4218	8.1	-1.56	0	0	100	24.46	21.13	-8.34	29.38
869.5	62.14	4215	8.09	-1.56	0	0	100	25.24	21.13	-8.12	30.62
869.58	62.14	4220	8.1	-1.56	0	0	100	25.9	21.13	-8.12	31.25
869.68	60.89	4208	8.08	-1.56	0	0	100	25.96	21.13	-8.12	31.25
869.76	60.89	4213	8.09	-1.56	0	0	100	26.12	21.52	-7.9	31.56
869.86	60.89	4208	8.08	-1.56	0	0	100	27.86	22.69	-7.54	35.31
869.94	60.89	4213	8.99	-1.56	0	0	100	31.18	22.69	-6.96	37.81
870.04	60.89	4204	8.97	-1.56	0	0	100	31.7	22.69	-6.96	37.81
870.12	60.89	4210	8.98	-1.56	0	0	100	31.82	22.69	-6.96	38.12
870.22	60.89	4215	8.99	-1.56	0	0	100	31.9	22.69	-6.96	38.44
870.32	60.89	4210	8.98	-1.56	0	0	100	32.38	22.69	-6.96	38.75
870.4	60.89	4206	9.87	-1.56	0	0	100	33.08	23.48	-6.38	41.25
870.5	60.89	4210	10.78	-1.56	0	0	100	40.26	26.21	-5	52.5
870.58	60.89	4223	12.61	-1.56	0	0	100	47.16	26.21	-4.21	58.12
870.68	60.89	4218	13.5	-1.56	0	0	100	50.04	26.21	-3.99	60.31
870.76	60.89	4220	13.51	-1.56	0	0	100	51.12	25.82	-3.84	60.62
870.86	60.89	4229	13.54	-1.56	0	0	100	51.8	26.21	-3.63	62.5
870.94	60.89	4237	14.46	-1.56	0	0	100	52.94	25.82	-3.41	63.75
871.04	62.14	4244	14.49	-1.56	0	0	100	55.1	27.39	-2.68	68.44
871.12	62.14	4251	16.33	-1.56	0	0	100	61.86	28.17	-1.45	76.56
871.22	62.14	4253	18.15	-1.56	0	0	100	66.12	27.78	-1.09	79.06
871.3	62.14	4258	18.17	-1.56	0	0	100	67.12	27.78	-1.09	78.75

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
871.4	62.14	4268	18.21	-1.56	0	0	100	65.84	25.82	-1.89	72.19
871.48	62.14	4275	14.59	-1.56	0	0	100	54.6	23.48	-3.84	57.19
871.58	62.14	4285	11.89	-1.56	0	0	100	43.32	23.08	-5	46.56
871.66	62.14	4290	10.07	-1.56	0	0	100	36.64	22.3	-5.8	40.62
871.76	62.14	4288	9.15	-1.56	0	0	100	30.62	21.13	-6.96	33.75
871.84	62.14	4280	8.22	-1.56	0	0	100	26.52	21.13	-7.32	29.69
871.94	62.14	4270	7.29	-1.56	0	0	100	24.3	20.74	-7.76	28.12
872.02	62.14	4280	7.31	-1.56	0	0	100	23.82	21.13	-7.9	28.12
872.12	62.14	4285	7.31	-1.56	0	0	100	23.86	21.13	-7.9	27.81
872.2	62.14	4283	7.31	-1.56	0	0	100	24	21.13	-7.9	28.44
872.3	62.14	4278	7.3	-1.56	0	0	100	24.28	21.13	-8.12	28.75
872.4	62.14	4275	8.21	-1.56	0	0	100	25.02	21.13	-7.9	29.69
872.49	62.14	4266	8.19	-1.56	0	0	100	25.92	23.08	-7.11	35.94
872.59	62.14	4278	10.04	-1.56	0	0	100	34.6	23.48	-6.53	41.56
872.7	62.14	4278	10.04	-1.56	0	0	100	36.44	23.48	-6.38	43.12
872.8	62.14	4275	10.95	-1.56	0	0	100	36.96	23.48	-6.16	43.44
872.9	62.14	4275	10.03	-1.56	0	0	100	36.64	23.48	-6.16	42.81
873.02	62.14	4280	10.05	-1.56	0	0	100	36.16	23.08	-6.38	42.19
873.12	62.14	4275	10.03	-1.56	0	0	100	35.94	23.48	-6.16	42.81
873.24	62.14	4283	10.05	-1.56	0	0	100	36.6	23.48	-5.95	43.12
873.34	62.14	4285	10.06	-1.56	0	0	100	36.46	23.08	-6.16	42.5
873.44	62.14	4285	10.06	-1.56	0	0	100	35.88	23.08	-6.38	41.56
873.52	62.14	4285	10.06	-1.56	0	0	100	35	23.08	-6.38	40.62
873.62	62.14	4280	10.05	-1.56	0	0	100	34.18	22.69	-6.53	39.38
873.7	62.14	4288	10.06	-1.56	0	0	100	33.18	22.69	-6.74	38.44
873.8	62.14	4290	9.15	-1.56	0	0	100	32.5	22.69	-6.74	38.12
873.88	62.14	4290	9.15	-1.56	0	0	100	32.42	22.69	-6.74	37.81
873.98	62.14	4288	9.15	-1.56	0	0	100	32.44	22.69	-6.74	38.12
874.06	62.14	4290	9.15	-1.56	0	0	100	33.14	24.26	-6.16	41.56
874.16	62.14	4297	11.92	-1.56	0	0	100	44.4	27.78	-3.99	57.5
874.24	62.14	4308	14.7	-1.56	0	0	100	53.92	27.39	-3.26	65.62
874.34	62.14	4310	15.63	-1.56	0	0	100	57.28	27.39	-3.05	67.19
874.42	62.14	4310	15.63	-1.56	0	0	100	58.38	27	-2.83	68.75
874.52	62.14	4327	15.69	-1.56	0	0	100	57.54	25.43	-3.41	64.69
874.6	63.38	4320	14.75	-1.56	0	0	100	53.98	25.43	-3.63	61.88
874.7	63.38	4337	13.88	-1.56	0	0	100	52.68	25.82	-3.41	60.62
874.78	63.38	4340	13.89	-1.56	0	0	100	52.78	26.21	-3.26	61.88
874.88	63.38	4342	14.82	-1.56	0	0	100	54.94	26.61	-2.83	65
874.96	63.38	4353	14.86	-1.56	0	0	100	57.24	26.21	-2.83	65.94

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
875.06	63.38	4362	14.89	-1.56	0	0	100	56.44	25.82	-3.05	63.75
875.14	63.38	4368	13.98	-1.56	0	0	100	52.58	24.26	-3.99	57.19
875.24	63.38	4370	13.05	-1.56	0	0	100	47.08	24.65	-4.21	53.12
875.35	63.38	4373	12.13	-1.56	0	0	100	44.98	24.26	-4.42	50.94
875.43	63.38	4385	12.16	-1.56	0	0	100	44.24	24.65	-4.57	50.62
875.53	63.38	4383	12.16	-1.56	0	0	100	43.96	23.87	-4.79	49.69
875.63	63.38	4388	11.23	-1.56	0	0	100	40.12	21.52	-6.38	41.25
875.73	63.38	4385	9.36	-1.56	0	0	100	30.54	21.13	-7.32	32.81
875.83	63.38	4385	8.42	-1.56	0	0	100	27.04	21.13	-7.54	30.31
875.93	63.38	4393	8.44	-1.56	0	0	100	26.36	21.52	-7.54	30.31
876.03	63.38	4385	8.42	-1.56	0	0	100	26.52	21.52	-7.54	30.62
876.13	63.38	4388	8.43	-1.56	0	0	100	26.6	21.52	-7.76	30.31
876.21	63.38	4391	8.43	-1.56	0	0	100	26.66	21.52	-7.76	30.94
876.31	63.38	4383	8.42	-1.56	0	0	100	27.38	22.3	-7.54	33.12
876.41	63.38	4393	9.37	-1.56	0	0	100	31.52	23.48	-6.74	38.44
876.51	63.38	4391	10.3	-1.56	0	0	100	35.44	23.48	-6.53	40.62
876.61	63.38	4393	10.31	-1.56	0	0	100	36.16	23.48	-6.38	41.56
876.71	63.38	4393	10.31	-1.56	0	0	100	36.84	23.87	-6.16	43.75
876.81	63.38	4393	11.25	-1.56	0	0	100	40.18	24.65	-5.8	47.19
876.91	63.38	4401	11.27	-1.56	0	0	100	41.82	24.65	-5.58	48.44
877.01	63.38	4401	11.27	-1.56	0	0	100	42.34	24.65	-5.37	48.44
877.11	63.38	4403	11.27	-1.56	0	0	100	42.66	24.65	-5.37	49.38
877.21	63.38	4414	13.18	-1.56	0	0	100	54.74	28.17	-3.05	65.94
877.33	63.38	4419	16.97	-1.56	0	0	100	62.2	28.17	-2.25	72.19
877.43	64.62	4430	17.96	-1.56	0	0	100	65.16	27.39	-2.03	73.44
877.53	64.62	4440	18	-1.56	0	0	100	64.06	27	-2.03	71.88
877.63	64.62	4448	17.08	-1.56	0	0	100	63.86	27.39	-1.89	72.19
877.73	64.62	4458	17.12	-1.56	0	0	100	63.3	26.61	-2.03	70.62
877.85	64.62	4469	15.26	-1.56	0	0	100	53.72	23.08	-4.57	54.06
877.93	64.62	4469	12.4	-1.56	0	0	100	42.5	22.69	-5.58	44.06
878.03	64.62	4472	10.49	-1.56	0	0	100	37.02	22.69	-5.95	40.94
878.15	65.87	4482	10.52	-1.56	0	0	100	35.48	23.08	-6.16	39.69
878.25	65.87	4475	10.5	-1.56	0	0	100	35.04	23.08	-6.16	39.38
878.35	65.87	4482	10.52	-1.56	0	0	100	35	23.08	-6.38	39.06
878.45	65.87	4488	10.53	-1.56	0	0	100	35.72	24.26	-5.8	42.81
878.55	65.87	4485	11.48	-1.56	0	0	100	41.08	24.65	-5.37	46.88
878.67	65.87	4488	11.49	-1.56	0	0	100	42.44	24.26	-5.37	47.5
878.77	65.87	4496	11.51	-1.56	0	0	100	42.38	24.26	-5.58	46.88
878.87	65.87	4496	11.51	-1.56	0	0	100	40.96	23.87	-5.8	45.31

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
878.99	65.87	4496	11.51	-1.56	0	0	100	40.24	24.26	-5.58	45
879.09	65.87	4501	11.52	-1.56	0	0	100	39.86	23.87	-5.8	44.69
879.21	65.87	4507	11.54	-1.56	0	0	100	40.22	23.87	-5.58	44.69
879.31	65.87	4501	11.52	-1.56	0	0	100	40.22	23.87	-5.58	44.69
879.41	65.87	4509	11.54	-1.56	0	0	100	39.98	23.87	-5.8	44.69
879.51	65.87	4509	11.54	-1.56	0	0	100	40.28	23.87	-5.8	44.38
879.59	65.87	4509	11.54	-1.56	0	0	100	39.36	23.48	-5.95	43.44
879.69	65.87	4523	10.61	-1.56	0	0	100	37.68	22.69	-6.38	40.62
879.79	65.87	4512	9.63	-1.56	0	0	100	33.68	21.91	-7.11	35.31
879.89	65.87	4515	8.67	-1.56	0	0	100	29.92	21.13	-7.54	31.88
879.97	65.87	4512	8.66	-1.56	0	0	100	27.68	21.13	-7.76	30
880.07	65.87	4512	8.66	-1.56	0	0	100	26.2	21.13	-8.12	29.06
880.17	65.87	4515	7.71	-1.56	0	0	100	25.68	21.13	-8.12	28.44
880.27	65.87	4504	7.69	-1.56	0	0	100	25.34	21.13	-8.12	28.12
880.35	65.87	4512	7.7	-1.56	0	0	100	25.34	21.13	-8.12	28.12
880.45	65.87	4507	7.69	-1.56	0	0	100	25.18	21.13	-8.34	28.12
880.55	65.87	4501	7.68	-1.56	0	0	100	25.3	21.13	-8.34	28.44
880.65	65.87	4504	7.69	-1.56	0	0	100	25.7	21.13	-8.12	28.75
880.73	65.87	4496	8.63	-1.56	0	0	100	25.74	21.13	-8.12	29.06
880.83	65.87	4493	8.63	-1.56	0	0	100	26.04	21.13	-8.12	29.06
880.93	65.87	4493	8.63	-1.56	0	0	100	26.12	21.13	-8.34	29.06
881.03	65.87	4488	8.62	-1.56	0	0	100	25.88	21.13	-8.34	29.06
881.11	65.87	4493	8.63	-1.56	0	0	100	25.88	21.13	-8.34	28.75
881.21	65.87	4485	8.61	-1.56	0	0	100	25.88	21.13	-8.34	29.06
881.31	65.87	4482	7.65	-1.56	0	0	100	25.68	21.13	-8.34	29.06
881.41	65.87	4488	8.62	-1.56	0	0	100	25.7	21.13	-8.34	29.06
881.49	65.87	4477	8.6	-1.56	0	0	100	25.96	21.13	-8.34	29.06
881.59	65.87	4485	8.61	-1.56	0	0	100	25.98	21.13	-8.12	29.06
881.69	65.87	4482	8.61	-1.56	0	0	100	26.02	21.13	-8.34	29.38
881.79	65.87	4472	8.59	-1.56	0	0	100	26.14	21.13	-8.12	29.38
881.87	65.87	4482	8.61	-1.56	0	0	100	26.02	21.13	-8.12	29.38
881.97	65.87	4475	8.59	-1.56	0	0	100	26.36	21.52	-8.12	30.31
882.09	65.87	4477	8.6	-1.56	0	0	100	27.5	22.3	-7.76	32.19
882.19	65.87	4475	9.55	-1.56	0	0	100	30.98	23.87	-6.96	38.12
882.31	65.87	4477	11.46	-1.56	0	0	100	40.22	25.04	-5.8	47.19
882.41	65.87	4477	12.42	-1.56	0	0	100	46.6	27.78	-4.42	56.88
882.53	65.87	4496	15.35	-1.56	0	0	100	58.16	30.13	-2.47	69.38
882.63	65.87	4504	18.26	-1.56	0	0	100	68.6	32.08	-0.73	80.31
882.73	65.87	4507	22.12	0	0	0	100	78.36	32.47	0.29	88.75

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
882.83	65.87	4526	25.11	0	0	0	100	84.14	32.47	1.23	96.56
882.93	65.87	4542	28.1	0	0	0	100	90.48	32.47	2.39	103.12
883.01	65.87	4550	31.07	0	0	0	100	97.78	32.87	3.63	111.25
883.11	67.11	4581	33.23	0	0	0	100	107.32	33.26	4.93	120.31
883.21	67.11	4589	37.21	0	0	0	100	114.18	33.26	5.73	125.62
883.31	67.11	4609	38.35	0	0	0	100	116.6	33.26	6.16	125.31
883.39	67.11	4638	37.6	0	0	0	100	111.58	31.3	5.15	115
883.49	67.11	4638	30.67	0	0	0	100	86.76	27.39	1.67	86.88
883.59	67.11	4666	20.91	0	0	0	100	74.04	27.39	0.29	76.88
883.69	67.11	4664	18.9	-1.56	0	0	100	68.94	27.39	-0.51	72.19
883.77	68.35	4681	17.98	-1.56	0	0	100	65.2	27	-1.09	68.75
883.87	68.35	4699	17.04	-1.56	0	0	100	63.64	26.61	-1.67	67.81
883.97	68.35	4702	17.05	-1.56	0	0	100	62.56	26.61	-1.89	66.25
884.05	68.35	4707	17.07	-1.56	0	0	100	61.72	26.61	-2.03	65.31
884.15	68.35	4719	17.12	-1.56	0	0	100	61.16	26.61	-2.25	64.69
884.23	68.35	4719	16.11	-1.56	0	0	100	60.24	26.61	-2.47	64.06
884.33	68.35	4740	16.18	-1.56	0	0	100	60.08	27	-2.47	63.75
884.41	68.35	4743	16.19	-1.56	0	0	100	60.9	27	-2.25	64.69
884.51	69.59	4743	17.2	-1.56	0	0	100	61.78	27	-2.25	65.94
884.61	69.59	4758	17.26	-1.56	0	0	100	62.58	26.61	-2.47	65.62
884.71	69.59	4758	17.26	-1.56	0	0	100	61.6	27	-2.47	64.69
884.81	69.59	4765	17.28	-1.56	0	0	100	61	26.61	-2.68	64.06
884.91	69.59	4776	17.32	-1.56	0	0	100	60.22	25.82	-2.83	62.19
885.01	69.59	4776	15.29	-1.56	0	0	100	56.26	25.43	-3.63	57.5
885.11	69.59	4786	14.29	-1.56	0	0	100	53.5	25.43	-3.84	55
885.19	69.59	4792	14.31	-1.56	0	0	100	51.36	25.04	-3.99	53.12
885.29	69.59	4792	14.31	-1.56	0	0	100	49.12	25.04	-4.42	50.62
885.39	69.59	4795	13.3	-1.56	0	0	100	47.86	25.04	-4.57	49.69
885.47	69.59	4804	13.32	-1.56	0	0	100	46.94	24.65	-4.57	49.06
885.57	69.59	4795	13.3	-1.56	0	0	100	46.34	25.04	-4.79	48.44
885.65	69.59	4801	13.32	-1.56	0	0	100	45.76	24.65	-4.79	47.81
885.75	69.59	4795	13.3	-1.56	0	0	100	45.58	24.65	-5	47.81
885.83	69.59	4804	12.3	-1.56	0	0	100	45.7	24.65	-5	47.81
885.93	69.59	4807	12.31	-1.56	0	0	100	45.72	24.65	-5	47.81
886.01	69.59	4804	13.32	-1.56	0	0	100	45.86	25.04	-5	47.81
886.11	69.59	4804	13.32	-1.56	0	0	100	46.16	25.04	-5	48.12
886.19	69.59	4801	13.32	-1.56	0	0	100	45.94	25.04	-5	48.75
886.29	69.59	4807	13.33	-1.56	0	0	100	47.36	25.04	-4.79	50
886.37	69.59	4816	13.36	-1.56	0	0	100	48.12	25.04	-4.79	50.31

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
886.47	69.59	4810	13.34	-1.56	0	0	100	48.26	25.43	-4.57	50.62
886.55	69.59	4810	13.34	-1.56	0	0	100	48.12	25.43	-4.57	51.25
886.65	70.84	4813	13.35	-1.56	0	0	100	49.74	25.82	-4.42	52.5
886.73	70.84	4813	14.38	-1.56	0	0	100	51.48	25.82	-4.21	54.06
886.83	70.84	4823	14.41	-1.56	0	0	100	52.42	25.82	-4.21	55
886.91	70.84	4819	14.4	-1.56	0	0	100	52.6	25.82	-3.99	55.31
887.01	70.84	4823	14.41	-1.56	0	0	100	52.94	25.82	-3.99	55.31
887.09	70.84	4829	14.42	-1.56	0	0	100	52.8	25.82	-3.84	55.31
887.19	70.84	4826	14.41	-1.56	0	0	100	53.26	25.82	-3.99	55.31
887.27	70.84	4835	14.44	-1.56	0	0	100	53.08	26.61	-3.63	55.94
887.37	70.84	4838	16.52	-1.56	0	0	100	62.08	28.95	-2.03	70
887.45	70.84	4844	19.64	-1.56	0	0	100	70.26	28.56	-1.45	74.06
887.55	70.84	4854	20.71	0	0	0	100	72.94	28.56	-1.31	75.94
887.63	70.84	4854	21.75	0	0	0	100	74.2	28.56	-0.87	77.19
887.73	70.84	4863	21.79	0	0	0	100	75.02	28.56	-0.87	77.81
887.83	70.84	4873	21.83	0	0	0	100	74.56	28.17	-0.87	75.31
887.91	70.84	4873	20.79	0	0	0	100	71.76	25.82	-2.03	69.06
888.01	70.84	4873	16.63	-1.56	0	0	100	57.08	23.08	-4.42	53.44
888.11	70.84	4886	12.51	-1.56	0	0	100	44.44	23.08	-5.37	42.5
888.19	70.84	4876	11.44	-1.56	0	0	100	38.5	23.08	-5.8	38.12
888.29	70.84	4886	10.42	-1.56	0	0	100	35.9	23.08	-6.16	36.56
888.39	70.84	4876	10.4	-1.56	0	0	100	34.66	22.69	-6.38	35
888.47	70.84	4870	9.35	-1.56	0	0	100	32.26	21.91	-7.11	31.88
888.57	70.84	4873	9.36	-1.56	0	0	100	29.7	21.91	-7.32	30.31
888.67	70.84	4867	9.34	-1.56	0	0	100	29.08	21.91	-7.32	30
888.77	70.84	4863	9.34	-1.56	0	0	100	29.24	21.91	-7.54	30
888.85	70.84	4857	9.33	-1.56	0	0	100	29	21.91	-7.54	30.31
888.95	70.84	4857	9.33	-1.56	0	0	100	30.02	22.3	-7.32	31.56
889.05	70.84	4854	9.32	-1.56	0	0	100	30.52	22.3	-7.54	31.56
889.15	70.84	4851	9.31	-1.56	0	0	100	30.36	22.3	-7.54	31.88
889.23	70.84	4841	9.3	-1.56	0	0	100	30.36	22.3	-7.54	31.25
889.33	70.84	4841	9.3	-1.56	0	0	100	29.92	22.3	-7.54	30.94
889.43	70.84	4835	9.28	-1.56	0	0	100	30.1	22.3	-7.54	31.25
889.51	70.84	4832	9.28	-1.56	0	0	100	30.46	23.08	-7.54	32.5
889.61	70.84	4832	11.34	-1.56	0	0	100	40.6	26.21	-5.58	47.5
889.69	70.84	4844	14.47	-1.56	0	0	100	52.28	30.52	-3.26	61.56
889.79	70.84	4854	20.71	-1.56	0	0	100	72.46	38.73	0.29	85.62
889.87	70.84	4857	27.98	0	0	0	100	93.2	46.95	2.97	105.31
889.97	70.84	4879	36.43	0	0	0	100	112.34	56.34	5.73	125

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
890.07	70.84	4886	43.78	0	0	0	100	134.04	62.6	8.63	151.56
890.15	72.08	4921	51.44	0	0	0	100	160.32	66.12	12.18	176.56
890.25	72.08	4940	62.19	0	0	0	100	189.1	67.69	16.24	206.88
890.33	72.08	4970	72.1	0	0	0	100	225.82	67.3	20.59	243.44
890.43	72.08	5016	82.41	0	0	0	100	259.84	66.51	23.5	265.94
890.53	72.08	5043	86.08	0	0	0	100	264.18	64.95	23.71	253.12
890.61	72.08	5070	80.05	0	0	0.7	100	246.12	62.6	22.55	231.88
890.71	72.08	5133	73.37	0	0	0.35	100	226.04	62.21	20.59	215.62
890.81	72.08	5165	68.32	0	0	0.35	100	213.28	62.6	18.42	199.38
890.89	75.81	5175	65.15	0	0	0.35	100	199.9	62.99	17.04	190.62
890.99	75.81	5226	63.55	0	0	0.35	100	194.66	63.38	15.88	184.69
891.07	75.81	5270	61.84	0	0	0.35	100	190.84	64.95	14.94	180.94
891.17	75.81	5270	60.72	0	0	0.35	100	191.12	68.08	14.72	183.44
891.27	75.81	5304	62.24	0	0	0.35	100	197.92	71.6	15.52	190
891.35	75.81	5356	66.28	0	0	0.35	100	210.7	71.6	16.46	202.19
891.45	75.81	5364	70.96	0	0	0.35	100	224.62	70.04	18.06	214.69
891.53	75.81	5407	74.98	0	0	0	100	237.28	69.64	19.36	223.44
891.63	79.54	5434	77.68	0	0	0	100	245.18	69.64	20.59	227.5
891.71	79.54	5458	79.18	0	0	0	100	248.98	70.04	21.17	228.75
891.81	79.54	5518	80.06	0	0	0	100	248.74	70.04	21.54	225.94
891.89	79.54	5530	79.05	0	0	0	100	245.06	70.04	21.17	220
891.99	79.54	5559	77.09	0	0	0	100	242.16	70.04	20.96	215.94
892.07	79.54	5597	76.42	0	0	0	100	240.22	70.04	20.38	213.44
892.17	79.54	5622	75.56	0	0	0.7	100	238.04	70.04	20.16	212.5
892.25	79.54	5647	75.9	0	0	0.7	100	237.06	70.04	19.8	207.81
892.35	83.26	5703	75.44	0	0	0.35	100	235	70.04	19.36	205.62
892.43	83.26	5720	74.45	0	0	0.35	100	234.88	70.04	19.22	207.19
892.53	83.26	5747	76.01	0	0	0.35	100	237.56	70.04	19.22	208.75
892.61	83.26	5782	77.72	0	0	0.35	100	241.6	69.64	19.22	210.62
892.71	83.26	5795	79.13	0	0	0.35	100	246.22	68.86	19.58	212.81
892.79	83.26	5845	79.81	0	0	0.35	100	247.3	61.43	19.36	212.5
892.89	83.26	5887	80.38	0	0	0.35	100	244.92	55.56	19.22	207.81
892.97	85.75	5905	78.11	0	0	0.35	100	242.58	55.17	19	203.44
893.07	85.75	5928	77.15	0	0	0	100	240.04	55.17	18.42	199.69
893.15	85.75	5961	76.31	0	0	0	100	236.24	55.17	18.06	196.25
893.25	85.75	5995	75.46	0	0	0	100	232.06	55.17	17.48	194.38
893.33	85.75	6023	74.54	0	0	0	100	230.72	55.56	17.04	190.31
893.43	85.75	6058	73.67	0	0	0	100	229.76	55.17	16.68	191.88
893.51	85.75	6077	75.2	0	0	0	100	231.42	55.17	16.68	191.56

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
893.61	85.75	6102	75.51	0	0	0	100	233.32	55.17	16.68	192.19
893.69	89.48	6137	75.94	0	0	0	100	238.42	55.17	16.82	195.62
893.79	89.48	6162	77.57	0	0	0	100	241.12	55.17	17.04	198.12
893.87	89.48	6187	79.21	0	0	0	100	245.36	55.17	17.04	200
893.97	89.48	6234	79.8	0	0	0	100	247	54.78	17.26	200
894.05	89.48	6255	80.07	0	0	0	100	248.6	54.78	17.48	199.69
894.15	89.48	6276	80.34	0	0	0	100	248.44	54.38	17.26	199.38
894.23	89.48	6302	80.67	0	0	0	100	249.88	52.82	17.04	197.19
894.33	89.48	6318	79.53	0	0	0	100	248.84	52.82	16.82	196.88
894.41	93.21	6361	80.07	0	0	0	100	246.82	54.38	16.82	196.25
894.51	93.21	6388	80.41	0	0	0	100	251.18	59.08	17.04	198.44
894.59	93.21	6410	82.05	0	0	0	100	254.98	60.64	16.82	200
894.69	93.21	6454	82.62	0	0	0	100	260.38	63.38	17.04	202.81
894.77	93.21	6471	84.21	0	0	0	100	264.16	62.99	17.26	206.25
894.87	93.21	6504	86.04	0	0	0	100	268.12	62.99	17.62	206.88
894.95	93.21	6533	86.41	0	0	0	100	269.84	62.99	17.84	208.75
895.05	93.21	6561	88.19	0	0	0	100	275.32	62.99	17.84	211.25
895.13	95.69	6579	89.83	0	0	0	100	277.62	63.77	18.06	211.56
895.23	95.69	6602	88.73	0	0	0	100	280.36	66.12	18.2	212.5
895.33	95.69	6643	90.7	0	0	0	100	282.34	70.82	18.2	215
895.41	95.69	6648	90.78	0	0	0	100	285.6	70.43	18.2	215.62
895.51	95.69	6696	91.43	0	0	0	100	285.06	62.99	18.06	214.38
895.59	95.69	6726	91.84	0	0	0	100	283.64	60.25	17.84	210.94
895.69	95.69	6756	90.81	0	0	0	100	281.56	61.82	17.84	208.75
895.77	95.69	6774	91.05	0	0	0	100	281.18	61.82	17.48	207.19
895.87	99.42	6805	90.02	0	0	0	100	279.7	61.82	17.04	207.19
895.95	99.42	6811	90.1	0	0	0	100	279.8	62.6	17.04	205.31
896.05	99.42	6843	90.51	0	0	0	100	282.12	65.34	16.9	207.5
896.13	99.42	6880	92.48	0	0	0	100	282.54	66.12	17.04	209.06
896.23	99.42	6899	92.73	0	0	0	100	286.38	67.3	17.04	208.44
896.31	99.42	6918	92.99	0	0	0	100	287.46	65.73	16.82	209.69
896.41	99.42	6931	90.2	0	0	0	100	195.56	22.69	1.67	94.38
896.49	99.42	6678	29.92	0	0	0	100	86.06	22.3	-4.79	52.5
896.59	100.66	6573	16.83	-1.56	0	0	100	53.56	21.52	-7.32	35.94
896.71	100.66	6366	12.22	-1.56	0	0	100	38.06	21.13	-8.34	28.12
896.79	100.66	6239	10.65	-1.56	0	0	100	33.4	21.13	-8.7	24.38
896.89	100.66	6183	9.23	-1.56	0	0	100	26.22	21.13	-8.92	20.62
896.97	100.66	5887	8.79	-1.56	0	0	100	22.16	19.95	-8.92	19.38
897.07	100.66	4937	7.37	-1.56	0	0	100	16.92	18.78	-9.06	18.12

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
897.15	100.66	4740	7.08	-1.56	0	0	100	17.02	18.78	-9.28	17.19
897.25	100.66	4749	6.08	-1.56	0	0	100	16.12	17.61	-9.64	16.56
897.33	100.66	4719	6.04	-1.56	0	0	100	14.86	18	-10.08	15.62
897.43	100.66	4758	6.09	-1.56	0	0	100	14.5	18	-10.08	15.62
897.51	100.66	4699	6.01	-1.56	0	0	100	14.34	17.61	-10.22	15.31
897.61	100.66	4710	6.03	-1.56	0	0	100	14.36	17.61	-10.22	15.31
897.69	100.66	4719	6.04	-1.56	0	0	100	14.7	18	-10.22	15.94
897.79	100.66	4702	6.02	-1.56	0	0	100	14.58	17.61	-10.22	15.62
897.87	100.66	4696	6.01	-1.56	0	0	100	14.44	17.61	-10.22	15.31
897.97	98.18	4681	5.99	-1.56	0	0	100	14.52	17.61	-10.44	15.62
898.05	98.18	4669	5.98	-1.56	0	0	100	14.36	17.61	-10.44	15.31
898.15	98.18	4664	5.97	-1.56	0	0	100	14.06	17.61	-10.44	15.31
898.23	98.18	4655	5.96	-1.56	0	0	100	14.14	17.61	-10.44	15.31
898.33	98.18	4655	5.96	-1.56	0	0	100	14.14	17.22	-10.44	15.31
898.41	98.18	4641	5.94	-1.56	0	0	100	14.34	17.61	-10.44	15.31
898.51	98.18	4635	5.93	-1.56	0	0	100	14.14	17.61	-10.44	15.31
898.59	98.18	4629	5.93	-1.56	0	0	100	13.92	17.22	-10.44	15
898.69	96.93	4609	5.9	-1.56	0	0	100	13.82	17.22	-10.66	15
898.77	96.93	4612	5.9	-1.56	0	0	100	13.74	17.22	-10.66	15
898.87	96.93	4601	5.89	-1.56	0	0	100	13.72	17.22	-10.66	15
898.95	96.93	4598	5.89	-1.56	0	0	100	13.74	17.22	-10.66	15
899.05	96.93	4586	5.87	-1.56	0	0	100	13.72	17.22	-10.66	15
899.13	96.93	4576	5.86	-1.56	0	0	100	13.62	17.22	-10.66	15.31
899.23	96.93	4562	5.84	-1.56	0	0	100	14	17.22	-10.66	15.31
899.31	96.93	4556	5.83	-1.56	0	0	100	13.82	17.22	-10.66	15.31
899.41	95.69	4556	5.83	-1.56	0	0	100	13.92	17.22	-10.66	15.31
899.51	95.69	4545	5.82	-1.56	0	0	100	13.8	17.22	-10.66	15.31
899.61	95.69	4537	5.81	-1.56	0	0	100	13.52	17.22	-10.66	15
899.71	95.69	4528	5.8	-1.56	0	0	100	13.24	17.22	-10.66	14.69
899.83	95.69	4518	5.78	-1.56	0	0	100	13.32	17.22	-10.66	14.69
899.93	95.69	4509	5.77	-1.56	0	0	100	13.16	17.22	-10.88	14.69
900.01	95.69	4496	5.76	-1.56	0	0	100	13.06	17.22	-10.66	14.69
900.11	94.45	4485	5.74	-1.56	0	0	100	13.1	17.22	-10.88	14.69
900.21	94.45	4485	5.74	-1.56	0	0	100	13.06	17.22	-10.66	14.69
900.31	94.45	4477	5.73	-1.56	0	0	100	13.22	17.22	-10.66	15
900.41	94.45	4461	5.71	-1.56	0	0	100	13.28	16.82	-10.66	15
900.53	94.45	4453	5.7	-1.56	0	0	100	13.14	16.82	-10.88	14.69
900.63	94.45	4448	5.69	-1.56	0	0	100	12.9	16.82	-10.88	14.69
900.75	94.45	4443	5.69	-1.56	0	0	100	12.74	16.82	-10.88	14.38

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
900.85	93.21	4427	5.67	-1.56	0	0	100	12.9	16.82	-10.88	14.38
900.97	93.21	4422	5.66	-1.56	0	0	100	12.86	16.82	-10.66	14.69
901.07	93.21	4411	5.65	-1.56	0	0	100	12.6	16.82	-10.88	14.38
901.19	93.21	4401	5.63	-1.56	0	0	100	12.26	16.82	-10.88	14.06
901.29	93.21	4388	5.62	-1.56	0	0	100	12.18	16.82	-11.02	14.06
901.41	93.21	4383	5.61	-1.56	0	0	100	12.28	16.82	-10.88	14.06
901.51	91.96	4370	5.59	-1.56	0	0	100	12.28	16.82	-10.88	14.06
901.63	91.96	4368	5.59	-1.56	0	0	100	12.58	16.82	-10.88	14.38
901.73	91.96	4353	5.57	-1.56	0	0	100	12.52	16.82	-10.88	14.69
901.85	91.96	4345	5.56	-1.56	0	0	100	12.58	16.82	-10.88	14.69
901.95	91.96	4337	5.55	-1.56	0	0	100	12.4	16.82	-10.88	14.38
902.07	91.96	4330	5.54	-1.56	0	0	100	12.48	16.82	-10.88	14.69
902.17	91.96	4320	5.53	-1.56	0	0	100	12.44	16.82	-10.88	14.69
902.29	90.72	4280	5.48	-1.56	0	0	100	12.28	16.82	-10.88	14.69
902.39	90.72	4263	5.46	-1.56	0	0	100	12.46	16.82	-10.88	14.38
902.51	90.72	4239	5.43	-1.56	0	0	100	12.14	16.43	-10.88	14.38
902.61	90.72	4220	5.4	-1.56	0	0	100	11.84	16.43	-11.02	14.06
902.73	90.72	4204	5.38	-1.56	0	0	100	11.7	16.43	-11.02	14.06
902.83	90.72	4180	5.35	-1.56	0	0	100	11.64	16.43	-11.02	14.06
902.95	88.23	4164	5.33	-1.56	0	0	100	11.48	16.43	-11.02	14.06
903.05	88.23	4148	5.31	-1.56	0	0	100	11.42	16.43	-11.02	13.75
903.17	88.23	4145	5.31	-1.56	0	0	100	11.32	16.04	-11.02	13.75
903.27	88.23	4132	5.29	-1.56	0	0	100	11.16	16.04	-11.02	13.44
903.39	88.23	4127	5.28	-1.56	0	0	100	10.94	16.04	-11.02	13.44
903.49	88.23	4118	5.27	-1.56	0	0	100	10.86	16.04	-11.02	13.44
903.61	86.99	4109	5.26	-1.56	0	0	100	11.08	16.04	-11.02	13.44
903.71	86.99	4098	5.25	-1.56	0	0	100	11.12	16.04	-11.02	13.75
903.83	86.99	4091	5.24	-1.56	0	0	100	11.2	16.04	-11.02	13.75
903.91	86.99	4084	5.23	-1.56	0	0	100	11.18	16.04	-11.02	13.75
904.01	86.99	4076	5.22	-1.56	0	0	100	11.18	16.04	-11.02	13.75
904.11	86.99	4073	5.21	-1.56	0	0	100	11.2	16.43	-11.02	13.75
904.21	86.99	4062	5.2	-1.56	0	0	100	11.16	16.04	-11.02	13.75
904.29	85.75	4060	5.2	-1.56	0	0	100	11.24	16.04	-11.02	13.75
904.39	85.75	4042	5.17	-1.56	0	0	100	11.2	16.04	-11.02	14.06
904.49	85.75	4045	5.18	-1.56	0	0	100	11.36	16.43	-11.02	14.06
904.61	85.75	4034	5.16	-1.56	0	0	100	11.26	16.04	-11.02	14.06
904.71	85.75	4027	5.16	-1.56	0	0	100	11.12	16.04	-11.02	13.75
904.81	85.75	4019	5.14	-1.56	0	0	100	10.82	16.04	-11.24	13.44
904.91	85.75	4008	5.13	-1.56	0	0	100	10.86	16.04	-11.24	13.44

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
905.01	84.51	4001	5.12	-1.56	0	0	100	10.9	16.04	-11.02	13.75
905.11	84.51	3995	5.11	-1.56	0	0	100	12.6	18.39	-10.22	18.44
905.21	84.51	4004	5.98	-1.56	0	0	100	15.96	18.39	-10.08	20.62
905.31	84.51	3980	5.94	-1.56	0	0	100	16.34	18.39	-9.86	20.94
905.41	84.51	3966	5.92	-1.56	0	0	100	16.28	18.39	-9.86	20.94
905.51	84.51	3980	5.94	-1.56	0	0	100	16.34	18.39	-9.86	20.94
905.61	84.51	3949	5.9	-1.56	0	0	100	16.6	18.78	-9.64	21.88
905.71	84.51	3966	5.92	-1.56	0	0	100	18.46	19.56	-9.28	24.06
905.79	83.26	3935	6.72	-1.56	0	0	100	20.16	20.74	-8.92	26.88
905.89	83.26	3951	7.59	-1.56	0	0	100	23.64	21.52	-8.12	31.56
905.99	83.26	3947	8.42	-1.56	0	0	100	26.04	21.91	-7.9	33.75
906.09	83.26	3933	8.39	-1.56	0	0	100	26.8	21.52	-7.76	34.06
906.23	83.26	3924	8.37	-1.56	0	0	100	26.68	21.52	-7.76	34.38
906.37	83.26	3924	8.37	-1.56	0	0	100	26.84	21.52	-7.54	34.38
906.47	82.02	3920	8.36	-1.56	0	0	100	27.3	21.52	-7.54	35
906.59	82.02	3914	8.35	-1.56	0	0	100	27.22	21.52	-7.54	35
906.69	82.02	3906	8.33	-1.56	0	0	100	27.58	21.91	-7.32	35.94
906.81	82.02	3897	8.32	-1.56	0	0	100	27.82	21.91	-7.32	35.94
906.91	82.02	3894	8.31	-1.56	0	0	100	28.16	21.91	-7.11	36.88
907.03	82.02	3892	8.3	-1.56	0	0	100	29.04	22.3	-6.74	38.44
907.13	82.02	3888	9.12	-1.56	0	0	100	30.66	22.69	-6.53	40.31
907.21	82.02	3886	9.12	-1.56	0	0	100	31.96	22.69	-6.38	41.88
907.31	82.02	3890	9.13	-1.56	0	0	100	32.18	22.69	-6.38	41.88
907.41	82.02	3881	9.11	-1.56	0	0	100	32.56	22.69	-6.16	42.19
907.51	82.02	3874	9.09	-1.56	0	0	100	32.68	22.69	-6.38	41.88
907.61	82.02	3874	9.09	-1.56	0	0	100	31.82	22.69	-6.38	41.25
907.71	82.02	3870	9.08	-1.56	0	0	100	31.82	22.69	-6.38	41.25
907.79	82.02	3874	9.09	-1.56	0	0	100	31.86	22.69	-6.16	41.56
907.89	82.02	3872	9.09	-1.56	0	0	100	31.88	22.69	-6.16	41.88
907.99	82.02	3861	9.06	-1.56	0	0	100	32.82	22.69	-5.95	42.5
908.09	82.02	3859	9.06	-1.56	0	0	100	33.12	24.65	-5.37	48.75
908.17	82.02	3861	11.53	-1.56	0	0	100	42.52	27.39	-3.26	60.62
908.27	82.02	3859	13.17	-1.56	0	0	100	50.2	27	-2.68	67.19
908.35	82.02	3857	13.99	-1.56	0	0	100	53.04	27	-2.25	70.31
908.45	82.02	3855	13.98	-1.56	0	0	100	55.04	27	-1.89	72.81
908.55	80.78	3857	14.81	-1.56	0	0	100	56.44	26.61	-1.67	73.44
908.65	80.78	3857	14.81	-1.56	0	0	100	56.36	25.82	-1.89	72.19
908.75	80.78	3853	13.98	-1.56	0	0	100	53.32	24.65	-2.47	66.56
908.85	80.78	3853	12.33	-1.56	0	0	100	48.4	24.26	-3.05	60.94

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
908.95	80.78	3852	11.5	-1.56	0	0	100	45.38	24.26	-3.05	58.44
909.03	80.78	3853	11.51	-1.56	0	0	100	43.88	24.26	-3.26	56.88
909.13	80.78	3855	11.52	-1.56	0	0	100	43.16	24.26	-3.26	56.25
909.21	80.78	3853	11.51	-1.56	0	0	100	43.02	24.26	-3.41	55.62
909.31	80.78	3853	11.51	-1.56	0	0	100	42.48	24.26	-3.63	55.31
909.39	80.78	3850	10.68	-1.56	0	0	100	41.24	23.48	-4.21	52.19
909.49	80.78	3846	10.67	-1.56	0	0	100	38.08	23.08	-4.57	48.44
909.57	80.78	3850	9.86	-1.56	0	0	100	36.3	23.08	-4.79	46.56
909.67	80.78	3850	9.86	-1.56	0	0	100	35.28	23.08	-4.79	45.94
909.75	80.78	3848	9.85	-1.56	0	0	100	35.2	23.08	-5	45.94
909.85	80.78	3844	9.84	-1.56	0	0	100	35.32	23.08	-5	46.25
909.93	80.78	3842	9.84	-1.56	0	0	100	35.44	23.08	-5	46.56
910.03	80.78	3844	9.84	-1.56	0	0	100	35.64	23.08	-5	46.56
910.11	80.78	3842	9.84	-1.56	0	0	100	35.66	23.08	-5.22	46.56
910.21	80.78	3838	9.83	-1.56	0	0	100	35.68	23.08	-5.22	46.56
910.29	80.78	3832	9.81	-1.56	0	0	100	35.72	23.08	-5.22	47.19
910.41	80.78	3830	9.81	-1.56	0	0	100	35.82	23.08	-5.22	46.88
910.49	80.78	3834	9.82	-1.56	0	0	100	35.96	23.08	-5.22	47.19
910.59	80.78	3834	9.82	-1.56	0	0	100	35.46	23.08	-5.22	46.25
910.67	80.78	3828	9.8	-1.56	0	0	100	35.22	23.08	-5.22	46.88
910.77	80.78	3824	9.79	-1.56	0	0	100	35.44	23.08	-5.22	46.56
910.85	80.78	3824	9.79	-1.56	0	0	100	35.34	23.08	-5.22	46.56
910.95	80.78	3824	9.79	-1.56	0	0	100	35.6	23.08	-5.22	46.56
911.03	80.78	3826	9.8	-1.56	0	0	100	35.32	23.08	-5.22	46.25
911.13	80.78	3816	9.77	-1.56	0	0	100	34.7	23.08	-5.37	45.62
911.21	80.78	3812	9.76	-1.56	0	0	100	34.5	23.08	-5.37	45.31
911.31	80.78	3818	9.78	-1.56	0	0	100	34.24	23.08	-5.37	45
911.39	80.78	3818	9.78	-1.56	0	0	100	34.04	23.08	-5.37	45
911.49	80.78	3811	9.76	-1.56	0	0	100	34.2	22.69	-5.37	45
911.57	80.78	3809	9.75	-1.56	0	0	100	33.82	23.08	-5.58	45
911.67	80.78	3809	9.75	-1.56	0	0	100	34	23.08	-5.37	45
911.77	80.78	3805	9.74	-1.56	0	0	100	34.06	22.69	-5.37	45
911.85	80.78	3801	9.73	-1.56	0	0	100	33.8	23.08	-5.37	44.69
911.95	80.78	3799	9.73	-1.56	0	0	100	33.76	23.08	-5.37	44.69
912.03	80.78	3801	9.73	-1.56	0	0	100	33.84	23.08	-5.37	44.69
912.13	79.54	3799	9.73	-1.56	0	0	100	33.98	23.08	-5.37	45
912.21	79.54	3797	9.72	-1.56	0	0	100	34.22	23.08	-5.37	45.31
912.31	79.54	3795	9.72	-1.56	0	0	100	34.14	23.08	-5.37	45
912.41	79.54	3789	9.7	-1.56	0	0	100	34.02	22.69	-5.37	45

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
912.49	79.54	3786	9.69	-1.56	0	0	100	33.94	22.69	-5.37	44.69
912.59	79.54	3784	9.69	-1.56	0	0	100	33.6	23.08	-5.37	45
912.67	79.54	3784	9.69	-1.56	0	0	100	33.92	22.69	-5.37	45.31
912.77	79.54	3782	9.68	-1.56	0	0	100	33.76	23.08	-5.37	45
912.87	79.54	3780	9.68	-1.56	0	0	100	34.1	22.69	-5.37	45
912.95	79.54	3782	9.68	-1.56	0	0	100	34.18	23.08	-5.37	45.31
913.05	79.54	3780	9.68	-1.56	0	0	100	34.38	23.08	-5.37	45.62
913.15	79.54	3774	9.66	-1.56	0	0	100	34.62	23.08	-5.37	46.25
913.25	79.54	3776	9.67	-1.56	0	0	100	34.38	23.08	-5.37	45.94
913.33	79.54	3774	9.66	-1.56	0	0	100	34.34	23.08	-5.37	45.94
913.43	79.54	3772	9.66	-1.56	0	0	100	34.28	23.08	-5.37	45.94
913.51	79.54	3769	9.65	-1.56	0	0	100	34.68	23.48	-5.22	46.88
913.61	79.54	3769	9.65	-1.56	0	0	100	35.5	23.08	-5.22	47.81
913.69	79.54	3767	9.64	-1.56	0	0	100	35.9	23.08	-5	48.12
913.79	79.54	3763	9.63	-1.56	0	0	100	36.12	23.48	-5	48.44
913.87	79.54	3765	9.64	-1.56	0	0	100	36.34	23.48	-5	48.75
913.97	79.54	3765	9.64	-1.56	0	0	100	36.5	23.48	-5	49.06
914.07	79.54	3765	9.64	-1.56	0	0	100	36.72	23.48	-4.79	49.06
914.15	79.54	3761	10.43	-1.56	0	0	100	37.28	23.48	-4.79	49.69
914.25	79.54	3759	10.43	-1.56	0	0	100	37.36	23.87	-4.57	50.62
914.35	79.54	3763	10.44	-1.56	0	0	100	40.14	25.04	-3.84	56.56
914.43	79.54	3759	12.03	-1.56	0	0	100	43.68	25.43	-3.26	60.31
914.51	79.54	3761	12.04	-1.56	0	0	100	48.12	26.21	-2.68	66.25
914.61	79.54	3765	12.85	-1.56	0	0	100	51	25.82	-2.25	69.38
914.71	79.54	3759	13.63	-1.56	0	0	100	52.56	25.82	-2.03	70.31
914.79	79.54	3759	13.63	-1.56	0	0	100	53.4	25.82	-1.89	71.88
914.89	79.54	3763	13.65	-1.56	0	0	100	54.28	25.82	-1.67	72.81
914.97	79.54	3770	14.48	-1.56	0	0	100	54.76	25.82	-1.45	73.12
915.07	79.54	3769	13.67	-1.56	0	0	100	55	25.82	-1.31	73.75
915.15	79.54	3767	14.47	-1.56	0	0	100	55.06	25.82	-1.31	73.44
915.25	79.54	3767	14.47	-1.56	0	0	100	54.8	25.82	-1.09	73.12
915.33	79.54	3769	13.67	-1.56	0	0	100	55.16	25.82	-1.09	73.44
915.43	79.54	3774	13.69	-1.56	0	0	100	55.26	25.82	-1.09	73.44
915.53	79.54	3780	14.52	-1.56	0	0	100	55.22	25.82	-1.09	73.12
915.61	79.54	3776	13.7	-1.56	0	0	100	54.22	25.43	-1.09	71.56
915.71	79.54	3772	13.68	-1.56	0	0	100	53.36	25.43	-1.31	70.31
915.79	79.54	3770	13.67	-1.56	0	0	100	52.48	25.43	-1.31	69.69
915.89	79.54	3776	12.89	-1.56	0	0	100	51.8	25.43	-1.45	68.44
915.97	79.54	3776	12.89	-1.56	0	0	100	50.18	25.04	-1.89	65.94

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
916.07	79.54	3778	12.09	-1.56	0	0	100	48.66	25.04	-2.03	64.06
916.15	79.54	3780	12.1	-1.56	0	0	100	47.66	24.65	-2.25	63.12
916.25	79.54	3782	12.1	-1.56	0	0	100	46.42	24.65	-2.47	61.56
916.33	79.54	3782	12.1	-1.56	0	0	100	45.88	24.65	-2.68	60.94
916.43	79.54	3780	11.29	-1.56	0	0	100	44.92	23.87	-3.05	58.12
916.51	79.54	3778	11.28	-1.56	0	0	100	42.3	23.48	-3.41	55
916.61	79.54	3774	10.47	-1.56	0	0	100	40.48	23.48	-3.84	53.44
916.69	79.54	3778	10.48	-1.56	0	0	100	39.56	23.87	-3.84	52.5
916.79	79.54	3778	10.48	-1.56	0	0	100	39.1	23.87	-3.99	52.19
916.87	79.54	3774	10.47	-1.56	0	0	100	39.14	23.48	-3.99	51.88
916.97	79.54	3772	10.46	-1.56	0	0	100	38.94	23.87	-4.21	51.88
917.05	79.54	3769	10.45	-1.56	0	0	100	39	23.87	-4.21	51.88
917.15	79.54	3767	10.45	-1.56	0	0	100	38.84	23.87	-4.21	51.88
917.25	79.54	3767	10.45	-1.56	0	0	100	38.92	23.87	-4.21	52.19
917.33	79.54	3767	10.45	-1.56	0	0	100	39.36	23.87	-4.21	52.5
917.43	79.54	3769	10.45	-1.56	0	0	100	39.7	23.87	-4.21	52.81
917.51	79.54	3765	10.44	-1.56	0	0	100	39.52	23.87	-4.21	53.12
917.61	79.54	3765	10.44	-1.56	0	0	100	39.44	23.87	-4.21	52.5
917.69	79.54	3765	10.44	-1.56	0	0	100	39.24	23.87	-4.21	52.19
917.79	79.54	3759	10.43	-1.56	0	0	100	38.76	23.87	-4.21	52.19
917.87	79.54	3757	10.42	-1.56	0	0	100	38.96	23.87	-4.21	52.19
917.97	79.54	3759	10.43	-1.56	0	0	100	39.02	23.87	-4.21	52.81
918.05	79.54	3759	10.43	-1.56	0	0	100	39.3	23.87	-4.21	52.81
918.15	79.54	3755	10.42	-1.56	0	0	100	39.24	23.87	-4.21	52.81
918.23	79.54	3755	10.42	-1.56	0	0	100	39.36	23.87	-4.21	52.5
918.33	79.54	3757	10.42	-1.56	0	0	100	39.06	23.87	-4.21	52.5
918.41	79.54	3753	10.41	-1.56	0	0	100	39.1	23.87	-4.42	52.19
918.51	79.54	3751	10.41	-1.56	0	0	100	39.22	23.87	-4.21	52.5
918.59	79.54	3746	10.39	-1.56	0	0	100	39.22	23.87	-4.21	52.81
918.69	79.54	3749	10.4	-1.56	0	0	100	39.14	23.48	-4.21	52.81
918.77	79.54	3746	10.39	-1.56	0	0	100	39.32	23.87	-4.21	52.81
918.87	79.54	3748	10.39	-1.56	0	0	100	39.2	23.87	-4.42	52.5
918.95	79.54	3742	10.38	-1.56	0	0	100	39.26	23.87	-4.21	52.5
919.05	79.54	3740	10.37	-1.56	0	0	100	39.06	23.48	-4.21	52.5
919.13	79.54	3746	10.39	-1.56	0	0	100	38.96	23.87	-4.21	52.81
919.23	78.29	3733	10.35	-1.56	0	0	100	39.58	23.87	-4.21	52.81
919.31	78.29	3731	10.35	-1.56	0	0	100	39.3	23.87	-4.21	52.81
919.41	78.29	3734	10.36	-1.56	0	0	100	39.16	23.87	-4.21	52.5
919.49	78.29	3736	10.36	-1.56	0	0	100	39.1	23.48	-4.21	52.81

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
919.59	78.29	3733	10.35	-1.56	0	0	100	39.18	23.87	-4.21	52.81
919.67	78.29	3727	10.34	-1.56	0	0	100	39.06	23.48	-4.21	52.19
919.77	78.29	3731	10.35	-1.56	0	0	100	38.92	23.48	-4.21	52.5
919.85	78.29	3729	10.34	-1.56	0	0	100	39.3	23.48	-4.21	52.81
919.95	78.29	3725	10.33	-1.56	0	0	100	39.18	23.87	-4.21	52.81
920.03	78.29	3725	10.33	-1.56	0	0	100	38.84	23.48	-4.21	52.81
920.13	78.29	3725	10.33	-1.56	0	0	100	39.14	23.48	-4.21	52.5
920.21	78.29	3720	10.32	-1.56	0	0	100	38.94	23.48	-4.21	53.12
920.31	78.29	3718	10.31	-1.56	0	0	100	39	23.87	-4.21	52.5
920.41	78.29	3718	10.31	-1.56	0	0	100	38.88	23.48	-4.21	52.81
920.51	78.29	3716	10.31	-1.56	0	0	100	38.68	23.48	-4.21	52.81
920.61	78.29	3714	10.3	-1.56	0	0	100	38.9	23.48	-4.42	52.5
920.71	78.29	3710	10.29	-1.56	0	0	100	38.62	23.48	-4.21	53.12
920.79	78.29	3716	10.31	-1.56	0	0	100	38.92	23.87	-4.21	52.19
920.89	78.29	3710	10.29	-1.56	0	0	100	38.62	23.48	-4.21	52.81
920.97	78.29	3705	10.28	-1.56	0	0	100	38.9	23.48	-4.21	52.5
921.07	78.29	3705	10.28	-1.56	0	0	100	38.46	23.48	-4.21	52.5
921.15	78.29	3707	10.28	-1.56	0	0	100	38.88	23.87	-4.21	53.12
921.25	78.29	3705	10.28	-1.56	0	0	100	39.16	23.87	-4.21	53.12
921.33	78.29	3701	10.27	-1.56	0	0	100	39.14	23.48	-4.21	53.12
921.43	78.29	3701	10.27	-1.56	0	0	100	39.1	23.87	-4.21	53.12
921.51	78.29	3698	10.26	-1.56	0	0	100	39.74	24.26	-3.99	55
921.61	78.29	3694	11.04	-1.56	0	0	100	41.12	24.65	-3.63	57.81
921.69	78.29	3698	11.83	-1.56	0	0	100	44.14	25.04	-3.05	61.88
921.79	78.29	3698	11.83	-1.56	0	0	100	46.26	25.04	-2.83	63.75
921.87	78.29	3690	12.6	-1.56	0	0	100	47.62	25.04	-2.68	65.31
921.97	78.29	3692	12.6	-1.56	0	0	100	47.88	25.04	-2.47	65
922.07	77.05	3696	11.83	-1.56	0	0	100	48.12	25.04	-2.47	65.94
922.15	77.05	3696	12.62	-1.56	0	0	100	48.62	25.43	-2.25	66.88
922.25	77.05	3692	12.6	-1.56	0	0	100	49.94	25.43	-2.03	68.12
922.33	77.05	3694	12.61	-1.56	0	0	100	51	25.82	-1.67	70.62
922.43	77.05	3694	13.4	-1.56	0	0	100	53.82	27	-0.87	76.25
922.51	77.05	3696	14.98	-1.56	0	0	100	58.84	29.34	0.65	84.69
922.61	77.05	3705	18.18	-1.56	0	0	100	68.98	32.87	2.61	100.94
922.69	78.29	3701	25.27	0	0	0	100	79.82	35.21	4.21	113.75
922.79	78.29	3705	28.46	0	0	0	100	88	35.6	5.37	123.44
922.87	78.29	3710	30.08	0	0	0	100	94.52	35.21	6.31	131.25
922.97	78.29	3727	32.6	0	0	0	100	100.84	35.21	7.11	139.38
923.05	78.29	3731	35.03	0	0	0	100	105.32	34.43	8.05	144.69

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
923.15	78.29	3738	35.89	0	0	0	100	109.86	34.43	8.63	148.75
923.23	78.29	3744	36.74	0	0	0	100	111.82	35.21	9.43	153.44
923.33	78.29	3761	37.71	0	0	0	100	116.96	38.73	10.59	161.56
923.43	79.54	3772	41.85	0	0	0	100	130.32	45.39	13.34	181.88
923.51	79.54	3788	46.87	0	0	0	100	142.04	51.65	15.3	195.62
923.61	79.54	3805	49.52	0	0	0	100	152.42	54.38	16.46	205.62
923.71	79.54	3809	52.01	0	0	0	100	158.72	54.38	17.26	211.56
923.81	79.54	3820	52.98	0	0	0	100	161.24	54.38	17.84	210.31
923.91	79.54	3840	51.61	0	0	0	100	160.16	53.21	17.62	205.94
924.01	79.54	3861	51.08	0	0	0	100	155.8	49.69	17.04	201.56
924.11	79.54	3872	49.56	0	0	0	100	151.76	45.39	15.88	190.31
924.21	80.78	3881	48.03	0	0	0	100	143.1	42.26	14.72	181.56
924.31	80.78	3906	45	0	0	0	100	135.46	39.13	12.98	170.31
924.41	80.78	3920	40.14	0	0	0	100	119.16	30.91	8.63	134.38
924.51	80.78	3918	26.75	0	0	0	100	86.36	27.78	3.99	102.19
924.61	80.78	3928	21.79	0	0	0	100	72.24	27.39	2.03	88.44
924.71	80.78	3938	16.81	-1.56	0	0	100	66.64	26.61	0.87	82.19
924.79	80.78	3938	15.97	-1.56	0	0	100	59.64	24.65	-0.87	71.25
924.89	83.26	3937	13.44	-1.56	0	0	100	50.18	22.69	-2.83	60.31
924.99	83.26	3937	11.76	-1.56	0	0	100	40.64	20.74	-5.37	45.62
925.09	83.26	3933	9.23	-1.56	0	0	100	32.16	19.95	-6.74	35
925.19	83.26	3930	6.71	-1.56	0	0	100	22.26	19.56	-7.54	25.94
925.31	83.26	3926	5.86	-1.56	0	0	100	18.62	19.17	-8.12	22.81
925.41	83.26	3916	5.85	-1.56	0	0	100	16.34	18	-9.06	20
925.51	83.26	3908	5.84	-1.56	0	0	100	15.08	18	-9.28	19.38
925.62	82.02	3916	5.01	-1.56	0	0	100	14.36	17.61	-9.64	18.12
925.74	82.02	3894	4.98	-1.56	0	0	100	13.78	17.61	-9.86	18.12
925.84	82.02	3902	5.83	-1.56	0	0	100	15.52	21.13	-8.92	25
925.96	82.02	3890	8.3	-1.56	0	0	100	35.7	31.3	-3.26	59.38
926.06	82.02	3870	15.69	-1.56	0	0	100	61.56	39.13	0.29	85.94
926.18	82.02	3879	19.86	0	0	0	100	74.12	43.43	2.03	99.38
926.28	82.02	3897	25.78	0	0	0	100	82.96	43.82	3.63	111.88
926.4	82.02	3912	29.21	0	0	0	100	94.02	43.82	5.51	125.62
926.5	82.02	3914	33.4	0	0	0	100	105.7	42.65	7.47	140.94
926.62	82.02	3928	38.55	0	0	0	100	116.74	39.91	9.28	154.06
926.72	82.02	3943	41.22	0	0	0	100	127.64	37.95	10.8	166.88
926.84	82.02	3961	43.11	0	0	0	100	121.68	33.26	9.28	144.69
926.94	82.02	3966	31.31	0	0	0	100	99.84	31.69	7.11	121.56
927.02	83.26	3961	28.74	0	0	0	100	90.86	30.52	5.51	112.19

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
927.12	83.26	3970	27.1	0	0	0	100	84.32	28.56	3.77	100.62
927.24	83.26	3978	21.22	0	0	0	100	74.52	27.39	2.25	90.31
927.34	83.26	3985	17.85	-1.56	0	0	100	61.6	24.65	-0.87	70.94
927.46	83.26	3991	12.77	-1.56	0	0	100	52.44	24.65	-2.03	64.06
927.56	83.26	3980	12.74	-1.56	0	0	100	48.44	24.26	-2.83	60
927.68	83.26	3980	11.89	-1.56	0	0	100	43.14	23.08	-4.21	52.19
927.78	83.26	3980	10.19	-1.56	0	0	100	39.74	23.48	-4.57	49.06
927.9	83.26	3972	10.17	-1.56	0	0	100	37.3	22.3	-5.58	44.69
928	83.26	3974	9.33	-1.56	0	0	100	32.12	21.91	-6.16	39.06
928.12	83.26	3972	8.47	-1.56	0	0	100	29	21.52	-6.53	36.25
928.2	83.26	3968	8.47	-1.56	0	0	100	27.52	21.52	-6.96	34.38
928.3	83.26	3961	7.61	-1.56	0	0	100	26.08	21.13	-7.32	32.81
928.4	83.26	3957	7.6	-1.56	0	0	100	25.02	21.13	-7.54	31.88
928.5	83.26	3955	7.59	-1.56	0	0	100	24.94	21.13	-7.54	31.56
928.58	83.26	3951	7.59	-1.56	0	0	100	24.94	21.13	-7.54	32.19
928.68	83.26	3949	7.58	-1.56	0	0	100	24.94	21.13	-7.54	32.19
928.78	83.26	3953	7.59	-1.56	0	0	100	25.4	21.13	-7.54	32.19
928.88	83.26	3940	7.57	-1.56	0	0	100	25.2	21.13	-7.76	32.19
928.96	83.26	3937	7.56	-1.56	0	0	100	24.92	21.13	-7.76	31.88
929.06	83.26	3938	7.56	-1.56	0	0	100	24.92	21.13	-7.76	32.5
929.16	83.26	3935	7.56	-1.56	0	0	100	26.36	23.08	-6.74	38.44
929.26	83.26	3930	10.06	-1.56	0	0	100	36.34	24.65	-5.37	48.75
929.34	83.26	3924	10.88	-1.56	0	0	100	39.58	24.65	-5	52.19
929.44	83.26	3928	10.9	-1.56	0	0	100	41.34	24.65	-5	53.12
929.54	83.26	3928	10.9	-1.56	0	0	100	41.84	24.26	-5	53.75
929.64	83.26	3930	10.9	-1.56	0	0	100	41.44	23.48	-5.22	52.19
929.72	83.26	3926	10.89	-1.56	0	0	100	39.44	23.48	-5.37	50
929.82	82.02	3926	10.89	-1.56	0	0	100	38.62	23.48	-5.22	49.06
929.92	82.02	3926	10.05	-1.56	0	0	100	38.26	23.87	-5.22	49.38
930.02	82.02	3930	10.06	-1.56	0	0	100	38.18	23.48	-5.37	48.44
930.1	82.02	3926	10.05	-1.56	0	0	100	36.96	22.3	-5.8	44.69
930.2	82.02	3920	9.2	-1.56	0	0	100	32.12	20.74	-6.74	38.44
930.3	82.02	3916	8.36	-1.56	0	0	100	27.12	20.35	-7.54	32.81
930.38	82.02	3912	7.51	-1.56	0	0	100	24.44	19.95	-7.9	30.31
930.48	82.02	3916	6.68	-1.56	0	0	100	22.62	19.95	-8.12	28.75
930.58	82.02	3912	6.68	-1.56	0	0	100	21.84	19.95	-8.12	27.81
930.68	82.02	3906	6.67	-1.56	0	0	100	21.5	19.95	-8.34	27.5
930.78	82.02	3906	6.67	-1.56	0	0	100	21.4	19.95	-8.34	27.19
930.86	82.02	3906	6.67	-1.56	0	0	100	21.14	19.95	-8.34	27.19

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
930.96	82.02	3902	6.66	-1.56	0	0	100	21.24	19.95	-8.48	27.19
931.08	82.02	3902	6.66	-1.56	0	0	100	21.06	19.95	-8.48	27.19
931.18	82.02	3894	6.65	-1.56	0	0	100	20.76	19.56	-8.7	26.56
931.3	82.02	3894	6.65	-1.56	0	0	100	20.12	19.17	-8.92	25.94
931.4	82.02	3894	6.65	-1.56	0	0	100	19.42	18.78	-9.06	24.69
931.52	82.02	3890	5.81	-1.56	0	0	100	18.04	18	-9.5	22.5
931.6	82.02	3883	5.8	-1.56	0	0	100	16.56	18	-9.86	20.94
931.7	82.02	3883	5.8	-1.56	0	0	100	15.38	17.22	-10.08	19.38
931.8	82.02	3874	5.79	-1.56	0	0	100	14.02	16.82	-10.44	17.19
931.88	82.02	3863	4.95	-1.56	0	0	100	12.44	16.43	-10.66	15.94
931.98	82.02	3866	4.95	-1.56	0	0	100	11.86	16.43	-10.88	15.31
932.06	82.02	3866	4.95	-1.56	0	0	100	11.42	16.43	-10.88	14.69
932.16	82.02	3857	4.94	-1.56	0	0	100	10.96	16.04	-11.02	14.06
932.26	82.02	3853	4.93	-1.56	0	0	100	10.44	15.65	-11.02	13.44
932.36	82.02	3850	4.93	-1.56	0	0	100	10.18	15.65	-11.02	13.12
932.44	82.02	3846	4.92	-1.56	0	0	100	10.14	15.65	-11.02	13.12
932.54	82.02	3838	4.91	-1.56	0	0	100	9.94	15.65	-11.24	13.12
932.64	80.78	3832	4.91	-1.56	0	0	100	10.02	15.65	-11.02	13.12
932.72	80.78	3830	4.9	-1.56	0	0	100	10.04	15.65	-11.24	13.12
932.82	80.78	3824	4.9	-1.56	0	0	100	9.92	15.65	-11.02	13.12
932.92	80.78	3820	4.89	-1.56	0	0	100	9.86	15.65	-11.24	13.12
933	80.78	3818	4.89	-1.56	0	0	100	10.14	16.04	-11.02	13.44
933.1	80.78	3812	4.88	-1.56	0	0	100	10.4	16.04	-11.02	13.75
933.2	80.78	3803	4.87	-1.56	0	0	100	10.46	16.04	-11.02	13.75
933.28	80.78	3803	4.87	-1.56	0	0	100	10.34	16.04	-11.02	13.75
933.38	79.54	3795	4.86	-1.56	0	0	100	10.46	15.65	-11.02	13.75
933.46	79.54	3791	4.85	-1.56	0	0	100	10.3	15.65	-11.02	13.44
933.56	79.54	3784	4.84	-1.56	0	0	100	10.08	15.65	-11.24	13.44
933.66	79.54	3778	4.84	-1.56	0	0	100	9.98	15.65	-11.24	13.44
933.74	79.54	3769	4.82	-1.56	0	0	100	10.04	15.65	-11.02	13.44
933.84	79.54	3765	4.82	-1.56	0	0	100	9.96	15.65	-11.02	13.44
933.94	79.54	3757	4.81	-1.56	0	0	100	9.96	15.65	-11.02	13.44
934.02	79.54	3761	4.81	-1.56	0	0	100	10.08	15.65	-11.02	13.44
934.12	79.54	3761	4.81	-1.56	0	0	100	10.22	15.65	-11.02	13.75
934.2	79.54	3748	4.8	-1.56	0	0	100	10.2	15.65	-11.02	13.44
934.3	79.54	3748	4.8	-1.56	0	0	100	10.02	15.65	-11.02	13.44
934.38	79.54	3738	4.79	-1.56	0	0	100	10.06	15.65	-11.02	13.44
934.48	79.54	3740	4.79	-1.56	0	0	100	9.96	15.65	-11.02	13.44
934.56	79.54	3734	4.78	-1.56	0	0	100	9.9	15.65	-11.02	13.44

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
934.66	79.54	3727	4.77	-1.56	0	0	100	9.86	15.65	-11.02	13.44
934.74	78.29	3724	4.77	-1.56	0	0	100	9.8	15.65	-11.02	13.44
934.84	78.29	3720	4.76	-1.56	0	0	100	9.96	15.65	-11.02	13.44
934.92	78.29	3710	4.75	-1.56	0	0	100	9.88	15.65	-11.02	13.44
935.02	78.29	3710	4.75	-1.56	0	0	100	9.68	15.26	-11.24	13.12
935.1	78.29	3710	4.75	-1.56	0	0	100	9.56	15.26	-11.24	13.12
935.2	78.29	3701	4.74	-1.56	0	0	100	9.44	15.26	-11.24	12.81
935.28	78.29	3685	4.72	-1.56	0	0	100	9.4	15.26	-11.24	13.12
935.38	78.29	3683	4.71	-1.56	0	0	100	9.56	15.26	-11.24	12.81
935.46	77.05	3678	4.71	-1.56	0	0	100	9.44	15.65	-11.24	13.12
935.56	77.05	3674	4.7	-1.56	0	0	100	9.72	15.65	-11.24	13.44
935.64	77.05	3660	4.68	-1.56	0	0	100	9.82	15.26	-11.24	13.44
935.74	77.05	3640	4.66	-1.56	0	0	100	9.56	15.26	-11.24	13.12
935.82	77.05	3633	4.65	-1.56	0	0	100	9.56	15.65	-11.02	13.12
935.92	77.05	3612	4.62	-1.56	0	0	100	9.42	15.26	-11.02	13.12
936	77.05	3600	4.61	-1.56	0	0	100	9.44	15.65	-11.02	13.44
936.1	77.05	3583	4.59	-1.56	0	0	100	9.58	15.65	-11.02	13.75
936.18	74.56	3569	4.57	-1.56	0	0	100	9.74	15.65	-11.02	13.75
936.28	74.56	3545	4.54	-1.56	0	0	100	9.66	15.26	-11.02	13.75
936.38	74.56	3541	4.53	-1.56	0	0	100	9.52	15.26	-11.02	13.44
936.46	74.56	3518	4.5	-1.56	0	0	100	9.26	15.26	-11.02	13.12
936.56	74.56	3499	4.48	-1.56	0	0	100	9.14	15.26	-11.02	13.12
936.66	74.56	3480	4.45	-1.56	0	0	100	9.16	15.26	-11.02	13.12
936.76	74.56	3470	4.44	-1.56	0	0	100	9.16	15.26	-11.02	13.12
936.84	74.56	3454	4.42	-1.56	0	0	100	9	15.26	-11.02	13.12
936.92	72.08	3435	4.4	-1.56	0	0	100	9.02	15.26	-11.02	13.12
937.02	72.08	3413	4.37	-1.56	0	0	100	9.08	15.26	-11.02	13.44
937.12	72.08	3405	4.36	-1.56	0	0	100	9.06	15.26	-11.02	13.44
937.2	72.08	3384	4.33	-1.56	0	0	100	9.1	15.26	-10.88	13.44
937.3	72.08	3367	4.31	-1.56	0	0	100	9.1	15.26	-11.02	13.44
937.4	72.08	3352	4.29	-1.56	0	0	100	8.96	15.26	-10.88	13.44
937.5	72.08	3327	4.26	-1.56	0	0	100	8.9	14.87	-11.02	13.44
937.58	69.59	3326	4.26	-1.56	0	0	100	8.72	14.87	-11.02	13.12
937.68	69.59	3309	4.24	-1.56	0	0	100	8.66	14.87	-11.02	13.12
937.78	69.59	3296	4.22	-1.56	0	0	100	8.56	14.87	-11.02	12.81
937.86	69.59	3288	4.21	-1.56	0	0	100	8.46	14.87	-11.02	13.12
937.96	69.59	3270	4.19	-1.56	0	0	100	8.48	15.26	-11.02	13.12
938.06	69.59	3257	0	-1.56	0	0	100	8.1	13.69	-11.24	11.88
938.14	69.59	3225	0	-1.56	0	0	100	7.48	14.09	-11.24	11.25

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
938.24	69.59	3221	0	-1.56	0	0	100	7.12	14.09	-11.24	10.94
938.32	68.35	3210	0	-1.56	0	0	100	7.04	14.09	-11.24	10.94
938.42	68.35	3191	0	-1.56	0	0	100	7.06	14.09	-11.24	11.25
938.5	68.35	3180	0	-1.56	0	0	100	7.06	14.09	-11.24	11.25
938.6	68.35	3159	0	-1.56	0	0	100	6.86	16.04	-11.02	12.81
938.7	68.35	3076	7.87	-1.56	0.39	0	100	30.5	44.6	-0.51	72.5
938.8	68.35	3399	14.51	-1.56	0	0	100	56.74	47.34	-0.15	83.44
938.88	68.35	3938	19.33	-1.56	0	0	100	73.48	44.6	0.07	85.94
938.98	65.87	4559	22.37	0	0	0	100	77.16	33.26	-0.73	76.25
939.06	65.87	5077	22.75	0	0	0	100	74.56	27	-3.05	62.5
939.16	65.87	5466	19.82	-1.56	0	0	100	67.64	28.56	-3.05	61.88
939.24	65.87	5769	20.92	-1.56	0	0	100	68.94	23.87	-5.58	48.44
939.34	65.87	5947	15.23	-1.56	0	0	100	39.3	20.35	-8.48	28.44
939.42	65.87	5813	9.92	-1.56	0	0	100	26.88	19.95	-9.06	21.88
939.52	65.87	5535	8.27	-1.56	0	0	100	22.28	19.17	-9.28	20.31
939.6	65.87	5077	7.58	-1.56	0	0	100	19.38	18	-9.64	19.69
939.7	65.87	4496	5.76	-1.56	0	0	100	14.04	14.48	-11.02	12.5
939.78	65.87	4464	5.71	-1.56	0	0	100	9.56	12.13	-11.82	10.31
939.88	65.87	4573	4.88	-1.56	0	0	100	9.36	11.35	-12.04	10.62
939.96	65.87	4466	5.72	-1.56	0	0	100	9.4	14.09	-11.82	9.38
940.06	65.87	4526	0	-1.56	0	0	100	8.56	15.65	-11.24	9.69
940.14	65.87	4475	0	-1.56	0	0	100	9.16	15.65	-11.02	10.31
940.24	65.87	4499	0	-1.56	0	0	100	9.48	15.65	-11.02	10.62
940.32	65.87	4480	0	-1.56	0	0	100	9.6	15.65	-11.02	10.62
940.42	65.87	4472	0	-1.56	0	0	100	9.32	15.65	-11.02	10.62
940.5	65.87	4461	0	-1.56	0	0	100	9.34	15.65	-11.24	10.62
940.6	65.87	4451	0	-1.56	0	0	100	9.32	15.65	-11.24	10.62
940.68	65.87	4445	0	-1.56	0	0	100	9.5	15.65	-11.24	10.62
940.78	65.87	4432	0	-1.56	0	0	100	9.52	15.26	-11.24	10.62
940.86	65.87	4419	0	-1.56	0	0	100	9.36	15.26	-11.24	10.62
940.96	65.87	4411	0	-1.56	0	0	100	9.3	15.26	-11.24	10.62
941.04	65.87	4403	0	-1.56	0	0	100	9.44	15.26	-11.24	10.62
941.14	64.62	4398	0	-1.56	0	0	100	9.44	15.26	-11.24	10.94
941.22	64.62	4385	0	-1.56	0	0	100	9.5	15.26	-11.24	10.94
941.32	64.62	4378	0	-1.56	0	0	100	9.56	15.26	-11.24	10.94
941.4	64.62	4370	0	-1.56	0	0	100	9.46	15.26	-11.24	10.94
941.5	64.62	4365	0	-1.56	0	0	100	9.46	15.26	-11.24	10.94
941.58	64.62	4350	0	-1.56	0	0	100	9.38	15.26	-11.24	10.94
941.68	64.62	4347	0	-1.56	0	0	100	9.44	15.26	-11.24	10.94

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
941.76	64.62	4332	0	-1.56	0	0	100	9.56	15.26	-11.24	10.94
941.86	63.38	4332	0	-1.56	0	0	100	9.4	15.26	-11.24	10.94
941.94	63.38	4315	0	-1.56	0	0	100	9.48	15.26	-11.24	10.94
942.04	63.38	4302	0	-1.56	0	0	100	9.4	15.26	-11.24	10.94
942.12	63.38	4297	0	-1.56	0	0	100	9.3	15.26	-11.46	10.94
942.22	63.38	4288	0	-1.56	0	0	100	9.24	15.26	-11.46	10.94
942.3	63.38	4280	0	-1.56	0	0	100	9.28	15.26	-11.24	10.94
942.4	63.38	4275	0	-1.56	0	0	100	9.34	15.26	-11.24	10.94
942.48	63.38	4266	0	-1.56	0	0	100	9.26	15.26	-11.46	10.94
942.58	62.14	4249	0	-1.56	0	0	100	9.26	15.26	-11.46	10.94
942.66	62.14	4242	0	-1.56	0	0	100	9.26	15.26	-11.24	10.94
942.76	62.14	4237	0	-1.56	0	0	100	9.3	15.26	-11.46	10.94
942.84	62.14	4232	0	-1.56	0	0	100	9.22	15.26	-11.24	10.94
942.94	62.14	4208	0	-1.56	0	0	100	9.12	15.26	-11.24	10.94
943.02	62.14	4204	0	-1.56	0	0	100	9.24	15.26	-11.46	11.25
943.12	62.14	4199	0	-1.56	0	0	100	9.18	15.26	-11.24	10.94
943.2	62.14	4192	0	-1.56	0	0	100	9.12	15.26	-11.24	10.94
943.3	60.89	4180	0	-1.56	0	0	100	9.1	15.26	-11.46	10.94
943.38	60.89	4171	0	-1.56	0	0	100	9.08	15.26	-11.46	10.94
943.48	60.89	4164	0	-1.56	0	0	100	9.08	15.26	-11.46	10.94
943.56	60.89	4148	0	-1.56	0	0	100	9.2	15.26	-11.46	10.94
943.66	60.89	4152	0	-1.56	0	0	100	9.06	15.26	-11.46	10.94
943.74	60.89	4139	0	-1.56	0	0	100	9	15.26	-11.46	10.94
943.84	60.89	4129	0	-1.56	0	0	100	9.08	15.26	-11.24	10.94
943.92	59.65	4116	0	-1.56	0	0	100	8.94	15.26	-11.46	10.94
944.02	59.65	4111	0	-1.56	0	0	100	9.14	15.26	-11.46	11.25
944.1	59.65	4103	0	-1.56	0	0	100	9.22	15.26	-11.24	11.25
944.2	59.65	4104	0	-1.56	0	0	100	9.16	15.26	-11.24	11.25
944.28	59.65	4087	0	-1.56	0	0	100	9.08	15.26	-11.46	11.25
944.38	59.65	4078	0	-1.56	0	0	100	9.16	15.65	-11.24	11.56
944.46	59.65	4069	0	-1.56	0	0	100	10.44	16.43	-10.88	13.44
944.56	59.65	4062	0	-1.56	0	0	100	11.28	16.43	-10.88	14.06
944.64	59.65	4064	6.07	-1.56	0	0	100	11.72	16.04	-11.02	14.06
944.74	59.65	4058	5.19	-1.56	0	0	100	11.1	16.04	-11.02	13.75
944.82	59.65	4042	5.17	-1.56	0	0	100	10.88	16.43	-11.02	13.44
944.92	59.65	4045	5.18	-1.56	0	0	100	11.96	18	-10.66	16.25
945	59.65	4045	6.04	-1.56	0	0	100	15.44	18.78	-10.08	20.31
945.1	59.65	4067	6.94	-1.56	0	0	100	18.14	20.74	-9.28	24.69
945.18	59.65	4042	7.76	-1.56	0	0	100	21.88	20.74	-8.7	28.44

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
945.28	59.65	4030	8.6	-1.56	0	0	100	23.52	20.74	-8.48	29.38
945.36	58.41	4025	8.59	-1.56	0	0	100	23.86	20.74	-8.48	30
945.46	58.41	4036	8.61	-1.56	0	0	100	24.1	20.35	-8.7	29.38
945.56	58.41	4023	7.72	-1.56	0	0	100	20.96	17.61	-9.64	24.06
945.64	58.41	4019	6	-1.56	0	0	100	16.34	16.43	-10.44	18.75
945.74	58.41	4001	5.12	-1.56	0	0	100	12.9	16.43	-10.88	15.62
945.82	58.41	3993	5.11	-1.56	0	0	100	11.6	13.69	-11.46	12.5
945.92	58.41	4008	5.13	-1.56	0	0	100	9.12	12.52	-12.04	11.56
946	58.41	3999	5.12	-1.56	0	0	100	9.14	12.13	-12.18	11.56
946.1	58.41	3995	5.11	-1.56	0	0	100	9.08	12.13	-12.18	11.56
946.18	58.41	3985	5.1	-1.56	0	0	100	9.08	12.13	-12.18	11.56
946.28	58.41	3974	5.09	-1.56	0	0	100	9.06	11.74	-12.18	11.56
946.38	58.41	3970	5.08	-1.56	0	0	100	9.06	14.87	-12.04	10.94
946.46	58.41	3959	5.07	-1.56	0	0	100	10.12	16.43	-11.02	13.75
946.56	58.41	3972	5.08	-1.56	0	0	100	12.6	18	-10.44	18.12
946.64	58.41	3974	5.94	-1.56	0	0	100	15.46	18	-10.08	19.69
946.74	58.41	3976	5.94	-1.56	0	0	100	15.86	18.39	-10.08	20.31
946.82	57.17	3920	5.85	-1.56	0	0	100	16.08	18.78	-9.86	21.25
946.92	57.17	3930	6.71	-1.56	0	0	100	18.7	19.95	-9.28	25.31
947	57.17	3972	6.78	-1.56	0	0	100	21.14	20.35	-8.92	27.19
947.1	57.17	3924	7.54	-1.56	0	0	100	21.8	20.35	-8.7	28.44
947.18	57.17	3947	6.74	-1.56	0	0	100	22.18	20.35	-8.7	28.12
947.28	57.17	3937	6.72	-1.56	0	0	100	21.88	20.35	-8.7	28.12
947.36	57.17	3938	6.72	-1.56	0	0	100	21.96	20.35	-8.7	28.12
947.46	57.17	3930	6.71	-1.56	0	0	100	21.74	19.95	-8.7	27.81
947.54	57.17	3937	6.72	-1.56	0	0	100	21.8	19.95	-8.7	27.81
947.64	57.17	3928	6.7	-1.56	0	0	100	21.74	19.95	-8.7	27.81
947.72	57.17	3935	6.72	-1.56	0	0	100	21.28	18.39	-9.28	25.62
947.82	57.17	3924	5.86	-1.56	0	0	100	17.28	17.61	-10.08	20.62
947.92	57.17	3912	5.84	-1.56	0	0	100	15.06	17.61	-10.22	19.06
948.04	57.17	3906	5.83	-1.56	0	0	100	14.66	17.61	-10.22	18.75
948.14	57.17	3935	5.88	-1.56	0	0	100	14.96	18.39	-10.08	19.69
948.26	57.17	3928	5.87	-1.56	0	0	100	16.76	18.78	-9.64	22.19
948.36	57.17	3908	5.84	-1.56	0	0	100	18.42	19.17	-9.5	24.06
948.48	57.17	3914	5.85	-1.56	0	0	100	18.34	18.39	-9.64	22.81
948.58	57.17	3910	5.84	-1.56	0	0	100	14.96	16.43	-10.66	17.19
948.7	57.17	3877	4.96	-1.56	0	0	100	11.8	16.04	-11.02	14.69
948.8	57.17	3883	4.97	-1.56	0	0	100	10.7	16.04	-11.02	13.44
948.92	57.17	3890	4.98	-1.56	0	0	100	10.4	16.04	-11.24	13.44

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
949.02	57.17	3881	4.97	-1.56	0	0	100	10.26	15.65	-11.24	13.44
949.14	57.17	3883	4.97	-1.56	0	0	100	10.16	15.65	-11.24	13.44
949.24	57.17	3879	4.97	-1.56	0	0	100	10.2	15.65	-11.02	13.44
949.36	57.17	3866	4.95	-1.56	0	0	100	10.28	16.04	-11.02	13.44
949.46	57.17	3861	4.94	-1.56	0	0	100	11.2	16.82	-10.88	15
949.56	57.17	3868	4.95	-1.56	0	0	100	12.64	17.22	-10.66	17.19
949.66	55.92	3859	5.76	-1.56	0	0	100	13.72	17.61	-10.44	17.81
949.76	55.92	3861	4.94	-1.56	0	0	100	13.72	17.22	-10.44	17.81
949.86	55.92	3853	5.76	-1.56	0	0	100	13.58	17.22	-10.44	17.81
949.96	55.92	3838	4.91	-1.56	0	0	100	13.7	17.22	-10.44	17.81
950.08	55.92	3834	4.91	-1.56	0	0	100	13.64	17.22	-10.44	17.81
950.18	55.92	3838	4.91	-1.56	0	0	100	13.6	17.22	-10.44	17.81
950.28	55.92	3830	4.9	-1.56	0	0	100	13.58	17.22	-10.44	17.81
950.38	55.92	3820	5.71	-1.56	0	0	100	14.04	18	-10.22	18.75
950.5	55.92	3832	5.72	-1.56	0	0	100	16.78	21.13	-8.92	25.94
950.58	55.92	3852	7.4	-1.56	0	0	100	22.68	21.13	-8.34	30.94
950.68	55.92	3811	7.32	-1.56	0	0	100	23.88	21.13	-7.9	32.19
950.79	55.92	3836	7.37	-1.56	0	0	100	25.24	22.69	-7.54	35.94
950.91	55.92	3807	8.12	-1.56	0	0	100	29.08	24.26	-6.53	42.19
951.01	55.92	3844	10.66	-1.56	0	0	100	36.06	24.65	-5.58	48.44
951.13	55.92	3842	10.66	-1.56	0	0	100	37.92	24.26	-5.37	49.69
951.23	55.92	3834	10.63	-1.56	0	0	100	38.52	23.87	-5.58	49.69
951.35	55.92	3842	9.84	-1.56	0	0	100	36.54	22.69	-6.16	46.25
951.45	55.92	3838	9.01	-1.56	0	0	100	30.82	21.52	-7.11	38.75
951.57	55.92	3848	8.21	-1.56	0	0	100	27.56	21.13	-7.54	35.31
951.67	55.92	3857	8.23	-1.56	0	0	100	27	21.91	-7.11	36.25
951.79	55.92	3853	8.22	-1.56	0	0	100	30.14	22.69	-6.53	40
951.89	55.92	3857	9.05	-1.56	0	0	100	31.1	22.3	-6.53	40.31
951.99	55.92	3863	9.07	-1.56	0	0	100	31.16	22.69	-6.53	40.31
952.07	55.92	3863	9.07	-1.56	0	0	100	31.64	23.08	-6.16	42.19
952.17	55.92	3870	9.91	-1.56	0	0	100	35.44	23.87	-5.58	47.19
952.27	55.92	3872	9.91	-1.56	0	0	100	36.44	23.48	-5.58	47.19
952.37	55.92	3875	9.92	-1.56	0	0	100	36	22.69	-5.95	45
952.45	55.92	3875	9.1	-1.56	0	0	100	31.96	21.52	-6.74	39.69
952.55	55.92	3881	8.28	-1.56	0	0	100	29.4	21.52	-6.96	37.19
952.65	55.92	3881	8.28	-1.56	0	0	100	28.06	21.52	-7.11	35.94
952.75	55.92	3883	8.29	-1.56	0	0	100	27.64	21.52	-7.11	35.62
952.83	55.92	3881	8.28	-1.56	0	0	100	27.3	21.52	-7.11	35
952.93	55.92	3894	8.31	-1.56	0	0	100	26.88	21.52	-7.32	34.38

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
953.03	55.92	3894	8.31	-1.56	0	0	100	26.38	20.35	-7.54	33.12
953.13	57.17	3894	7.48	-1.56	0	0	100	23.72	18.39	-8.7	27.5
953.23	57.17	3894	6.65	-1.56	0	0	100	18.52	18	-9.5	22.5
953.31	57.17	3881	5.8	-1.56	0	0	100	16.02	16.82	-10.08	19.06
953.41	57.17	3877	4.96	-1.56	0	0	100	12.66	16.43	-10.66	15.62
953.51	57.17	3863	4.95	-1.56	0	0	100	11.32	16.04	-10.88	14.06
953.59	57.17	3861	4.94	-1.56	0	0	100	10.36	16.04	-11.02	13.12
953.69	57.17	3870	4.95	-1.56	0	0	100	9.98	16.04	-11.02	12.81
953.79	57.17	3863	4.95	-1.56	0	0	100	10.06	16.04	-11.02	13.12
953.89	55.92	3861	4.94	-1.56	0	0	100	10	16.04	-11.02	13.12
953.99	55.92	3859	4.94	-1.56	0	0	100	10.1	16.04	-11.02	13.12
954.09	55.92	3850	4.93	-1.56	0	0	100	10.08	16.04	-11.02	13.12
954.21	55.92	3842	4.92	-1.56	0	0	100	10.2	15.65	-11.02	13.12
954.31	55.92	3838	4.91	-1.56	0	0	100	10.2	16.04	-11.02	13.44
954.43	55.92	3836	4.91	-1.56	0	0	100	10.02	12.91	-11.6	10.94
954.53	55.92	3809	4.88	-1.56	0	0	100	8.44	12.52	-12.04	11.25
954.65	55.92	3669	4.7	-1.56	0	0	100	7.96	13.69	-11.82	10.94
954.75	55.92	3507	4.49	-1.56	0	0	100	18.2	30.91	-3.99	48.12
954.87	55.92	3609	13.86	-1.56	0	0	100	57.3	37.56	-1.09	77.19
954.95	55.92	4210	17.07	-1.56	0	0	100	57.5	22.69	-5.22	51.25
955.05	55.92	4792	11.25	-1.56	0	0	100	32	17.61	-9.06	25.31
955.13	55.92	5057	7.55	-1.56	0	0	100	20.6	18	-9.86	19.06
955.23	55.92	5013	6.42	-1.56	0	0	100	15.76	16.04	-10.66	14.69
955.33	54.68	4876	6.24	-1.56	0	0	100	12.24	14.87	-11.24	10.62
955.41	54.68	4927	5.26	-1.56	0	0	100	10.58	17.61	-10.66	11.88
955.53	54.68	4976	6.37	-1.56	0	0	100	15.58	18.39	-10.08	16.56
955.63	54.68	4931	6.31	-1.56	0	0	100	16.76	19.17	-9.86	18.44
955.71	54.68	4908	7.33	-1.56	0	0	100	18.62	19.17	-9.64	19.06
955.81	54.68	4921	7.35	-1.56	0	0	100	18.32	18	-10.08	17.81
955.91	54.68	4921	7.35	-1.56	0	0	100	16.48	18	-10.22	16.56
956.01	54.68	4901	6.27	-1.56	0	0	100	15.8	18	-10.22	15.94
956.09	54.68	4892	6.26	-1.56	0	0	100	15.46	18	-10.44	15.62
956.19	54.68	4892	6.26	-1.56	0	0	100	15.1	17.61	-10.44	15
956.29	54.68	4882	6.25	-1.56	0	0	100	10.52	12.91	-11.6	10.31
956.39	54.68	4841	6.2	-1.56	0	0	100	10.12	12.13	-11.82	10.31
956.49	54.68	4873	5.2	-1.56	0	0	100	10.04	12.13	-12.04	10.31
956.59	54.68	4826	5.15	-1.56	0	0	100	10.06	11.74	-12.04	10.31
956.71	53.44	4829	5.15	-1.56	0	0	100	9.98	11.74	-12.04	10.31
956.79	53.44	4807	5.13	-1.56	0	0	100	9.68	11.35	-12.18	8.12

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
956.89	53.44	4798	0	-1.56	0	0	100	5.96	14.87	-12.04	7.5
956.97	53.44	4780	0	-1.56	0	0	100	10.64	17.22	-11.02	13.12
957.07	53.44	4776	0	-1.56	0	0	100	14.06	17.61	-10.44	15.31
957.17	53.44	4752	7.1	-1.56	0	0	100	15.28	17.61	-10.44	16.56
957.25	53.44	4786	7.15	-1.56	0	0	100	15.3	18.39	-10.22	16.56
957.35	53.44	4768	7.12	-1.56	0	0	100	16.76	19.17	-9.86	18.75
957.43	52.2	4747	7.09	-1.56	0	0	100	19.88	19.95	-9.5	21.88
957.53	52.2	4747	7.09	-1.56	0	0	100	20.88	19.95	-9.5	22.5
957.61	52.2	4728	8.07	-1.56	0	0	100	23.12	22.3	-8.7	27.5
957.71	52.2	4747	9.11	-1.56	0	0	100	31.26	23.48	-7.54	34.38
957.79	52.2	4761	10.16	-1.56	0	0	100	33.56	23.48	-7.32	35.94
957.89	52.2	4726	10.08	-1.56	0	0	100	34.32	23.48	-7.32	36.25
957.97	52.2	4749	10.13	-1.56	0	0	100	34.84	23.48	-7.11	37.5
958.07	52.2	4719	10.07	-1.56	0	0	100	35.32	23.08	-7.11	37.19
958.15	52.2	4740	10.11	-1.56	0	0	100	34.48	22.69	-7.32	35.94
958.25	52.2	4723	10.08	-1.56	0	0	100	33.26	23.08	-7.32	35.31
958.33	52.2	4737	10.11	-1.56	0	0	100	33.04	23.08	-7.32	35.31
958.43	52.2	4734	10.1	-1.56	0	0	100	33.58	23.08	-7.32	35.62
958.51	52.2	4747	10.13	-1.56	0	0	100	33.44	22.69	-7.32	35
958.61	52.2	4731	10.09	-1.56	0	0	100	30.76	19.95	-8.34	29.69
958.69	52.2	4734	8.08	-1.56	0	0	100	24.9	19.95	-8.92	25
958.79	52.2	4728	8.07	-1.56	0	0	100	22.3	19.56	-9.06	23.12
958.87	52.2	4726	7.06	-1.56	0	0	100	21.02	19.56	-9.28	21.88
958.97	52.2	4723	7.05	-1.56	0	0	100	20.04	19.56	-9.5	21.25
959.05	52.2	4713	7.04	-1.56	0	0	100	19.72	19.56	-9.5	20.94
959.15	52.2	4713	7.04	-1.56	0	0	100	19.96	19.56	-9.28	21.56
959.25	52.2	4719	7.05	-1.56	0	0	100	21.36	20.74	-8.92	24.06
959.33	52.2	4710	9.04	-1.56	0	0	100	27.18	25.82	-7.11	36.88
959.43	52.2	4740	13.15	-1.56	0	0	100	45.92	27.78	-5	51.88
959.51	52.2	4728	15.13	-1.56	0	0	100	51.48	27.78	-4.42	56.88
959.61	52.2	4726	16.13	-1.56	0	0	100	59.02	30.52	-2.83	65.62
959.69	52.2	4761	20.32	-1.56	0	0	100	67.96	32.47	-1.31	76.56
959.79	52.2	4758	22.33	0	0	0	100	76.32	32.08	-0.51	81.88
959.87	52.2	4783	24.49	0	0	0	100	80.28	32.08	0.29	87.19
959.97	52.2	4804	25.62	0	0	0	100	87.5	31.3	1.09	91.25
960.07	52.2	4813	24.65	0	0	0	100	74.98	25.04	-2.03	69.06
960.15	52.2	4804	17.42	-1.56	0	0	100	64.32	30.52	-0.51	77.5
960.25	53.44	4895	26.11	0	0	0	100	86.04	30.91	1.09	91.56
960.35	53.44	4857	27.98	0	0	0	100	90.94	30.91	1.23	93.12

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
960.43	53.44	4917	28.33	0	0	0	100	87.26	23.48	-1.67	72.81
960.53	53.44	4848	14.48	-1.56	0	0	100	43.22	17.61	-7.54	34.38
960.61	53.44	4905	7.33	-1.56	0	0	100	25.38	18	-8.92	22.81
960.71	53.44	4911	7.33	-1.56	0	0	100	20.14	18	-9.5	20
960.79	53.44	4876	6.24	-1.56	0	0	100	18.28	18	-9.64	18.44
960.91	53.44	4863	6.23	-1.56	0	0	100	17	18	-10.08	17.19
960.99	54.68	4879	6.25	-1.56	0	0	100	15.5	14.09	-11.02	12.5
961.09	54.68	4851	5.17	-1.56	0	0	100	10.04	12.52	-11.6	10.31
961.17	54.68	4870	5.19	-1.56	0	0	100	10.12	12.13	-11.82	10.31
961.27	54.68	4848	5.17	-1.56	0	0	100	10.02	12.13	-11.82	10.31
961.35	54.68	4829	5.15	-1.56	0	0	100	10.04	11.74	-12.04	10.31
961.45	54.68	4819	5.14	-1.56	0	0	100	9.98	11.74	-12.04	10.31
961.55	54.68	4798	5.12	-1.56	0	0	100	9.58	11.35	-12.04	7.81
961.63	53.44	4792	0	-1.56	0	0	100	5.82	11.35	-12.18	5.62
961.73	53.44	4770	0	-1.56	0	0	100	7.74	15.65	-11.46	10
961.83	53.44	4758	0	-1.56	0	0	100	9.72	15.65	-11.24	10.31
961.91	53.44	4743	0	-1.56	0	0	100	9.7	15.65	-11.24	10.31
962.01	53.44	4731	0	-1.56	0	0	100	9.56	15.65	-11.02	10
962.11	53.44	4713	0	-1.56	0	0	100	9.48	15.65	-11.24	10.31
962.19	53.44	4705	0	-1.56	0	0	100	9.46	15.65	-11.24	10.31
962.29	53.44	4684	0	-1.56	0	0	100	9.58	15.65	-11.24	10.31
962.39	52.2	4666	0	-1.56	0	0	100	9.58	15.65	-11.24	10.31
962.49	52.2	4649	0	-1.56	0	0	100	10.74	17.22	-10.88	13.12
962.57	52.2	4641	0	-1.56	0	0	100	15.56	18.78	-9.86	19.38
962.67	52.2	4632	7.91	-1.56	0	0	100	19.18	19.56	-9.64	21.25
962.77	52.2	4678	8.98	-1.56	0	0	100	22.5	21.52	-8.7	27.19
962.85	52.2	4678	9.98	-1.56	0	0	100	26.92	22.69	-8.12	31.56
962.95	52.2	4581	10.75	-1.56	0	0	100	32.84	23.48	-7.32	37.19
963.03	50.95	4652	10.92	-1.56	0	0	100	37.4	25.43	-6.38	43.75
963.13	50.95	4606	11.79	-1.56	0	0	100	41.48	25.04	-5.95	46.25
963.21	50.95	4638	11.87	-1.56	0	0	100	43.2	25.04	-5.8	47.5
963.31	50.95	4618	11.82	-1.56	0	0	100	44.4	25.43	-5.58	48.75
963.39	50.95	4638	12.86	-1.56	0	0	100	46.04	26.61	-5	52.81
963.49	50.95	4635	14.83	-1.56	0	0	100	53.96	29.34	-3.26	63.75
963.57	50.95	4669	16.94	-1.56	0	0	100	63.6	29.74	-2.25	70.31
963.67	50.95	4661	18.89	-1.56	0	0	100	67.4	29.74	-1.67	74.38
963.75	52.2	4693	20.02	-1.56	0	0	100	71	29.74	-1.09	77.81
963.85	52.2	4693	22.03	0	0	0	100	75.18	29.74	-0.51	81.88
963.93	52.2	4726	22.18	0	0	0	100	78.24	29.74	-0.15	84.69

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
964.03	52.2	4728	24.21	0	0	0	100	80.92	29.74	0.29	86.25
964.11	52.2	4761	24.38	0	0	0	100	83.4	29.74	0.44	87.81
964.21	52.2	4768	24.41	0	0	0	100	83.12	29.34	0.29	85.31
964.29	52.2	4801	23.56	0	0	0	100	76.3	27.39	-0.73	75
964.39	52.2	4801	19.46	0	0	0	100	69.32	27.78	-1.09	70.94
964.47	53.44	4835	18.57	-1.56	0	0	100	67.44	27.39	-1.31	69.69
964.57	53.44	4832	18.56	-1.56	0	0	100	65.42	26.21	-2.25	65.94
964.65	53.44	4851	17.59	-1.56	0	0	100	61.54	26.61	-2.47	62.81
964.75	53.44	4867	16.61	-1.56	0	0	100	60.2	26.61	-2.68	61.56
964.83	53.44	4876	16.64	-1.56	0	0	100	59.2	25.82	-3.05	59.38
964.93	53.44	4889	15.65	-1.56	0	0	100	51.78	22.69	-5.37	46.25
965.01	53.44	4863	12.45	-1.56	0	0	100	39.28	22.3	-6.38	37.81
965.11	53.44	4901	10.46	-1.56	0	0	100	31.94	18.78	-8.34	27.81
965.19	53.44	4860	7.26	-1.56	0	0	100	20.9	16.43	-10.08	17.19
965.29	53.44	4848	6.21	-1.56	0	0	100	14.64	16.43	-10.44	14.06
965.37	53.44	4823	6.17	-1.56	0	0	100	12.88	15.65	-10.88	12.19
965.47	53.44	4879	6.25	-1.56	0	0	100	10.62	14.48	-11.24	10.31
965.55	53.44	4826	5.15	-1.56	0	0	100	10.02	14.09	-11.6	10.31
965.65	53.44	4832	5.15	-1.56	0	0	100	10.04	13.3	-11.6	9.69
965.73	53.44	4816	5.14	-1.56	0	0	100	7.66	12.52	-11.82	6.88
965.83	53.44	4795	5.12	-1.56	0	0	100	5.48	12.13	-12.18	5
965.91	53.44	4789	5.11	-1.56	0	0	100	4.14	11.74	-12.18	4.06
966.01	53.44	4765	0	-1.56	0	0	100	3.32	11.35	-12.4	3.44
966.09	53.44	4761	0	-1.56	0	0	100	2.94	14.48	-12.04	5.31
966.19	53.44	4734	0	-1.56	0	0	100	7.82	15.65	-11.46	9.38
966.27	53.44	4734	0	-1.56	0	0	100	9.38	15.65	-11.24	10.31
966.37	53.44	4707	0	-1.56	0	0	100	9.54	15.65	-11.24	10.31
966.45	53.44	4699	0	-1.56	0	0	100	9.52	15.65	-11.02	10.31
966.55	53.44	4672	0	-1.56	0	0	100	9.62	15.65	-11.24	10.31
966.63	52.2	4666	0	-1.56	0	0	100	9.76	15.65	-11.24	10.31
966.73	52.2	4644	0	-1.56	0	0	100	9.62	15.65	-11.24	10.62
966.81	52.2	4641	0	-1.56	0	0	100	9.72	15.65	-11.24	10.31
966.91	52.2	4618	0	-1.56	0	0	100	9.52	15.65	-11.24	10.31
966.99	52.2	4606	0	-1.56	0	0	100	9.66	15.65	-11.24	10.62
967.09	52.2	4589	0	-1.56	0	0	100	9.64	15.65	-11.24	10.62
967.17	52.2	4576	0	-1.56	0	0	100	9.72	15.65	-11.24	10.62
967.27	52.2	4562	0	-1.56	0	0	100	9.74	15.65	-11.24	10.94
967.35	50.95	4548	0	-1.56	0	0	100	9.8	15.65	-11.24	10.94
967.45	50.95	4534	0	-1.56	0	0	100	9.64	15.65	-11.24	10.62

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
967.53	50.95	4518	0	-1.56	0	0	100	9.64	15.65	-11.24	10.94
967.63	50.95	4507	0	-1.56	0	0	100	9.68	15.65	-11.24	10.94
967.71	50.95	4477	0	-1.56	0	0	100	9.78	15.65	-11.24	10.94
967.81	50.95	4475	0	-1.56	0	0	100	9.7	15.65	-11.24	10.94
967.89	50.95	4453	0	-1.56	0	0	100	9.76	15.65	-11.24	10.94
967.99	49.71	4448	0	-1.56	0	0	100	9.82	15.65	-11.24	11.25
968.07	49.71	4432	0	-1.56	0	0	100	9.72	15.26	-11.24	10.94
968.17	49.71	4416	0	-1.56	0	0	100	9.48	15.26	-11.24	10.94
968.25	49.71	4403	0	-1.56	0	0	100	9.56	15.26	-11.24	10.94
968.35	49.71	4383	0	-1.56	0	0	100	9.4	15.26	-11.24	10.94
968.43	49.71	4375	0	-1.56	0	0	100	9.44	15.26	-11.24	10.94
968.53	49.71	4347	0	-1.56	0	0	100	9.4	15.26	-11.24	10.94
968.61	49.71	4345	0	-1.56	0	0	100	9.4	15.26	-11.24	10.62
968.71	47.22	4325	0	-1.56	0	0	100	9.38	15.26	-11.24	10.94
968.79	47.22	4310	0	-1.56	0	0	100	9.42	15.26	-11.24	10.94
968.89	47.22	4300	0	-1.56	0	0	100	9.26	15.26	-11.24	10.94
968.97	47.22	4261	0	-1.56	0	0	100	9.24	15.26	-11.46	10.94
969.07	47.22	4213	0	-1.56	0	0	100	9.18	15.26	-11.24	10.94
969.19	47.22	4150	0	-1.56	0	0	100	9.14	16.43	-11.02	12.81
969.29	47.22	4084	0	-1.56	0	0	100	11.08	16.43	-10.88	14.06
969.39	47.22	4036	6.03	-1.56	0	0	100	11.32	16.43	-11.02	14.69
969.48	44.74	3991	5.11	-1.56	0	0	100	11.34	18.78	-10.22	17.81
969.58	44.74	3976	6.79	-1.56	0	0	100	16.86	19.95	-9.5	23.44
969.66	44.74	3949	8.42	-1.56	0	0	100	21.56	21.91	-8.12	31.88
969.76	44.74	3818	8.96	-1.56	0	0	100	27.38	23.48	-6.96	37.81
969.84	44.74	3976	11.03	-1.56	0	0	100	33.4	25.82	-5.95	45.31
969.94	44.74	4201	14.34	-1.56	0	0	100	50.54	31.69	-2.83	66.25
970.02	44.74	4564	17.53	-1.56	0	0	100	59.18	27.39	-3.99	57.81
970.12	39.77	4931	14.73	-1.56	0	0	100	45.8	19.17	-7.9	33.75
970.2	39.77	5112	7.63	-1.56	0	0	100	23.42	18.39	-9.64	20.94
970.3	39.77	5133	7.67	-1.56	0	0	100	19.24	18.39	-9.86	17.81
970.38	39.77	5108	6.54	-1.56	0	0	100	15.4	15.65	-10.88	13.12
970.48	39.77	5006	6.41	-1.56	0	0	100	10.92	14.09	-11.46	10.31
970.56	39.77	4804	5.12	-1.56	0	0	100	9.72	13.3	-11.6	10.31
970.66	39.77	4589	5.87	-1.56	0	0	100	9.42	12.91	-11.82	10.31
970.74	39.77	4507	5.77	-1.56	0	0	100	9.5	11.35	-12.04	10.31
970.84	37.28	4612	0	-1.56	0	0	100	8.72	15.26	-11.6	9.38
970.92	37.28	4531	0	-1.56	0	0	100	9.76	15.65	-11.46	10.94
971.02	37.28	4456	0	-1.56	0	0	100	9.66	15.65	-11.24	10.62

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
971.1	37.28	4456	0	-1.56	0	0	100	9.42	15.26	-11.24	10.62
971.2	37.28	4378	0	-1.56	0	0	100	9.16	15.26	-11.24	10.94
971.28	37.28	4302	0	-1.56	0	0	100	9.16	15.26	-11.24	10.62
971.38	37.28	4247	0	-1.56	0	0	100	9.08	15.26	-11.24	10.94
971.46	37.28	4164	0	-1.56	0	0	100	8.92	15.26	-11.24	10.94
971.56	33.55	4089	0	-1.56	0	0	100	8.92	15.26	-11.24	10.94
971.66	33.55	4019	0	-1.56	0	0	100	8.66	15.26	-11.24	10.94
971.74	33.55	3949	0	-1.56	0	0	100	8.64	14.87	-11.24	10.94
971.84	33.55	3868	0	-1.56	0	0	100	8.44	14.87	-11.24	10.94
971.92	33.55	3791	0	-1.56	0	0	100	8.24	14.87	-11.24	10.94
972.02	33.55	3714	0	-1.56	0	0	100	7.92	14.48	-11.24	10.62
972.1	33.55	3640	0	-1.56	0	0	100	7.68	14.48	-11.24	10.62
972.2	33.55	3567	0	-1.56	0	0	100	7.42	14.09	-11.46	10.62
972.3	28.58	3506	0	-1.56	0	0	100	7.22	14.09	-11.24	10.31
972.41	28.58	3431	0	-1.56	0	0	100	6.96	14.09	-11.24	10.62
972.51	28.58	3360	0	-1.56	0	0	100	6.88	14.09	-11.24	10.31
972.61	28.58	3295	0	-1.56	0	0	100	6.8	14.09	-11.24	10.62
972.71	28.58	3229	0	-1.56	0	0	100	6.74	14.09	-11.24	10.62
972.79	28.58	3195	0	-1.56	0	0	100	6.76	14.09	-11.24	10.62
972.89	28.58	3189	0	-1.56	0	0	100	6.8	14.09	-11.24	10.94
972.99	26.1	3152	0	-1.56	0	0	100	6.84	14.09	-11.24	10.94
973.09	26.1	3136	0	-1.56	0	0	100	6.92	14.09	-11.24	11.25
973.2	26.1	3110	0	-1.56	0	0	100	6.8	14.09	-11.24	10.94
973.3	26.1	3083	0	-1.56	0	0	100	6.68	14.09	-11.24	10.94
973.42	26.1	3069	0	-1.56	0	0	100	6.68	14.09	-11.24	10.94
973.52	26.1	3041	0	-1.56	0	0	100	6.54	14.09	-11.24	10.94
973.64	26.1	3025	0	-1.56	0	0	100	6.6	14.09	-11.24	10.94
973.74	24.85	2999	0	-1.56	0	0	100	6.64	14.09	-11.24	11.25
973.86	24.85	2975	0	-1.56	0	0	100	6.6	13.69	-11.24	11.25
973.96	24.85	2957	0	-1.56	0	0	100	6.48	13.69	-11.24	10.94
974.08	24.85	2936	0	-1.56	0	0	100	6.4	13.69	-11.46	10.94
974.18	24.85	2916	0	-1.56	0	0	100	6.32	13.69	-11.24	10.94
974.3	24.85	2890	0	-1.56	0	0	100	6.24	13.69	-11.46	10.94
974.4	23.61	2867	0	-1.56	0	0	100	6.22	13.69	-11.46	10.94
974.52	23.61	2845	0	-1.56	0	0	100	6.18	13.69	-11.46	10.94
974.62	23.61	2823	0	-1.56	0	0	100	6.08	13.69	-11.46	10.94
974.74	23.61	2804	0	-1.56	0	0	100	6.04	13.69	-11.46	10.94
974.84	23.61	2782	0	-1.56	0	0	100	6	13.69	-11.46	10.94
974.96	23.61	2757	0	-1.56	0	0	100	6.02	13.69	-11.46	10.94

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
975.06	23.61	2736	0	-1.56	0	0	100	6.04	13.69	-11.46	11.25
975.18	22.37	2719	0	-1.56	0	0	100	5.96	13.3	-11.46	10.94
975.28	22.37	2693	0	-1.56	0	0	100	5.92	13.3	-11.46	10.94
975.4	22.37	2677	0	-1.56	0	0	100	5.88	13.3	-11.46	11.25
975.52	22.37	2650	0	-1.56	0	0	100	5.86	13.3	-11.46	11.25
975.62	22.37	2629	0	-1.56	0	0	100	5.82	13.3	-11.46	11.25
975.74	22.37	2605	0	-1.56	0	0	100	5.8	13.3	-11.46	11.25
975.82	21.13	2584	0	-1.56	0	0	100	5.72	13.3	-11.46	11.25
975.92	21.13	2568	0	-1.56	0	0	100	5.72	13.3	-11.24	11.25
976.02	21.13	2546	0	-1.56	0	0	100	5.76	13.3	-11.24	11.56
976.12	21.13	2527	0	-1.56	0	0	100	5.76	13.69	-11.24	11.88
976.2	21.13	2514	0	-1.56	0	0	100	6.28	14.48	-11.02	13.12
976.3	21.13	2505	3.74	-1.56	0	0	100	7.42	14.87	-10.88	15.62
976.4	21.13	2499	3.73	-1.56	0	0	100	8.02	14.87	-10.66	16.25
976.5	19.88	2516	3.76	-1.56	0	0	100	8.82	16.04	-10.22	18.75
976.58	19.88	2541	4.34	-1.56	0	0	100	10.18	16.43	-9.86	21.25
976.68	19.88	2465	4.73	-1.56	0	0	100	10.52	16.04	-9.64	21.88
976.78	19.88	2443	4.69	-1.56	0	0	100	11	16.82	-9.28	23.44
976.88	19.88	2501	4.8	-1.56	0	0	100	12.94	18	-8.7	27.19
976.96	19.88	2475	5.28	-1.56	0	0	100	14.22	18	-8.12	29.69
977.06	19.88	2463	5.26	-1.56	0	0	100	15.42	18.78	-7.76	32.5
977.18	19.88	2506	5.88	-1.56	0	0	100	16.92	19.17	-7.32	35
977.26	19.88	2479	5.82	-1.56	0	0	100	17.58	19.56	-6.96	36.25
977.36	19.88	2515	6.44	-1.56	0	0	100	19.12	20.74	-6.38	40.31
977.46	19.88	2537	7.58	-1.56	0	0	100	22.04	23.08	-5	47.19
977.54	19.88	2548	8.7	-1.56	0	0	100	26.68	25.43	-3.41	56.88
977.64	19.88	2590	9.95	-1.56	0	0	100	32.4	26.61	-2.47	64.38
977.74	19.88	2604	10	-1.56	0	0	100	34.68	27	-2.03	67.81
977.84	19.88	2639	9.57	-1.56	0	0	100	38.44	53.21	0.65	82.81
977.92	21.13	2734	12.83	-1.56	0	1.05	100	49.7	55.95	1.23	94.38
978.02	21.13	2720	15.09	-1.56	0	1.05	100	53.58	56.73	1.81	99.69
978.12	21.13	2821	17.46	-1.56	0	1.05	100	56.92	59.47	2.83	105.31
978.22	21.13	2865	18.95	-1.56	0	1.05	100	62.36	61.82	3.63	112.19
978.32	21.13	2937	20.05	-1.56	0	1.05	100	70	61.43	4.93	120.31
978.44	21.13	3024	23.23	0	0	1.05	100	77.2	59.86	6.31	130.31
978.54	21.13	3122	26.65	0	0	1.05	100	85.5	54.38	7.9	135
978.66	26.1	3236	28.31	0	0	1.05	100	91.64	50.47	9.43	145.94
978.76	26.1	3339	32.06	0	0	0.7	100	101.82	42.65	10.59	153.75
978.88	26.1	3462	35.45	0	0	0.7	100	108.54	33.65	10.22	152.81

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
978.98	26.1	3551	29.55	0	0	0.7	100	86.36	25.43	3.99	103.44
979.1	26.1	3609	16.94	-1.56	0	0	100	56.92	21.91	-1.31	69.38
979.2	26.1	3683	11.79	-1.56	0	0	100	43.14	20.74	-3.99	52.81
979.32	26.1	3718	9.52	-1.56	0	0	100	32.38	17.61	-6.96	37.19
979.42	29.83	3734	6.37	-1.56	0	0	100	19.96	16.82	-9.06	24.06
979.52	29.83	3751	5.6	-1.56	0	0	100	15.8	16.82	-9.64	20
979.6	29.83	3757	4.81	-1.56	0	0	100	14.08	16.82	-9.86	18.75
979.7	29.83	3740	4.79	-1.56	0	0	100	13.04	16.82	-10.08	16.56
979.8	29.83	3744	4.79	-1.56	0	0	100	11.78	16.82	-10.08	15.62
979.9	29.83	3742	4.79	-1.56	0	0	100	11.8	18.78	-9.86	18.12
979.98	29.83	3744	5.59	-1.56	0	0	100	17.04	19.56	-8.92	24.38
980.08	29.83	3788	6.46	-1.56	0	0	100	19.46	19.95	-8.7	26.56
980.18	29.83	3814	6.51	-1.56	0	0	100	20.64	21.52	-7.9	31.25
980.26	29.83	3734	7.97	-1.56	0	0	100	25.56	21.52	-7.32	35
980.36	29.83	3788	8.08	-1.56	0	0	100	28.54	23.48	-6.53	41.25
980.44	29.83	3801	9.73	-1.56	0	0	100	32.44	23.48	-5.95	44.38
980.54	29.83	3788	10.51	-1.56	0	0	100	35.76	26.61	-4.57	52.81
980.64	29.83	3852	12.33	-1.56	0	0	100	46.64	28.17	-3.05	64.69
980.74	31.07	3868	14.03	-1.56	0	0	100	55.12	29.74	-1.89	74.06
980.82	31.07	3895	15.79	-1.56	0	0	100	59.76	46.56	1.67	90.31
980.92	31.07	3995	23.01	0	0	0	100	83.72	51.25	3.19	110.31
981	31.07	4015	29.12	0	0	0	100	92.24	51.25	4.93	122.19
981.1	31.07	4071	33.88	0	0	0	100	107	54.38	7.11	136.88
981.18	31.07	4201	40.34	0	0	0	100	123.66	63.38	9.64	157.19
981.28	31.07	4247	46.21	0	0	0	100	145.4	66.12	12.55	181.25
981.38	31.07	4378	55.11	0	0	0	100	171.28	78.64	16.1	208.75
981.46	36.04	4485	66.03	0	0	0	100	206.04	84.51	20.16	240.94
981.56	36.04	4603	76.61	0	0	0	100	239.54	84.51	23.28	265.31
981.66	36.04	4752	85.17	0	0	0	100	265.78	84.51	25.45	280.62
981.76	36.04	4860	88.14	0	0	0	100	273.1	84.9	26.25	276.88
981.84	36.04	5026	89.01	0	0	0.7	100	277.94	84.9	25.82	271.88
981.94	36.04	5140	87.73	0	0	0.7	100	276.94	84.9	25.24	264.69
982.04	36.04	5281	87.89	0	0	0.35	100	277.08	84.9	24.29	256.88
982.12	36.04	5422	86.77	0	0	0.35	100	272.06	84.9	23.5	244.69
982.22	44.74	5555	85.33	0	0	0	100	267.04	85.29	22.7	233.12
982.3	44.74	5677	82.36	0	0	0	100	261.42	84.9	21.75	225.94
982.4	44.74	5813	83.1	0	0	0	100	259.72	85.29	20.96	221.88
982.5	44.74	5915	83.28	0	0	0	100	260.02	85.29	20.38	218.12
982.58	44.74	6077	84.28	0	0	0	100	264.02	84.9	20.01	217.81

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
982.68	44.74	6162	85.45	0	0	0	100	270.04	44.21	16.1	191.56
982.76	44.74	6142	62.9	0	0	0	100	177.4	30.52	6.74	122.19
982.86	50.95	6092	36.39	0	0	0	100	108.28	21.52	-2.47	64.38
982.94	50.95	5863	17.51	-1.56	0	0	100	53.72	19.95	-6.16	39.38
983.04	50.95	5664	12.08	-1.56	0	0	100	36.36	19.56	-8.12	27.81
983.12	50.95	5547	9.47	-1.56	0	0	100	26.78	19.56	-8.92	23.12
983.22	50.95	5438	8.12	-1.56	0	0	100	23.64	19.17	-9.06	21.25
983.3	50.95	5179	7.73	-1.56	0	0	100	20.72	18	-9.5	19.38
983.4	50.95	4638	5.94	-1.56	0	0	100	15	17.22	-10.08	15
983.48	50.95	4504	5.77	-1.56	0	0	100	12.6	17.61	-10.22	13.44
983.58	50.95	4737	6.06	-1.56	0	0	100	13.02	17.61	-9.86	17.19
983.66	50.95	4603	5.89	-1.56	0	0	100	15.16	17.61	-10.22	16.56
983.76	50.95	4646	5.95	-1.56	0	0	100	14.76	17.61	-10.08	15.31
983.86	50.95	4598	6.87	-1.56	0	0	100	15.06	17.61	-10.22	16.56
983.94	50.95	4523	5.79	-1.56	0	0	100	15	17.61	-10.44	16.25
984.04	50.95	4515	5.78	-1.56	0	0	100	14	17.22	-10.66	15.31
984.14	50.95	4424	5.66	-1.56	0	0	100	13.08	16.82	-10.66	14.69
984.22	50.95	4385	5.61	-1.56	0	0	100	12.34	16.82	-10.66	14.06
984.32	48.47	4325	5.54	-1.56	0	0	100	11.76	16.82	-10.88	13.75
984.42	48.47	4258	5.45	-1.56	0	0	100	11.58	16.82	-10.88	13.75
984.5	48.47	4196	5.37	-1.56	0	0	100	11.48	16.43	-10.88	13.75
984.6	48.47	4155	5.32	-1.56	0	0	100	11.66	16.43	-10.88	14.06
984.68	48.47	4080	5.22	-1.56	0	0	100	11.4	16.43	-10.88	14.06
984.78	48.47	3998	5.12	-1.56	0	0	100	11.28	16.43	-10.88	14.38
984.86	48.47	3945	5.05	-1.56	0	0	100	11.2	16.43	-10.88	14.38
984.96	42.25	3861	4.94	-1.56	0	0	100	11	16.82	-10.66	15.62
985.06	42.25	3797	4.86	-1.56	0	0	100	12.24	17.61	-10.44	17.19
985.14	42.25	3740	6.38	-1.56	0	0	100	17	22.69	-7.76	33.44
985.24	42.25	3749	8.8	-1.56	0	0	100	27.52	22.3	-7.11	36.88
985.34	42.25	3945	8.42	-1.56	0	0	100	29.4	20.74	-7.76	35
985.44	42.25	4114	7.9	-1.56	0	0	100	25.92	19.95	-8.48	29.69
985.54	42.25	4234	8.13	-1.56	0	0	100	23.96	19.95	-8.92	27.5
985.62	42.25	4327	7.39	-1.56	0	0	100	21.94	17.61	-9.64	22.5
985.7	37.28	4385	6.55	-1.56	0	0	100	16.12	17.22	-10.44	17.19
985.8	37.28	4406	5.64	-1.56	0	0	100	14.04	17.61	-10.44	15.94
985.9	37.28	4435	5.68	-1.56	0	0	100	14.02	17.22	-10.66	15.62
985.98	37.28	4445	5.69	-1.56	0	0	100	13.58	17.22	-10.66	15.31
986.08	37.28	4419	5.66	-1.56	0	0	100	13.26	17.22	-10.66	15.31
986.18	37.28	4380	5.61	-1.56	0	0	100	13.24	17.22	-10.66	15.31

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
986.28	37.28	4327	5.54	-1.56	0	0	100	12.96	16.82	-10.66	15.31
986.36	37.28	4244	5.43	-1.56	0	0	100	12.64	16.82	-10.88	15
986.44	34.8	4150	5.31	-1.56	0	0	100	12.28	16.82	-10.88	15
986.54	34.8	4064	5.2	-1.56	0	0	100	11.88	16.43	-10.88	14.69
986.64	34.8	4004	5.13	-1.56	0	0	100	11.42	16.43	-10.88	14.38
986.74	34.8	3920	5.02	-1.56	0	0	100	11.18	16.43	-10.88	14.69
986.82	34.8	3812	4.88	-1.56	0	0	100	10.82	16.04	-10.88	14.38
986.92	34.8	3724	4.77	-1.56	0	0	100	10.36	15.65	-11.02	14.06
987	34.8	3656	4.68	-1.56	-0.78	0	100	10.02	15.65	-11.02	13.75
987.1	29.83	3581	4.58	-1.56	-1.56	0	100	9.66	15.65	-11.02	13.75
987.18	29.83	3491	4.47	-1.56	-2.34	0	100	9.3	15.26	-11.02	13.75
987.28	29.83	3401	4.35	-1.56	-2.73	0	100	9	15.26	-11.02	13.44
987.36	29.83	3316	4.25	-1.56	-3.51	0	100	8.78	15.26	-11.02	13.44
987.46	29.83	3260	0	-1.56	0	0	100	8.36	13.69	-11.24	11.88
987.54	29.83	3152	0	-1.56	0	0	100	7.16	14.09	-11.24	11.56
987.64	29.83	3063	0	-1.56	0	0	100	6.98	14.09	-11.24	11.56
987.72	29.83	3032	0	-1.56	0	0	100	6.9	14.09	-11.24	11.25
987.82	23.61	2973	0	-1.56	0	0	100	6.6	13.69	-11.24	11.25
987.9	23.61	2862	0	-1.56	0	0	100	6.36	13.69	-11.24	11.25
988	23.61	2795	0	-1.56	0	0	100	6.18	13.69	-11.24	11.25
988.08	23.61	2750	0	-1.56	0	0	100	6.08	13.69	-11.46	11.25
988.18	23.61	2687	0	-1.56	0	0	100	5.96	13.3	-11.24	11.25
988.26	23.61	2627	0	-1.56	0	0	100	5.88	13.3	-11.24	11.25
988.36	23.61	2606	0	-1.56	0	0	100	5.74	13.3	-11.24	10.94
988.44	23.61	2592	0	-1.56	0	0	100	5.66	13.3	-11.24	10.94
988.54	21.13	2573	0	-1.56	0	0	100	5.64	13.3	-11.24	10.94
988.62	21.13	2562	0	-1.56	0	0	100	5.56	13.3	-11.24	10.94
988.72	21.13	2540	0	-1.56	0	0	100	5.6	13.3	-11.24	11.25
988.8	21.13	2526	3.23	-1.56	0	0	100	5.62	14.09	-11.24	11.88
988.9	21.13	2532	3.24	-1.56	0	0	100	6.44	14.48	-11.02	13.44
988.98	21.13	2540	3.79	-1.56	0	0	100	6.9	14.48	-11.02	14.38
989.08	21.13	2529	3.78	-1.56	0	0	100	7.32	14.87	-10.88	14.69
989.16	21.13	2512	3.75	-1.56	0	0	100	8.72	16.82	-9.86	20.62
989.26	19.88	2500	4.8	-1.56	0	0	100	11.76	17.61	-9.06	25
989.34	19.88	2561	5.46	-1.56	0	0	100	14.26	19.17	-8.12	30.62
989.44	19.88	2523	5.92	-1.56	0	0	100	16.36	19.95	-7.11	35.62
989.52	19.88	2451	6.27	-1.56	0	0	100	19.34	23.08	-5.37	45.31
989.62	19.88	2558	8.19	-1.56	0	0	100	26.1	24.26	-3.84	54.06
989.7	19.88	2519	8.6	-1.56	0	0	100	30.84	37.95	-0.29	73.12

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
989.8	19.88	2582	10.47	-1.56	0	0	100	40.32	40.3	0.07	80.31
989.88	19.88	2607	11.13	-1.56	0	0.35	100	42.64	41.47	0.44	84.69
989.98	21.13	2610	11.69	-1.56	0	0.35	100	45.58	41.47	0.87	88.75
990.06	21.13	2672	12.54	-1.56	0	0.35	100	49.04	43.43	1.45	94.06
990.16	21.13	2708	15.02	-1.56	0	0.35	100	52.28	43.43	1.81	99.38
990.24	21.13	2784	17.22	-1.56	0	0.35	100	56.98	43.43	2.61	103.44
990.34	21.13	2835	18.15	-1.56	0	0.35	100	59.12	39.13	2.83	103.75
990.42	21.13	2835	17.54	-1.56	0	0.35	100	57.78	36.39	3.19	102.5
990.52	21.13	2920	18.07	-1.56	0	0.35	100	61.36	34.43	3.41	105.94
990.62	21.13	2959	18.31	-1.56	0	0	100	61.72	28.17	2.25	99.69
990.7	23.61	3025	16.14	-1.56	0	0	100	57.8	27.78	2.03	95.62
990.8	23.61	3077	15.76	-1.56	0	0	100	59.44	28.56	2.25	96.88
990.88	23.61	3119	17.3	-1.56	0	0	100	61.02	28.56	2.39	99.06
990.98	23.61	3183	18.34	-1.56	0	0	100	63.7	28.56	2.83	99.69
991.06	23.61	3246	19.39	-1.56	0	0	100	66.68	30.13	3.63	105.31
991.16	23.61	3289	21.75	-1.56	0	0	100	73.72	32.47	4.57	115.62
991.24	23.61	3366	25.13	0	0	0	100	81.24	33.26	5.37	123.75
991.34	28.58	3422	27.75	0	0	0	100	89.4	53.99	8.63	144.38
991.44	28.58	3547	36.33	0	0	0	100	110.04	65.34	11.02	161.88
991.52	28.58	3554	39.43	0	0	0	100	122.68	84.9	13.34	179.38
991.62	28.58	3765	47.39	0	0	0	100	142.04	85.29	15.66	196.88
991.7	28.58	3751	50.43	0	0	0	100	156.76	85.29	18.06	216.88
991.8	28.58	3922	57.74	0	0	0	100	182.2	85.29	20.01	235
991.88	28.58	4058	64.07	0	0	0	100	199.08	85.29	21.17	242.5
991.98	28.58	4353	69.65	0	0	0	100	208.54	85.29	21.9	250.31
992.06	34.8	4091	67.21	0	0	0	100	211.1	85.29	22.55	249.38
992.16	34.8	4556	74.85	0	0	0	100	230.52	84.9	23.13	254.69
992.24	34.8	4432	72.81	0	0	0	100	224.44	84.9	23.13	251.56
992.34	34.8	4649	73.41	0	0	0	100	232.44	84.9	23.13	245.62
992.42	34.8	4780	74.44	0	0	0	100	233.02	84.9	22.7	246.25
992.52	34.8	4848	76.54	0	0	0	100	239.32	84.9	22.55	240.94
992.6	34.8	5081	78.05	0	0	0	100	244.3	84.9	22.55	241.25
992.7	34.8	5129	77.7	0	0	0	100	245.9	84.9	22.12	239.38
992.78	42.25	5274	78.76	0	0	0	100	249.8	84.9	21.75	235
992.88	42.25	5434	80	0	0	0	100	253.72	84.51	21.75	233.75
992.96	42.25	5478	80.64	0	0	0	100	254.32	84.9	21.32	228.75
993.06	42.25	5639	81.81	0	0	0	100	257.98	84.51	21.17	228.44
993.14	42.25	5707	82.8	0	0	0	100	261.56	84.51	21.17	227.5
993.24	42.25	5859	85	0	0	0	100	268.22	84.51	21.32	228.75

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
993.32	42.25	5947	86.28	0	0	0	100	271.28	50.86	20.01	225
993.42	42.25	5976	67.57	0	0	0	100	199	30.91	8.48	135.62
993.5	48.47	5957	41.94	0	0	0	100	113.1	21.13	-1.67	68.12
993.6	48.47	5751	17.18	-1.56	0	0	100	54.44	19.95	-5.95	40.94
993.68	48.47	5601	11.95	-1.56	0	0	100	37.16	27.39	-5.22	34.38
993.78	48.47	5634	16.83	-1.56	0	0	100	61.4	29.34	-2.68	62.81
993.86	48.47	5795	23.49	0	0	0	100	75.82	29.34	-2.03	69.69
993.96	48.47	5144	21.95	0	0	0	100	79	59.08	5.37	115.62
994.04	48.47	4310	37.7	0	0	1.76	100	113.7	63.77	7.69	140.94
994.14	48.47	4826	48.39	0	0	1.76	100	142.56	84.51	11.02	166.25
994.22	50.95	4518	53.98	0	0	1.41	100	169.46	84.9	14.5	192.81
994.32	50.95	4816	66.79	0	0	1.41	100	198.26	84.9	18.64	226.25
994.4	50.95	4705	74.28	0	0	1.05	100	235.56	84.9	22.12	256.25
994.5	50.95	4844	83.72	0	0	0.7	100	256.76	84.9	25.02	273.12
994.58	50.95	4889	86.57	0	0	0.7	100	269.2	84.9	26.03	270.31
994.68	50.95	5006	85.45	0	0	0.35	100	264.6	84.9	26.03	263.75
994.76	50.95	5030	83.7	0	0	0.35	100	261.2	84.9	25.67	256.25
994.86	50.95	5115	81.85	0	0	0.35	100	258.5	84.9	25.02	248.44
994.94	55.92	5197	80.94	0	0	0.35	100	251.32	84.9	24.08	239.69
995.04	55.92	5267	78.66	0	0	0	100	244.98	84.9	23.13	229.69
995.12	55.92	5322	76.08	0	0	0	100	239.26	84.51	21.9	223.44
995.22	55.92	5418	75.14	0	0	0	100	236.86	84.51	21.17	218.12
995.3	55.92	5474	74.75	0	0	0	100	233.12	83.34	20.38	212.19
995.4	55.92	5518	72.99	0	0	0	100	228.78	75.12	19.8	208.44
995.48	55.92	5584	73.86	0	0	0	100	233.28	70.04	19.8	210.31
995.58	62.14	5618	75.51	0	0	0	100	234.36	55.17	18.64	204.38
995.68	62.14	5622	59.97	0	0	0	100	120.04	19.17	-1.45	68.12
995.78	62.14	5289	16.92	-1.56	0	0	100	50.14	18.78	-6.16	40.31
995.88	62.14	5067	9.73	-1.56	0	0	100	33.58	23.08	-6.53	29.38
995.96	62.14	4810	14.37	-1.56	0	0	100	74.52	45.39	4.21	108.12
996.06	62.14	4155	33.69	0	0	0	100	110.18	56.34	6.89	132.81
996.18	62.14	4368	40.07	0	0	0	100	127.32	61.04	10.01	152.81
996.29	62.14	4427	46.28	0	0	0	100	143.74	46.56	12.55	173.44
996.39	63.38	4370	49.42	0	0	0	100	110.68	23.87	3.77	105.31
996.47	63.38	4280	20.09	0	0	0	100	63.72	18.78	-3.99	57.19
996.57	63.38	4435	10.41	-1.56	0	0	100	31.32	16.43	-8.12	30.62
996.69	63.38	4280	6.39	-1.56	0	0	100	20.92	16.82	-9.64	20.62
996.83	63.38	4373	5.6	-1.56	0	0	100	14.66	16.82	-10.22	16.25
996.95	63.38	4335	5.55	-1.56	0	0	100	13.44	16.82	-10.44	15.31

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
997.05	63.38	4315	5.52	-1.56	0	0	100	12.46	16.82	-10.66	14.06
997.17	63.38	4312	5.52	-1.56	0	0	100	11.1	16.82	-10.66	12.81
997.27	63.38	4295	5.5	-1.56	0	0	100	10.9	16.82	-10.88	13.12
997.39	63.38	4300	5.5	-1.56	0	0	100	11.22	16.82	-10.88	13.44
997.49	63.38	4268	5.46	-1.56	0	0	100	11.36	16.82	-10.88	13.75
997.61	63.38	4273	5.47	-1.56	0	0	100	11.74	16.82	-10.88	14.06
997.71	63.38	4261	5.45	-1.56	0	0	100	11.82	16.82	-10.88	14.06
997.83	62.14	4258	5.45	-1.56	0	0	100	11.74	16.82	-10.88	14.06
997.93	62.14	4239	5.43	-1.56	0	0	100	12.2	16.82	-10.88	14.69
998.05	62.14	4232	5.42	-1.56	0	0	100	12.26	16.82	-10.88	14.69
998.15	62.14	4218	5.4	-1.56	0	0	100	12.38	16.82	-10.88	14.69
998.27	62.14	4204	5.38	-1.56	0	0	100	12.28	16.82	-10.88	15
998.37	62.14	4194	5.37	-1.56	0	0	100	12.2	16.43	-10.88	14.38
998.49	60.89	4183	5.35	-1.56	0	0	100	11.96	16.43	-10.88	14.38
998.59	60.89	4168	5.34	-1.56	0	0	100	11.84	16.43	-10.88	14.38
998.71	60.89	4159	5.32	-1.56	0	0	100	12.02	16.43	-10.88	14.38
998.81	60.89	4157	5.32	-1.56	0	0	100	11.84	16.43	-11.02	14.38
998.93	60.89	4134	5.29	-1.56	0	0	100	11.56	16.43	-11.02	13.75
999.03	60.89	4132	5.29	-1.56	0	0	100	11.34	16.43	-11.02	13.75
999.15	59.65	4118	5.27	-1.56	0	0	100	11.3	16.43	-11.02	13.75
999.25	59.65	4107	5.26	-1.56	0	0	100	11.28	16.43	-11.02	13.75
999.37	59.65	4093	5.24	-1.56	0	0	100	11.12	16.43	-11.02	13.75
999.47	59.65	4076	5.22	-1.56	0	0	100	11.24	16.43	-11.02	14.06
999.59	59.65	4062	5.2	-1.56	0	0	100	11.38	16.43	-11.02	14.06
999.69	59.65	4076	5.22	-1.56	0	0	100	11.4	16.43	-11.02	14.06
999.79	59.65	4062	5.2	-1.56	0	0	100	11.46	16.43	-11.02	14.06
999.91	58.41	4049	5.18	-1.56	0	0	100	11.38	16.43	-11.02	14.06
999.99	58.41	4036	5.17	-1.56	0	0	100	11.22	16.04	-11.02	14.06
1000.09	58.41	4034	5.16	-1.56	0	0	100	11.1	16.04	-11.02	13.75
1000.19	58.41	4027	5.16	-1.56	0	0	100	11.04	16.04	-11.02	13.75
1000.29	58.41	4012	5.14	-1.56	0	0	100	10.94	16.04	-11.02	13.75
1000.37	58.41	4004	5.13	-1.56	0	0	100	10.84	15.65	-11.24	13.44
1000.47	58.41	3999	5.12	-1.56	0	0	100	10.56	15.65	-11.24	13.12
1000.57	58.41	3999	5.12	-1.56	0	0	100	10.42	15.65	-11.24	13.12
1000.67	58.41	3991	5.11	-1.56	0	0	100	10.42	15.65	-11.24	13.12
1000.75	58.41	3972	5.08	-1.56	0	0	100	10.4	15.65	-11.24	13.12
1000.85	58.41	3970	5.08	-1.56	0	0	100	10.2	15.65	-11.24	12.81
1000.95	58.41	3963	5.07	-1.56	0	0	100	10.44	16.04	-11.24	13.44
1001.05	58.41	3959	5.07	-1.56	0	0	100	10.62	16.04	-11.24	13.44

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
1001.13	58.41	3951	5.06	-1.56	0	0	100	10.64	16.04	-11.24	13.44
1001.23	58.41	3943	5.05	-1.56	0	0	100	10.68	16.04	-11.24	13.75
1001.33	57.17	3937	5.04	-1.56	0	0	100	10.68	16.04	-11.02	13.75
1001.43	57.17	3928	5.03	-1.56	0	0	100	10.5	15.65	-11.24	13.44
1001.51	57.17	3920	5.02	-1.56	0	0	100	10.2	15.65	-11.24	13.12
1001.61	57.17	3912	5.01	-1.56	0	0	100	10.14	15.65	-11.24	13.12
1001.71	57.17	3906	5	-1.56	0	0	100	10.16	15.65	-11.24	13.12
1001.81	57.17	3904	5	-1.56	0	0	100	10.14	15.65	-11.24	12.81
1001.89	57.17	3886	4.97	-1.56	0	0	100	10.2	15.65	-11.24	13.44
1001.99	57.17	3886	4.97	-1.56	0	0	100	10.34	16.04	-11.02	13.44
1002.11	57.17	3875	4.96	-1.56	0	0	100	10.34	16.04	-11.02	13.44
1002.21	57.17	3861	4.94	-1.56	0	0	100	10.32	16.04	-11.02	13.44
1002.33	57.17	3857	4.94	-1.56	0	0	100	10.3	15.65	-11.02	13.44
1002.43	57.17	3826	4.9	-1.56	0	0	100	10.36	16.04	-11.02	13.75
1002.55	57.17	3795	4.86	-1.56	0	0	100	10.5	16.04	-11.02	13.75
1002.65	57.17	3767	4.82	-1.56	0	0	100	10.32	16.04	-11.02	13.75
1002.77	54.68	3742	4.79	-1.56	0	0	100	10.14	15.65	-11.02	13.75
1002.87	54.68	3705	4.74	-1.56	0	0	100	10.12	15.65	-11.02	13.75
1002.99	54.68	3669	4.7	-1.56	0	0	100	9.9	15.65	-11.02	13.44
1003.09	54.68	3637	4.66	-1.56	0	0	100	9.6	15.65	-11.02	13.44
1003.19	54.68	3593	4.6	-1.56	0	0	100	9.56	15.26	-11.02	13.44
1003.29	54.68	3554	4.55	-1.56	0	0	100	9.42	15.26	-11.02	13.44
1003.39	50.95	3518	4.5	-1.56	0	0	100	9.42	15.26	-11.02	13.12
1003.49	50.95	3495	4.47	-1.56	0	0	100	9.1	15.26	-11.02	13.12
1003.59	50.95	3448	4.41	-1.56	0	0	100	8.92	15.26	-11.02	13.12
1003.67	50.95	3409	4.36	-1.56	0	0	100	8.88	15.26	-11.02	13.12
1003.77	50.95	3364	4.31	-1.56	0	0	100	8.76	14.87	-11.02	13.12
1003.89	50.95	3318	4.96	-1.56	0	0	100	11.42	21.52	-8.7	25.31
1003.99	50.95	3245	7.62	-1.56	-0.78	0	100	28.78	32.08	-2.83	57.81
1004.09	47.22	3547	13.62	-1.56	0	0	100	54.3	36	-1.31	74.69
1004.19	47.22	4132	17.63	-1.56	0	0	100	67.76	32.08	-1.89	71.88
1004.29	47.22	4687	18	-1.56	0	0	100	63.84	27	-3.63	60.31
1004.39	47.22	5063	15.12	-1.56	0	0	100	43.16	16.82	-8.34	31.88
1004.47	47.22	4848	6.21	-1.56	0	0	100	18.84	16.04	-10.44	15.94
1004.57	47.22	4051	5.19	-1.56	0	0	100	14.64	19.95	-8.7	22.19
1004.67	47.22	3993	5.96	-1.56	0	0	100	16.44	13.69	-10.66	16.25
1004.75	47.22	4148	5.31	-1.56	0	0	100	9.4	12.13	-11.6	11.56
1004.85	44.74	3991	5.11	-1.56	0	0	100	9.04	11.74	-12.04	11.56
1004.97	44.74	4080	5.22	-1.56	0	0	100	9.18	12.91	-12.04	10

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
1005.07	44.74	4038	0	-1.56	0	0	100	8.9	15.26	-11.46	10.62
1005.19	44.74	3998	0	-1.56	0	0	100	8.46	15.26	-11.24	10.62
1005.27	44.74	3991	0	-1.56	0	0	100	8.38	14.87	-11.02	10.62
1005.37	44.74	3947	0	-1.56	0	0	100	8.36	14.87	-11.24	10.62
1005.45	44.74	3918	0	-1.56	0	0	100	8.32	14.87	-11.24	10.62
1005.55	43.5	3828	0	-1.56	0	0	100	8.02	14.87	-11.24	10.31
1005.65	43.5	3793	0	-1.56	0	0	100	7.92	14.87	-11.24	10.31
1005.73	43.5	3729	0	-1.56	0	0	100	9.04	17.61	-10.44	15.62
1005.83	43.5	3654	7.02	-1.56	0.39	0	100	19.08	22.69	-7.9	31.88
1005.91	43.5	3653	9.35	-1.56	0	0	100	28.98	24.65	-6.16	43.44
1006.01	43.5	3868	10.73	-1.56	0	0	100	46.34	34.43	-2.03	68.12
1006.09	43.5	4251	18.14	-1.56	0	0	100	67.16	36.78	-0.87	80.31
1006.19	43.5	4780	23.46	0	0	0	100	83.18	39.52	0.29	83.75
1006.27	38.52	5300	26.01	0	0	0	100	76.8	22.69	-3.99	58.44
1006.37	38.52	5226	13.38	-1.56	0	0	100	36.36	16.04	-8.92	25.94
1006.45	38.52	4898	7.32	-1.56	0	0	100	17.56	14.87	-10.66	14.69
1006.55	38.52	4520	5.79	-1.56	0	0	100	10.28	13.69	-11.46	10.62
1006.63	38.52	4458	5.71	-1.56	0	0	100	9.42	13.3	-11.6	10.31
1006.73	38.52	4672	4.98	-1.56	0	0	100	9.62	12.91	-11.6	10.31
1006.81	38.52	4556	4.86	-1.56	0	0	100	9.36	12.52	-11.6	10.31
1006.91	37.28	4496	5.76	-1.56	0	0	100	9.44	12.13	-12.04	8.75
1006.99	37.28	4584	4.89	-1.56	0	0	100	6.92	11.74	-12.04	7.19
1007.09	37.28	4496	0	-1.56	0	0	100	5.74	14.87	-11.82	8.12
1007.17	37.28	4464	0	-1.56	0	0	100	8.32	15.65	-11.46	10
1007.27	37.28	4499	0	-1.56	0	0	100	9.26	15.65	-11.24	10.31
1007.35	37.28	4437	0	-1.56	0	0	100	9.38	15.26	-11.24	10.31
1007.45	37.28	4424	0	-1.56	0	0	100	9.16	15.26	-11.24	10.31
1007.55	37.28	4419	0	-1.56	0	0	100	9.2	15.26	-11.02	10.62
1007.63	36.04	4342	0	-1.56	0	0	100	9.16	15.26	-11.24	10.94
1007.73	36.04	4268	0	-1.56	0	0	100	9.1	15.26	-11.24	10.62
1007.81	36.04	4206	0	-1.56	0	0	100	9	15.26	-11.24	10.94
1007.91	36.04	4134	0	-1.56	0	0	100	9	15.26	-11.24	10.94
1008.01	36.04	4064	0	-1.56	0	0	100	8.86	15.26	-11.24	10.94
1008.09	36.04	3985	0	-1.56	0	0	100	8.66	15.26	-11.24	10.94
1008.19	36.04	3904	0	-1.56	0	0	100	8.5	14.87	-11.24	11.25
1008.29	36.04	3820	0	-1.56	0	0	100	8.24	14.87	-11.24	10.62
1008.37	31.07	3736	0	-1.56	0	0	100	7.94	14.48	-11.24	10.62
1008.47	31.07	3642	0	-1.56	0	0	100	7.62	14.48	-11.24	10.62
1008.57	31.07	3541	0	-1.56	0	0	100	7.26	14.09	-11.24	10.31

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
1008.65	31.07	3432	0	-1.56	0	0	100	6.96	14.09	-11.24	10.31
1008.75	31.07	3340	0	-1.56	0	0	100	6.84	14.09	-11.24	10.31
1008.83	31.07	3242	0	-1.56	0	0	100	6.78	14.09	-11.24	10.62
1008.93	31.07	3152	0	-1.56	0	0	100	6.68	14.09	-11.02	10.94
1009.01	31.07	3051	0	-1.56	0	0	100	6.52	14.09	-11.24	10.94
1009.11	24.85	2967	0	-1.56	0	0	100	6.42	13.69	-11.24	10.94
1009.19	24.85	2883	0	-1.56	0	0	100	6.2	13.69	-11.24	10.94
1009.29	24.85	2792	0	-1.56	0	0	100	6	13.69	-11.24	10.94
1009.39	24.85	2704	0	-1.56	0	0	100	5.84	13.3	-11.46	10.94
1009.47	24.85	2614	0	-1.56	0	0	100	5.6	13.3	-11.24	10.94
1009.57	24.85	2520	0	-1.56	0	0	100	5.4	13.3	-11.24	10.94
1009.67	24.85	2402	0	-1.56	0	0	100	5.18	12.91	-11.24	11.25
1009.77	18.64	2287	0	-1.56	0	0	100	5.02	12.91	-11.02	11.25
1009.85	18.64	2164	0	-1.56	0	0	100	4.84	12.52	-11.02	11.56
1009.95	18.64	2034	0	-1.56	0	0	100	4.6	12.52	-11.02	11.56
1010.05	18.64	1916	0	-1.56	0	0	100	4.32	12.13	-11.02	11.56
1010.13	18.64	1815	0	-1.56	0	0	100	4.06	11.74	-11.02	11.25
1010.23	18.64	1709	0	-1.56	0	0	100	3.66	11.35	-11.02	10.94
1010.31	18.64	1597	0	-1.56	0	0	100	3.28	10.96	-11.02	10.62
1010.41	18.64	1478	0	-1.56	0	0	100	2.96	11.35	-11.02	10.62
1010.51	14.91	1374	0	-1.56	0	0	100	2.84	11.35	-10.88	10.94
1010.61	14.91	1260	0	-1.56	0	0	100	2.76	11.35	-10.66	11.88
1010.69	14.91	1134	0	-1.56	0	0	100	3.16	12.91	-9.86	15.94
1010.79	14.91	1029	0	-1.56	0	0	100	3.68	12.91	-9.06	20.31
1010.87	14.91	915	2.34	-1.56	0	0	100	3.9	12.52	-8.7	23.75
1010.97	14.91	819	1.75	-1.56	0	0	100	4.02	12.52	-8.34	24.38
1011.05	14.91	902	1.92	-1.56	0	0	100	4.6	11.35	-8.48	22.5
1011.15	9.94	994	1.7	-1.56	0	0	100	4.26	11.35	-9.06	20
1011.23	9.94	1011	1.73	-1.56	0	0	100	3.96	11.35	-9.5	18.75
1011.33	9.94	1015	1.52	-1.56	0	0	100	3.7	11.35	-9.5	17.81
1011.41	9.94	998	1.49	-1.56	0	0	100	3.48	11.35	-9.64	17.5
1011.51	9.94	985	1.47	-1.56	0	0	100	3.32	11.35	-9.64	16.88
1011.59	9.94	971	1.45	-1.56	0	0	100	3.2	11.35	-9.64	16.56
1011.69	9.94	961	1.44	-1.56	0	0	100	3.16	11.35	-9.86	16.56
1011.77	9.94	945	1.41	-1.56	0	0	100	3.1	11.35	-9.86	16.88
1011.87	6.21	924	1.38	-1.56	0	0	100	3.08	11.35	-9.86	16.88
1011.95	6.21	916	1.37	-1.56	0	0	100	3.04	11.35	-9.64	16.88
1012.05	6.21	902	1.35	-1.56	0	0	100	3.18	11.35	-9.64	17.81
1012.13	6.21	886	1.32	-1.56	0	0	100	3.1	11.35	-9.64	17.81

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
1012.23	6.21	876	1.31	-1.56	0	0	100	3.06	11.35	-9.5	17.81
1012.31	6.21	867	1.3	-1.56	0	0	100	3.06	11.35	-9.64	17.81
1012.41	6.21	863	1.29	-1.56	0	0	100	3.08	12.13	-9.28	18.75
1012.49	6.21	869	1.48	-1.56	0	0	100	3.68	12.91	-8.7	22.5
1012.59	3.73	885	1.7	-1.56	0	0	100	4.3	13.3	-8.48	24.69
1012.67	3.73	901	1.92	-1.56	0	0	100	4.6	13.3	-8.12	26.25
1012.77	3.73	923	1.97	-1.56	0	0	100	5.46	25.43	-2.47	30.94
1012.85	3.73	958	3.88	-1.56	0	0	100	9.88	26.61	-0.51	55.94
1012.95	3.73	1147	5.14	-1.56	0	0	100	15.26	28.17	-0.29	62.81
1013.03	3.73	1505	6.75	-1.56	0	2.11	100	20.7	28.56	-0.73	65.31
1013.13	3.73	1871	7.98	-1.56	0	1.76	100	26.52	28.56	-1.09	67.19
1013.21	3.73	2165	8.78	-1.56	0	1.05	100	30.72	27.78	-1.31	67.5
1013.31	3.73	2389	9.17	-1.56	0	0	100	32.54	24.26	-2.47	64.69
1013.39	3.73	2523	8.61	-1.56	0	0	100	30.68	21.13	-4.21	54.69
1013.49	3.73	2560	7.1	-1.56	0	0	100	25.2	18.78	-5.58	46.56
1013.57	3.73	2460	6.3	-1.56	0	0	100	21.4	18	-6.38	40.31
1013.67	3.73	2258	4.82	-1.56	0	0	100	16.72	18	-6.38	38.44
1013.75	3.73	2010	4.29	-1.56	0	0	100	14.46	18.39	-5.8	37.81
1013.85	3.73	1784	3.81	-1.56	0	0	100	13.2	18.39	-4.79	41.88
1013.93	3.73	1540	3.94	-1.56	0	0	100	12.64	18	-3.99	47.19
1014.03	7.46	1327	3.68	-1.56	0	0	100	12.92	18	-3.41	49.06
1014.11	7.46	1407	3.9	-1.56	0	0	100	14.64	18	-4.21	47.81
1014.21	7.46	1586	4.4	-1.56	0	0	100	14.82	18	-4.21	46.88
1014.29	7.46	1536	3.93	-1.56	0	0	100	14.06	17.22	-4.42	45.94
1014.39	7.46	1520	3.89	-1.56	0.39	0	100	13.78	17.22	-5	43.44
1014.47	7.46	1631	4.18	-1.56	1.17	0	100	14.04	17.22	-5.37	41.56
1014.57	7.46	1681	3.95	-1.56	1.17	0	100	13.54	16.43	-5.8	39.69
1014.65	7.46	1653	3.53	-1.56	0.78	0	100	12.44	15.26	-6.53	35.62
1014.75	8.7	1682	3.23	-1.56	0.39	0	100	11.06	14.09	-7.76	30
1014.83	8.7	1732	2.59	-1.56	-0.39	0	100	9.48	14.09	-8.48	25.31
1014.93	8.7	1726	2.58	-1.56	-0.78	0	100	8.42	14.09	-8.92	23.44
1015.01	8.7	1707	2.55	-1.56	-0.78	0	100	7.56	14.09	-9.06	21.88
1015.11	8.7	1705	2.55	-1.56	-1.17	0	100	7.22	14.09	-9.28	21.25
1015.19	8.7	1689	2.52	-1.56	-1.56	0	100	7.04	14.48	-9.28	21.25
1015.29	8.7	1678	2.51	-1.56	-1.95	0	100	7.04	14.48	-9.06	21.25
1015.37	8.7	1665	2.49	-1.56	-2.34	0	100	7.68	14.87	-8.92	22.81
1015.47	8.7	1687	2.52	-1.56	-2.73	0	100	7.9	14.87	-8.92	23.44
1015.57	8.7	1708	2.55	-1.56	-3.12	0	100	7.96	14.87	-8.7	23.75
1015.65	8.7	1682	2.87	-1.56	-3.12	0	100	8	15.65	-8.34	24.69

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
1015.75	8.7	1628	3.47	-1.56	-2.73	0	100	8.96	17.22	-7.32	30.62
1015.83	8.7	1653	3.53	-1.56	-1.95	0	100	11.12	18.39	-6.16	36.88
1015.93	8.7	1756	4.5	-1.56	-1.17	0	100	13.46	18	-5.8	39.69
1016.01	8.7	1715	4.39	-1.56	-1.17	0	100	13.68	18.39	-5.37	41.88
1016.11	8.7	1663	4.26	-1.56	-1.95	0	100	14.72	18.39	-5	44.06
1016.19	8.7	1739	4.45	-1.56	-2.34	0	100	15.7	18.39	-5	44.06
1016.29	8.7	1810	4.63	-1.56	-2.73	0	100	15.7	17.22	-5.37	42.19
1016.37	8.7	1781	3.8	-1.56	-3.51	0	100	13.84	15.26	-6.53	37.19
1016.47	8.7	1770	3.02	-1.56	-3.9	0	100	11.98	14.48	-7.76	31.56
1016.55	8.7	1818	2.72	-1.56	-4.29	0	100	10.44	14.48	-8.48	27.19
1016.65	8.7	1847	2.76	-1.56	-4.68	0	100	9.38	14.48	-8.92	25
1016.73	8.7	1825	2.73	-1.56	-5.07	0	100	8.68	14.48	-9.06	23.44
1016.83	9.94	1815	2.71	-1.56	-5.46	0	100	8.28	14.48	-9.28	22.5
1016.91	9.94	1828	2.73	-1.56	-5.85	0	100	8.1	14.48	-9.28	21.88
1017.01	9.94	1842	2.75	-1.56	-6.24	0	100	8.02	14.48	-9.28	21.56
1017.09	9.94	1847	2.76	-1.56	-6.63	0	100	7.88	14.48	-9.28	21.25
1017.19	9.94	1826	2.73	-1.56	-7.02	0	100	7.7	14.87	-9.28	21.25
1017.27	9.94	1816	2.71	-1.56	-7.41	0	100	7.72	14.48	-9.28	21.25
1017.37	9.94	1829	2.73	-1.56	-7.8	0	100	7.64	14.48	-9.5	20.94
1017.45	9.94	1842	2.75	-1.56	-7.02	0	100	7.68	14.48	-9.28	20.94
1017.55	9.94	1854	2.77	-1.56	-6.24	0	100	7.64	14.48	-9.5	20.62
1017.63	9.94	1833	2.74	-1.56	-5.46	0	100	7.3	14.09	-9.64	19.69
1017.73	9.94	1816	2.71	-1.56	-5.07	0	100	6.94	14.09	-9.86	18.75
1017.81	9.94	1827	2.34	-1.56	-4.29	0	100	6.78	14.09	-9.86	18.44
1017.91	9.94	1837	2.35	-1.56	-3.51	0	100	6.7	14.09	-10.08	18.12
1017.99	9.94	1836	2.74	-1.56	-2.73	0	100	6.62	14.09	-10.08	18.12
1018.09	9.94	1832	2.34	-1.56	-2.73	0	100	6.52	14.09	-10.08	17.81
1018.17	9.94	1824	2.33	-1.56	-3.51	0	100	6.52	14.09	-9.86	17.81
1018.27	9.94	1808	2.31	-1.56	-3.51	0	100	6.48	14.09	-10.08	17.81
1018.35	9.94	1816	2.33	-1.56	-4.29	0	100	6.46	14.09	-10.08	17.81
1018.45	9.94	1812	2.32	-1.56	-4.68	0	100	6.44	14.09	-10.08	17.81
1018.53	9.94	1812	2.32	-1.56	-5.07	0	100	6.48	14.09	-10.08	17.81
1018.63	9.94	1816	2.33	-1.56	-5.46	0	100	6.5	14.09	-9.86	17.81
1018.71	9.94	1813	2.32	-1.56	-5.85	0	100	6.52	14.09	-10.08	18.12
1018.81	9.94	1805	2.31	-1.56	-6.24	0	100	6.46	14.09	-9.86	17.81
1018.89	9.94	1794	2.3	-1.56	-6.63	0	100	6.42	14.09	-9.86	18.12
1018.99	9.94	1794	2.3	-1.56	-7.02	0	100	6.46	14.09	-9.86	18.12
1019.09	9.94	1790	2.29	-1.56	-7.41	0	100	6.46	14.09	-10.08	18.12
1019.17	9.94	1789	2.29	-1.56	-7.8	0	100	6.46	13.69	-9.86	18.12

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
1019.27	9.94	1776	2.27	-1.56	-8.19	0	100	6.46	13.69	-9.86	18.12
1019.35	9.94	1778	2.28	-1.56	-8.58	0	100	6.46	13.69	-9.86	18.12
1019.45	9.94	1777	2.27	-1.56	-7.8	0	100	6.44	13.69	-9.86	18.12
1019.55	9.94	1780	2.28	-1.56	-7.41	0	100	6.46	14.09	-9.86	18.12
1019.63	9.94	1769	2.26	-1.56	-6.63	0	100	6.42	13.69	-9.86	18.44
1019.73	8.7	1768	2.26	-1.56	-5.85	0	100	6.44	13.69	-9.86	18.12
1019.85	8.7	1763	2.26	-1.56	-5.07	0	100	6.38	13.3	-9.86	17.81
1019.95	8.7	1763	2.26	-1.56	-4.68	0	100	5.56	11.35	-10.88	15
1020.05	8.7	1750	1.87	-1.56	-4.68	0	100	4.6	11.35	-11.02	12.81
1020.15	8.7	1705	2.18	-1.56	0	0	100	3.98	11.35	-11.24	11.56
1020.25	8.7	1673	1.79	-1.56	0	0	100	3.52	11.35	-11.24	10.62
1020.35	8.7	1622	1.73	-1.56	0	0	100	3.24	11.35	-11.46	10.31
1020.45	8.7	1555	1.66	-1.56	0	0	100	3.12	11.35	-11.24	10.31
1020.57	8.7	1497	1.6	-1.56	0	0	100	3.04	11.35	-11.24	10.62
1020.67	8.7	1429	1.52	-1.56	0	0	100	3.02	11.35	-11.24	11.25
1020.77	8.7	1356	1.74	-1.56	0	0	100	3.26	12.52	-10.66	14.38
1020.87	8.7	1299	1.66	-1.56	0	0	100	3.98	14.09	-9.64	16.88
1020.99	8.7	1254	2.14	-1.56	-0.39	0	100	5.26	14.09	-9.06	22.81
1021.09	8.7	1288	2.47	-1.56	-0.39	0	100	7.5	16.04	-6.53	31.56
1021.21	8.7	1390	3.26	-1.56	-0.78	0	100	9.5	14.48	-7.11	33.75
1021.31	8.7	1604	3.42	-1.56	-1.17	0	100	9.34	13.3	-8.48	27.5
1021.43	8.7	1563	2.34	-1.56	-1.56	0	100	7.32	12.52	-9.28	22.5
1021.53	8.7	1514	2.26	-1.56	-1.95	0	100	6.04	12.13	-9.86	19.38
1021.65	8.7	1448	1.85	-1.56	-2.73	0	100	5.06	11.35	-10.22	16.25
1021.75	8.7	1476	1.89	-1.56	-2.73	0	100	4.4	11.35	-10.88	14.06
1021.87	8.7	1459	1.56	-1.56	-3.12	0	100	3.84	11.35	-10.88	13.12
1021.97	8.7	1414	1.51	-1.56	0	0	100	3.5	11.35	-10.88	12.5
1022.09	8.7	1361	1.74	-1.56	0	0	100	3.32	11.35	-10.88	12.19
1022.19	8.7	1309	1.4	-1.56	0	0	100	3.14	11.35	-11.02	12.5
1022.31	8.7	1250	1.6	-1.56	0	0	100	3.04	11.35	-10.88	12.5
1022.41	8.7	1185	1.52	-1.56	0	0	100	3	12.52	-10.44	14.38
1022.53	6.21	1124	1.44	-1.56	0	0	100	3.48	11.74	-10.08	16.25
1022.63	6.21	1083	1.39	-1.56	0	0	100	3.62	12.13	-9.86	17.5
1022.75	6.21	1077	1.38	-1.56	-0.39	0	100	3.72	11.35	-10.08	16.88
1022.85	6.21	1069	1.37	-1.56	-0.39	0	100	3.48	11.35	-10.08	16.25
1022.97	6.21	1061	1.36	-1.56	-0.78	0	100	3.32	11.35	-10.08	15.94
1023.07	6.21	1031	1.32	-1.56	-0.78	0	100	3.26	11.74	-10.08	16.25
1023.19	6.21	1009	1.51	-1.56	-1.17	0	100	3.34	11.35	-10.08	16.56
1023.29	3.73	985	1.26	-1.56	-1.17	0	100	3.2	11.35	-10.08	16.25

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
1023.41	3.73	979	1.25	-1.56	-1.56	0	100	3.16	11.35	-10.08	16.25
1023.51	3.73	961	1.23	-1.56	-1.56	0	100	3.12	11.35	-10.08	16.25
1023.59	3.73	940	1.2	-1.56	-1.95	0	100	3.06	11.35	-10.08	16.56
1023.69	3.73	921	1.18	-1.56	-1.95	0	100	3	11.35	-10.08	16.56
1023.79	3.73	906	1.16	-1.56	-1.95	0	100	3.14	11.35	-9.86	17.5
1023.89	3.73	901	1.15	-1.56	-2.34	0	100	3.12	11.35	-9.64	17.5
1023.97	2.49	895	1.15	-1.56	-2.34	0	100	3.06	11.35	-9.64	17.5
1024.07	2.49	884	1.13	-1.56	-2.73	0	100	3.06	11.35	-9.64	17.5
1024.19	2.49	876	1.12	-1.56	-2.73	0	100	3.06	11.35	-9.64	17.5
1024.29	2.49	869	1.11	-1.56	-3.12	0	100	3.04	11.35	-9.64	17.81
1024.39	2.49	857	1.1	-1.56	-3.12	0	100	3.02	11.35	-9.5	17.81
1024.49	2.49	849	1.09	-1.56	-3.12	0	100	3.04	11.35	-9.64	18.12
1024.59	2.49	849	1.09	-1.56	-3.51	0	100	3.06	11.35	-9.64	18.12
1024.67	1.24	851	1.09	-1.56	-3.51	0	100	3.08	11.35	-9.5	18.12
1024.77	1.24	846	1.08	-1.56	-3.9	0	100	3.06	11.35	-9.64	18.12
1024.87	1.24	845	1.08	-1.56	-3.9	0	100	3.06	11.35	-9.64	18.12
1024.97	1.24	843	1.08	-1.56	-3.9	0	100	3.06	11.35	-9.5	18.44
1025.05	1.24	832	1.06	-1.56	-4.29	0	100	3.04	11.35	-9.5	18.44
1025.15	1.24	828	1.06	-1.56	-4.29	0	100	3.06	11.35	-9.5	18.44
1025.25	1.24	830	1.06	-1.56	-4.29	0	100	3.08	11.35	-9.5	18.75
1025.35	1.24	822	1.05	-1.56	-4.68	0	100	3.04	11.35	-9.5	18.75
1025.43	1.24	826	1.06	-1.56	-4.68	0	100	3.08	11.35	-9.5	18.75
1025.53	1.24	824	1.05	-1.56	-5.07	0	100	3.06	11.35	-9.5	18.75
1025.63	1.24	816	1.04	-1.56	-5.07	0	100	3.06	11.35	-9.5	18.75
1025.73	1.24	821	1.23	-1.56	-5.46	0	100	3.1	11.35	-9.5	18.75
1025.81	1.24	831	1.06	-1.56	-5.46	0	100	3.12	11.35	-9.5	18.75
1025.91	1.24	827	1.06	-1.56	-5.85	0	100	3.04	11.35	-9.28	18.75
1026.01	1.24	817	1.05	-1.56	-5.85	0	100	3.08	11.35	-9.5	18.75
1026.11	1.24	826	1.06	-1.56	-6.24	0	100	3.1	11.35	-9.5	18.75
1026.19	1.24	827	1.06	-1.56	-6.63	0	100	3.06	11.35	-9.28	18.75
1026.29	1.24	814	1.04	-1.56	-6.63	0	100	3.06	11.35	-9.5	18.75
1026.39	1.24	822	1.05	-1.56	-7.02	0	100	3.1	11.35	-9.28	18.75
1026.49	1.24	826	1.06	-1.56	-7.02	0	100	3.08	11.35	-9.28	18.75
1026.59	1.24	825	1.06	-1.56	-7.41	0	100	3.1	11.35	-9.5	18.75
1026.71	1.24	835	1.07	-1.56	-7.8	0	100	3.12	11.35	-9.5	18.75
1026.81	1.24	832	1.06	-1.56	-7.8	0	100	3.1	11.35	-9.5	18.75
1026.93	1.24	824	1.05	-1.56	-8.19	0	100	3.08	11.35	-9.5	18.75
1027.03	1.24	823	1.05	-1.56	-8.58	0	100	3.1	11.35	-9.5	18.75
1027.15	1.24	825	1.06	-1.56	-8.58	0	100	3.08	11.35	-9.28	18.75

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
1027.25	1.24	833	1.07	-1.56	-8.97	0	100	3.12	11.35	-9.28	18.75
1027.37	1.24	835	1.07	-1.56	-8.97	0	100	3.32	13.69	-8.7	22.19
1027.45	0	844	1.44	-1.56	-9.36	0	100	4.28	14.87	-7.54	27.19
1027.55	0	894	1.91	-1.56	-9.36	0	100	5.88	14.87	-6.74	33.12
1027.65	0	999	2.35	-1.56	-9.75	0	100	7.48	15.65	-6.38	36.25
1027.75	0	1126	2.64	-1.56	-9.75	0	100	9.26	16.04	-6.16	38.12
1027.85	0	1340	3.15	-1.56	-10.14	0	100	10.52	16.04	-6.38	37.5
1027.95	0	1470	3.14	-1.56	-10.53	0	100	11.18	16.04	-6.53	35.94
1028.07	0	1589	3.39	-1.56	-11.31	0	100	11.42	16.43	-6.74	34.69
1028.15	0	1664	3.19	-1.56	-11.7	0	100	11.3	16.43	-6.96	33.75
1028.25	0	1658	3.18	-1.56	-12.09	0	100	10.92	16.43	-6.96	34.06
1028.35	0	1588	3.05	-1.56	-12.48	0	100	10.56	16.43	-6.53	35.31
1028.43	0	1483	2.85	-1.56	-12.87	0	100	10.4	16.82	-5.95	37.5
1028.53	0	1391	2.97	-1.56	-13.26	0	100	10.6	17.22	-5.37	40.62
1028.61	0	1293	3.31	-1.56	-12.87	0	100	10.76	17.22	-4.79	44.38
1028.71	0	1228	3.14	-1.56	-12.09	0	100	10.98	17.22	-4.42	46.88
1028.79	0	1190	3.05	-1.56	-11.7	0	100	11.18	17.22	-3.99	47.81
1028.89	2.49	1178	3.27	-1.56	-11.31	0	100	11.26	17.22	-3.99	48.75
1028.99	2.49	1157	3.21	-1.56	-10.92	0	100	11.22	17.22	-3.84	49.69
1029.07	2.49	1117	3.1	-1.56	-10.53	0	100	10.86	17.22	-3.63	50.94
1029.17	2.49	1058	2.94	-1.56	-10.53	0	100	10.48	17.22	-3.26	52.5
1029.25	2.49	974	2.7	-1.56	-10.53	0	100	9.84	17.22	-2.68	54.06
1029.35	2.49	883	2.45	-1.56	-10.92	0	100	9.44	17.22	-2.25	55.62
1029.43	2.49	873	2.42	-1.56	-10.92	0	100	9.72	17.61	-2.47	55.31
1029.53	2.49	945	2.62	-1.56	-10.92	0	100	10.94	18	-2.68	54.69
1029.61	4.97	1034	2.87	-1.56	-11.31	0	100	11.08	18	-2.68	54.69
1029.71	4.97	1036	2.87	-1.56	-11.31	0	100	11.52	18.39	-2.47	54.38
1029.79	4.97	1115	3.09	-1.56	-10.53	0	100	12.54	18.78	-2.47	55.62
1029.89	4.97	1153	3.44	-1.56	-10.14	0	100	13.36	19.56	-2.25	56.56
1029.97	4.97	1224	3.92	-1.56	-9.75	1.41	100	14.44	20.35	-2.03	59.69
1030.07	4.97	1280	4.1	-1.56	-9.36	1.41	100	15.82	22.69	-1.45	63.44
1030.15	4.97	1341	4.87	-1.56	-8.58	2.81	100	17.72	23.48	-1.31	66.25
1030.25	4.97	1415	4.83	-1.56	-8.19	2.81	100	19.06	23.08	-1.09	66.56
1030.33	7.46	1475	5.04	-1.56	-7.8	2.81	100	19.88	31.69	-0.15	72.19
1030.43	7.46	1547	6.27	-1.56	-8.19	1.76	100	23.74	32.47	0.07	76.25
1030.51	7.46	1657	6.36	-1.56	-8.97	3.52	100	25.74	32.47	0.29	78.12
1030.61	7.46	1702	6.54	-1.56	-9.36	4.92	100	27.2	32.47	0.29	79.38
1030.71	7.46	1792	8.03	-1.56	0	5.63	100	29.26	32.47	0.29	80.62
1030.79	7.46	1889	8.06	-1.56	0	4.57	100	31.24	32.87	0.44	82.81

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
1030.89	7.46	1978	8.86	-1.56	0	4.57	100	33.4	32.87	0.65	85.31
1030.97	11.18	2031	9.1	-1.56	0	4.57	100	35.4	32.47	0.65	86.88
1031.07	11.18	2131	9.55	-1.56	0	4.22	99.61	38.14	32.47	1.09	89.06
1031.15	11.18	2239	10.03	-1.56	0	3.16	99.61	40.98	32.08	1.09	91.56
1031.25	11.18	2324	11.41	-1.56	0	3.16	99.61	43.16	28.17	0.44	87.5
1031.33	11.18	2423	9.82	-1.56	0	3.16	99.61	39.42	26.61	-0.15	79.38
1031.43	11.18	2479	9.52	-1.56	0	1.05	99.61	39.48	25.82	-0.29	78.12
1031.51	11.18	2587	9.94	-1.56	0	0.7	99.61	39.72	23.87	-1.45	71.88
1031.61	11.18	2692	9.77	-1.56	0	0	99.61	37.02	23.08	-2.25	66.25
1031.69	14.91	2729	9.32	-1.56	0	0	99.61	35.06	22.3	-2.83	61.56
1031.79	14.91	2791	8.93	-1.56	0	0	99.61	33.96	22.69	-3.26	59.38
1031.87	14.91	2886	9.24	-1.56	0	0	99.61	34.16	23.08	-3.05	59.06
1031.97	14.91	2946	9.43	-1.56	0	0	99.61	36.28	24.65	-2.03	65
1032.05	14.91	2999	10.24	-1.56	0	0	99.61	40.36	25.04	-1.67	68.75
1032.15	14.91	3086	11.19	-1.56	0	0	99.61	43.26	25.43	-1.45	70.62
1032.23	14.91	3157	11.45	-1.56	0	0	99.61	45.32	26.61	-1.09	72.81
1032.33	14.91	3228	13.09	-1.56	0	0	99.61	53.72	30.91	0.87	86.25
1032.43	17.4	3357	15.76	-1.56	0	0	99.61	62.72	32.08	1.67	96.56
1032.51	17.4	3443	20.57	-1.56	0	0	99.61	68.32	32.08	2.25	100.31
1032.61	17.4	3507	22.45	0	0	0	99.61	71.04	27.78	1.67	95.31
1032.69	17.4	3618	17.75	-1.56	0	0	100	60.34	23.48	-1.67	69.06
1032.79	17.4	3664	11.72	-1.56	0	0	100	42.64	18	-5	49.06
1032.89	17.4	3700	7.89	-1.56	0	0	100	23.32	15.65	-8.92	25.62
1032.99	17.4	3696	4.73	-1.56	0	0	100	14.48	14.09	-10.66	15.62
1033.07	17.4	3707	4.75	-1.56	0	0	100	10.2	13.69	-11.24	12.81
1033.17	21.13	3649	4.67	-1.56	0	0	100	8.04	12.91	-11.6	11.25
1033.25	21.13	3561	4.56	-1.56	0	0	100	7.78	12.52	-11.82	11.25
1033.35	21.13	3421	4.38	-1.56	0	0	100	7.48	12.13	-11.82	10.94
1033.43	21.13	3299	4.22	-1.56	0	0	100	7.18	12.13	-11.6	10.94
1033.53	21.13	3177	4.07	-1.56	0	0	100	6.24	12.13	-11.82	9.38
1033.63	21.13	3063	3.27	-1.56	0	0	100	4.92	11.74	-11.82	7.5
1033.71	21.13	2970	3.17	-1.56	0	0	100	3.96	11.74	-12.04	6.56
1033.81	21.13	2875	3.07	-1.56	0	0	100	3.46	12.91	-12.04	6.56
1033.91	21.13	2766	2.95	-1.56	0	0	100	4.8	14.48	-11.46	10.62
1033.99	21.13	2715	3.48	-1.56	0	0	100	6.36	14.48	-11.02	12.81
1034.09	21.13	2694	3.45	-1.56	0	0	100	7	14.48	-11.02	13.44
1034.19	21.13	2670	3.42	-1.56	0	0	100	7.66	16.04	-10.44	17.19
1034.27	21.13	2593	3.87	-1.56	-0.39	0	100	9.74	16.43	-9.86	20
1034.37	21.13	2545	3.8	-1.56	-0.78	0	100	10.62	16.43	-9.5	21.25

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
1034.47	21.13	2549	3.81	-1.56	-1.56	0	100	11.38	17.61	-9.06	25
1034.55	19.88	2569	4.38	-1.56	-1.95	0	100	13.62	18	-8.48	27.5
1034.65	19.88	2562	4.92	-1.56	-2.73	0	100	14.62	18.39	-8.12	29.69
1034.73	19.88	2570	4.93	-1.56	-3.12	0	100	16.08	19.17	-7.54	33.44
1034.83	19.88	2601	5.55	-1.56	-3.9	0	100	18	19.95	-7.11	35.94
1034.91	19.88	2596	6.09	-1.56	-4.68	0	100	20.12	21.13	-6.38	40.62
1035.01	19.88	2619	6.71	-1.56	-5.07	0	100	22.64	21.91	-5.58	44.38
1035.09	19.88	2643	6.77	-1.56	-5.85	0	100	24.7	21.91	-5	47.81
1035.19	19.88	2644	6.77	-1.56	-6.63	0	100	26.26	23.08	-4.57	50.62
1035.27	21.13	2690	7.46	-1.56	-7.02	0	100	28.24	23.48	-4.21	53.44
1035.37	21.13	2707	8.09	-1.56	-6.24	0	100	29.34	23.48	-3.99	54.69
1035.45	21.13	2739	8.18	-1.56	-5.07	0	100	30.88	25.43	-3.26	60
1035.55	21.13	2766	9.44	-1.56	-3.9	0	100	35.24	27.39	-2.03	67.5
1035.65	21.13	2808	10.78	-1.56	0	0	100	40.74	28.17	-1.31	73.75
1035.73	21.13	2833	10.88	-1.56	0	0	100	42.84	28.56	-0.87	76.88
1035.83	21.13	2876	11.66	-1.56	0	0	100	45.56	37.95	0.87	87.19
1035.91	21.13	2945	14.45	-1.56	0	0	100	55.98	41.08	1.81	98.12
1036.01	23.61	2986	18.48	-1.56	0	0	100	60.4	41.08	2.39	103.75
1036.09	23.61	3026	19.37	-1.56	0	0	100	65.2	41.47	3.19	108.75
1036.19	23.61	3117	21.28	-1.56	0	0	100	70.22	42.26	4.21	115
1036.27	23.61	3163	22.94	0	0	0	100	75.12	42.26	5.15	122.19
1036.37	23.61	3241	25.58	0	0	0	100	82.46	41.86	6.16	129.38
1036.45	23.61	3326	28.38	0	0	0	100	90.18	41.08	7.11	137.81
1036.55	23.61	3413	31.31	0	0	0	100	97.12	39.91	8.05	145
1036.63	28.58	3490	33.51	0	0	0	100	103.66	37.17	8.63	147.5
1036.73	28.58	3558	33.4	0	0	0	100	102.68	34.04	8.63	142.81
1036.81	28.58	3660	33.58	0	0	0	100	104.5	32.47	8.05	137.5
1036.91	28.58	3722	32.56	0	0	0	100	98.62	32.08	7.32	128.12
1036.99	28.58	3820	29.34	0	0	0	100	94.36	27.78	4.35	107.19
1037.09	28.58	3868	22.28	0	0	0	100	62.8	18	-3.41	61.88
1037.17	28.58	3803	8.92	-1.56	0	0	100	32.54	15.65	-8.12	31.25
1037.27	28.58	3861	5.77	-1.56	0	0	100	16.92	12.52	-10.88	16.56
1037.35	32.31	3765	4.02	-1.56	0	0	100	8.64	12.13	-11.6	11.25
1037.45	32.31	3637	3.88	-1.56	0	0	100	7.94	11.35	-11.82	11.25
1037.53	32.31	3496	3.73	-1.56	0	0	100	7.62	12.52	-11.82	10
1037.63	32.31	3370	0	-1.56	0	0	100	6.06	14.09	-11.46	9.06
1037.71	32.31	3242	0	-1.56	0	0	100	5.92	14.09	-11.02	9.06
1037.81	32.31	3105	0	-1.56	0	0	100	5.26	14.09	-11.02	8.75
1037.89	32.31	2966	0	-1.56	0	0	100	5.24	13.69	-11.02	9.06

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
1037.99	32.31	2851	0	-1.56	0	0	100	5.24	13.69	-11.24	9.38
1038.07	32.31	2720	3.48	-1.56	0	0	100	5.2	14.09	-11.02	10
1038.17	32.31	2634	3.37	-1.56	0	0	100	5.82	14.09	-11.24	11.25
1038.25	32.31	2624	3.36	-1.56	0	0	100	5.9	14.09	-11.02	11.88
1038.35	32.31	2656	3.4	-1.56	0	0	100	8	16.43	-10.44	15.94
1038.43	32.31	2765	4.13	-1.56	0.39	0	100	10.12	16.43	-10.08	18.44
1038.53	32.31	2934	4.38	-1.56	1.17	0	100	11.02	16.43	-9.86	19.38
1038.61	32.31	2938	4.39	-1.56	1.95	0	100	11.38	16.82	-9.64	20.31
1038.71	32.31	2814	4.2	-1.56	1.56	0	100	11.64	16.82	-9.64	20.62
1038.79	31.07	2867	4.28	-1.56	0.78	0	100	11.88	16.82	-9.64	20.94
1038.89	31.07	2909	4.34	-1.56	0.39	0	100	12.02	16.82	-9.64	20.62
1038.97	31.07	2883	4.31	-1.56	-0.39	0	100	11.8	16.82	-9.64	20.94
1039.07	31.07	2848	4.25	-1.56	-1.17	0	100	11.96	16.82	-9.64	20.94
1039.15	31.07	2883	4.31	-1.56	-1.56	0	100	12.5	16.82	-9.64	21.56
1039.25	31.07	2872	4.29	-1.56	-2.34	0	100	12.4	16.82	-9.5	21.88
1039.33	31.07	2861	4.27	-1.56	-3.12	0	100	12.68	17.22	-9.5	22.81
1039.43	31.07	2885	4.31	-1.56	-3.51	0	100	13.52	17.61	-9.28	23.75
1039.51	31.07	2868	4.28	-1.56	-4.29	0	100	13.68	17.61	-9.06	24.06
1039.61	31.07	2878	4.91	-1.56	-3.9	0	100	13.94	17.61	-9.06	24.38
1039.69	31.07	2877	4.91	-1.56	-3.12	0	100	13.9	17.61	-9.06	24.38
1039.79	31.07	2876	4.91	-1.56	-1.95	0	100	14.04	17.61	-9.06	24.69
1039.87	31.07	2883	4.92	-1.56	-1.17	0	100	14.52	18	-8.92	25.62
1039.97	31.07	2883	4.92	-1.56	-0.39	0	100	15.04	18	-8.92	26.25
1040.05	31.07	2884	4.92	-1.56	-1.17	0	100	15.2	18	-8.7	26.56
1040.15	31.07	2892	4.94	-1.56	-1.56	0	100	15.46	18	-8.7	26.88
1040.23	32.31	2891	4.93	-1.56	-2.34	0	100	15.72	18.39	-8.48	27.5
1040.33	32.31	2900	4.95	-1.56	-2.73	0	100	16.12	18.78	-8.34	28.44
1040.41	32.31	2893	5.56	-1.56	-3.12	0	100	16.64	19.56	-8.12	30.62
1040.51	32.31	2901	6.19	-1.56	-1.95	0	100	18.82	19.56	-7.76	32.81
1040.61	32.31	2904	6.2	-1.56	-1.17	0	100	19.24	19.56	-7.32	33.75
1040.71	32.31	2910	6.21	-1.56	-0.78	0	100	19.62	19.95	-7.32	34.38
1040.81	32.31	2918	6.23	-1.56	-1.17	0	100	20.84	20.35	-7.11	36.25
1040.91	32.31	2927	6.24	-1.56	-2.34	0	100	21.28	20.35	-6.74	37.19
1041	32.31	2932	6.26	-1.56	-3.12	0	100	21.56	20.35	-6.74	37.19
1041.1	32.31	2942	6.28	-1.56	-3.12	0	100	21.6	20.35	-6.74	36.88
1041.18	32.31	2948	6.29	-1.56	-1.95	0	100	21.56	19.95	-6.96	36.25
1041.28	32.31	2954	6.3	-1.56	-0.78	0	100	21.02	19.17	-7.32	35
1041.36	32.31	2955	6.3	-1.56	-0.39	0	100	20.1	19.17	-7.32	33.75
1041.46	32.31	2961	6.32	-1.56	-1.17	0	100	19.72	18.78	-7.54	32.81

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
1041.54	32.31	2965	5.69	-1.56	-1.56	0	100	18.78	18.78	-7.9	31.25
1041.64	32.31	2979	5.72	-1.56	-2.34	0	100	18.3	18.78	-7.9	30.62
1041.72	32.31	2976	5.71	-1.56	-3.12	0	100	17.88	18.78	-8.12	30.31
1041.82	32.31	2972	5.71	-1.56	-3.51	0	100	17.82	18.78	-7.9	30.31
1041.9	32.31	2973	5.71	-1.56	-4.29	0	100	17.74	18.78	-8.12	29.69
1042	32.31	2979	5.09	-1.56	-4.68	0	100	17.68	18.78	-8.12	29.69
1042.08	32.31	2992	5.11	-1.56	-5.46	0	100	17.56	18	-8.34	28.75
1042.18	32.31	2980	5.09	-1.56	-5.46	0	100	16.44	18	-8.48	27.5
1042.26	32.31	2984	5.09	-1.56	-4.29	0	100	15.86	17.22	-8.7	25.62
1042.36	32.31	2977	5.08	-1.56	-3.51	0	100	14.68	17.22	-9.06	24.06
1042.44	32.31	2990	4.47	-1.56	-3.12	0	100	14	16.82	-9.28	23.12
1042.54	32.31	2988	4.46	-1.56	-3.9	0	100	13.1	16.43	-9.64	21.25
1042.62	32.31	2992	4.47	-1.56	-4.68	0	100	12.28	16.43	-9.86	20.31
1042.72	32.31	2979	4.45	-1.56	-5.07	0	100	11.76	16.43	-9.86	19.69
1042.82	32.31	2978	3.81	-1.56	-5.85	0	100	11.66	16.43	-9.86	19.69
1042.92	32.31	2981	3.82	-1.56	-6.63	0	100	11.5	16.43	-9.86	19.38
1043	32.31	2972	3.8	-1.56	-7.41	0	100	11.46	16.43	-9.86	19.69
1043.1	32.31	2964	4.43	-1.56	-7.02	0	100	11.82	17.22	-9.64	20.94
1043.18	32.31	2981	4.45	-1.56	-5.85	0	100	13.92	18.39	-8.92	25
1043.28	32.31	3005	5.13	-1.56	-5.07	0	100	15.74	18.39	-8.7	26.88
1043.36	32.31	2948	5.03	-1.56	-4.29	0	100	15.78	18	-8.7	26.88
1043.46	32.31	2984	5.09	-1.56	-3.12	0	100	17.02	19.95	-7.9	32.19
1043.54	32.31	2972	6.34	-1.56	-2.73	0	100	20.4	20.35	-7.11	35.62
1043.64	32.31	2991	6.38	-1.56	-3.51	0	100	21.74	20.35	-6.74	36.56
1043.74	32.31	2986	6.37	-1.56	-4.68	0	100	21.9	20.35	-6.74	36.88
1043.84	32.31	2994	6.39	-1.56	-5.07	0	100	21.74	19.95	-6.96	36.25
1043.94	32.31	2992	6.38	-1.56	-6.24	0	100	21.4	19.56	-7.11	35.31
1044.06	32.31	3005	6.41	-1.56	-6.24	0	100	20.88	19.95	-7.11	35
1044.16	32.31	3007	6.42	-1.56	-5.07	0	100	21.04	20.35	-6.96	35.62
1044.26	32.31	3019	6.44	-1.56	-3.9	0	100	22.04	20.74	-6.53	38.12
1044.36	32.31	3030	6.46	-1.56	-3.12	0	100	23.36	20.74	-6.38	39.06
1044.46	33.55	3025	7.1	-1.56	-2.34	0	100	23.8	20.74	-6.38	39.38
1044.56	33.55	3036	6.48	-1.56	-3.12	0	100	23.88	21.13	-6.16	39.69
1044.66	33.55	3042	7.14	-1.56	-4.29	0	100	24.18	21.13	-6.16	40
1044.78	33.55	3047	7.15	-1.56	-3.9	0	100	23.98	20.74	-6.38	39.06
1044.88	33.55	3056	7.17	-1.56	-2.73	0	100	23.68	20.74	-6.38	38.75
1045	33.55	3063	7.19	-1.56	-1.56	0	100	23.48	20.74	-6.38	38.44
1045.1	33.55	3076	6.56	-1.56	-2.73	0	100	23.44	20.74	-6.38	38.75
1045.22	33.55	3084	6.58	-1.56	-3.9	0	100	23.54	20.74	-6.38	38.44

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
1045.32	33.55	3083	7.24	-1.56	-4.29	0	100	23.56	20.74	-6.38	38.12
1045.44	33.55	3091	7.25	-1.56	-2.34	0	100	23.4	20.35	-6.53	37.5
1045.54	33.55	3101	7.28	-1.56	-1.17	0	100	22.78	19.95	-6.74	36.25
1045.66	33.55	3109	6.63	-1.56	-1.17	0	100	22.06	19.95	-6.96	35.31
1045.76	33.55	3118	6.65	-1.56	-1.95	0	100	21.2	19.56	-7.11	34.06
1045.86	34.8	3118	5.99	-1.56	-2.73	0	100	20.92	19.56	-7.11	33.44
1045.97	34.8	3128	6.01	-1.56	-3.51	0	100	20.72	19.56	-7.32	33.44
1046.09	34.8	3128	6.01	-1.56	-4.68	0	100	20.78	19.56	-7.11	33.12
1046.19	34.8	3138	6.03	-1.56	-3.51	0	100	20.76	19.95	-7.32	33.44
1046.3	34.8	3139	6.7	-1.56	-2.34	0	100	21.18	20.74	-6.74	35.62
1046.4	34.8	3157	7.41	-1.56	-1.17	0	100	25.64	22.69	-5.8	43.75
1046.52	34.8	3168	8.79	-1.56	0.39	0	100	30.6	23.48	-4.57	50.31
1046.62	34.8	3168	9.46	-1.56	0	0	100	33.48	25.04	-3.84	55
1046.74	34.8	3189	10.89	-1.56	0	0	100	38.66	25.82	-2.83	62.19
1046.84	34.8	3202	10.93	-1.56	0	0	100	41.32	26.21	-2.47	66.88
1046.96	34.8	3229	11.71	-1.56	0	0	100	45.26	27.39	-1.67	72.19
1047.06	34.8	3244	12.46	-1.56	0	0	100	47.64	26.61	-1.45	73.44
1047.18	34.8	3270	11.86	-1.56	0	0	100	43.62	21.13	-3.84	59.06
1047.28	36.04	3265	9.06	-1.56	0	0	100	28.6	18.39	-6.74	39.06
1047.4	36.04	3288	7.01	-1.56	0	0	100	20.78	18	-7.76	29.69
1047.5	36.04	3286	5.61	-1.56	-0.78	0	100	18.1	17.61	-8.48	25.94
1047.62	36.04	3292	5.62	-1.56	-1.95	0	100	14.78	16.43	-9.5	20.94
1047.72	36.04	3283	4.9	-1.56	-2.73	0	100	12.6	16.04	-9.86	18.75
1047.84	36.04	3272	4.19	-1.56	-3.51	0	100	11.56	15.65	-10.22	16.88
1047.94	36.04	3276	4.19	-1.56	-4.29	0	100	9.84	14.87	-10.66	14.06
1048.06	36.04	3262	3.48	-1.56	0	0	100	8.4	14.87	-10.88	12.81
1048.16	36.04	3235	4.14	-1.56	0	0	100	8.1	14.87	-10.88	12.5
1048.24	36.04	3285	4.2	-1.56	0	0	100	8.02	14.87	-10.88	12.5
1048.34	36.04	3253	4.16	-1.56	0	0	100	7.96	14.87	-10.88	12.5
1048.44	36.04	3232	4.14	-1.56	0	0	100	8.02	14.87	-11.02	12.5
1048.54	36.04	3249	4.16	-1.56	0	0	100	8	14.87	-11.02	12.5
1048.62	36.04	3238	4.14	-1.56	0	0	100	8.1	14.87	-11.02	12.81
1048.72	36.04	3221	4.12	-1.56	0	0	100	8.18	14.87	-11.02	12.81
1048.82	36.04	3217	4.12	-1.56	0	0	100	7.26	12.13	-11.6	10.62
1048.92	36.04	3184	4.08	-1.56	0	0	100	7	12.13	-11.82	10.94
1049	36.04	3206	4.1	-1.56	0	0	100	7.06	12.13	-11.82	10.94
1049.1	36.04	3187	4.08	-1.56	0	0	100	7	11.74	-11.82	10.94
1049.2	36.04	3179	4.07	-1.56	0	0	100	7	11.74	-12.04	10.94
1049.3	36.04	3169	4.06	-1.56	0	0	100	6.94	11.35	-12.04	10.94

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
1049.38	34.8	3153	4.04	-1.56	0	0	100	6.94	11.35	-12.04	10.94
1049.48	34.8	3147	0	-1.56	0	0	100	6.68	14.09	-11.82	10.94
1049.58	34.8	3130	0	-1.56	0	0	100	6.84	14.09	-11.46	10.94
1049.66	34.8	3122	0	-1.56	0	0	100	6.92	14.09	-11.24	11.25
1049.76	34.8	3111	0	-1.56	0	0	100	6.84	14.09	-11.24	10.94
1049.86	34.8	3099	0	-1.56	0	0	100	6.84	14.09	-11.24	10.94
1049.96	34.8	3087	0	-1.56	0	0	100	6.72	14.09	-11.24	10.94
1050.04	34.8	3076	3.94	-1.56	0	0	100	6.8	14.87	-11.02	12.19
1050.14	33.55	3072	3.93	-1.56	0	0	100	7.8	14.87	-11.24	12.81
1050.24	33.55	3072	3.93	-1.56	0	0	100	8.06	14.87	-11.02	13.44
1050.34	33.55	3060	3.92	-1.56	0	0	100	8.2	16.43	-10.44	15.94
1050.44	33.55	3031	5.17	-1.56	0.78	0	100	11.78	17.22	-9.64	20.62
1050.56	33.55	3099	4.63	-1.56	0.39	0	100	13.46	17.61	-9.5	21.88
1050.66	33.55	3047	4.55	-1.56	-0.39	0	100	13.5	17.22	-9.5	22.81
1050.78	33.55	3021	4.51	-1.56	-1.17	0	100	13.7	17.61	-9.28	22.5
1050.88	33.55	3077	4.6	-1.56	-1.95	0	100	13.94	17.61	-9.28	23.12
1050.98	33.55	3013	4.5	-1.56	-2.73	0	100	13.92	17.61	-9.28	23.12
1051.06	33.55	3039	4.54	-1.56	-3.51	0	100	13.88	17.61	-9.28	23.12
1051.16	33.55	3024	4.52	-1.56	-3.9	0	100	13.92	17.61	-9.28	23.12
1051.26	33.55	3034	4.53	-1.56	-4.68	0	100	13.88	17.22	-9.5	22.81
1051.36	33.55	3037	4.54	-1.56	-3.51	0	100	13.56	17.22	-9.5	22.5
1051.44	33.55	3021	4.51	-1.56	-2.73	0	100	13.46	17.22	-9.28	22.19
1051.54	33.55	3035	4.53	-1.56	-1.56	0	100	13.8	18.39	-9.06	24.38
1051.64	33.55	3025	5.16	-1.56	-1.56	0	100	17.56	20.35	-8.12	31.56
1051.74	33.55	3051	6.51	-1.56	-2.34	0	100	20.34	21.13	-7.11	35.62
1051.82	33.55	3031	7.11	-1.56	-3.12	0	100	23.1	22.3	-6.16	40.31
1051.92	33.55	3056	7.17	-1.56	-3.9	0	100	25.8	24.26	-5	46.88
1052.04	33.55	3057	9.13	-1.56	-2.73	0	100	31.54	24.26	-4.21	52.5
1052.14	33.55	3069	9.17	-1.56	-2.34	0	100	32.66	24.26	-4.21	53.44
1052.22	33.55	3084	9.21	-1.56	-3.51	0	100	33	22.69	-4.42	53.12
1052.32	33.55	3088	8.57	-1.56	-4.29	0	100	29.16	18	-6.74	40.62
1052.42	33.55	3076	5.91	-1.56	-5.07	0	100	20.06	16.43	-8.48	29.38
1052.52	33.55	3094	4.62	-1.56	-5.85	0	100	14.8	14.09	-10.08	20
1052.6	33.55	3087	3.95	-1.56	-6.63	0	100	9.38	12.52	-11.24	12.5
1052.7	33.55	3040	3.89	-1.56	0	0	100	6.6	12.13	-11.82	10.94
1052.82	33.55	3022	3.87	-1.56	0	0	100	6.86	10.96	-12.04	10.94
1052.92	33.55	3086	0	-1.56	0	0	100	6.28	14.09	-11.46	10.62
1053.02	33.55	3036	0	-1.56	0	0	100	6.52	14.09	-11.24	10.62
1053.1	33.55	3060	0	-1.56	0	0	100	6.54	14.09	-11.24	10.94

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
1053.2	33.55	3005	0	-1.56	0	0	100	6.62	14.09	-11.24	10.94
1053.28	33.55	3035	0	-1.56	0	0	100	6.66	14.09	-11.24	10.94
1053.38	33.55	2999	0	-1.56	0	0	100	6.56	14.09	-11.24	10.94
1053.46	33.55	3004	0	-1.56	0	0	100	6.62	14.09	-11.24	10.94
1053.56	33.55	2985	0	-1.56	0	0	100	6.6	14.09	-11.24	11.25
1053.64	32.31	2979	0	-1.56	0	0	100	6.68	14.09	-11.24	11.25
1053.74	32.31	2965	0	-1.56	0	0	100	6.54	13.69	-11.24	10.94
1053.82	32.31	2942	0	-1.56	0	0	100	6.46	13.69	-11.24	10.94
1053.92	32.31	2923	0	-1.56	0	0	100	6.36	13.69	-11.24	10.94
1054.02	32.31	2831	0	-1.56	0	0	100	6.12	13.69	-11.24	10.94
1054.1	32.31	2699	0	-1.56	0	0	100	5.8	13.3	-11.24	10.94
1054.2	32.31	2579	0	-1.56	0	0	100	5.56	13.3	-11.46	11.25
1054.28	32.31	2455	0	-1.56	0	0	100	5.36	12.91	-11.24	11.25
1054.38	31.07	2339	0	-1.56	0	0	100	5.12	12.91	-11.02	11.56
1054.46	31.07	2219	0	-1.56	0	0	100	5.02	12.91	-11.24	11.56
1054.56	31.07	2113	0	-1.56	0	0	100	4.82	12.52	-11.02	11.56
1054.64	31.07	2001	2.56	-1.56	0	0	100	4.74	18.39	-9.86	16.25
1054.74	31.07	1955	5.01	-1.56	0	0	100	11.06	20.35	-6.74	33.75
1054.82	31.07	2065	7.49	-1.56	0	0	100	20.26	75.12	0.29	68.75
1054.92	31.07	2445	12	-1.56	0	0	100	40.06	33.26	-0.51	75.31
1055	31.07	2865	12.23	-1.56	0	0	100	32.66	14.87	-6.74	43.44
1055.1	28.58	2831	6.64	-1.56	0	0	100	16.86	14.09	-9.06	26.56
1055.18	28.58	2738	4.67	-1.56	0	0	100	12.08	13.69	-10.22	18.44
1055.28	28.58	2694	4.02	-1.56	0	0	100	8.5	13.69	-10.88	14.69
1055.38	28.58	2687	3.44	-1.56	0	0	100	7.3	13.69	-11.24	12.5
1055.46	28.58	2697	3.45	-1.56	0	0	100	6.52	13.69	-11.46	11.88
1055.56	28.58	2712	3.47	-1.56	0	0	100	6.22	13.69	-11.46	11.25
1055.66	28.58	2725	3.49	-1.56	0	0	100	6.16	13.69	-11.46	11.25
1055.76	23.61	2741	3.51	-1.56	0	0	100	6.24	13.69	-11.46	11.25
1055.84	23.61	2779	3.56	-1.56	0	0	100	6.28	14.09	-11.46	11.25
1055.94	23.61	2772	3.55	-1.56	0	0	100	6.24	13.69	-11.46	11.56
1056.02	23.61	2694	3.45	-1.56	0	0	100	6.28	13.69	-11.46	11.88
1056.1	23.61	2608	3.34	-1.56	0	0	100	5.94	13.3	-11.46	11.56
1056.2	23.61	2444	3.13	-1.56	0	0	100	5.42	12.91	-11.46	11.25
1056.3	23.61	2333	2.99	-1.56	0	0	100	5.16	12.91	-11.46	11.25
1056.38	23.61	2259	2.89	-1.56	0	0	100	4.98	12.52	-11.46	11.25
1056.48	17.4	2162	2.77	-1.56	0	0	100	4.76	12.52	-11.46	11.25
1056.56	17.4	2061	2.64	-1.56	0	0	100	4.68	12.52	-11.24	11.56
1056.66	17.4	1964	2.1	-1.56	0	0	100	4.46	12.13	-11.24	11.56

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
1056.76	17.4	1852	2.37	-1.56	0	0	100	4.24	12.13	-11.24	11.88
1056.84	17.4	1781	2.28	-1.56	0	0	100	4.12	12.13	-11.02	11.88
1056.94	17.4	1713	2.19	-1.56	0	0	100	4.02	12.13	-11.02	12.19
1057.04	17.4	1622	2.08	-1.56	0	0	100	3.84	11.74	-11.02	12.5
1057.12	17.4	1520	1.62	-1.56	0	0	100	3.66	11.74	-11.02	12.5
1057.22	12.43	1446	1.85	-1.56	0	0	100	3.52	11.74	-10.88	12.81
1057.32	12.43	1352	1.73	-1.56	0	0	100	3.48	11.74	-10.66	13.12
1057.4	12.43	1328	1.7	-1.56	0	0	100	3.56	11.74	-10.66	13.44
1057.5	12.43	1371	1.76	-1.56	0	0	100	4.26	14.87	-9.86	16.88
1057.62	12.43	1373	2.34	-1.56	-0.39	0	100	6.06	15.26	-8.48	24.06
1057.7	12.43	1375	2.93	-1.56	-0.78	0	100	7.7	15.65	-7.76	29.38
1057.8	12.43	1423	3.34	-1.56	-0.78	0	100	10.24	34.04	-0.29	57.19
1057.88	11.18	1348	5.75	-1.56	-1.17	0	100	16.32	34.43	-0.15	65.94
1057.98	11.18	1397	5.96	-1.56	-1.56	1.05	100	19.92	35.6	-0.15	71.88
1058.06	11.18	1383	5.9	-1.56	-1.95	1.05	100	19.8	35.6	0.07	74.69
1058.16	11.18	1341	5.72	-1.56	-2.34	1.05	100	21.08	36.39	0.29	76.25
1058.26	11.18	1420	6.06	-1.56	-3.12	1.05	100	21.54	36	0.29	77.81
1058.34	11.18	1387	5.92	-1.56	-3.51	1.05	100	21.72	32.08	0.07	77.81
1058.44	11.18	1458	5.91	-1.56	-3.9	1.05	100	23.04	28.17	0.29	76.88
1058.54	11.18	1490	5.72	-1.56	-4.29	1.05	100	21.76	19.56	-1.67	69.06
1058.62	12.43	1506	5.14	-1.56	-4.68	1.05	100	18.96	19.17	-2.68	58.44
1058.7	12.43	1555	4.31	-1.56	-5.07	0	100	17.52	18.78	-3.26	54.38
1058.8	12.43	1583	4.05	-1.56	-5.46	0	100	16.64	18.78	-3.41	51.56
1058.9	12.43	1622	4.15	-1.56	-6.24	0	100	16.52	18.78	-3.84	50
1058.98	12.43	1652	4.23	-1.56	-6.63	0	100	16.4	18	-4.21	48.12
1059.08	12.43	1669	3.92	-1.56	-7.02	0	100	15.56	17.22	-5	44.06
1059.16	12.43	1698	3.99	-1.56	-6.63	0	100	14.22	15.26	-6.16	38.44
1059.26	12.43	1716	3.3	-1.56	-5.85	0	100	11.32	13.3	-7.76	30.94
1059.34	13.67	1716	2.56	-1.56	-5.07	0	100	9.3	12.52	-8.92	25
1059.44	13.67	1727	2.21	-1.56	-4.68	0	100	7.86	12.52	-9.64	21.25
1059.52	13.67	1739	2.23	-1.56	-3.9	0	100	6.68	12.13	-10.22	18.12
1059.62	13.67	1732	2.22	-1.56	-3.51	0	100	5.78	12.13	-10.44	15.94
1059.7	13.67	1721	1.84	-1.56	-3.9	0	100	5.12	12.13	-10.66	14.38
1059.8	13.67	1689	1.8	-1.56	-4.29	0	100	4.74	12.13	-10.66	14.06
1059.88	13.67	1705	1.82	-1.56	-4.68	0	100	4.8	12.13	-10.88	13.75
1059.98	13.67	1749	1.87	-1.56	-5.07	0	100	4.76	12.13	-10.88	13.75
1060.08	13.67	1690	1.8	-1.56	-5.46	0	100	4.7	12.13	-10.66	14.06
1060.16	13.67	1712	1.83	-1.56	-5.85	0	100	4.8	12.13	-10.88	13.75
1060.26	13.67	1704	2.18	-1.56	-5.46	0	100	4.58	12.13	-10.88	13.75

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
1060.34	13.67	1669	2.14	-1.56	-4.68	0	100	4.54	12.13	-10.88	13.44
1060.44	13.67	1661	2.13	-1.56	0	0	100	4.38	12.13	-10.88	13.12
1060.52	13.67	1648	2.11	-1.56	0	0	100	4.28	12.13	-11.02	13.12
1060.62	13.67	1618	2.07	-1.56	0	0	100	4.12	11.74	-11.02	12.81
1060.7	12.43	1602	2.05	-1.56	0	0	100	4.02	11.74	-11.02	12.5
1060.8	12.43	1604	2.05	-1.56	0	0	100	3.96	11.74	-11.02	12.5
1060.88	12.43	1574	2.01	-1.56	0	0	100	3.88	11.74	-11.02	12.19
1060.98	12.43	1577	2.02	-1.56	0	0	100	3.84	11.74	-11.02	12.19
1061.06	12.43	1563	2	-1.56	0	0	100	3.76	11.74	-11.02	12.19
1061.16	12.43	1550	1.98	-1.56	0	0	100	3.74	11.74	-11.02	12.19
1061.24	12.43	1540	1.97	-1.56	0	0	100	3.72	11.74	-11.02	12.19
1061.34	12.43	1527	1.95	-1.56	0	0	100	3.74	11.74	-11.02	12.5
1061.42	12.43	1514	1.94	-1.56	0	0	100	3.78	11.74	-10.88	12.5
1061.52	12.43	1511	1.93	-1.56	0	0	100	3.74	11.74	-11.02	12.5
1061.6	12.43	1493	1.91	-1.56	0	0	100	3.7	11.74	-10.88	12.5
1061.7	12.43	1474	1.89	-1.56	0	0	100	3.74	11.74	-10.88	12.81
1061.78	12.43	1481	1.9	-1.56	0	0	100	3.78	11.74	-10.88	12.81
1061.88	12.43	1462	1.87	-1.56	0	0	100	3.66	11.74	-10.88	12.81
1061.96	12.43	1449	1.85	-1.56	0	0	100	3.66	11.74	-11.02	12.81
1062.06	12.43	1440	1.84	-1.56	0	0	100	3.64	11.35	-10.88	12.81
1062.14	11.18	1437	1.84	-1.56	0	0	100	3.6	11.35	-10.88	12.81
1062.24	11.18	1420	1.82	-1.56	0	0	100	3.56	11.35	-10.88	12.5
1062.32	11.18	1403	1.8	-1.56	0	0	100	3.54	11.74	-10.88	13.12
1062.42	11.18	1392	1.78	-1.56	0	0	100	3.62	11.74	-10.88	13.12
1062.5	11.18	1377	1.76	-1.56	0	0	100	3.66	11.74	-10.88	13.44
1062.6	11.18	1382	1.77	-1.56	0	0	100	3.72	11.74	-10.66	13.44
1062.68	11.18	1372	1.76	-1.56	0	0	100	3.66	11.74	-10.66	13.44
1062.78	11.18	1344	1.72	-1.56	0	0	100	3.68	11.35	-10.66	13.75
1062.86	11.18	1357	1.74	-1.56	0	0	100	3.7	11.35	-10.66	13.44
1062.96	11.18	1356	1.74	-1.56	0	0	100	3.6	11.35	-10.66	13.44
1063.04	11.18	1319	1.69	-1.56	0	0	100	3.56	11.35	-10.66	13.44
1063.14	11.18	1327	1.7	-1.56	0	0	100	3.64	11.35	-10.66	13.75
1063.22	11.18	1337	1.71	-1.56	0	0	100	3.58	11.35	-10.66	13.75
1063.32	11.18	1299	1.66	-1.56	0	0	100	3.56	11.35	-10.88	13.44
1063.4	11.18	1301	1.67	-1.56	0	0	100	3.48	11.35	-10.88	13.44
1063.5	11.18	1293	1.66	-1.56	0	0	100	3.42	11.35	-10.88	13.12
1063.58	9.94	1279	1.64	-1.56	0	0	100	3.36	11.35	-10.88	13.44
1063.68	9.94	1267	1.62	-1.56	0	0	100	3.36	11.35	-10.88	13.44
1063.76	9.94	1270	1.63	-1.56	0	0	100	3.38	11.35	-10.66	13.44

Time	Vehicle Speed	RPM (RPM)	Inj. Duty Cycle	LTFT	STFT	Knock Retard	Learned Knk Ret.	MAF (g/s)	Throttle Position	Boost Pressure	Load Boost/Fuel
1063.86	9.94	1266	1.62	-1.56	0	0	100	3.4	11.35	-10.66	13.75
1063.94	9.94	1251	1.6	-1.56	0	0	100	3.48	11.35	-10.66	14.06
1064.04	9.94	1240	1.59	-1.56	0	0	100	3.48	11.35	-10.66	14.06
1064.12	9.94	1237	1.58	-1.56	0	0	100	3.48	11.35	-10.44	14.38
1064.22	9.94	1227	1.57	-1.56	0	0	100	3.5	11.35	-10.66	14.38
1064.3	9.94	1219	1.56	-1.56	0	0	100	3.48	11.74	-10.44	14.69
1064.4	9.94	1205	1.54	-1.56	0	0	100	3.54	11.74	-10.44	15
1064.48	9.94	1187	1.52	-1.56	0	0	100	3.54	11.74	-10.22	15.31
1064.58	9.94	1169	1.5	-1.56	0	0	100	3.56	11.74	-10.22	15.62
1064.66	9.94	1153	1.48	-1.56	0	0	100	3.56	11.35	-10.22	15.62
1064.76	9.94	1148	1.47	-1.56	0	0	100	3.56	11.35	-10.22	15.62
1064.84	9.94	1130	1.45	-1.56	0	0	100	3.52	11.35	-10.22	15.62
1064.94	8.7	1126	1.44	-1.56	0	0	100	3.52	11.35	-10.22	15.94
1065.02	8.7	1119	1.43	-1.56	0	0	100	3.52	11.35	-10.22	15.94
1065.12	8.7	1110	1.42	-1.56	0	0	100	3.54	11.35	-10.08	15.94
1065.2	8.7	1101	1.41	-1.56	0	0	100	3.54	11.35	-10.08	16.25
1065.3	8.7	1093	1.4	-1.56	0	0	100	3.56	11.74	-10.22	16.56
1065.38	8.7	1092	1.4	-1.56	-0.39	0	100	3.62	11.35	-10.08	16.56
1065.48	8.7	1088	1.39	-1.56	-0.39	0	100	3.56	11.35	-10.08	16.56
1065.56	8.7	1076	1.38	-1.56	-0.39	0	100	3.58	11.35	-10.08	16.88
1065.66	8.7	1076	1.38	-1.56	-0.78	0	100	3.62	11.35	-10.08	16.88
1065.76	8.7	1068	1.37	-1.56	-1.17	0	100	3.58	11.35	-9.86	16.88
1065.84	8.7	1060	1.36	-1.56	-1.17	0	100	3.58	11.35	-10.08	16.88
1065.94	8.7	1055	1.35	-1.56	-1.56	0	100	3.54	11.35	-10.08	16.88
1066.02	8.7	1047	1.34	-1.56	-1.95	0	100	3.48	11.35	-10.08	16.88
1066.12	8.7	1039	1.33	-1.56	-1.95	0	100	3.48	11.35	-10.08	16.88
1066.2	8.7	1030	1.32	-1.56	-2.34	0	100	3.48	11.35	-10.08	16.88
1066.3	8.7	1020	1.31	-1.56	-2.73	0	100	3.44	11.35	-10.08	17.19
1066.4	7.46	1006	1.29	-1.56	-3.12	0	100	3.46	11.35	-10.08	17.19
1066.48	7.46	1003	1.28	-1.56	-3.12	0	100	3.38	11.35	-9.86	16.88
1066.58	7.46	994	1.27	-1.56	-3.51	0	100	3.34	11.35	-9.86	16.88
1066.66	7.46	989	1.27	-1.56	-3.9	0	100	3.26	11.35	-10.08	16.56
1066.76	7.46	964	1.23	-1.56	-3.9	0	100	3.18	11.35	-10.08	16.56
1066.84	7.46	957	1.23	-1.56	-4.29	0	100	3.16	11.35	-10.08	16.56
1066.94	7.46	937	1.2	-1.56	-4.29	0	100	3.12	11.35	-10.08	16.88
1067.02	7.46	928	1.19	-1.56	-4.68	0	100	3.12	11.35	-9.86	16.88
1067.12	6.21	924	1.18	-1.56	-5.07	0	100	3.1	11.35	-9.86	17.19
1067.2	6.21	907	1.16	-1.56	-5.07	0	100	3.08	11.35	-9.86	17.19

Maximum Values - "Stage1+AEM 91 GSR v1.08" - October 21, 2011

100.66 7367 100.31 0 10.14 5.63 100 311.48 86.86 26.69 282.81

minimum values: -2.34 -14.43 99.22

2008 Evo X, Calif., 91 oct pump gas, AEM intake, Cobb Evo X Hard Pipe Kit (UICP & LICP), Greddy Spectrum Elite catback exhaust.