

Time (sec)	Boost (P	Ign. Advance (°)	Inj. Duty Cycle (%)	Knock Sum (	LTFT Used (	Load (load)	MAF Volt	RPM (RPM)	STFT (%)	Throttle Angle (%)
0	-6.28	36	5.66	0	2.15	43.44	2.13	2344	-4.1	10
0.149	-5.99	35	5.89	0	1.95	46.56	2.15	2344	-4.1	10
0.238	-5.79	34	6.22	0	1.95	46.56	2.14	2375	-3.52	10
0.318	-5.79	35	6.35	0	1.95	47.19	2.17	2375	-2.93	10
0.396	-5.89	35	6.46	0	1.95	46.88	2.12	2406	-2.54	10
0.464	-5.84	35	6.45	0	1.95	46.25	2.16	2406	-2.15	10
0.542	-5.99	35	6.58	0	1.95	46.88	2.14	2406	-1.95	10
0.605	-5.89	35	6.65	0	1.95	46.56	2.14	2438	-1.56	10
0.682	-5.89	35	6.48	0	1.76	46.56	2.14	2438	-1.56	10
0.754	-5.99	36	6.44	0	1.76	45.62	2.16	2469	-1.76	10
0.831	-5.99	36	6.52	0	1.76	46.25	2.14	2469	-1.95	11
0.907	-5.84	36	6.47	0	1.76	47.19	2.26	2469	-2.15	14
0.976	-4.92	34	8	0	1.76	56.56	2.49	2500	-2.54	18
1.055	-3.13	32	8.93	0	1.76	68.75	2.51	2531	-2.34	19
1.117	-2.31	29	9.92	0	1.76	74.69	2.5	2531	-1.95	19
1.18	-1.97	28	10.14	0	1.76	77.19	2.91	2531	-1.76	52
1.252	0.74	25	12.31	0	1.76	90	2.87	2594	-1.37	59
1.331	1.36	21	13.5	0	1.76	98.44	2.91	2594	0	61
1.403	1.8	20	15	0	1.76	106.88	3.05	2625	0	60
1.491	2.43	17	17	0	1.76	115.94	3.01	2656	0	73
1.567	3.25	14	18.12	0	1.76	125	3.09	2656	0	73
1.642	3.93	13	20.3	0	1.76	130.94	3.14	2750	0	71
1.704	4.8	12	20.57	0	1.76	134.06	3.06	2719	0	71
1.777	5.67	12	21.99	0	1.76	140.62	3.23	2781	0	73
1.849	6.39	11	24.3	0	1.76	148.12	3.23	2812	0	72
1.914	7.41	10	22.35	0	1.76	150.31	3.31	2875	0	72
1.993	8.52	10	27.05	0	1.76	157.5	3.33	2906	0	75
2.055	9.59	10	30.18	0	0	166.88	3.47	2938	0	95
2.129	10.75	9	31.86	0	0	174.69	3.55	3000	0	96
2.196	11.96	9	33.16	0	0	180.94	3.58	3031	0	95
2.268	13.41	9	35.54	0	0	189.69	3.56	3094	0	95
2.348	15	8	37.94	0	0	199.38	3.66	3125	0	95
2.412	16.31	9	41.16	0	0	210	3.81	3219	0	95

2.499	18.34	8	44.18	0	0	221.88	3.8	3250	0	95
2.578	19.89	8	47.15	0	0	232.5	3.88	3312	0	95
2.641	21.34	8	50.64	0	0	241.88	3.98	3406	0	95
2.704	22.55	8	53.21	0	0	248.12	4	3469	0	95
2.787	23.42	7	54.27	0	0	252.5	3.83	3500	0	95
2.849	23.9	7	55.79	0	0	251.25	4	3656	0	95
2.914	23.81	9	54.92	0	0	248.44	3.92	3656	0	95
2.991	23.66	8	55.31	2	0	246.25	3.9	3719	0	95
3.068	23.66	8	55.74	2	0	244.38	3.92	3812	0	95
3.137	23.32	8	55.63	2	0	241.56	3.95	3844	0	95
3.227	23.08	8	57.25	2	0	241.25	4.04	4000	0	95
3.295	22.94	8	57.36	2	0	241.25	3.95	4000	0	95
3.376	22.98	8	58.81	2	0	241.25	4.2	4094	0	96
3.438	22.98	8	59.27	2	0	241.56	3.94	4156	0	95
3.515	22.69	8	60.49	2	0	241.56	4.04	4250	0	95
3.582	22.65	9	61.5	2	0	241.56	4.05	4312	0	95
3.666	22.36	9	61.39	1	0	238.12	4.04	4406	0	95
3.739	21.73	9	60.65	1	0	233.75	3.97	4438	0	95
3.812	21.2	9	61.2	1	0	230.94	4.19	4531	0	95
3.885	20.95	9	61.23	1	0	229.38	4.19	4562	0	95
3.952	20.95	10	62.44	1	0	228.12	4.32	4625	0	95
4.038	20.81	10	63.2	1	0	226.88	4.03	4719	0	95
4.101	20.95	10	63.68	1	0	227.19	3.93	4750	0	95
4.188	20.71	11	65.26	1	0	225.94	4.19	4844	0	95
4.256	20.76	11	65.23	1	0	224.38	4.09	4875	0	95
4.324	20.66	11	66.48	1	0	222.81	4.29	4969	0	95
4.401	20.52	11	66.83	1	0	221.88	4.28	5000	0	95
4.473	20.52	12	68.15	0	0	222.5	3.99	5094	0	95
4.556	20.32	12	67	0	0	219.69	4.33	5125	0	95
4.632	20.37	12	67.81	0	0	222.81	4.31	5219	0	95
4.7	20.37	13	68.97	0	0	217.81	4.13	5281	0	95
4.782	20.32	13	67.82	0	0	214.38	4.11	5312	0	95
4.864	20.08	13	67.25	0	0	210.31	4.22	5406	0	95
4.932	19.89	14	67.7	0	0	208.75	4.22	5469	0	95

5.006	19.74	14	71.87	0	0	219.06	4.3	5500	0	95
5.081	19.6	13	70.79	0	0	213.44	4.3	5562	0	95
5.144	19.55	13	69.56	0	0	208.44	4.34	5625	0	95
5.229	19.31	13	72.99	0	0	216.56	4.25	5688	0	95
5.303	19.12	13	74.44	0	0	216.56	4.25	5750	0	95
5.365	18.97	13	74.58	0	0	215.31	4.34	5781	0	95
5.446	18.97	13	74.92	0	0	214.38	4.18	5844	0	95
5.507	18.83	14	75.64	0	0	214.38	4.25	5906	0	96
5.579	18.83	14	74.53	0	0	208.75	4.41	5969	0	95
5.656	18.63	14	76.12	0	0	210.31	4.39	6000	0	96
5.729	18.54	14	77.48	0	0	213.75	4.34	6062	0	96
5.797	18.63	14	77.87	0	0	213.12	4.3	6125	0	96
5.872	18.49	14	78.75	0	0	213.12	4.34	6188	0	96
5.946	18.44	14	79.23	0	0	212.5	4.37	6219	0	96
6.013	18.34	15	79.52	0	0	211.25	4.37	6281	0	96
6.085	18.1	15	79.58	0	0	210.62	4.27	6312	0	96
6.153	17.91	15	80.11	0	0	209.69	4.36	6375	0	96
6.217	17.81	15	80.64	0	0	209.06	4.42	6438	0	96
6.294	17.66	15	80.69	2	0	208.75	4.4	6469	0	96
6.381	17.71	14	81.47	2	0	208.12	4.35	6531	0	96
6.454	17.66	14	81.45	2	0	208.12	4.44	6594	0	96
6.541	17.62	14	82.32	2	0	207.81	4.39	6656	0	96
6.614	17.71	14	82.43	2	0	207.5	4.42	6688	0	96
6.686	17.62	14	82.57	2	0	206.88	4.35	6750	0	96
6.768	17.57	14	82.69	2	0	206.88	4.42	6781	0	96
6.841	17.33	14	83.08	1	0	205.94	4.44	6844	0	96
6.924	17.23	15	83.57	1	0	204.69	4.43	6906	0	96
7.011	17.08	15	82.93	1	0	203.75	4.43	6938	0	96
7.085	16.94	15	83.21	1	0	199.38	4.44	7000	0	96
7.171	16.75	15	83.76	1	0	202.19	4.44	7062	0	81
7.243	16.55	15	84.21	1	0	191.88	3.57	7156	0	13
7.315	3.25	1	7.7	1	0	85.62	2.5	7219	0	-1
7.389	-9.08	8	9.7	0	1.76	29.06	2.93	7031	0	-2
7.472	-11.11	14	7.37	0	1.76	14.69	2.1	6781	0	-2

7.544	-11.65	19	0	0	1.76	11.56	1.88	6594	0	8
7.62	-10.39	25	0	0	1.76	11.56	1.87	6438	0	8
7.692	-9.86	30	12.23	0	1.76	24.38	1.91	6281	0	6
7.766	-9.95	41	10.05	0	1.76	18.75	1.4	6125	0	2
7.839	-11.11	42	7.87	0	1.76	13.75	1.43	5844	0	2
7.912	-11.36	42	6.86	0	1.76	11.25	1.56	5656	0	2
7.98	-11.45	42	6.34	0	-4.1	10.62	1.6	5531	0	2
8.048	-11.5	42	6.16	0	-4.1	10.62	1.59	5406	0	2
8.127	-11.55	42	6.02	0	-4.1	11.25	1.56	5250	0	1
8.189	-11.45	42	5.98	0	-4.1	11.88	1.6	5125	0	1
8.265	-11.45	42	5.93	0	-4.1	12.19	1.65	5000	0	1
8.337	-11.45	42	5.92	0	1.76	12.19	1.56	4875	0	1
8.399	-11.5	42	5.87	0	1.76	12.5	1.62	4781	0	1
8.485	-11.45	42	5.8	0	1.76	12.81	1.59	4625	0	1
8.55	-11.65	42	5.41	0	-4.1	12.19	1.62	4406	0	1
8.622	-11.65	42	4.66	0	-4.1	10.94	1.61	3969	0	1
8.694	-11.69	42	3.99	0	-4.1	10.31	1.62	3562	0	1
8.775	-11.69	0	0	0	-4.1	10	1.84	3781	0	4
8.852	-11.11	3	0	0	-4.1	13.75	1.85	3656	0	4
8.913	-10.78	42	5.44	0	1.76	17.19	1.82	3656	-0.2	4
8.992	-10.92	42	5.22	0	1.76	15.62	1.8	3750	-0.59	4
9.06	-10.92	42	4.97	0	1.76	15.31	1.78	3656	-0.39	4
9.142	-11.02	42	4.79	0	-4.1	14.69	1.79	3625	0.2	4
9.229	-11.07	42	4.77	0	-4.1	14.69	1.81	3688	-0.2	4
9.297	-11.02	42	4.7	0	-4.1	14.69	1.77	3656	-0.59	4
9.373	-11.11	42	4.7	0	-4.1	14.38	1.8	3656	-0.78	4
9.435	-11.07	42	4.66	0	-4.1	14.38	1.77	3656	-1.17	4
9.512	-11.07	42	4.66	0	-4.1	14.38	1.8	3656	-1.37	4
9.584	-11.07	42	4.66	0	-4.1	14.69	1.78	3656	-1.76	4
9.657	-11.07	42	4.63	0	-4.1	14.38	1.77	3656	-2.15	4
9.73	-11.07	42	4.69	0	-4.1	14.69	1.79	3625	-1.95	4